GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S STATISTICAL REVIEW OF ENGLAND AND WALES FOR THE YEAR 1964

THE ROYAL SOCIETY
for the Promotion
OF HEALTH
LIBRARY

PART I
TABLES, MEDICAL

WELLCOME INSTITUTE LIBRARY
Coll. welMOmec
Call No.

LONDON

HER MAJESTY'S STATIONERY OFFICE

PRICE £1 16*s.* 0*d.* NET

The Registrar General's Weekly Return for England and Wales

Births and Deaths, Infectious Diseases, Weather

The Weekly Return contains numbers of births, stillbirths and deaths registered in England and Wales and in individual counties (including associated county boroughs) and in the five largest county boroughs during the week to which the Return relates, with the deaths sub-divided to show the number of infants under one year of age and the number of deaths from certain specified diseases. The deaths registered in the Greater London area at different age-groups are listed by cause.

Also included are: notifications of infectious diseases for England and Wales, for each administrative area and for Port Health Districts; new claims to sickness benefit under the National Insurance Act and injury benefit under the National Insurance (Industrial Injuries) Act, from data supplied by the Ministry of National Insurance; and meteorological data supplied by the Director-General of the Meteorological Office.

The Weekly Return is also used as the medium for the early publication of certain monthly, quarterly and annual statistics.

2*s*. (2*s*. 3*d*.) Annual Subscription £5 17*s*. 0*d*. *including postage*

The Registrar General's Quarterly Return for England and Wales

Births, Deaths and Marriages, Infectious Diseases, Weather, Population Estimates

These Returns are published normally during the fourth month following the relevant quarter. Tables provide: quarterly figures of marriages, live births, stillbirths and deaths (distinguishing infant, neonatal and perinatal deaths) over a period of ten years for the whole country; similar figures (except of marriages and neonatal mortality) for the past five quarters for standard and hospital regions; quarterly figures of deaths in the whole country from certain causes and of accidental deaths analysed by type of accident and by sex and age; a summary of corrected notifications of infectious diseases in the current quarter according to age and according to area; a meteorological report for the quarter and a table showing the number of insured persons absent from work owing to sickness or industrial injury.

Summaries of the main facts about births, deaths and marriages in the preceding year are given in the March issue; estimates of the sex and age distribution of the population of England and Wales in the September and December issues; estimated analyses of the occupations and of the sex, age and marital condition of migrants in the September issue; and of the movement of migrants in the December issue.

2*s*. 6*d*. (2*s*. 9*d*.) Annual Subscription 11*s*. *including postage*

Published by

HER MAJESTY'S STATIONERY OFFICE

and obtainable from the Government Bookshops in London (post orders to P.O. Box 569, S.E.1), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller

GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S STATISTICAL REVIEW OF ENGLAND AND WALES FOR THE YEAR 1964

PART I
TABLES, MEDICAL

LONDON
HER MAJESTY'S STATIONERY OFFICE
1966

TABLE OF CONTENTS

		Page
Explanatory Notes		vi
Corrections		xvii
Population		
Table 1.	Estimated population, total, home and civilian, by sex and age, as at 30th June 1964. England and Wales	1
Table 2.	Estimated home population by sex and age, as at 30th June 1964. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, hospital regions	2
Serial mortality records		
Table 3.	Deaths, death rates, mortality comparisons, infant mortality, and live and still birth rates, 1841 to 1964. England and Wales	4
Table 4.	Death rates per 1,000 living in age-groups and infant mortality per 1,000 live births, 1841 to 1964. England and Wales	5
Table 5.	Deaths registered in each quarter, 1841 to 1964. England and Wales	8
Table 6.	Standardised Mortality Ratios (all ages) and death rates per million population at ages under 15 years from the principal epidemic and general diseases, 1851-1964. England and Wales	9
Table 7.	Deaths by cause and sex at all ages, 1954 to 1964. England and Wales	10
Table 8.	Crude death rates per million living from certain causes, by sex at all ages, 1954 to 1964. England and Wales	39
Table 9.	Standardised Mortality Ratios (base years 1950-1952) by sex for certain causes of death, 1954 to 1964. England and Wales	54
Table 10.	Death rates per 100,000 population at all ages and at ages over one year and infant mortality rates (deaths under 1 year per 1,000 live births) from certain causes, by sex, in each year 1959 to 1964. England and Wales	58
Table 11.	Deaths of infants under 1 year from certain causes, 1954 to 1964. England and Wales	62
Table 12.	Infant mortality rates (deaths under 1 year per 1,000 live births) from certain causes, 1954 to 1964. England and Wales	63
Vital statistics by local areas		
Table 13.	Home population, births, deaths, infant mortality and perinatal mortality, 1964. England and Wales, standard regions, Wales, conurbations, hospital regions, counties, boroughs, urban and rural districts	64
Deaths by age		
Table 14.	Deaths by sex at each year of age (with marital condition), 1964. England and Wales	100

		Page
Table 15.	Constructed analysis of 1964 deaths by age and marital condition. England and Wales	102
Table 16.	Deaths at different ages by month of occurrence, January to December, 1964. England and Wales..	103
Table 17.	Causes of death at different age periods, 1964. England and Wales	104
Table 17A.	Death rates per million living, by sex and age, from principal causes, 1964. England and Wales	156
Table 18A.	Accidental poisoning and other non-transport accidents by place of occurrence, by sex and age, 1964. England and Wales	167
Table 18B.	Suspended	
Table 18C.	Deaths from violent causes - External cause according to nature of injury, 1964. England and Wales	174
Table 18D.	Deaths from road traffic accidents and from accidental falls - Nature of injury according to external cause, sex and age, 1964. England and Wales	175
Table 19.	Causes of death at different periods of life and Standardised Mortality Ratios, by sex, 1964. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions	178
Table 20.	Suspended	
Table 21.	Causes of death by sex, 1964, classified in accordance with the Abridged List and Supplementary Abridged List. England and Wales, standard regions, Wales, conurbations, hospital regions, London A.C., City of London, metropolitan and county boroughs, administrative counties	255
Table 22.	Causes of death by month of occurrence, January to December, 1964. England and Wales	293

Stillbirths and Infant mortality

Table 23.	Stillbirths by sex and legitimacy (with rates per 1,000 total births), 1964. England and Wales, standard regions, Wales, conurbations, hospital regions, London A.C., City of London, metropolitan and county boroughs, urban and rural aggregates in each administrative county	301
Table 23A.	Stillbirths by cause, sex and mother's age at maternity (with, for certain selected causes, rates per 1,000 total births), 1964. England and Wales	304
Table 23B.	Legitimate stillbirths by cause and parity of mother (with, for certain selected causes, rates per 1,000 total births), 1964. England and Wales	309
Table 23C.	Stillbirths by cause and month of occurrence (with, for certain selected causes, rates per 1,000 total births), 1964. England and Wales	312
Table 23D.	Stillbirths by cause and area of residence of mother (with, for certain selected causes, rates per 1,000 total births), 1964. England and Wales, standard regions, Wales, urban and rural aggregates, and hospital regions	316

Page

Table 23E. Stillbirths by cause and length of gestation, 1964. England and Wales 326

Table 23F. Stillbirths by cause and birth weights, 1964. England and Wales 328

Table 23G. Stillbirths by cause and place of confinement (with, for certain selected causes, rates per 1,000 total births), 1964. England and Wales 331

Table 23H. Legitimate stillbirths by certain selected causes, parity of mother and number of previous stillbirths with rates per 1,000 total births, 1964. England and Wales 333

Table 23I. Stillbirths by cause, sex and year of occurrence (with, for certain selected causes, rates per 1,000 total births), 1961 to 1964. England and Wales 335

Table 24. Deaths at various periods in the first year of life by legitimacy. Death rates per 1,000 live births, 1964. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions 340

Table 25. Deaths at various periods in the first year of life, 1964, and the four quarters thereof. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions 342

Table 26. Infant mortality from certain causes, 1964. Deaths of infants under 1 year and various sub-divisions of the first year, and deaths of illegitimate infants. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions.. 344

Table 27. Causes of death at various ages under 5 years, 1964. England and Wales 350

Infectious diseases

Table 28. Weekly notifications of certain infections diseases and deaths for certain causes, 1964. England and Wales 361

Table 29. Cases of certain infectious diseases notified, 1954 to 1964. England and Wales 362

Table 30. Cases of certain infectious diseases notified, by sex and age, 1964. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions .. 363

Table 31. Cases of certain infectious diseases notified, 1964. (including for England and Wales only, case rates per 100,000 population). England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, hospital regions, counties, county and metropolitan boroughs 382

Weather

Table 32. Quarterly air temperature, rainfall and sunshine, 1964. England and Wales.. 392

Table 33. Rainfall, mean temperature and sunshine, 1914-1964. England and Wales 393

Table 34. Meteorological observations, 1964. Kew Observatory, Richmond .. Page 394

Appendices

Appendix A. Standardised Mortality Ratios (based on United Kingdom and Irish Republic experience), age specific death rates and infant mortality rates from selected causes and estimated mid-year populations, 1964. England and Wales, Scotland, Northern Ireland, Irish Republic 396

Appendix B. Abridged life table, 1964. England and Wales 402

Appendix C. Revised Estimated Home Population by sex and age, as at 30th June 1961. England and Wales, standard regions and conurbations .. 403

Appendix D. Revised Estimated Home Population by sex and age, as at 30th June 1962. England and Wales, standard regions and conurbations .. 404

Appendix E. Revised Estimated Home Population by sex and age, as at 30th June 1963. England and Wales, standard regions and conurbations .. 405

EXPLANATORY NOTES

1. New or recent changes in presentation

A computer was used for the first time in the production of the 1963 statistics. Most of the tabulations are now produced, by photo-lithographic processes, from the output of the computer system. The page size was altered from royal octavo to demy quarto and some tables were re-arranged either to meet the needs of the new system or to make better use of the available space, alterations in layout and presentation bein kept to a minimum.

(a) *Tabular changes introduced in 1964.*

Table 30. Extended age-grouping introduced for tuberculosis.

(b) *Tabular changes introduced in 1963.*

Tables 11 and 12. Some cause groupings were revised.

Table 13. Live births shown separately by legitimacy as well as sex.

Table 17. Extended to include information previously shown in **Table 18B.**

Table 17A. New table showing death rates for England and Wales by sex and age, from principal causes.

Table 18B. Omitted - information now given in **Table 17.**

Table 18C. Revised to include deaths from certain road vehicle accidents accordi to external cause and nature of injury.

Table 19. Age-groups amended to show 25 to 34 and 35 to 44 years separately and further column added to show Standardised Mortality Ratios. Death rates for England and Wales shown in **Table 17A.**

Table 23I. New serial table showing stillbirths by cause, sex and year of occurrence with rates per 1,000 total births for selected causes. I commences with 1961, the first complete year for which causes of stil birth are available.

Table 27. Further cause groupings added.

Tables 2, 13, 19, 21, 23, 23D, 24, 25, 26, 30 and 31. Revised to include figure for hospital regions (*see explanatory note 15*).

(c) *Revision of population estimates.*

The final revisions of the national sex and age population estimates published in **Table 1** for 1961 and 1962, based on an age graduation of the 1961 Census results, were included in the 1963 volume in **Appendices C** and **D**; the 1963 estimates in **Table 1** of that volume were similarly based.

The estimated populations for regions and conurbations in **Table 2** of the 1963 Review have now been finally revised, and the revised figures for 1961, 1962 and 1963 are shown in **Appendices C, D** and **E** of this volume.

Rates and S.M.R's (except **Table 19**), in all serial tables and all tables containi rates based on national sex/age estimates were revised in the 1963 volume. The area S.M.R's in **Table 19** have been calculated on revised regional sex/age estimates.

2. Populations

The estimates of population appearing in this volume and described as 'home', 'total' or 'civilian' populations have the following content:

Home population - the population, of all types, actually in England and Wales, distributed by area according to residence.

Total population - the home population plus members of H.M. Forces belonging to England and Wales and serving overseas but minus the forces of other countries temporarily in England and Wales.

Civilian population - the total population minus members of H.M. Forces belonging to England and Wales at home or overseas

3. Deaths

The deaths recorded in this volume are those registered in England and Wales. No distinction is made between deaths of civilians and deaths of non-civilians, except where stated for past years in serial tables.

Except in **Tables 16** and **22** the deaths recorded are those registered in the calendar period, the time lag between the date of occurrence and the date of registration being usually only a day or two. In **Tables 16** and **22** deaths are classified by calendar month of occurrence, but they exclude deaths occurring in the current year which are not registered until after 31st March in the following year.

In general deaths are assigned to the area of usual residence of the deceased if this is within England or Wales; if not, to the area of occurrence. Accommodation provided under Parts III and IV of the National Assistance Act, 1948, is regarded as the place of residence of persons dying there. Before 1st January 1958 chronic sick and psychiatric hospitals were similarly treated for this purpose but from this date the method of classification was modified, the main change being that a death in such a hospital is now assigned to the area of occurrence only if the deceased had been there six months or more. If the deceased had been there less than six months the death is transferred to the area of previous usual residence.

In some small areas the number of deaths may also have been appreciably affected by the opening, closing or change of use of certain institutions, so that figures may not be comparable with those of earlier years.

4. Causes of death

The classification of causes of death is that prescribed in the *International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955** (Seventh Revision) operating from the year 1958 in accordance with international agreement. In the tables this classification is referred to as ICD. Violent deaths are generally classified according to the External Cause of Injury (E codes), but the alternative method of classification by Nature of Injury (N codes) is also used in **Tables 7, 8, 17, 17A, 18C, 18D, 19** and **27.** The Abridged List used for separate areas in **Table 21** is an adaption of the International List and was adopted by the Registrar General in consultation with the Ministry of Health; it is extended by the Supplementary Abridged List in the same table. The list used in **Table 19** is designed so that it can be condensed into either the International Abbreviated List or the Abridged List of **Table 21. Tables 18C** and **18D** employ both of the alternative classifications for violent deaths in the International Intermediate List.

The 1955 International Classification differs only very slightly from that for 1948. For most causes of death, therefore, statistics compiled according to the 1955 Classification should be comparable with those compiled according to that for 1948. (*See* Appendix B of the *1957 Statistical Review, Part III, Commentary*†).

Where more than one cause of death is mentioned on the medical certificate, the choice of the assigned cause is in accordance with international procedure, determined in the main from the statement of the certifier, and not by arbitrary rules of precedence.

5. Death Rates

The death rates for 1950 and on (except for infant mortality and maternal mortality) are derived from the total deaths registered in this country and are based on the home population, while those for 1940-49 are derived from civilian deaths and populations (*see* note 2 above). All death rates for years prior to 1958 have been revised so far as possible to

---

* Manual obtainable from Her Majesty's Stationery Office, price 35s. 0d. net.
† Obtainable from Her Majesty's Stationery Office, price 16s. 6d. net.

the new method of cause classification. Death rates for the years 1951 to 1953 shown in this volume are in some cases slightly different from corresponding rates published in Parts I and II for these years because the estimated populations on which they are based have been revised in the light of final data from the 1951 Census. Similarly, death rates for 1961 and 1962 have been recalculated using final data from the 1961 Census.

The crude death rates for local areas in **Table 13** (col. 14) may not be comparable one with another. In the first place, the populations on which they are based may have widely differing structures by sex and age. In order to eliminate differences between local death rates due to this cause a standardising factor, termed an Area Comparability Factor, is calculated (as described on page 57 of the *1954 Statistical Review, Part III, Commentary**). In the second place, the populations on which the crude death rates are based may include a disproportionate number of invalids if there are certain types of hospitals in the area. In order to eliminate this difference the Area Comparability Factors are adjusted so that they have the effect of apportioning the deaths and the populations in chronic sick and psychiatric hospitals over all areas of the country according to their non-institutional populations. The product of the crude death rate and the adjusted Area Comparability Factor (col. 15 in **Table 13**) is a rate which makes allowance for these two influences. The ratio of this adjusted rate to the rate for England and Wales as a whole is shown in col. 16 of **Table 13.**

Infant mortality rates are based upon the live births occurring in the year, except in the years 1931 to 1956 when they were based upon related live births, i.e. the combined live births of the associated and preceding year to which they relate. Maternal mortality rates are based upon live and still births occurring in the calendar year, except in the case of deaths from abortion which are based on the estimated numbers of women aged 15-44. Perinatal mortality rates are based on the number of deaths under one week plus still-births per thousand total live and still births.

6. Standard mortality comparisons

The Comparative Mortality Index introduced in 1942 has since 1958 been replaced by a Standardised Mortality Ratio (S.M.R.) which shows the number of deaths registered in the year of experience as a percentage of those which would have been expected in that year had the sex/age mortality of a standard period (1950-52) operated on the sex/age population of the year of experience. S.M.R's based on the standard period (1950-52) are shown in **Tables 3, 6** and **9.** In **Table 19,** S.M.R's for areas are similarly calculated by applying the sex/age mortality in England and Wales in the year under review to the sex/age populations of the area. In **Appendix A** a United Kingdom and Irish Republic standard is similarly used.

7. Births and birth rates

The births recorded are those occurring in the calendar year. Births are assigned to the area of the mother's usual residence if this is within England or Wales; if not, to the area of occurrence.

The crude birth rates for local areas in **Table 13** (col. 8) may not be comparable one with another because the populations on which they are based may contain different relative numbers of women of childbearing ages. In order to eliminate differences between local birth rates due to this cause a standardising factor, termed an Area Comparability Factor, is calculated (as described on page 30 of the *1954 Statistical Review, Part III, Commentary**). The product of the crude birth rate and this Area Comparability Factor (col. 9 in **Table 13**) is a rate which makes allowance for this influence. The ratio of this adjusted rate to the rate for England and Wales as a whole is shown in col. 10 of **Table 13.**

8. Causes of stillbirth

Classification of causes of stillbirth in **Tables 23A-23I** is according to the Supplementar List for causes of stillbirth, set out on pages 336-348 of the *International Statistical Classification of Diseases, Injuries and Causes of Death, 1955*† (Seventh Revision), with further sub-division of certain rubrics, and as modified by the

---

* Obtainable from Her Majesty's Stationery Office, price 8s. 0d. net.
† Manual obtainable from Her Majesty's Stationery Office, price 35s. 0d. net.

following changes of assignment:

Cause of stillbirth	Rubric to which cause is assigned (i) in International Classification	(ii) in tables listed above
Patent ductus arteriosus	39·5	38·41
Patent foramen ovale		38·43
Congenital heart condition NOS		38·45
Foetal heart condition NOS		38·45

9. Notification of infectious diseases

Tables 29, 30 and **31** are based on notifications corrected for subsequent amendments of diagnosis by the notifying medical practitioner or by the medical superintendent of the infectious disease hospital. Non-civilians are included unless otherwise stated.

10. Changes in boundaries

Areas which have undergone a change of boundary during the year are identified in **Table 13** by an asterisk *, newly created areas by the sign †, and abolished areas by the sign ‡. For any such area the statistics shown for the current year represent the events assigned to the area within the boundaries as they existed at the date of registration of the event, and the population given in **Table 13** (col. 2) which is used for the calculation of crude birth and death rates, is a weighted average of the mid-year populations of the area as constituted before and after the change. This population figure may therefore differ from any given in **Table 2** for the same region, conurbation, etc., which relates to the area as constituted at mid-year. Details of boundary changes are given in an appendix to Part II of the Statistical Review.

11. Indication of reliability

Rates given as 0 indicate that the actual rate is less than one half of a unit. A dash (-) in any column indicates that there were no events. Where a cell has been left blank, no denominator is available.

Rates calculated from less than 20 births, deaths or notifications are distinguished by italic type as a warning to the user that the smallness of the experiences may affect their reliability as a measure.

Numbers

If d represents the deaths in an area and p the population in that area then, if d/p is small, the standard error (s.e.) of d is approximately $\sqrt{d}$ assuming that the deaths are independent of one another. Clearly, the larger the number of deaths the smaller will be the proportionate variability. A deviation either way of twice the s.e. may be expected about once in 20 times. Using this criterion one might expect towns each averaging 20 deaths per year to yield in the same year numbers ranging between 11 and 29 without such differences having any statistical significance. Alternatively it could be said that if 20 deaths were recorded for a town, this number would have a 95 per cent confidence interval of approximately ± 9, there being a 95 per cent chance that the underlying mortality is represented by a number of deaths within this interval.

If d is thought to be an extreme variation it would be more reliable to use as the standard error not $\sqrt{d}$ but $\sqrt{d'}$ where d' is the number of deaths expected if some standard rate (e.g. the national rate) were applied.

Rates

The appropriate standard error of a death rate when d represents the number of deaths and p the population is

$$\frac{\sqrt{d}}{p} \text{ or } \frac{m}{\sqrt{d}}$$

where m is the death rate. The difference between two local death rates m_1 and m_2 can be

regarded as significant only if it amounts to more than twice the standard error of the difference, viz.

$$2\sqrt{\left(\frac{m_1^2}{d_1} + \frac{m_2^2}{d_2}\right)}$$

Comparison of adjusted rates

Before comparisons are made, other known sources of variations (such as differences in the sex and age composition of the population) must be removed. If C is the local death Area Comparability Factor, then mC is to be compared with m^1, the national death rate. The s.e. of mC is

$$C\sqrt{\left(\frac{m}{p}\right)}$$

and

$$mC \pm 2C\sqrt{\left(\frac{m}{p}\right)}$$

is to be compared with m^1. As already indicated, m^1 can be used instead of m in the calculation of the s.e.; m^1 has the advantage of itself having only a small sampling error.

12. Abbreviations

A.C. - administrative county (the administrative county of London consists of the City of London (including the Inner and Middle Temple) and the metropolitan boroughs).
C.B. - county borough.
M.B. - municipal borough.
Met. B. - metropolitan borough.
U.D. - urban district.
R.D. - rural district.

13. Standard regions

The constitution of the standard regions of England and Wales used in this volume is as follows:

Northern	Midland	Southern
Cumberland	Herefordshire	Berkshire
Durham	Shropshire	Buckinghamshire
Northumberland	Staffordshire	Dorset, Part of[4]
Westmorland	Warwickshire	Hampshire
Yorkshire, North Riding	Worcestershire	Oxfordshire
		Wight, Isle of
East and West Ridings	**Eastern**	
Yorkshire, East Riding	Bedfordshire	
Yorkshire, West Riding	Cambridgeshire	
	Ely, Isle of	**South Western**
	Essex, Part of[2]	Cornwall
North Western	Hertfordshire, Part of[3]	Devon
Cheshire	Huntingdonshire	Dorset, Part of[5]
Derbyshire, Part of[1]	Norfolk	Gloucestershire
Lancashire	Suffolk, East	Somerset
	Suffolk, West	Wiltshire

[1]Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D. and Chapel en le Frith R.D.
[2]All except East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D. and Chigwell U.D.
[3]All except Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D. and Elstree R.D.
[4]Poole M.B. only.
[5]All areas except Poole M.B.

North Midland	London and South Eastern	Wales I (South East)
Derbyshire, Part of[6]	Essex, Part of[7]	Breconshire
Leicestershire	Hertfordshire, Part of[8]	Carmarthenshire
Lincolnshire	Kent	Glamorgan
Parts of Holland	London A.C.	Monmouthshire
Parts of Kesteven	Middlesex	
Parts of Lindsey	Surrey	**Wales II (remainder)**
Northamptonshire	Sussex, East	Anglesey
Nottinghamshire	Sussex, West	Caernarvonshire
Peterborough, Soke of		Cardiganshire
Rutland		Denbighshire
		Flintshire
		Merionethshire
		Montgomeryshire
		Pembrokeshire
		Radnorshire

[6]All except Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D. and Chapel en le Frith R.D.
[7]East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D. and Chigwell U.D.
[8]Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D. and Elstree R.D.

14. Conurbations

The conurbation areas each consist of an aggregation of entire local authority areas and are constituted as follows:

Tyneside

Durham (part)	*Northumberland (part)*	
Gateshead C.B.	Newcastle upon Tyne C.B.	Newburn U.D.
South Shields C.B.	Tynemouth C.B.	Wallsend M.B.
		Whitley Bay M.B.
Felling U.D.		
Hebburn U.D.	Gosforth U.D.	
Jarrow M.B.	Longbenton U.D.	
Whickham U.D.		

West Yorkshire

Yorkshire, West Riding (part)

Bradford C.B.	Colne Valley U.D.	Mirfield U.D.
Dewsbury C.B.	Denby Dale U.D.	Morley M.B.
Halifax C.B.	Denholme U.D.	Ossett M.B.
Huddersfield C.B.	Elland U.D.	Pudsey M.B.
Leeds C.B.	Heckmondwike U.D.	Queensbury and Shelf U.D.
Wakefield C.B.	Holmfirth U.D.	Ripponden U.D.
Aireborough U.D.	Horbury U.D.	Rothwell U.D.
Baildon U.D.	Horsforth U.D.	Shipley U.D.
Batley M.B.	Keighley M.B.	Sowerby Bridge U.D.
Bingley U.D.	Kirkburton U.D.	Spenborough M.B.
Brighouse M.B.	Meltham U.D.	Stanley U.D.

South East Lancashire

Cheshire (part)

Stockport C.B.

Alderley Edge U.D.
Altrincham M.B.
Bowdon U.D.
Bredbury and Romiley U.D.
Cheadle and Gatley U.D.

Dukinfield M.B.
Hale U.D.
Hazel Grove and Bramhall U.D.
Hyde M.B.

Marple U.D.
Sale M.B.
Stalybridge M.B.
Wilmslow U.D.

Disley R.D.

Lancashire (part)

Bolton C.B.
Bury C.B.
Manchester C.B.
Oldham C.B.
Rochdale C.B.
Salford C.B.

Ashton-under-Lyne M.B.
Audenshaw U.D.
Chadderton U.D.
Crompton U.D.
Denton U.D.

Droylsden U.D.
Eccles M.B.
Failsworth U.D.
Farnworth M.B.
Heywood M.B.

Horwich U.D.
Irlam U.D.
Kearsley U.D.
Lees U.D.
Littleborough U.D.
Little Lever U.D.
Middleton M.B

Milnrow U.D.
Mossley M.B.
Prestwich M.B.
Radcliffe M.B.
Royton U.D.

Stretford M.B.
Swinton and Pendlebury M.B.
Tottington U.D.
Urmston U.D.
Wardle U.D.

Westhoughton U.D.
Whitefield U.D.
Whitworth U.D.
Worsley U.D.

Merseyside

Cheshire (part)

Birkenhead C.B.
Wallasey C.B.

Bebington M.B.
Ellesmere Port M.B.
Hoylake U.D.
Neston U.D.
Wirral U.D.

Lancashire (part)

Bootle C.B.
Liverpool C.B.

Crosby M.B.
Huyton-with-Roby U.D.
Litherland U.D.

West Midlands

Staffordshire (part)

Smethwick C.B.
Walsall C.B.
West Bromwich C.B.
Wolverhampton C.B.

Aldridge U.D.
Amblecote U.D.
Bilston M.B.
Brierley Hill U.D.
Coseley U.D.
Darlaston U.D.
Rowley Regis M.B.
Sedgley U.D.
Tettenhall U.D.
Tipton M.B.

Wednesbury M.B.
Wednesfield U.D.
Willenhall U.D.

Warwickshire (part)

Birmingham C.B.
Solihull C.B.

Sutton Coldfield M.B.

Worcestershire (part)

Dudley C.B.

Halesowen M.B.
Oldbury M.B.
Stourbridge M.B.

Greater London

London	*Hertfordshire (part)*	*Surrey (part)*
Middlesex	Barnet U.D.	Croydon C.B.
Essex (part)	Bushey U.D.	
	Cheshunt U.D.	Banstead U.D.
East Ham C.B.	East Barnet U.D.	Barnes M.B
West Ham C.B.		Beddington and Wallington M.B
	Elstree R.D.	Carshalton U.D.
Barking M.B.		
Chigwell U.D.	*Kent (part)*	Coulsdon and Purley U.D.
Chingford M.B.		Epsom and Ewell M.B.
Dagenham M.B.	Beckenham M.B.	Esher U.D.
Ilford M.B.	Bexley M.B.	Kingston-upon-Thames M.B.
	Bromley M.B.	Malden and Coombe M.B.
Leyton M.B.	Chislehurst and Sidcup U.D.	
Waltham Holy Cross U.D.		Merton and Morden U.D.
Walthamstow M.B.	Crayford U.D.	Mitcham M.B.
Wanstead and Woodford M.B.	Erith M.B.	Richmond M.B.
	Orpington U.D.	Surbiton M.B.
	Penge U.D.	Sutton and Cheam M.B.
		Wimbledon M.B.

15. Hospital regions

The hospital regions presented in this volume consist of aggregations of entire local authority areas. They are identical with the areas of regional hospital boards except where the boundaries of the latter divide local authority areas. Any such divided local authority area is allocated to the hospital region containing the greater proportion of the population.

Newcastle

Cumberland	*Yorkshire, North Riding (part)*	
Durham	Middlesbrough C.B.	Skelton and Brotton U.D.
		Thornaby-on-Tees M.B.
Northumberland	Eston U.D.	
	Guisborough U.D.	Croft R.D.
Westmorland (part)	Loftus U.D.	Northallerton R.D.
	Northallerton U.D.	Reeth R.D.
Appleby M.B.	Redcar M.B.	Richmond R.D.
	Richmond M.B.	Startforth R.D.
North Westmorland R.D.	Saltburn and Marske-by-Sea U.D.	Stokesley R.D.

Leeds

Yorkshire, East Riding	*Yorkshire, West Riding (part)*
Yorkshire, North Riding (part) (*except areas stated in Newcastle Region*)	(*except areas stated in Sheffield Region*)

Sheffield

Leicestershire

Lincolnshire
Parts of Holland
Parts of Lindsey

Nottinghamshire

Derbyshire (part)
(except areas stated in Manchester Region)

Lincolnshire
Parts of Kesteven *(part)*
(except areas stated in East Anglia Region)

Rutland (part)

Oakham U.D.
Oakham R.D.
Uppingham R.D.

Yorkshire, West Riding (part)

Barnsley C.B.
Doncaster C.B.
Rotherham C.B.
Sheffield C.B.

Adwick-le-Street U.D.
Bentley with Arksey U.D.
Conisbrough U.D.
Cudworth U.D.
Darfield U.D.

Darton U.D.
Dearne U.D.
Dodworth U.D.
Hoyland Nether U.D.
Maltby U.D.

Mexborough U.D.
Penistone U.D.
Rawmarsh U.D.

Royston U.D.
Stocksbridge U.D.
Swinton U.D.
Tickhill U.D.

Wath-upon-Dearne U.D.
Wombwell U.D.
Worsbrough U.D.

Doncaster R.D.
Kiveton Park R.D.
Penistone R.D.
Rotherham R.D.

Thorne R.D.
Wortley R.D.

East Anglia

Cambridgeshire

Ely, Isle of

Huntingdonshire

Norfolk

Peterborough, Soke of

Suffolk, East

Suffolk, West

Essex (part)

Saffron Walden M.B.
Saffron Walden R.D.

Hertfordshire (part)

Royston U.D.

Lincolnshire
Parts of Kesteven *(part)*

Stamford M.B.
Bourne U.D.
South Kesteven R.D.

Rutland (part)

Ketton R.D.

North West Metropolitan

Bedfordshire

Hertfordshire (part)
(except areas stated in East Anglia and North East Metropolitan Regions)

Middlesex (part)
(except areas stated in North East Metropolitan Region)

Berkshire (part)

Maidenhead M.B.
New Windsor M.B.
Cookham R.D.
Easthampstead R.D.
Windsor R.D.

Buckinghamshire (part)

Beaconsfield U.D.
Eton U.D.
Slough M.B.
Eton R.D.

London Admin. County (part)

Hammersmith Met.B.
Hampstead Met.B.
Holborn Met.B.
Islington Met.B.

Paddington Met.B.
St. Marylebone Met.B.
St. Pancras Met.B.

North East Metropolitan

Essex (part) (*except areas stated in East Anglia Region*)	*Hertfordshire (part)*	*London Admin. County (part)*
Middlesex (part)	Bishop's Stortford U.D.	City of London
Edmonton M.B.	Cheshunt U.D.	Inner and Middle Temple
Enfield M.B.	Hertford M.B.	Bethnal Green Met.B.
Tottenham M.B.	Hoddesdon U.D.	Finsbury Met.B.
	Sawbridgeworth U.D.	Hackney Met.B.
	Ware U.D.	Poplar Met.B.
	Braughing R.D.	Shoreditch Met.B.
	Hertford R.D.	Stepney Met.B.
	Ware R.D.	Stoke Newington Met.B.

South East Metropolitan

Kent	*London Admin. County (part)*	
Sussex, East	Bermondsey Met.B.	Lambeth Met.B.
	Camberwell Met.B.	Lewisham Met.B.
	Deptford Met.B.	Southwark Met.B.
	Greenwich Met.B.	Woolwich Met.B.

South West Metropolitan

	Hampshire (part)	*London Admin. County (part)*
Surrey	Aldershot M.B.	Battersea Met.B.
	Farnborough U.D.	Chelsea Met.B.
Sussex, West	Fleet U.D.	Fulham Met.B.
		Kensington Met.B.
		Wandsworth Met.B.
		Westminster Met.B.

Wessex

Wight, Isle of	*Wiltshire (part)*
Dorset (part) (*all areas except Lyme Regis M.B.*)	Salisbury M.B.
	Wilton M.B.
	Amesbury R.D.
Hampshire (part) (*except areas stated in South West Metropolitan Region*)	Mere and Tisbury R.D.
	Salisbury and Wilton R.D.

Oxford

Northamptonshire	*Gloucestershire (part)*	*Wiltshire (part)*
Oxfordshire	Cirencester U.D.	Marlborough M.B.
		Swindon M.B.
Berkshire (part) (*except areas stated in North West Metropolitan Region*)	Cirencester R.D.	
	North Cotswold R.D.	Cricklade and Wootton Bassett R.D.
	Northleach R.D.	Highworth R.D.
Buckinghamshire (part) (*except areas stated in North West Metropolitan Region*)		Marlborough and Ramsbury R.D.
		Pewsey R.D.

South Western

Cornwall. Devon. Somerset.

Dorset (part)

Lyme Regis M.B.

Gloucestershire (part)
(except areas stated in Oxford Region)

Wiltshire (part)
(except areas stated in Wessex and Oxford Regions)

Welsh

All areas in Wales including Monmouthshire

Birmingham

Herefordshire *Shropshire* *Staffordshire* *Warwickshire* *Worcestershire*

Manchester

Cheshire (part)
(except areas stated in Liverpool Region)

Lancashire (part)
(except areas stated in Liverpool Region)

Westmorland (part)
(except areas stated in Newcastle Region)

Derbyshire (part)

Buxton M.B.
Glossop M.B.
New Mills U.D.
Whaley Bridge U.D.

Chapel en le Frith R.D.

Liverpool

Cheshire (part)

Birkenhead C.B.
Chester C.B.
Wallasey C.B.

Bebington M.B.
Ellesmere Port M.B.
Hoylake U.D.
Lymm U.D.
Neston U.D.
Runcorn U.D.

Wirral U.D.
Chester R.D.
Runcorn R.D.
Tarvin R.D.

Lancashire (part)

Bootle C.B.
Liverpool C.B.
St. Helens C.B.
Southport C.B.
Warrington C.B.

Crosby M.B.
Formby U.D.
Golborne U.D.
Haydock U.D.
Huyton with Roby U.D.
Kirkby U.D.
Litherland U.D.
Newton-le-Willows U.D.
Ormskirk U.D.
Prescot U.D.
Rainford U.D.
Skelmersdale U.D.
Widnes M.B.

Warrington R.D.
West Lancashire R.D.
Whiston R.D.

16. Urban and rural aggregates

These aggregates comprise (a) the six conurbations combined, (b) the aggregates of urban local authority areas outside the conurbations in three groups according to the size of their resident population at the 1961 Census and (c) the aggregate of rural local authority areas outside the conurbations. Urban areas include boroughs and urban districts as defined by the Local Government Acts, and rural areas are rural districts as similarly defined.

CORRECTIONS

STATISTICAL REVIEW, 1963: PART I, TABLES, MEDICAL

Page 106 Table 17 — In the headings 'Malaria' and 'Other infective and parasitic diseases'

for 100-117 and 100-117* respectively
read 110-117 and 110-117*

Page 317 Table 23D — Total live and still births, South Western:

for	*read*
M 131,518	M 31,518
F 29,733	F 29,733
P 161,251	P 61,251

Page 390 Table 32 — Number of days difference from average rainfall in sectional table 'Year 1963', lines:

England N.E. *for* -11 *read* +11
Mean *for* - 9 *read* + 2

Page 396 Appendix A — In line 500-502 Bronchitis, England and Wales, column All ages, M:

for 108·8 *read* 1,088

PART I

TABLES, MEDICAL

ABLE 1. Estimated population, total, home and civilian, by sex and age, as at 30th June 1964

England and Wales

See explanatory note 2.

(Figures in thousands)

Age	Total			Home			Civilian		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
All ages	**47,511·0**	**23,151·9**	**24,359·1**	**47,401·3**	**23,043·7**	**24,357·6**	**47,139·5**	**22,793·7**	**24,345·8**
0	844·4	433·1	411·3	844·4	433·1	411·3	844·4	433·1	411·3
1	829·4	425·2	404·2	829·4	425·2	404·2	829·4	425·2	404·2
2	811·9	416·3	395·6	811·9	416·3	395·6	811·9	416·3	395·6
3	780·0	400·6	379·4	780·0	400·6	379·4	780·0	400·6	379·4
4	743·8	382·0	361·8	743·8	382·0	361·8	743·8	382·0	361·8
0-4	**4,009·5**	**2,057·2**	**1,952·3**	**4,009·5**	**2,057·2**	**1,952·3**	**4,009·5**	**2,057·2**	**1,952·3**
5	729·6	374·2	355·4	729·6	374·2	355·4	729·6	374·2	355·4
6	713·8	366·1	347·7	713·8	366·1	347·7	713·8	366·1	347·7
7	686·4	351·9	334·5	686·4	351·9	334·5	686·4	351·9	334·5
8	662·1	339·5	322·6	662·1	339·5	322·6	662·1	339·5	322·6
9	647·7	331·8	315·9	647·7	331·8	315·9	647·7	331·8	315·9
5-9	**3,439·6**	**1,763·5**	**1,676·1**	**3,439·6**	**1,763·5**	**1,676·1**	**3,439·6**	**1,763·5**	**1,676·1**
10	658·0	336·7	321·3	658·0	336·7	321·3	658·0	336·7	321·3
11	651·6	333·5	318·1	651·6	333·5	318·1	651·6	333·5	318·1
12	649·6	332·4	317·2	649·6	332·4	317·2	649·6	332·4	317·2
13	662·9	339·4	323·5	662·9	339·4	323·5	662·9	339·4	323·5
14	690·1	353·3	336·8	690·1	353·3	336·8	690·0	353·2	336·8
10-14	**3,312·2**	**1,695·3**	**1,616·9**	**3,312·2**	**1,695·3**	**1,616·9**	**3,312·1**	**1,695·2**	**1,616·9**
15	721·8	370·5	351·3	722·0	370·7	351·3	719·3	368·0	351·3
16	787·3	403·5	383·8	788·0	404·2	383·8	779·3	395·5	383·8
17	838·1	429·9	408·2	838·9	430·6	408·3	823·7	416·2	407·5
18	689·3	353·3	336·0	684·5	348·4	336·1	668·6	334·5	334·1
19	683·9	349·8	334·1	674·6	340·7	333·9	659·2	327·6	331·6
15-19	**3,720·4**	**1,907·0**	**1,813·4**	**3,708·0**	**1,894·6**	**1,813·4**	**3,650·1**	**1,841·8**	**1,808·3**
20	678·1	345·2	332·9	667·0	334·4	332·6	651·3	320·5	330·8
ages under 21	**15,159·8**	**7,768·2**	**7,391·6**	**15,136·3**	**7,745·0**	**7,391·3**	**15,062·6**	**7,678·2**	**7,384·4**
20-24	3,127·7	1,589·5	1,538·2	3,080·1	1,542·8	1,537·3	3,008·2	1,475·1	1,533·1
25-29	3,000·0	1,537·2	1,462·8	2,977·9	1,515·5	1,462·4	2,927·3	1,465·6	1,461·7
30-34	2,957·6	1,524·1	1,433·5	2,945·2	1,511·9	1,433·3	2,916·6	1,483·7	1,432·9
35-39	3,057·6	1,550·4	1,507·2	3,049·3	1,542·1	1,507·2	3,029·7	1,522·9	1,506·8
40-44	3,417·1	1,711·2	1,705·9	3,412·9	1,707·0	1,705·9	3,394·1	1,688·6	1,705·5
45-49	2,877·2	1,418·0	1,459·2	2,875·2	1,416·0	1,459·2	2,865·9	1,407·0	1,458·9
50-54	3,195·8	1,553·5	1,642·3	3,195·2	1,552·9	1,642·3	3,190·7	1,548·6	1,642·1
55-59	3,029·8	1,455·9	1,573·9	3,029·7	1,455·8	1,573·9	3,029·2	1,455·4	1,573·8
60-64	2,650·7	1,231·4	1,419·3	2,650·7	1,231·4	1,419·3	2,650·7	1,231·4	1,419·3
65-69	2,059·3	852·6	1,206·7	2,059·3	852·6	1,206·7	2,059·3	852·6	1,206·7
70-74	1,588·8	613·7	975·1	1,588·8	613·7	975·1	1,588·8	613·7	975·1
75-79	1,104·1	390·0	714·1	1,104·1	390·0	714·1	1,104·1	390·0	714·1
80-84	624·9	203·9	421·0	624·9	203·9	421·0	624·9	203·9	241·0
85 and over	338·7	97·5	241·2	338·7	97·5	241·2	338·7	97·5	241·2

TABLE 2. Estimated home population by sex and age, as at 30th June, 1964 *

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, hospital regions

(Figures in thousands)

		All ages	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over
ENGLAND AND WALES	M	23,043·7	433·1	1,624·1	1,763·5	1,695·3	1,894·6	1,542·8	1,515·5	1,511·9	1,542·1	1,707·0	1,416·0	1,552·9	1,455·8	1,231·4	852·6	613·7	691·4
	F	24,357·6	411·3	1,541·0	1,676·1	1,616·9	1,813·4	1,537·3	1,462·4	1,433·3	1,507·2	1,705·9	1,459·2	1,642·3	1,573·9	1,419·3	1,206·7	975·1	1,376·3
Standard Regions and Conurbations;																			
Northern	M	1,622·6	29·8	119·7	137·9	127·2	132·9	103·3	105·2	107·9	111·8	121·0	94·5	103·2	97·9	84·6	58·3	41·6	45·8
	F	1,678·4	28·4	113·5	131·8	121·7	125·2	106·4	103·6	103·5	106·4	117·5	95·3	106·8	105·4	93·4	78·9	61·4	79·2
Tyneside Conurbation	M	413·5	7·6	30·6	35·1	32·0	33·0	25·8	26·8	27·3	28·9	32·1	24·4	26·6	25·3	21·9	14·9	10·4	10·8
	F	439·8	7·3	28·9	33·5	30·8	32·9	28·4	26·8	26·7	28·0	32·0	25·3	28·2	28·3	25·1	21·0	16·2	20·4
Remainder of Northern	M	1,209·1	22·2	89·1	102·8	95·2	99·9	77·5	78·4	80·6	82·9	88·9	70·1	76·6	72·6	62·7	43·4	31·2	35·0
	F	1,238·6	21·1	84·6	98·3	90·9	92·3	78·0	76·8	76·8	78·4	85·5	70·0	78·6	77·1	68·3	57·9	45·2	58·8
East and West Ridings	M	2,060·0	38·6	146·5	160·7	155·1	168·1	129·7	130·7	131·9	139·6	153·2	128·3	140·2	133·7	114·8	77·3	54·1	57·5
	F	2,181·4	36·7	138·9	151·9	148·3	162·4	136·0	128·8	126·9	133·6	151·8	131·2	148·8	144·0	131·4	110·2	86·1	114·4
West Yorkshire Conurbation	M	823·2	15·8	59·7	64·1	61·7	62·9	49·5	51·9	52·5	56·7	61·1	51·8	56·9	55·2	47·8	31·6	21·9	22·1
	F	898·2	15·1	56·5	60·4	59·7	61·8	53·6	51·2	51·3	53·9	60·5	54·1	62·5	62·4	58·2	48·8	38·0	50·2
Remainder of East and West Ridings	M	1,236·8	22·8	86·8	96·6	93·4	105·2	80·2	78·8	79·4	82·9	92·1	76·5	83·3	78·5	67·0	45·7	32·2	35·4
	F	1,283·2	21·6	82·4	91·5	88·6	100·6	82·4	77·6	75·6	79·7	91·3	77·1	86·3	81·6	73·2	61·4	48·1	64·2
North Western	M	3,198·2	62·8	240·1	258·7	246·1	257·3	196·1	201·9	203·8	211·1	232·2	196·1	220·3	207·1	174·6	119·4	84·0	86·6
	F	3,467·3	59·8	227·6	245·3	235·8	252·2	211·2	198·6	197·5	209·2	238·4	207·9	239·0	230·2	210·6	178·5	141·7	183·8
South East Lancashire Conurbation	M	1,175·1	23·4	88·0	92·9	89·4	92·8	71·9	74·1	74·6	80·4	87·3	74·2	83·5	77·3	63·9	42·1	29·4	29·9
	F	1,273·9	22·3	83·4	87·8	85·9	92·0	77·7	72·8	72·3	78·2	88·5	78·1	90·4	85·5	77·4	64·7	51·1	65·8
Merseyside Conurbation	M	661·7	14·4	54·8	59·3	54·3	56·9	45·2	45·0	42·9	41·0	45·4	38·2	41·8	38·6	32·0	21·6	15·0	15·3
	F	723·0	13·7	52·0	56·6	52·5	57·3	49·5	43·9	41·7	42·2	48·4	41·7	46·1	43·5	39·1	32·7	26·3	35·8
Remainder of North Western	M	1,361·4	25·0	97·3	106·5	102·4	107·6	79·0	82·8	86·3	89·7	99·5	83·7	95·0	91·2	78·7	55·7	39·6	41·4
	F	1,470·4	23·8	92·2	100·9	97·4	102·9	84·0	81·9	83·5	88·8	101·5	88·1	102·5	101·2	94·1	81·1	64·3	82·2
North Midland	M	1,859·3	35·2	133·0	145·6	139·4	153·5	118·2	121·5	123·9	129·8	140·7	113·1	122·3	114·7	98·2	66·8	47·7	55·7
	F	1,900·6	33·3	126·4	137·7	132·2	147·1	118·0	116·2	115·4	121·2	133·8	111·2	124·2	118·4	106·5	89·5	70·8	98·7
Midland	M	2,441·9	47·0	176·4	189·7	180·5	215·2	165·3	164·5	170·0	171·1	189·8	153·8	159·8	146·4	119·7	78·2	54·6	59·9
	F	2,483·8	44·6	167·5	179·1	171·6	202·0	163·5	155·5	154·2	161·6	182·3	148·2	160·4	150·6	133·0	108·6	84·7	116·4
West Midlands Conurbation	M	1,177·7	23·3	85·6	89·2	85·9	103·4	81·2	81·0	82·3	82·4	94·1	76·0	78·2	70·6	57·3	36·4	24·7	26·1
	F	1,206·5	22·1	81·3	84·3	82·0	99·7	81·2	75·0	73·9	78·2	90·1	73·0	78·8	73·9	65·4	52·5	40·5	54·6
Remainder of Midland	M	1,264·2	23·7	90·8	100·5	94·6	111·8	84·1	83·5	87·7	88·7	95·7	77·8	81·6	75·8	62·4	41·8	29·9	33·8
	F	1,277·3	22·5	86·2	94·8	89·6	102·3	82·3	80·5	80·3	83·4	92·2	75·2	81·6	76·7	67·6	56·1	44·2	61·8
Eastern	M	1,956·4	36·8	145·9	154·3	143·4	155·1	133·2	133·8	137·1	136·5	147·1	117·4	123·7	113·6	95·0	68·3	52·2	63·0
	F	2,012·9	34·9	138·5	146·6	135·7	145·8	124·0	130·5	129·1	131·1	141·2	116·5	126·5	118·0	107·4	93·4	78·7	115·0
London and South Eastern	M	5,359·9	100·0	347·7	363·4	368·4	427·3	366·4	362·5	345·9	349·5	399·8	348·1	391·8	364·4	300·0	204·7	148·3	171·7
	F	5,912·7	94·8	329·9	346·6	351·6	430·5	393·1	353·6	337·8	357·6	416·9	375·0	426·4	404·6	357·1	302·8	252·6	381·8
Greater London	M	3,911·7	74·7	248·7	254·5	262·0	310·7	279·7	276·5	257·6	260·5	296·8	261·0	294·5	270·8	217·2	138·8	97·4	110·3
	F	4,275·1	70·8	236·0	244·0	250·5	318·2	304·5	265·3	248·3	263·9	308·3	278·8	315·6	294·0	251·2	205·4	168·5	251·8
Remainder of London and South Eastern	M	1,448·2	25·3	99·0	108·9	106·4	116·6	86·7	86·0	88·3	89·0	103·0	87·1	97·3	93·6	82·8	65·9	50·9	61·4
	F	1,637·6	24·0	93·9	102·6	101·1	112·3	88·6	88·3	89·5	93·7	108·6	96·2	110·8	110·6	105·9	97·4	84·1	130·0
Southern	M	1,506·5	28·8	109·2	118·3	110·4	129·5	122·9	104·3	100·7	96·2	105·3	85·3	92·8	86·4	73·3	54·2	40·8	48·1
	F	1,536·2	27·4	103·5	112·1	104·8	112·3	97·7	95·4	90·6	93·5	104·0	87·7	97·8	92·8	84·7	74·8	62·6	94·5
South Western	M	1,729·0	30·6	115·6	131·5	126·3	146·9	124·1	110·3	108·3	108·2	120·4	100·6	112·4	108·2	97·0	72·5	53·3	62·8
	F	1,817·9	29·1	109·7	125·7	120·2	132·9	106·6	102·2	99·9	107·5	122·0	105·9	121·4	119·7	112·5	99·5	82·1	121·0
Wales	M	1,309·9	23·5	90·0	103·4	98·5	108·8	83·6	80·8	82·4	88·3	97·5	78·8	86·4	83·4	74·2	52·9	37·1	40·3
	F	1,366·4	22·3	85·5	99·3	95·0	103·0	80·8	78·0	78·4	85·5	98·0	80·3	91·0	90·2	82·7	70·5	54·4	71·5
Wales I (South East)	M	945·3	17·1	65·7	75·1	71·5	79·0	58·9	58·9	60·3	65·7	71·7	57·6	62·3	59·9	52·7	36·9	25·4	26·6
	F	976·1	16·3	62·3	72·4	68·6	74·6	58·8	57·4	57·2	63·4	71·8	57·8	64·4	63·3	57·1	48·1	36·6	46·0
Wales II (remainder)	M	364·6	6·4	24·3	28·3	27·0	27·8	24·7	21·9	22·1	22·6	25·8	21·2	24·1	23·5	21·5	16·0	11·7	13·7
	F	390·3	6·0	23·2	26·9	26·4	28·4	22·0	20·6	21·2	22·1	26·2	22·5	26·6	26·9	25·6	22·4	17·8	25·5

* Final revision

TABLE 2 - *continued*

		All ages	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over
Urban and rural aggregates:																			
Conurbations	M	8162·9	159·2	567·4	595·1	585·3	659·7	553·3	555·3	537·2	549·9	616·8	525·6	581·5	537·8	440·1	285·4	198·8	214·5
	F	8816·5	151·3	538·1	566·6	561·4	661·9	594·9	535·0	514·2	544·4	627·8	551·0	621·6	587·6	516·4	425·1	340·6	478·6
Areas outside conurbations:																			
Urban areas with populations of 100,000 and over	M	3054·0	57·1	209·9	236·8	224·8	262·8	212·8	195·8	198·4	204·9	224·5	186·8	203·0	191·8	164·6	111·9	81·5	86·6
	F	3234·0	54·1	199·9	228·0	216·4	250·5	205·7	185·8	183·2	200·0	223·4	192·9	215·7	210·3	191·4	163·4	131·9	181·4
Urban areas with populations of 50,000 and under 100,000	M	2131·3	40·7	157·4	169·6	161·2	176·0	140·8	140·9	143·4	144·5	159·2	125·2	136·9	126·7	109·3	77·5	57·2	64·8
	F	2286·1	38·6	151·1	163·2	155·5	168·3	138·3	138·5	137·1	141·7	158·5	130·4	147·1	142·1	130·7	115·1	94·5	135·4
Urban areas with populations under 50,000	M	4775·4	88·4	334·4	376·3	358·2	381·8	301·4	302·8	308·0	319·2	351·7	288·4	315·5	300·9	260·3	189·5	138·1	160·5
	F	5127·6	84·1	318·9	360·5	343·6	373·4	304·4	299·7	298·3	315·7	354·8	300·2	338·1	332·6	304·9	269·6	218·2	310·6
Rural districts	M	4920·1	87·7	355·0	385·7	365·8	414·3	334·5	320·7	324·9	323·6	354·8	290·0	316·0	298·6	257·1	188·3	138·1	165·0
	F	4893·4	83·2	333·0	357·8	340·0	359·3	294·0	303·4	300·5	305·4	341·4	284·7	319·8	301·3	275·9	233·5	189·9	270·3
Hospital regions:																			
Newcastle	M	1506·2	27·6	111·6	128·9	118·4	123·0	95·3	97·3	100·5	104·3	112·4	87·5	95·2	90·4	78·4	54·1	38·7	42·6
	F	1552·3	26·3	105·9	123·1	113·2	115·3	97·5	96·0	96·3	98·8	108·5	87·7	98·1	97·0	86·2	73·0	56·7	72·7
Leeds	M	1538·1	28·7	110·0	120·8	116·2	125·2	96·2	97·2	98·8	104·8	114·6	95·5	104·0	99·3	85·5	57·8	40·5	43·0
	F	1622·3	27·3	104·3	114·2	111·0	120·3	100·1	95·9	95·0	99·8	112·9	97·1	110·0	106·6	97·5	81·9	64·0	84·4
Sheffield	M	2229·3	42·0	160·2	175·8	167·6	183·6	140·8	145·2	149·0	156·5	168·9	135·2	145·7	136·8	117·4	80·1	57·4	67·1
	F	2270·6	39·8	152·3	166·3	158·9	175·3	139·6	139·0	138·6	145·5	159·7	132·2	147·4	140·7	127·1	106·9	84·4	116·9
East Anglia	M	792·4	14·9	59·4	62·8	58·3	62·6	53·6	54·0	55·7	55·6	59·7	47·4	49·8	48·7	38·4	27·7	21·2	25·6
	F	812·3	14·1	56·4	59·7	55·2	58·6	49·5	52·8	52·4	53·1	57·0	46·8	50·7	47·4	43·2	37·7	31·7	46·0
North West Metropolitan	M	1988·2	36·9	129·8	135·9	137·1	158·2	135·0	134·0	128·7	130·4	148·6	128·6	144·5	134·5	110·9	76·0	55·2	63·9
	F	2183·7	35·0	123·0	129·5	130·7	158·6	144·0	130·8	125·4	132·6	154·0	137·9	156·7	148·8	131·7	111·9	93·1	140·0
North East Metropolitan	M	1570·9	29·1	102·5	107·4	108·4	125·0	106·8	105·8	101·7	103·0	117·4	101·7	114·2	106·2	87·6	60·1	43·6	50·4
	F	1725·5	27·6	97·2	102·4	103·3	125·3	113·7	103·3	99·2	104·9	121·8	108·9	123·8	117·6	104·0	88·3	73·7	110·5
South East Metropolitan	M	1684·1	31·3	109·8	115·1	116·1	134·1	114·5	113·5	109·0	110·4	125·8	109·0	122·3	113·9	94·0	64·4	46·8	54·1
	F	1850·1	29·6	104·3	109·8	110·8	134·4	121·8	110·8	106·3	112·5	130·5	116·8	132·8	126·0	111·6	94·7	78·9	118·5
South West Metropolitan	M	1508·0	28·0	98·4	103·1	104·1	120·1	102·5	101·6	97·6	98·8	112·8	97·6	109·5	101·9	84·2	57·6	41·8	48·4
	F	1656·9	26·6	93·4	98·3	99·3	120·4	109·1	99·2	95·2	100·7	116·9	104·6	118·9	112·8	99·9	84·8	70·7	106·1
Wessex	M	925·3	17·7	67·4	73·2	68·0	79·4	75·1	63·8	62·0	59·4	64·8	52·2	56·6	52·8	44·9	33·3	25·1	29·6
	F	940·1	16·8	64·0	69·3	64·5	68·5	59·2	58·5	55·7	57·5	63·7	53·4	59·5	56·4	51·7	45·8	38·3	57·3
Oxford	M	868·6	16·6	63·4	68·7	63·8	74·4	70·3	59·9	58·3	55·8	60·8	49·0	53·2	49·5	42·2	31·3	23·6	27·8
	F	882·7	15·8	60·0	65·1	60·6	64·3	55·6	54·9	52·3	53·9	59·7	50·2	55·9	53·0	48·6	43·0	35·9	53·9
South Western	M	1454·0	25·7	97·7	111·5	106·6	123·3	103·7	92·5	91·4	91·5	101·3	84·3	93·8	90·4	81·4	61·0	44·9	53·0
	F	1522·5	24·4	92·8	106·4	101·4	110·9	88·5	85·8	84·1	90·4	102·1	88·3	101·0	99·8	94·1	83·3	68·7	100·5
Welsh	M	1309·9	23·5	90·0	103·4	98·5	108·8	83·6	80·8	82·4	88·3	97·5	78·8	86·4	83·4	74·2	52·9	37·1	40·3
	F	1366·4	22·3	85·5	99·3	95·0	103·0	80·8	78·0	78·4	85·5	98·0	80·3	91·0	90·2	82·7	70·5	54·4	71·5
Birmingham	M	2441·9	47·0	176·4	189·7	180·5	215·2	165·3	164·5	170·0	171·1	189·8	153·8	159·8	146·4	119·7	78·2	54·6	59·9
	F	2483·8	44·6	167·5	179·1	171·6	202·0	163·5	155·5	154·2	161·6	182·3	148·2	160·4	150·6	133·0	108·6	84·7	116·4
Manchester	M	2166·2	41·1	159·1	171·6	164·3	170·8	128·1	133·5	137·8	146·1	159·8	134·4	151·4	143·1	121·4	83·5	59·1	61·1
	F	2334·2	39·2	150·6	162·3	157·0	165·4	136·2	131·7	133·2	142·7	161·6	140·6	163·1	158·0	145·7	124·1	97·9	124·9
Liverpool	M	1060·6	23·0	88·4	95·6	87·4	90·9	72·0	71·9	69·0	66·1	72·8	61·0	66·5	61·5	51·2	34·6	24·1	24·6
	F	1154·2	21·9	83·8	91·3	84·4	91·1	78·2	70·2	67·0	67·7	77·2	66·2	73·0	69·0	62·3	52·2	42·0	56·7

TABLE 3. Deaths, death rates, mortality comparisons, infant mortality, and live and still birth rates, 1841 to 1964

England and Wales

See explanatory notes. For explanation of Standardised Mortality Ratios see note 6.

Period	Deaths			Crude rates per 1,000 living			Standardised Mortality Ratios (1950-52 = 100)			Deaths of infants under 1 year per 1,000 live births†			Live birth rates per 1,000 population	Stillbirth rates per 1,000 total (live and still) births
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Total	Legitimate	Illegitimate		
1841-1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	357	320	396	153			32·6	
1851-1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	348	313	384	154			34·1	
1861-1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	351	319	383	154			35·2	
1871-1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	335	308	362	149			35·4	
1881-1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	304	281	327	142			32·4	
1891-1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	288	268	307	153			29·9	
1901-1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	235	221	248	128			27·2	
1911-1920*	5,188,052	2,684,511	2,503,541	14·4	15·9	13·0	197	187	207	100	96	194	22·7	
1921-1930	4,722,991	2,407,475	2,315,516	12·1	12·9	11·4	151	142	159	72	70	130	18·3	
1931-1940*	4,992,208	2,551,612	2,440,596	12·3	13·1	11 5	131	125	136	59	57	95	14·9	40
1941-1950*	4,997,653	2,586,188	2,411,465	12·4	14·1	11·0	106	104	107	43	41	61	18·0	27
1951-1960	5,188,116	2,669,747	2,518,369	11·6	12·4	10·9	94	96	92	25	24	31	15·8	22
1841-1845	1,746,110	885,168	860,942	21·4	22·1	20·6	344	307	381	148			32·3	
1846-1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	369	331	409	157			32·8	
1851-1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	356	321	392	156			33·9	
1856-1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	341	306	377	152			34·4	
1861-1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	353	320	387	151			35·1	
1866-1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	349	318	380	157			35·3	
1871-1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	342	314	371	153			35·5	
1876-1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	328	302	354	145			35·3	
1881-1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	308	284	333	139			33·5	
1886-1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	300	278	322	145			31·4	
1891-1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	296	275	318	151			30·5	
1896-1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	279	262	297	156			29·3	
1901-1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	249	234	264	138			28·2	
1906-1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	221	208	234	117	113	224	26·3	
1911-1915*	2,598,719	1,344,171	1,254,548	14·3	15·4	13·3	205	195	215	110	105	210	23·9	
1916-1920*	2,589,333	1,340,340	1,248,993	14·4	16·5	12·8	190	180	199	90	85	179	21·5	
1921-1925	2,336,270	1,189,865	1,146,405	12·1	12·9	11·4	157	147	166	76	73	140	19·9	
1926-1930	2,386,721	1,217,610	1,169,111	12·1	12·9	11·4	145	137	153	68	65	119	16·7	
1931-1935	2,426,435	1,232,370	1,194,065	12·0	12·7	11·4	134	127	141	62	60	103	15·0	41
1936-1940*	2,565,773	1,319,242	1,246,531	12·5	13·5	11·6	128	123	132	55	54	86	14·9	38
1941-1945*	2,497,013	1,301,357	1,195,656	12·8	15·1	11·1	112	110	113	50	48	71	17·6	30
1946-1950*	2,500,640	1,284,831	1,215,809	11·8	12·8	10·9	101	99	102	36	36	51	18·4	24
1951-1955	2,571,153	1,325,747	1,245,406	11·7	12·5	10·9	97	98	95	27	27	34	15·2	23
1956-1960	2,616,963	1,344,000	1,272,963	11·6	12·3	10·9	91	94	89	23	22	28	16·4	21
1944*	492,176	257,705	234,471	12·7	15·3	10·8	107	106	108	45	44	69	19·9	28
1945*	488,108	252,078	236,030	12·6	15·0	10·8	104	103	106	46	44	65	17·9	28
1946*	492,090	252,380	239,710	12·0	13·4	10·9	103	101	106	43	42	60	20·2	27
1947*	517,615	267,714	249,901	12·3	13·6	11·3	107	106	108	41	40	58	21·1	24
1948*	469,898	242,899	226,999	11·0	11·9	10·1	94	93	95	34	33	45	18·1	23
1949*	510,736	260,686	250,050	11·8	12·6	11·1	101	99	103	32	32	45	16·9	23
1950	510,301	261,152	249,149	11·6	12·3	11·0	99	98	101	30	29	39	15·8	23
1951	549,380	281,724	267,656	12·5	13·4	11·8	106	106	106	30	29	38	15·4	23
1952	497,484	257,760	239,724	11·3	12·2	10·5	95	96	93	28	27	35	15·3	23
1953	503,529	259,490	244,039	11·4	12·2	10·7	95	96	94	27	27	33	15·4	22
1954	501,896	259,797	242,099	11·3	12·2	10·5	93	95	91	25	25	32	15·1	23
1955	518,864	266,976	251,888	11·7	12·5	10·9	95	97	93	25	25	32	15·0	23
1956	521,331	267,904	253,427	11·7	12·5	10·9	94	96	92	24	23	29	15·6	23
1957	514,870	266,407	248,463	11·5	12·3	10·7	91	94	88	23	23	30	16·1	22
1958	526,843	270,639	256,204	11·7	12·4	11·0	92	95	90	23	22	28	16·4	22
1959	527,651	269,878	257,773	11·6	12·3	11·0	91	94	89	22	22	27	16·5	21
1960	526,268	269,172	257,096	11·5	12·2	10·9	89	92	87	22	22	26	17·2	20
1961	551,752	280,782	270,970	11·9	12·6	11·4	93	96	90	21	21	25	17·6	19
1962	557,636	285,154	272,482	11·9	12·6	11·3	92	96	89	22	21	27	18·0	18
1963	572,868	292,410	280,458	12·2	12·8	11·6	94	98	91	21	21	26	18·2	17
1964	534,737	274,773	259,964	11·3	11·9	10·7	87	91	83	20	19	26	18·5	16

* For the years 1915-20 and from 3rd September 1939 to 31st December 1949, for males, and from 1st June 1941 to 31st December 1949, for females, the mortality rates are based upon civilians only, but, as in other years, the number of deaths include those of non-civilians registered in England and Wales.

† Based on related live births from 1931 to 1956.

ABLE 4. Death rates per 1,000 living in age-groups and infant mortality per 1,000 live births, 1841 to 1964

England and Wales

PERSONS

Period	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850		9·05	5·29	7·48	9·29	10·3	12·9	17·0	29·9	63·6	141·5	301·0	153
1851-1860		8·46	4·97	7·04	8·67	9·76	12·3	16·5	28·9	61·7	139·9	296·5	154
1861-1870		7·99	4·49	6·42	8·21	9·83	12·7	17·4	30·4	62·8	140·4	296·6	154
1871-1880		6·47	3·71	5·35	7·07	8·96	12·7	17·8	31·6	65·0	142·2	308·3	149
1881-1890		5·30	3·03	4·37	5·63	7·56	11·5	17·1	31·4	65·0	137·6	284·0	142
1891-1900		4·34	2·51	3·73	4·74	6·40	10·5	16·8	31·5	65·0	137·2	270·8	153
1901-1910		3·56	2·11	2·99	3·82	5·13	8·31	14·3	28·1	58·8	127·2	260·8	128
1911-1920*		3·60	2·28	3·32	4·29	5·47	7·41	12·6	25·0	55·8	125·5	254·2	100
1921-1930		2·42	1·64	2·55	3·21	3·64	5·54	10·0	21·3	50·8	120·9	260·2	72
1931-1940*	5·65	2·01	1·31	2·17	2·85	3·04	4·58	9·26	20·2	48·8	119·5	259·8	59
1941-1950*	2·55	1·13	0·85	1·58	2·24	2·37	3·38	7·44	17·6	42·4	104·0	216·5	43
1951-1960	1·02	0·44	0·37	0·65	0·89	1·12	2·27	6·11	16·2	41·0	102·5	227·5	25
1841-1845		8·69	5·01	7·21	8·81	9·66	12·2	16·1	28·7	62·0	137·2	295·3	148
1846-1850		9·39	5·56	7·74	9·77	10·9	13·6	18·1	31·4	65·9	145·7	306·5	157
1851-1855		8·64	5·23	7·48	9·06	10·1	12·7	17·2	29·6	62·9	143·2	299·6	156
1856-1860		8·33	4·72	6·74	8·33	9·38	12·0	16·1	28·4	61·0	136·7	293·4	152
1861-1865		8·39	4·72	6·64	8·39	9·79	12·6	17·2	30·3	62·5	139·1	299·0	151
1866-1870		7·62	4·28	6·21	8·03	9·86	12·9	17·6	30·6	63·2	141·7	294·3	157
1871-1875		6·86	3·97	5·81	7·74	9·61	13·1	18·0	31·6	65·3	141·7	305·2	153
1876-1880		6·10	3·47	4·93	6·46	8·35	12·3	17·5	31·6	64·7	142·9	311·5	145
1881-1885		5·76	3·23	4·63	5·96	8·01	11·8	17·2	31·0	63·5	136·2	277·9	139
1886-1890		4·86	2·84	4·13	5·32	7·15	11·1	17·1	31·8	66·4	139·0	290·1	145
1891-1895		4·56	2·65	3·98	5·01	6·81	11·0	17·3	32·5	67·3	140·7	273·9	151
1896-1900		4·12	2·36	3·48	4·50	6·03	10·1	16·2	30·5	62·9	133·8	267·7	156
1901-1905		3·74	2·19	3·11	4·00	5·44	8·86	14·9	28·7	59·4	127·3	258·6	138
1906-1910		3·38	2·03	2·87	3·64	4·84	7·81	13·7	27·5	58·1	127·0	262·4	117
1911-1915*		3·39	2·08	2·88	3·58	4·57	7·28	13·1	26·2	57·3	126·2	257·9	110
1916-1920*		3·81	2·48	3·77	5·16	6·55	7·54	12·1	24·0	54·5	124·8	250·7	90
1921-1925		2·48	1·71	2·61	3·30	3·79	5·71	10·1	21·6	51·1	121·8	251·4	76
1926-1930		2·37	1·57	2·49	3·11	3·49	5·37	9·94	21·0	50·6	120·2	268·2	68
1931-1935	6·56	2·18	1·41	2·33	2·96	3·20	4·82	9·44	20·1	49·0	119·3	255·7	62
1936-1940*	4·70	1·84	1·20	2·01	2·72	2·87	4·35	9·09	20·4	48·5	119·7	263·4	55
1941-1945*	3·50	1·50	1·08	1·96	3·06	3·04	3·95	8·00	18·1	43·0	104·5	213·0	50
1946-1950*	1·77	0·77	0·62	1·18	1·63	1·84	2·89	6·94	17·1	41·9	103·5	219·3	36
1951-1955	1·14	0·47	0·41	0·68	0·96	1·24	2·40	6·36	16·6	42·0	105·7	235·7	27
1956-1960	0·91	0·41	0·34	0·63	0·82	0·99	2·13	5·87	15·9	40·1	99·7	221·0	23
1944*	2·84	1·38	1·05	1·73	2·96	3·01	3·82	7·73	17·6	41·7	100·3	196·5	45
1945*	2·64	1·18	0·91	1·56	2·73	2·67	3·48	7·36	17·3	41·5	100·3	194·5	46
1946*	2·08	0·86	0·76	1·33	2·07	2·10	3·15	7·25	17·4	41·3	102·4	214·5	43
1947*	2·18	0·90	0·70	1·39	1·92	2·03	3·08	7·24	17·5	42·8	108·3	234·4	41
1948*	1·75	0·75	0·60	1·20	1·55	1·82	2·79	6·70	16·4	39·4	94·1	191·9	34
1949*	1·56	0·69	0·56	1·10	1·51	1·70	2·80	6·81	17·2	43·1	105·7	227·5	32
1950	1·35	0·64	0·48	0·90	1·24	1·57	2·62	6·72	17·0	42·7	106·9	227·6	30
1951	1·35	0·55	0·47	0·76	1·12	1·45	2·63	6·90	18·0	46·1	117·2	266·9	30
1952	1·18	0·49	0·43	0·71	1·03	1·26	2·42	6·35	16·5	41·0	102·3	228·4	28
1953	1·18	0·49	0·41	0·64	0·92	1·22	2·35	6·26	16·3	41·1	103·3	230·9	27
1954	0·94	0·41	0·37	0·63	0·87	1·15	2·37	6·19	16·1	40·6	101·0	222·2	25
1955	1·00	0·43	0·38	0·64	0·86	1·10	2·23	6·14	16·1	41·4	105·1	233·5	25
1956	0·91	0·40	0·34	0·57	0·80	1·04	2·19	5·95	16·1	41·0	104·1	233·3	24
1957	0·97	0·41	0·38	0·68	0·84	1·03	2·20	6·00	16·2	40·4	97·4	208·0	23
1958	0·88	0·40	0·32	0·60	0·80	0·98	2·27	5·92	15·9	40·4	101·0	224·2	23
1959	0·91	0·41	0·34	0·65	0·83	0·96	2·09	5·77	15·9	39·9	99·2	223·2	22
1960	0·87	0·44	0·32	0·64	0·81	0·93	2·07	5·73	15·6	38·8	97·0	217·3	22
1961	0·93	0·40	0·32	0·66	0·81	0·94	2·08	5·85	16·0	40·5	100·8	226·9	21
1962	0·86	0·38	0·34	0·64	0·79	0·91	2·08	5·83	16·1	40·3	100·3	227·8	22
1963	0·91	0·40	0·32	0·63	0·77	0·92	2·12	5·97	16·3	40·9	102·8	235·5	21
1964	0·81	0·39	0·33	0·70	0·78	0·90	2·13	5·82	15·5	37·8	91·5	202·9	20

* Civilian mortality only in 1915-20 and from 3rd September 1939 to 31st December 1949 for males, and from 1st June 1941 to 31st December 1949, for females.

† Based on related live births from 1931 to 1956.

TABLE 4 - *continued*

MALES

Period	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over	Deaths under 1 ye per 1,000 live birth
1841-1850		9·17	5·13	7·05	9·51	9·94	12·9	18·2	31·8	67·5	148·3	312·3	167
1851-1860		8·51	4·88	6·69	8·83	9·57	12·5	18·0	30·9	65·3	146·7	308·2	168
1861-1870		8·19	4·48	6·19	8·48	9·94	13·5	19·3	33·1	67·1	147·2	315·0	168
1871-1880		6·71	3·71	5·25	7·36	9·34	13·8	20·1	34·9	69·7	150·8	327·4	163
1881-1890		5·35	2·95	4·32	5·73	7·77	12·4	19·4	34·7	70·5	146·6	305·8	155
1891-1900		4·31	2·45	3·79	5·06	6·76	11·5	18·9	34·9	70·4	146·1	286·8	168
1901-1910		3·50	2·05	3·09	4·18	5·57	9·15	16·2	31·8	64·8	137·7	279·2	140
1911-1920*		3·61	2·23	3·44	4·94	6·46	8·61	14·5	29·0	63·5	139·3	274·5	112
1921-1930		2·52	1·65	2·62	3·41	3·86	6·34	11·6	24·6	58·2	135·4	285·8	81
1931-1940*	5·96	2·13	1·36	2·30	3·08	3·20	5·17	11·1	24·3	56·8	137·5	282·9	66
1941-1950*	2·72	1·28	0·95	1·79	2·72	2·72	3·93	9·16	22·7	51·6	120·2	234·7	48
1951-1960	1·11	0·52	0·44	0·87	1·18	1·28	2·58	7·63	22·2	54·2	124·7	251·0	28
1841-1845		8·82	4·84	6·76	8·99	9·37	12·2	17·2	30·3	65·5	143·7	350·1	162
1846-1850		9·54	5·39	7·35	10·0	10·5	13·6	19·2	33·2	69·5	152·9	319·5	172
1851-1855		8·75	5·15	6·98	9·24	9·95	12·9	18·6	31·6	66·7	150·9	310·9	172
1856-1860		8·30	4·63	6·42	8·44	9·17	12·2	17·5	30·4	64·3	142·7	305·3	166
1861-1865		8·53	4·68	6·39	8·65	9·76	13·2	18·9	32·8	66·4	145·9	316·6	166
1866-1870		7·88	4·30	5·99	8·31	10·1	13·7	19·6	33·5	67·8	148·7	313·5	170
1871-1875		7·10	3·99	5·71	8·07	10·0	14·3	20·3	34·8	70·1	149·6	323·3	167
1876-1880		6·34	3·44	4·84	6·70	8·70	13·4	19·8	34·9	69·4	152·2	331·5	159
1881-1885		5·85	3·16	4·53	6·00	8·16	12·8	19·3	34·2	68·8	145·4	297·9	152
1886-1890		4·86	2·76	4·12	5·48	7·40	12·1	19·4	35·2	72·1	147·9	313·7	159
1891-1895		4·53	2·57	4·00	5·23	7·07	11·9	19·5	35·8	72·5	149·2	290·8	165
1896-1900		4·09	2·32	3·59	4·90	6·47	11·1	18·4	34·1	68·3	143·1	282·8	170
1901-1905		3·68	2·14	3·20	4·39	5·89	9·74	17·0	32·4	65·3	137·6	274·6	151
1906-1910		3·33	1·97	2·97	3·97	5·25	8·62	15·5	31·2	64·4	137·7	283·0	129
1911-1915*		3·42	2·05	3·01	3·98	5·15	8·20	14·9	30·2	64·1	139·2	281·6	121
1916-1920*		3·81	2·41	3·91	6·60	8·58	9·07	14·0	27·9	63·0	139·4	267·8	101
1921-1925		2·55	1·69	2·66	3·53	4·05	6·51	11·6	24·9	58·2	135·5	272·7	86
1926-1930		2·48	1·61	2·58	3·30	3·68	6·18	11·6	24·4	58·3	135·4	298·1	77
1931-1935	6·88	2·28	1·44	2·45	3·15	3·31	5·40	11·2	23·6	56·7	135·2	278·9	70
1936-1940*	5·00	1·96	1·27	2·15	2·99	3·09	4·95	11·0	25·0	56·8	139·5	286·3	62
1941-1945*	3·72	1·69	1·20	2·22	5·00	4·16	4·81	9·85	23·1	51·7	121·6	226·1	56
1946-1950*	1·90	0·88	0·69	1·33	1·75	1·92	3·23	8·55	22·4	51·6	119·0	241·6	41
1951-1955	1·23	0·55	0·48	0·86	1·23	1·39	2·71	7·93	22·5	54·6	126·7	265·9	30
1956-1960	0·99	0·49	0·40	0·88	1·12	1·17	2·45	7·35	21·9	53·7	122·7	239·2	25
1944*	3·06	1·58	1·18	1·95	4·79	4·29	4·75	9·62	22·7	50·6	116·5	212·0	50
1945*	2·84	1·35	1·03	1·79	4·75	3·84	4·20	9·10	22·3	50·3	115·7	204·7	51
1946*	2·26	0·97	0·86	1·52	2·66	2·24	3·55	8·94	22·3	49·7	117·4	232·3	48
1947*	2·38	1·04	0·78	1·62	2·05	2·12	3·44	8·98	22·9	52·5	125·9	266·5	46
1948*	1·87	0·88	0·64	1·30	1·54	1·87	3·15	8·24	21·6	49·0	108·6	210·2	38
1949*	1·69	0·80	0·63	1·27	1·59	1·75	3·12	8·39	22·6	53·2	120·7	249·0	36
1950	1·42	0·75	0·56	1·01	1·39	1·69	2·92	8·26	22·5	53·3	122·5	250·4	34
1951	1·44	0·65	0·57	0·89	1·36	1·61	2·96	8·62	24·3	58·8	136·9	307·8	34
1952	1·32	0·57	0·50	0·90	1·33	1·43	2·75	7·91	22·2	53·1	122·1	265·1	31
1953	1·26	0·56	0·46	0·82	1·18	1·37	2·61	7·81	22·2	53·7	123·4	258·1	30
1954	1·06	0·48	0·43	0·81	1·12	1·29	2·66	7·69	21·9	53·3	123·0	249·6	29
1955	1·04	0·49	0·45	0·88	1·18	1·25	2·53	7·66	22·0	54·2	128·5	256·2	28
1956	0·98	0·46	0·41	0·79	1·07	1·21	2·49	7·45	22·1	54·2	127·5	256·2	27
1957	1·04	0·48	0·44	0·91	1·15	1·19	2·50	7·51	22·3	54·0	119·9	226·8	26
1958	0·99	0·49	0·39	0·83	1·07	1·17	2·43	7·40	21·9	54·3	124·6	242·6	25
1959	1·00	0·49	0·39	0·94	1·14	1·13	2·42	7·23	21·8	53·6	122·2	240·0	25
1960	0·95	0·53	0·38	0·91	1·17	1·12	2·41	7·17	21·4	52·5	119·6	232·1	25
1961	1·04	0·48	0·39	0·92	1·11	1·15	2·41	7·33	21·9	54·7	124·5	256·9	24
1962	0·94	0·44	0·42	0·92	1·10	1·06	2·39	7·34	22·1	55·3	125·2	261·1	24
1963	0·98	0·49	0·40	0·89	1·11	1·10	2·46	7·50	22·4	56·0	129·4	272·8	24
1964	0·87	0·46	0·41	0·98	1·10	1·09	2·47	7·33	21·3	52·0	115·8	234·0	22

* Civilian mortality only in 1915-20 and from 3rd September 1939 to 31st December 1949.
† Based on related live births from 1931 to 1956.

TABLE 4 - *continued*

FEMALES

Period	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850		8·90	5·44	7·89	9·09	10·6	12·9	16·0	28·4	61·0	135·9	293·3	137
1851-1860		8·42	5·06	7·39	8·53	9·93	12·1	15·2	27·0	58·7	134·5	288·9	139
1861-1870		7·80	4·51	6·65	7·97	9·72	12·1	15·6	27·9	59·1	134·9	285·1	139
1871-1880		6·23	3·72	5·45	6·81	8·61	11·6	15·6	28·7	61·0	135·4	296·4	134
1881-1890		5·26	3·11	4·42	5·54	7·38	10·6	15·1	28·5	60·4	130·6	270·8	128
1891-1900		4·37	2·57	3·67	4·46	6·08	9·59	14·7	28·4	60·7	130·6	261·4	138
1901-1910		3·61	2·17	2·89	3·50	4·74	7·53	12·5	24·8	53·9	119·8	250·3	114
1911-1920		3·59	2·34	3·21	3·87	4·78	6·42	10·9	21·5	49·6	116·3	243·6	89
1921-1930		2·33	1·63	2·48	3·02	3·45	4·85	8·61	18·3	44·9	111·6	248·2	63
1931-1940	5·34	1·90	1·26	2·04	2·63	2·88	4·07	7·71	16·7	42·3	107·9	249·1	51
1941-1950*	2·36	0·97	0·76	1·40	1·97	2·11	2·91	5·96	13·4	35·2	93·3	207·9	37
1951-1960	0·93	0·36	0·30	0·43	0·61	0·95	1·97	4·67	11·4	31·8	89·2	216·8	21
1841-1845		8·56	5·17	7·65	8·64	9·92	12·1	15·1	27·2	59·1	131·8	288·6	133
1846-1850		9·23	5·72	8·12	9·57	11·2	13·7	17·0	29·7	62·7	140·0	297·7	142
1851-1855		8·54	5·32	7·75	8·90	10·3	12·6	15·8	27·8	59·7	137·2	292·1	141
1856-1860		8·35	4·82	7·06	8·24	9·57	11·8	14·8	26·5	58·1	131·9	285·8	137
1861-1865		8·26	4·76	6·89	8·17	9·82	12·1	15·5	27·9	59·1	133·8	287·9	136
1866-1870		7·37	4·27	6·42	7·78	9·63	12·1	15·8	27·9	59·1	136·1	282·3	142
1871-1875		6·61	3·95	5·92	7·43	9·23	12·0	15·9	28·7	61·3	135·3	293·9	138
1876-1880		5·87	3·50	5·02	6·23	8·03	11·3	15·3	28·6	60·8	135·5	299·0	130
1881-1885		5·68	3·30	4·72	5·93	7·86	10·9	15·2	28·1	59·1	129·0	265·5	125
1886-1890		4·85	2·93	4·15	5·17	6·92	10·3	15·0	28·8	61·7	132·3	276·1	131
1891-1895		4·59	2·73	3·97	4·81	6·57	10·1	15·2	29·5	63·0	134·3	264·0	135
1896-1900		4·15	2·40	3·37	4·14	5·63	9·10	14·3	27·4	58·5	127·0	258·7	141
1901-1905		3·79	2·24	3·02	3·66	5·04	8·05	13·1	25·4	54·8	119·9	249·4	124
1906-1910		3·44	2·09	2·76	3·34	4·46	7·05	12·0	24·3	53·1	119·6	250·9	105
1911-1915		3·37	2·11	2·75	3·25	4·08	6·46	11·4	22·7	51·7	117·5	245·4	97
1916-1920		3·81	2·56	3·66	4·47	5·48	6·39	10·4	20·4	47·7	115·1	241·9	79
1921-1925		2·41	1·72	2·56	3·11	3·58	5·03	8·79	18·7	45·5	112·9	241·2	66
1926-1930		2·25	1·53	2·41	2·94	3·33	4·69	8·44	18·0	44·4	110·4	254·4	59
1931-1935	6·23	2·07	1·37	2·22	2·77	3·09	4·33	7·96	17·0	42·8	108·9	245·0	54
1936-1940	4·40	1·71	1·13	1·87	2·49	2·68	3·83	7·47	16·5	41·8	107·1	252·7	48
1941-1945*	3·26	1·31	0·97	1·74	2·41	2·46	3·27	6·43	14·0	36·0	93·5	206·6	44
1946-1950*	1·62	0·64	0·54	1·05	1·54	1·76	2·56	5·51	12·8	34·4	93·2	208·9	32
1951-1955	1·04	0·39	0·34	0·50	0·70	1·09	2·11	4·89	11·8	33·1	92·4	222·0	23
1956-1960	0·82	0·33	0·27	0·38	0·52	0·81	1·83	4·46	10·9	30·7	86·4	212·5	20
1944*	2·61	1·17	0·92	1·55	2·36	2·44	3·11	6·19	13·4	34·6	89·7	188·8	40
1945*	2·44	1·01	0·79	1·38	2·09	2·13	2·92	5·92	13·3	34·6	90·2	189·5	40
1946*	1·90	0·75	0·67	1·17	1·78	1·99	2·79	5·82	13·3	34·6	92·4	206·2	37
1947*	1·96	0·75	0·61	1·21	1·82	1·94	2·74	5·72	13·1	35·2	96·6	219·8	36
1948*	1·63	0·62	0·55	1·12	1·56	1·77	2·45	5·33	12·2	32·1	84·5	183·5	30
1949*	1·43	0·57	0·49	0·96	1·43	1·65	2·48	5·39	12·8	35·5	95·8	217·5	28
1950	1·27	0·53	0·41	0·78	1·09	1·45	2·32	5·30	12·6	34·7	96·6	216·9	26
1951	1·26	0·46	0·37	0·64	0·90	1·30	2·32	5·32	13·0	36·9	104·4	249·1	26
1952	1·03	0·41	0·34	0·52	0·76	1·10	2·09	4·90	11·9	32·3	89·6	212·3	24
1953	1·09	0·41	0·35	0·46	0·67	1·07	2·11	4·79	11·6	32·1	90·7	218·8	24
1954	0·82	0·34	0·31	0·46	0·63	1·01	2·09	4·75	11·4	31·6	87·4	209·7	22
1955	0·97	0·36	0·32	0·40	0·55	0·94	1·93	4·70	11·3	32·3	90·9	222·9	21
1956	0·83	0·33	0·27	0·36	0·53	0·87	1·90	4·52	11·2	31·8	90·1	222·7	20
1957	0·90	0·34	0·30	0·45	0·54	0·86	1·92	4·56	11·2	30·9	84·2	199·2	20
1958	0·77	0·31	0·24	0·35	0·54	0·80	1·80	4·50	10·9	30·9	87·5	215·6	20
1959	0·81	0·33	0·29	0·37	0·53	0·79	1·78	4·36	10·8	30·5	86·3	215·4	20
1960	0·78	0·34	0·26	0·36	0·44	0·73	1·73	4·35	10·6	29·5	84·4	210·4	19
1961	0·81	0·32	0·25	0·39	0·51	0·73	1·76	4·45	10·8	30·9	87·8	214·1	19
1962	0·77	0·32	0·25	0·35	0·48	0·76	1·78	4·39	10·8	30·2	86·9	213·8	19
1963	0·83	0·32	0·23	0·35	0·43	0·74	1·79	4·50	10·9	30·7	88·7	220·2	18
1964	0·74	0·32	0·25	0·40	0·46	0·70	1·78	4·38	10·3	28·2	78·8	190·3	17

* Civilian mortality only from 1st June 1941 to 31st December 1949.
† Based on related live births from 1931 to 1956.

TABLE 5. Deaths registered in each quarter, 1841 to 1964 **England and Wales**

Period	Quarter ended											
	March	June	Sept.	Dec.	March	June	Sept.	Dec.	March	June	Sept.	Dec.
	Deaths : Persons				Deaths : Males				Deaths : Females			
1841-1850	1,029,485	926,091	892,964	920,856	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851-1860	1,157,916	1,040,596	965,924	1,046,279	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861-1870	1,323,406	1,156,834	1,126,288	1,187,970	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871-1880	1,422,776	1,259,064	1,195,003	1,301,468	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881-1890	1,459,550	1,271,775	1,194,102	1,319,343	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891-1900	1,562,345	1,337,754	1,311,675	1,363,601	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901-1910	1,490,235	1,246,735	1,185,415	1,326,389	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911-1920*	1,532,334	1,220,642	1,074,835	1,360,241	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921-1930	1,489,996	1,136,431	936,261	1,160,303	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1931-1940*	1,578,974	1,177,988	1,005,878	1,229,368	798,598	604,458	518,256	630,300	780,376	573,530	487,622	599,068
1941-1950*	1,553,399	1,179,497	1,004,665	1,260,092	801,980	612,766	519,908	651,534	751,419	566,731	484,757	608,558
1951-1960	1,640,302	1,199,991	1,038,678	1,309,145	840,969	615,560	534,854	678,364	799,333	584,431	503,824	630,781
1953	171,350	114,644	98,545	118,990	87,706	59,119	50,977	61,688	83,644	55,525	47,568	57,302
1954	153,120	117,205	104,114	127,457	79,372	60,528	53,851	66,046	73,748	56,677	50,263	61,411
1955	168,645	124,230	101,677	124,312	86,465	63,433	52,582	64,496	82,180	60,797	49,095	59,816
1956	170,292	120,059	104,131	126,849	87,175	61,748	53,381	65,600	83,117	58,311	50,750	61,249
1957	134,557	118,122	110,037	152,154	68,995	60,972	56,828	79,612	65,562	57,150	53,209	72,542
1958	163,595	124,169	105,629	133,450	84,474	63,140	53,762	69,263	79,121	61,029	51,867	64,187
1959	176,880	120,172	103,398	127,201	90,251	61,404	52,919	65,304	86,629	58,768	50,479	61,897
1960	149,037	124,338	112,477	140,416	76,121	63,324	57,799	71,928	72,916	61,014	54,678	68,488
1961	177,043	125,194	110,747	138,768	90,012	63,669	56,141	70,960	87,031	61,525	54,606	67,808
1962	178,210	128,681	110,688	140,057	89,956	65,508	57,137	72,553	88,254	63,173	53,551	67,504
1963	196,875	129,013	113,918	133,062	99,493	65,681	58,699	68,537	97,382	63,332	55,219	64,525
1964	156,072	127,013	113,551	138,101	79,885	65,136	58,096	71,656	76,187	61,877	55,455	66,445

*See footnote to Table 3.

BLE 6. Standardised Mortality Ratios (all ages) and death rates per million population at ages under 15 years from the principal epidemic and general diseases, 1851-1964

England and Wales

Note. 1 For explanation of Standardised Mortality Ratio see explanatory note 6
2 Changes in cause assignment are allowed for throughout as far as possible
3 See explanatory notes

Period	Standardised Mortality Ratios (base years 1950-52 taken as 100)											Death rates per million population at ages under 15 years				
	Tuberculosis (all forms) 001-019	Syphilis 020-029	Typhoid and paratyphoid fevers 040, 041	Meningococcal infections 057	Cancer 140-205	Diabetes Mellitus 260	Diseases of heart 410-443	Influenza 480-483	Pneumonia (all forms) 490-493, 763	Peptic ulcer 540-542	Suicide E970-E979	Scarlet fever 050	Diphtheria 055	Whooping cough 056	Poliomyelitis 080, 081	Measles 085
851-1860	1,438													1,319		1,082
861-1870	1,346										102	2,282	1,122	1,372		1,148
871-1880	1,190		85,518								109	1,664	747	1,316		976
881-1890	1,004		52,087								121	787	804	1,171		1,153
891-1900	815		45,789					446			136	383	873	1,037		1,144
901-1910	649		23,581			156		254			147	271	571	815		915
911-1920*	541		8,926	246		162		605		90	120	123	437	554	13	838
921-1930	362		2,729	157		154		345		99	136	64	298	405	11	389
931-1939*	245		1,180	343	97	176		222		110	142	46	290	197	11	217
940-1949*	196	150	387	355	98	129	91	90	125	102	100	7	112	111	11	62
950-1959	60	80	59	82	101	88	94	69	105	93	108	0	1	17	9	13
851-1855	1,502													1,338		1,047
856-1860	1,377											1,919	1,347	1,300		1,114
861-1865	1,370										101	2,307	1,389	1,336		1,189
866-1870	1,323										103	2,258	871	1,405		1,109
871-1875	1,217		98,690								103	1,760	788	1,282		962
876-1880	1,165		73,165								116	1,575	709	1,349		988
881-1885	1,053		57,187								117	1,012	828	1,180		1,070
886-1890	958		47,292								124	572	781	1,163		1,234
891-1895	867		45,643					514			137	434	875	1,070		1,104
896-1900	767		45,934					383			135	331	872	1,003		1,184
901-1905	690		29,456			148		233			149	319	653	874		955
906-1910	610		18,029			163		274			146	224	491	756		874
911-1915*	542		12,044	214		177		198		93	132	161	434	633	14	1,043
916-1920*	540		5,734	281		148		985		88	109	84	439	473	12	625
921-1925	393		3,147	125		149		359		89	125	79	302	448	11	420
926-1930	333		2,331	191		159		333		109	145	48	294	360	12	357
931-1935	270		1,277	407	97	172		260		109	150	50	293	223	11	270
936-1939*	216		1,063	261	97	181		178		111	133	27	287	163	11	149
940-1944*	221	178	564	585	97	153	92	129	146	109	95	11	192	140	7	78
945-1949*	174	123	224	155	98	107	91	54	107	95	104	3	30	81	16	47
950-1954	85	93	72	100	100	94	97	82	99	98	104	1	2	29	14	19
955-1959	36	71	45	64	101	83	91	58	110	88	113	0	0	6	5	8
1949*	149	107	169	99	99	99	97	80	105	93	109	*1*	7	55	29	30
1950	119	102	83	96	100	104	101	55	91	96	102	*1*	4	41	33	22
1951	103	104	115	101	100	104	106	222	114	105	101	*1*	*2*	46	8	30
1952	79	94	102	103	100	92	94	24	95	99	97	*1*	*2*	18	10	14
1953	66	83	24	105	100	87	92	88	105	93	106	*0*	*2*	24	14	24
1954	58	81	36	94	101	81	92	24	90	98	112	*1*	*1*	13	5	5
1955	48	78	83	75	101	87	93	39	103	98	110	*0*	*1*	9	8	17
1956	39	76	41	69	101	85	93	34	108	94	115	*0*	*0*	9	4	2
1957	35	71	47	67	101	81	89	85	107	86	115	*0*	*0*	8	6	9
1958	32	68	23	52	101	84	92	30	111	84	113	*0*	*0*	3	4	5
1959	28	61	29	56	102	80	88	98	122	77	111	*0*	-	2	2	8
1960	24	60	17	33	102	88	89	13	110	78	107	-	*0*	3	*1*	3
1961	24	56	11	44	102	95	91	86	129	73	109	*0*	*1*	3	3	13
1962	22	51	39	45	103	92	92	40	135	77	116	*0*	*0*	2	*1*	4
1963	21	50	28	47	103	91	93	38	154	71	118	*0*	*0*	3	0	10
1964	17	48	17	31	104	93	85	12	124	63	114	*0*	-	4	*0*	6

Civilian mortality only in 1915-20 and from 3rd September 1939 to 31st December 1949, for males, and from 1st June 1941 to 31st December 1949, for females.

TABLE 7. Deaths by cause and sex at all ages, 1954 to 1964

Note. 1 The following categories of the 1955 International Statistical Classification are not applicable to primary death tabulation and are therefore omitted from this table: 306, 308, 649, 775.

2 Deaths due to certain underlying causes where the interval since onset was stated to exceed one year have for certain years been assigned to other conditions mentioned on the certificate. The numbers of such 'late effects' are given in footnotes. The years and categories affected are as follows:
1953 and on: 040-043, 050, 055, 056, 058, 085-087, 100-108, 640-689.
1958 and on: 051, 052, 057·0, 057·1, 057·3, 059, 061, 089, 091, 094, 480-483, 490-493.

3 For causes from which there have been few deaths from 1954, see list at end of table.

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
	ALL CAUSES	**M**	**259,797**	**266,976**	**267,904**	**266,407**	**270,639**	**269,878**	**269,172**	**280,782**	**285,154**	**292,410**	**274,773**
		F	**242,099**	**251,888**	**253,427**	**248,463**	**256,204**	**257,773**	**257,096**	**270,970**	**272,482**	**280,458**	**259,964**
001-138	**I INFECTIVE AND PARASITIC DISEASES**	**M**	**7,066**	**6,249**	**5,340**	**4,976**	**4,543**	**4,142**	**3,762**	**3,674**	**3,455**	**3,328**	**2,904**
		F	**3,679**	**3,180**	**2,678**	**2,501**	**2,317**	**1,991**	**1,868**	**1,965**	**1,716**	**1,698**	**1,495**
001-019	**Tuberculosis (all forms)**	**M**	**5,392**	**4,533**	**3,804**	**3,414**	**3,207**	**2,810**	**2,502**	**2,406**	**2,282**	**2,191**	**1,853**
		F	**2,505**	**1,959**	**1,571**	**1,370**	**1,273**	**1,044**	**933**	**928**	**806**	**769**	**631**
001-008	**Tuberculosis of respiratory system**	**M**	**4,944**	**4,172**	**3,534**	**3,150**	**2,949**	**2,620**	**2,342**	**2,240**	**2,101**	**2,022**	**1,711**
		F	**2,125**	**1,665**	**1,319**	**1,099**	**1,050**	**854**	**763**	**762**	**673**	**587**	**498**
001	With mention of occupational disease	M	276	296	247	215	215	199	215	171	166	154	141
		F	4	6	6	-	6	4	7	5	6	4	5
002	Pulmonary	M	4,630	3,844	3,263	2,899	2,706	2,402	2,117	2,060	1,922	1,857	1,549
		F	2,083	1,630	1,291	1,085	1,028	839	746	751	662	574	481
003	Pleural	M	30	25	18	31	23	13	5	7	10	8	15
		F	33	25	19	11	11	8	7	4	2	6	8
	0 Pleurisy specified as tuberculous	M	15	10	6	12	8	7	4	6	8	6	9
		F	10	4	4	1	2	1	1	2	1	2	3
	1 Pleurisy with effusion without mention of cause	M	15	15	12	19	15	6	1	1	2	2	6
		F	23	21	15	10	9	7	6	2	1	4	5
005	Tracheobronchial glandular, with symptoms	M	5	4	4	1	4	2	2	-	-	-	-
		F	3	4	2	1	3	-	-	-	1	1	1
007	Other respiratory	M	1	-	-	1	-	-	2	-	-	-	-
		F	-	-	-	1	-	3	-	1	-	-	1
008	Unspecified site	M	2	3	2	3	1	4	1	2	3	3	5
		F	1	-	1	1	2	-	3	1	2	1	2
010-019	**Tuberculosis, other forms**	**M**	**448**	**361**	**270**	**264**	**258**	**190**	**160**	**166**	**181**	**169**	**142**
		F	**380**	**294**	**252**	**271**	**223**	**190**	**170**	**166**	**133**	**182**	**133**
010	Meninges and central nervous system	M	96	67	39	47	44	50	26	35	39	37	26
		F	95	65	52	63	49	37	35	30	24	34	18
011	Intestines, peritoneum, and mesenteric glands	M	38	45	35	28	25	17	17	20	13	14	9
		F	58	41	35	27	35	21	15	25	19	25	14
012	Bones and joints, active or unspecified	M	75	67	48	42	49	37	31	33	39	25	23
		F	65	44	36	49	43	48	35	30	19	40	27
	0 Vertebral column	M	58	52	37	33	38	26	27	26	36	18	18
		F	56	35	28	39	34	40	26	22	15	29	22
	1-3 Other	M	17	15	11	9	11	11	4	7	3	7	5
		F	9	9	8	10	9	8	9	8	4	11	5
013	Late effects, bones and joints	M	2	6	4	2	2	-	2	2	4	3	4
		F	2	2	5	3	-	5	4	3	1	3	4
014	Skin and subcutaneous cellular tissue	M	-	1	-	2	2	-	-	-	-	-	-
		F	7	3	4	2	6	3	2	2	1	-	-
015	Lymphatic system	M	10	11	9	5	3	5	3	1	2	4	3
		F	10	10	6	13	4	9	5	4	5	8	6
016	Genito-urinary system	M	121	87	82	81	64	44	45	37	48	42	41
		F	64	52	64	44	36	43	34	37	28	26	32
017	Adrenal glands	M	14	6	11	9	13	8	5	4	7	6	7
		F	9	7	5	9	7	5	7	4	5	9	2
018	Other organs	M	9	11	6	10	7	5	8	9	7	11	9
		F	4	13	6	13	9	5	3	5	5	7	1

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
019	Disseminated	M	83	60	36	38	49	24	23	25	22	27	20
		F	66	57	39	48	34	14	30	26	26	30	29
	0-1 Acute miliary tuberculosis	M	5	4	2	3	5	2	1	1	-	3	1
		F	7	3	1	5	5	3	1	1	1	3	-
	2 Other forms	M	78	56	34	35	44	22	22	24	22	24	19
		F	59	54	38	43	29	11	29	25	25	27	29
020-029	**Syphilis and its sequelae**	**M**	**808**	**795**	**772**	**728**	**653**	**627**	**623**	**556**	**509**	**485**	**496**
		F	**398**	**368**	**378**	**344**	**388**	**331**	**321**	**344**	**313**	**335**	**295**
020	Congenital syphilis	M	6	2	6	3	10	5	4	3	3	1	1
		F	6	4	8	7	3	2	2	2	5	4	4
022	Aneurysm of aorta	M	307	332	329	358	306	295	312	286	303	277	325
		F	166	173	171	183	219	190	186	194	198	209	195
023	Other cardiovascular syphilis	M	278	281	271	231	208	181	186	159	126	110	107
		F	115	112	126	88	94	68	75	92	71	78	55
024	Tabes dorsalis	M	70	53	66	53	41	50	44	41	23	29	15
		F	26	24	15	22	16	22	17	19	6	16	12
025	General paralysis of insane	M	89	84	56	48	57	62	56	37	28	39	24
		F	37	36	28	20	28	27	22	17	16	10	12
026	Other syphilis of central nervous system	M	47	27	33	26	17	22	12	21	23	25	12
		F	32	13	19	18	20	16	14	12	13	16	10
027	Other forms of late syphilis	M	8	13	10	7	10	9	7	6	2	4	8
		F	15	5	9	4	6	6	4	7	3	1	5
029	Syphilis, unqualified	M	3	3	1	2	4	3	2	3	1	-	4
		F	1	1	1	2	2	-	1	-	1	1	2
030-039	**Gonococcal infection and other venereal diseases**	**M**	**13**	**3**	**8**	**5**	**21**	**24**	**29**	**14**	**9**	**13**	**9**
		F	**-**	**2**	**-**	**1**	**1**	**-**	**2**	**-**	**-**	**-**	**-**
030	Acute or unspecified gonorrhoea	M	2	-	1	2	1	-	-	-	-	1	2
		F	-	-	-	-	-	-	-	-	-	-	-
035	Late effects of gonococcal infection	M	7	2	6	3	18	23	28	12	9	11	5
		F	-	-	-	-	-	-	-	-	-	-	-
040-049	**Infectious diseases commonly arising in intestinal tract**	**M**	**48**	**58**	**46**	**42**	**42**	**40**	**40**	**34**	**38**	**43**	**15**
		F	**33**	**51**	**55**	**38**	**36**	**42**	**41**	**34**	**20**	**25**	**22**
040	Typhoid fever*	M	-	4	-	1	2	2	2	1	2	3	1
		F	3	2	2	5	-	1	-	-	2	1	1
041	Paratyphoid fever*	M	1	3	2	-	1	-	-	1	3	-	1
		F	2	5	3	2	1	2	1	-	-	1	-
042	Other Salmonella infections*	M	22	25	20	29	21	18	20	17	10	12	6
		F	11	19	26	20	15	18	17	14	11	8	9
044	Brucellosis (undulant fever)	M	-	-	2	-	1	-	-	-	1	2	-
		F	-	1	1	-	-	1	-	-	-	-	-
045	Bacillary dysentery	M	12	15	13	7	12	14	9	11	16	16	3
		F	13	12	13	8	14	12	17	17	5	9	10
046	Amoebiasis	M	6	7	2	4	3	4	5	4	4	5	2
		F	2	1	1	1	1	2	2	-	-	2	-
048	Unspecified forms of dysentery	M	4	1	2	-	1	-	1	-	1	-	2
		F	2	4	2	2	-	1	2	2	2	3	-
049	Food poisoning (infection and intoxication)	M	3	3	5	1	1	2	3	-	1	5	-
		F	-	7	7	-	4	5	2	1	-	1	2
050-064	**Other bacterial diseases**	**M**	**321**	**241**	**257**	**208**	**169**	**180**	**148**	**169**	**190**	**192**	**184**
		F	**294**	**216**	**209**	**208**	**159**	**134**	**125**	**144**	**132**	**138**	**148**
050	Scarlet fever*	M	2	-	-	1	3	-	-	-	-	1	2
		F	2	2	1	2	1	1	-	3	2	1	-
051	Streptococcal sore throat*	M	13	14	15	7	4	12	10	2	2	6	6
		F	12	10	13	9	6	8	13	6	6	2	2
052	Erysipelas*	M	9	7	3	5	2	3	4	-	-	3	5
		F	5	6	4	1	5	3	3	3	7	2	2
053	Septicaemia and pyaemia	M	55	37	57	38	45	38	47	63	64	61	75
		F	66	39	40	39	36	32	29	39	45	40	58

* Excluding the following 'late effects' (see note 2 at head of table):

		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
040 Typhoid fever	M	1	1	-	-	2	-	1	-	-	2	-
	F	-	-	-	2	1	1	-	1	-	-	-
041 Paratyphoid fever	M	-	-	-	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-
042 Other Salmonella infections	M	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	1	-	-
050 Scarlet fever	M	8	8	8	3	1	5	3	3	2	1	1
	F	15	11	6	4	3	4	5	5	3	1	4
051 Streptococcal sore throat	M	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
052 Erysipelas	M	-	-	-	-	-	1	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
	0 Streptococcus	M	6	4	8	4	6	6	4	10	4	6	8
		F	7	4	6	5	6	5	3	3	4	8	3
	1 Staphylococcus	M	15	12	16	10	23	17	21	28	24	23	21
		F	26	16	12	11	9	13	9	10	18	11	19
	2 Pneumococcus	M	4	5	3	3	3	-	1	5	5	1	6
		F	1	1	2	2	2	-	-	3	3	1	8
	3 Other specified organism	M	6	6	3	1	1	1	1	4	8	7	7
		F	3	2	2	2	1	1	3	4	1	2	3
	4 Organism unspecified	M	24	10	27	20	12	14	20	16	23	24	33
		F	29	16	18	19	18	13	14	19	19	18	25
055	Diphtheria*	M	3	6	2	2	4	-	2	3	2	1	-
		F	5	6	1	2	4	-	3	7	-	1	-
056	Whooping cough*	M	66	45	41	32	13	11	20	17	15	15	22
		F	73	42	51	55	14	14	17	10	9	21	22
057	Meningococcal infections*	M	138	105	109	94	71	97	46	65	88	88	53
		F	121	100	80	90	74	62	49	65	50	58	45
061	Tetanus	M	28	23	22	23	10	17	15	15	13	10	13
		F	9	10	15	5	10	8	3	9	6	3	8
062	Anthrax	M	1	1	3	1	-	-	1	-	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-
063	Gas gangrene	M	5	3	4	4	5	1	2	3	3	4	6
		F	1	-	1	4	4	1	4	1	3	7	5
064	Other bacterial diseases	M	1	-	1	-	12	1	1	1	1	2	2
		F	-	-	2	1	5	5	3	-	3	3	5
070-074	**Spirochaetal diseases, except syphilis**	**M**	**25**	**27**	**11**	**18**	**19**	**11**	**10**	**14**	**14**	**3**	**7**
		F	**2**	**2**	**1**	**3**	**1**	**2**	**1**	-	**2**	-	**2**
070	Vincent's infection	M	-	2	-	1	-	1	-	-	-	-	-
		F	-	1	1	2	-	2	-	-	1	-	1
072	Leptospirosis	M	25	24	11	17	18	10	10	14	14	3	6
		F	2	1	-	-	1	-	-	-	1	-	1
080-096	**Diseases attributable to viruses**	**M**	**395**	**536**	**382**	**493**	**380**	**381**	**344**	**415**	**337**	**352**	**281**
		F	**401**	**529**	**402**	**478**	**399**	**380**	**389**	**448**	**375**	**344**	**322**
080	Acute poliomyelitis	M	73	150	68	143	71	41	19	44	12	2	2
		F	39	91	46	83	58	25	4	15	6	1	2
	0 Specified as bulbar or polio-encephalitis	M	29	73	25	63	34	14	7	11	2	1	1
		F	17	41	15	30	18	15	3	5	3	-	1
	1 With other paralysis	M	13	23	14	21	14	6	6	9	5	-	-
		F	4	17	9	16	14	1	-	1	2	-	1
	3 Unspecified	M	31	54	29	59	23	21	6	24	5	1	1
		F	18	33	22	37	26	9	1	9	1	1	1
081	Late effects of acute poliomyelitis	M	11	11	9	21	11	11	12	12	14	24	16
		F	11	18	14	8	14	10	11	8	13	11	9
082	Acute infectious encephalitis	M	51	49	58	59	52	55	62	56	60	52	55
		F	37	38	48	50	40	53	62	64	57	35	43
083	Late effects of acute infectious encephalitis	M	80	81	82	55	72	64	54	48	46	51	51
		F	95	77	67	50	63	44	60	38	43	39	34
084	Smallpox	M	-	-	-	1	1	-	-	-	7	-	-
		F	-	-	-	1	-	-	-	-	19	-	-
085	Measles*	M	24	85	14	53	23	49	13	79	20	62	30
		F	21	89	14	41	26	49	18	73	19	65	43
086	Rubella (German measles)*	M	2	-	-	1	1	-	2	1	2	1	2
		F	-	-	1	1	1	-	1	1	4	-	1
087	Chickenpox	M	8	4	4	5	7	10	8	10	17	13	15
		F	9	5	8	9	5	6	11	8	6	9	14
088	Herpes zoster	M	17	25	17	24	21	16	14	18	22	17	12
		F	30	41	45	49	44	33	34	48	30	38	35

* Excluding the following 'late effects' (see note 2 at head of table):

		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
055 Diphtheria	M	-	-	3	-	2	-	1	2	-	2	-
	F	1	1	2	2	-	3	2	4	1	3	-
056 Whooping cough	M	-	-	1	1	-	-	-	1	-	-	-
	F	-	1	2	-	1	1	1	-	2	-	-
057 Meningococcal infections	M	-	-	-	-	1	1	-	-	-	-	1
	F	-	-	-	-	2	2	-	-	1	-	-
085 Measles	M	5	2	1	1	1	-	1	1	-	-	-
	F	-	-	1	-	1	1	1	-	-	-	1
086 Rubella (German measles)	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
089	Mumps	M	7	3	4	3	4	1	4	6	2	2	3
		F	2	8	-	6	4	7	6	7	1	5	7
092	Infectious hepatitis	M	108	116	116	119	110	119	139	123	113	106	82
		F	151	159	156	173	135	145	169	173	168	124	114
093	Glandular fever (infectious mononucleosis)	M	2	3	5	3	2	2	4	5	4	4	-
		F	2	-	1	2	2	1	2	3	2	1	2
096	Other diseases attributable to viruses	M	12	8	4	6	5	13	13	13	18	18	13
		F	4	3	2	5	7	7	11	10	7	16	18
100-108	**Typhus and other rickettsial diseases †**	**M**	-	-	-	-	-	1	1	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	1	-
110-117	**Malaria**	**M**	**9**	**5**	**3**	**3**	**2**	**-**	**3**	**6**	**4**	**4**	**2**
		F	**-**	**-**	**1**	**1**	**2**	**2**	**-**	**-**	**1**	**2**	**-**
112	Falciparum malaria (malignant tertian)	M	5	4	1	1	2	-	1	-	4	3	1
		F	-	-	1	1	2	1	-	-	1	1	-
116	Other and unspecified forms of malaria	M	4	1	2	1	-	-	2	5	-	1	1
		F	-	-	-	-	-	1	-	-	-	1	-
120-138	**Other infective and parasitic diseases**	**M**	**55**	**51**	**57**	**65**	**50**	**68**	**62**	**60**	**72**	**44**	**57**
		F	**46**	**53**	**61**	**58**	**58**	**56**	**56**	**67**	**67**	**84**	**75**
122	Other protozoal diseases	M	5	1	1	3	1	1	2	1	1	-	2
		F	5	1	1	1	-	2	-	-	3	1	3
123	Schistosomiasis	M	1	2	-	-	1	1	1	1	2	1	2
		F	-	-	1	-	1	-	1	-	1	-	1
125	Hydatid disease	M	5	6	4	11	2	7	5	3	9	3	6
		F	3	6	6	8	2	8	8	5	7	2	2
126	Other cestode infestation	M	2	3	5	5	-	4	1	2	1	1	2
		F	2	1	-	1	1	-	-	-	-	-	-
132	Actinomycosis	M	5	4	1	4	3	4	1	2	5	1	-
		F	2	-	4	2	4	-	1	-	-	-	-
134	Other fungus infections	M	13	9	14	13	9	16	21	17	13	12	19
		F	6	5	7	8	11	7	15	13	10	18	11
138	Other infective and parasitic diseases	M	21	24	31	27	33	35	30	34	39	26	25
		F	28	39	41	38	39	39	31	48	45	62	57
140-239	**II NEOPLASMS**	**M**	**48,104**	**48,907**	**49,675**	**50,792**	**51,273**	**52,324**	**53,392**	**54,045**	**55,292**	**55,846**	**56,959**
		F	**43,727**	**44,097**	**44,679**	**44,853**	**45,727**	**46,069**	**46,777**	**47,188**	**47,560**	**47,964**	**49,235**
140-205	**Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues**	**M**	**47,313**	**48,160**	**48,935**	**50,056**	**50,735**	**51,783**	**52,779**	**53,441**	**54,735**	**55,192**	**56,247**
		F	**42,782**	**43,180**	**43,775**	**43,961**	**45,069**	**45,334**	**46,009**	**46,474**	**46,873**	**47,224**	**48,451**
140-148	**Malignant neoplasm of buccal cavity and pharynx**	**M**	**1,516**	**1,421**	**1,234**	**1,259**	**1,267**	**1,249**	**1,120**	**1,070**	**1,061**	**978**	**1,020**
		F	**641**	**650**	**654**	**669**	**657**	**613**	**666**	**645**	**631**	**602**	**656**
140	Lip	M	104	109	80	83	83	74	68	85	63	55	58
		F	13	13	13	9	4	10	13	9	7	6	8
	0 Upper lip	M	*	*	*	*	8	10	1	9	5	3	8
		F	*	*	*	*	-	2	8	3	3	2	2
	1 Lower lip	M	*	*	*	*	71	53	54	70	51	47	43
		F	*	*	*	*	4	7	10	4	3	3	5
	8, 9 Both lips, unspecified	M	*	*	*	*	4	11	6	6	7	5	7
		F	*	*	*	*	-	1	2	2	1	1	1
141	Tongue	M	442	393	359	336	359	363	307	273	289	268	294
		F	146	150	165	158	143	152	134	145	128	124	134
	0 Base of tongue	M	*	*	*	*	137	134	103	99	113	83	90
		F	*	*	*	*	47	34	39	44	29	34	35
	7 Other specified parts of tongue	M	*	*	*	*	180	180	158	135	132	136	133
		F	*	*	*	*	77	98	80	77	81	68	71
	8, 9 Multiple and unspecified parts of tongue	M	*	*	*	*	42	49	46	39	44	49	71
		F	*	*	*	*	19	20	15	24	18	22	28
142	Salivary gland	M	80	75	78	81	90	67	77	86	74	66	68
		F	60	65	57	64	76	77	64	54	73	58	62
	0 Parotid gland	M	*	*	*	*	74	55	58	69	62	47	55
		F	*	*	*	*	68	62	51	44	59	41	50
	7 Other salivary gland	M	*	*	*	*	14	10	16	13	12	16	8
		F	*	*	*	*	8	13	13	8	13	11	9
	8, 9 Multiple and unspecified salivary gland	M	*	*	*	*	2	2	3	4	-	3	5
		F	*	*	*	*	-	2	-	2	1	6	3
143	Floor of mouth	M	85	90	78	63	57	71	73	71	63	94	84
		F	23	22	21	20	21	23	23	21	18	23	35

* Comparable figures not available.
† Excluding the following 'late effects' (see note 2 at head of table):

		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
106 Volhynian fever (trench fever)	M	-	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
144	Other parts of mouth and mouth unspecified	M	226	223	199	186	208	185	173	158	153	122	119
		F	63	71	82	71	84	49	95	81	72	68	94
145	Oral mesopharynx	M	180	141	110	153	183	154	143	118	142	104	135
		F	46	46	44	47	42	55	49	48	61	44	44
	0 Tonsil (excluding pillars)	M	*	*	*	*	144	121	112	87	98	75	98
		F	*	*	*	*	39	46	43	37	53	35	38
	7-9 Other multiple and unspecified parts of oral mesopharynx	M	*	*	*	*	39	33	31	31	44	29	37
		F	*	*	*	*	3	9	6	11	8	9	6
146	Nasopharynx	M	100	83	73	78	86	98	83	91	92	80	94
		F	38	30	42	45	42	33	39	47	41	47	49
147	Hypopharynx	M	98	106	83	85	133	169	142	133	125	150	123
		F	153	154	152	157	209	180	218	210	211	193	202
148	Pharynx, unspecified	M	201	201	174	194	68	68	54	55	60	39	45
		F	99	99	78	98	36	34	31	30	20	39	28
150-159	**Malignant neoplasm of digestive organs and peritoneum**	**M**	**19,545**	**19,376**	**19,077**	**19,348**	**19,136**	**19,160**	**19,023**	**19,030**	**19,061**	**19,067**	**19,050**
		F	**18,227**	**18,226**	**18,060**	**17,882**	**18,365**	**18,585**	**18,440**	**18,330**	**18,412**	**18,443**	**18,391**
150	Oesophagus	M	1,301	1,352	1,372	1,306	1,300	1,369	1,301	1,356	1,391	1,375	1,349
		F	925	951	952	956	993	955	1,007	1,055	1,050	1,064	1,191
151	Stomach	M	7,818	7,942	7,712	7,951	7,934	7,930	7,846	7,784	7,722	7,744	7,500
		F	6,232	6,146	6,163	5,966	6,178	6,146	6,107	6,004	5,874	5,937	5,569
152	Small intestine, including duodenum	M	101	104	111	97	110	104	117	136	121	91	124
		F	93	101	98	75	108	104	133	102	106	112	107
	0 Duodenum	M	*	*	*	*	23	33	36	38	39	24	22
		F	*	*	*	*	25	32	36	26	19	26	31
	7-9 Other multiple and unspecified parts of small intestine	M	*	*	*	*	87	71	81	98	82	67	102
		F	*	*	*	*	83	72	97	76	87	86	76
153	Large intestine, except rectum	M	4,031	3,904	3,795	3,793	3,698	3,611	3,612	3,678	3,693	3,567	3,616
		F	5,451	5,505	5,433	5,388	5,431	5,542	5,448	5,455	5,473	5,391	5,474
	3 Sigmoid colon	M	*	*	*	*	1,418	1,306	1,297	1,336	1,314	1,208	1,183
		F	*	*	*	*	1,827	1,854	1,765	1,711	1,782	1,643	1,673
	0-2, 7, 8 Other parts of large intestine	M	*	*	*	*	2,238	2,262	2,281	2,302	2,343	2,314	2,388
		F	*	*	*	*	3,551	3,628	3,634	3,693	3,627	3,696	3,736
	9 Intestinal tract, part unspecified	M	*	*	*	*	42	43	34	40	36	45	45
		F	*	*	*	*	53	60	49	51	64	52	65
154	Rectum	M	3,321	3,173	3,152	3,102	3,132	3,059	3,029	2,919	2,953	2,935	2,961
		F	2,461	2,380	2,368	2,275	2,501	2,602	2,444	2,428	2,440	2,533	2,605
155	Biliary passages and of liver (stated to be primary site)	M	516	462	486	535	579	603	575	609	619	639	620
		F	761	760	812	784	909	871	883	862	935	889	879
	0 Liver	M	*	*	*	*	213	243	230	272	256	252	265
		F	*	*	*	*	178	180	212	188	205	166	164
	1, 8 Gallbladder, other and multiple sites	M	*	*	*	*	366	360	345	337	363	387	355
		F	*	*	*	*	731	691	671	674	730	723	715
156	Liver (secondary and unspecified)†	M	514	476	457	494	273	287	319	317	325	300	349
		F	548	508	489	474	297	314	292	298	298	293	323
157	Pancreas	M	1,766	1,822	1,839	1,885	1,980	2,081	2,077	2,075	2,103	2,238	2,357
		F	1,522	1,619	1,546	1,710	1,747	1,851	1,882	1,904	2,017	1,985	2,010
158	Peritoneum	M	162	126	130	163	95	80	108	124	102	134	151
		F	216	231	180	230	156	163	200	177	186	191	202
159	Unspecified digestive organs	M	15	15	23	22	35	36	39	32	32	44	23
		F	18	25	19	24	45	37	44	45	33	48	31
160-165	**Malignant neoplasm of respiratory system**	**M**	**14,834**	**15,669**	**16,452**	**17,212**	**17,899**	**19,026**	**19,759**	**20,289**	**21,064**	**21,563**	**22,236**
		F	**2,668**	**2,781**	**2,879**	**2,983**	**3,092**	**3,202**	**3,441**	**3,652**	**3,806**	**3,948**	**4,181**
160	Nose, nasal cavities, middle ear, and accessory sinuses	M	125	118	134	114	123	121	120	99	114	115	127
		F	104	82	97	86	96	96	126	91	115	93	108
	0 Nose (internal) and nasal cavities	M	*	*	*	*	16	30	24	13	24	21	29
		F	*	*	*	*	14	7	21	12	21	8	15
	1 Eustachian tube and middle ear	M	*	*	*	*	8	11	9	22	15	16	10
		F	*	*	*	*	12	14	18	14	13	16	18
	2 Maxillary sinus	M	*	*	*	*	84	72	79	60	64	68	75
		F	*	*	*	*	63	71	80	63	72	61	69
	7 Other specified sinus (accessory)	M	*	*	*	*	10	6	5	4	10	9	13
		F	*	*	*	*	6	4	5	-	8	7	6
	8, 9 Multiple and unspecified sites of nose, etc.	M	*	*	*	*	5	2	3	-	1	1	-
		F	*	*	*	*	1	-	2	2	1	1	-

† 156. Enquiries made from 1958 onwards. * Comparable figures not available.

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
161	Larynx	M	662	695	675	661	662	643	689	652	626	632	571
		F	181	202	169	174	171	180	157	165	153	140	144
162, 163	Trachea, bronchus and lung	M	13,941	14,761	15,544	16,358	17,040	18,181	18,882	19,460	20,278	20,757	21,476
		F	2,323	2,438	2,553	2,670	2,780	2,882	3,118	3,350	3,501	3,677	3,895
162	Bronchus and trachea, and of lung specified as primary	M	*	9,520	10,141	10,740	11,432	12,231	12,843	13,360	13,912	14,644	15,062
		F	*	1,553	1,665	1,744	1,847	1,881	2,101	2,190	2,335	2,518	2,623
	0 Trachea	M	*	*	*	*	27	27	17	33	24	27	33
		F	*	*	*	*	9	11	8	11	11	15	13
	1 Bronchus and lung	M	*	*	*	*	11,397	12,198	12,824	13,323	13,882	14,611	15,027
		F	*	*	*	*	1,838	1,866	2,091	2,178	2,321	2,502	2,610
	2 Pleura	M	*	*	*	*	6	3	1	4	4	2	2
		F	*	*	*	*	-	4	2	1	1	1	-
	8 Multiple sites	M	*	*	*	*	2	3	1	-	2	4	-
		F	*	*	*	*	-	-	-	-	2	-	-
163	Lung, unspecified as to whether primary or secondary	M	*	5,241	5,403	5,618	5,608	5,950	6,039	6,100	6,366	6,113	6,414
		F	*	885	888	926	933	1,001	1,017	1,160	1,166	1,159	1,272
164	Mediastinum	M	82	76	68	57	58	66	50	58	32	36	36
		F	43	39	42	36	29	29	28	24	20	28	16
165	Thoracic organs (secondary)	M	24	19	31	22	16	15	18	20	14	23	26
		F	17	20	18	17	16	15	12	22	17	10	18
170-181	**Malignant neoplasm of breast and genito-urinary organs**	**M**	**6,281**	**6,373**	**6,657**	**6,591**	**6,800**	**6,704**	**6,903**	**6,975**	**7,414**	**7,314**	**7,400**
		F	**16,528**	**16,810**	**17,028**	**17,139**	**17,840**	**17,593**	**18,098**	**18,261**	**18,414**	**18,394**	**19,060**
170	Breast	M	80	77	69	70	73	62	63	81	79	70	84
		F	8,315	8,449	8,522	8,552	8,949	8,708	9,059	9,286	9,351	9,442	9,860
171	Cervix uteri	F	2,397	2,472	2,494	2,456	2,702	2,555	2,599	2,504	2,511	2,465	2,577
172	Corpus uteri	F	1,179	1,141	1,176	1,207	1,189	1,214	1,245	1,245	1,255	1,187	1,106
173	Other parts of uterus, including chorionepithelioma	F	48	28	39	36	34	39	38	21	40	35	22
174	Uterus, unspecified	F	203	203	212	213	190	195	206	211	209	282	284
175	Ovary, Fallopian tube, and broad ligament	F	2,601	2,771	2,791	2,854	2,890	2,939	2,959	3,057	3,061	3,050	3,154
	0 Ovary	F	*	*	*	*	2,866	2,919	2,933	3,031	3,032	3,025	3,140
	1 Fallopian tube and broad ligament	F	*	*	*	*	21	19	24	25	27	24	14
	8, 9 Multiple and unspecified sites of ovary, etc.	F	*	*	*	*	3	1	2	1	2	1	-
176	Other and unspecified female genital organs	F	488	477	475	519	519	530	541	492	520	502	514
	0 Vulva	F	*	*	*	*	365	373	390	360	376	356	359
	1 Vagina	F	*	*	*	*	143	150	141	124	138	139	143
	7-9 Other multiple and unspecified sites of female genital organs	F	*	*	*	*	11	7	10	8	6	7	12
177	Prostate	M	3,327	3,315	3,538	3,460	3,614	3,590	3,655	3,658	3,820	3,795	3,728
178	Testis	M	217	165	201	175	203	193	224	185	207	216	219
179	Other and unspecified male genital organs	M	127	162	140	139	140	143	111	149	129	139	133
	0 Penis	M	*	*	*	*	110	106	86	121	105	104	107
	1 Scrotum	M	*	*	*	*	28	30	22	25	19	32	20
	7-9 Other multiple and unspecified sites of male genital organs	M	*	*	*	*	2	7	3	3	5	3	6
180	Kidney	M	676	706	700	704	761	704	710	750	842	824	860
		F	455	421	463	433	504	459	518	518	501	522	550
181	Bladder and other urinary organs	M	1,854	1,948	2,009	2,043	2,009	2,012	2,140	2,152	2,337	2,270	2,376
		F	842	848	856	869	863	954	933	927	966	909	993
	0, 8 Bladder	M	*	*	*	*	1,997	1,993	2,125	2,137	2,323	2,250	2,365
		F	*	*	*	*	849	932	912	898	941	890	973
	7 Other urinary organs and sites	M	*	*	*	*	12	19	15	15	14	20	11
		F	*	*	*	*	14	22	21	29	25	19	20
190-199	**Malignant neoplasm of other and unspecified sites**	**M**	**2,715**	**2,834**	**2,975**	**2,919**	**2,926**	**2,853**	**2,954**	**3,108**	**3,141**	**3,099**	**3,251**
		F	**3,784**	**2,727**	**3,039**	**3,124**	**2,904**	**2,952**	**2,902**	**3,060**	**3,027**	**3,256**	**3,454**
190	Malignant melanoma of skin	M	144	164	166	145	125	161	168	155	171	185	192
		F	185	213	181	247	206	220	224	232	250	236	276
191	Other malignant neoplasm of skin	M	325	312	310	316	282	265	269	276	248	224	217
		F	264	262	249	254	235	228	232	218	206	208	231

* Comparable figures not available.

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
192	Eye	M	53	53	57	60	63	61	60	61	87	64	56
		F	69	44	56	51	62	70	67	77	64	61	66
193	Brain and other parts of nervous system	M	831	903	889	894	1,079	1,046	1,102	1,135	1,137	1,119	1,170
		F	624	611	659	667	794	823	788	847	783	848	814
	0 Brain	M	*	*	*	*	998	983	1,029	1,042	1,024	987	1,051
		F	*	*	*	*	743	750	722	757	700	751	698
	1 Spinal cord	M	*	*	*	*	15	11	14	13	17	20	11
		F	*	*	*	*	10	23	13	11	14	20	17
	2 Meninges	M	*	*	*	*	7	7	2	2	6	5	12
		F	*	*	*	*	3	8	5	5	12	13	8
	3 Peripheral nerves	M	*	*	*	*	2	3	5	1	7	4	1
		F	*	*	*	*	2	4	5	3	1	3	8
	4 Sympathetic nervous system	M	*	*	*	*	35	29	27	39	40	38	45
		F	*	*	*	*	17	27	29	37	25	28	29
	8, 9 Multiple and unspecified sites of brain, etc:	M	*	*	*	*	22	13	25	38	43	65	50
		F	*	*	*	*	19	11	14	34	31	33	54
194	Thyroid gland	M	99	95	113	89	92	100	102	97	110	100	98
		F	268	268	272	264	244	280	274	278	275	300	281
195	Other endocrine glands	M	60	62	66	71	67	58	51	45	59	51	60
		F	38	46	55	54	45	38	42	48	37	50	53
	0 Suprarenal gland	M	*	*	*	*	46	40	40	33	42	32	40
		F	*	*	*	*	29	21	30	28	25	35	33
	3 Pituitary gland and craniopharyngeal duct	M	*	*	*	*	6	4	4	5	6	6	4
		F	*	*	*	*	7	6	2	5	4	5	9
	1, 2, 4-8 Other and multiple	M	*	*	*	*	15	14	7	7	11	13	16
		F	*	*	*	*	9	11	10	15	8	10	11
196	Bone	M	356	346	385	351	354	330	337	349	322	280	261
		F	319	266	304	288	300	265	255	262	259	240	254
197	Connective tissue	M	119	111	121	125	113	110	108	133	141	123	131
		F	105	102	111	103	112	93	96	109	149	119	123
198	Secondary and unspecified malignant neoplasm of lymph nodes	M	43	43	37	37	45	43	39	35	51	50	42
		F	29	17	14	22	21	16	29	26	25	28	24
199	Other and unspecified sites	M	685	745	831	831	706	679	718	822	815	903	1,024
		F	883	898	1,138	1,174	885	919	895	963	979	1,166	1,332
200-205	**Neoplasms of lymphatic and haematopoietic tissues**	**M**	**2,422**	**2,487**	**2,540**	**2,727**	**2,707**	**2,791**	**3,020**	**2,969**	**2,994**	**3,171**	**3,290**
		F	**1,934**	**1,986**	**2,115**	**2,164**	**2,211**	**2,389**	**2,462**	**2,526**	**2,583**	**2,581**	**2,709**
200	Lymphosarcoma and reticulosarcoma	M	460	466	459	486	517	552	591	580	613	652	719
		F	338	382	372	381	429	442	451	516	473	495	494
	0 Reticulum-cell sarcoma	M	127	167	169	170	195	203	222	215	229	268	263
		F	108	130	144	157	175	171	176	218	186	218	213
	1 Lymphosarcoma	M	286	270	266	284	298	322	332	343	360	352	416
		F	203	221	194	207	235	243	252	275	252	255	255
	2 Other primary malignant neoplasms of lymphoid tissue	M	47	29	24	32	24	27	37	22	24	32	40
		F	27	31	34	17	19	28	23	23	35	22	26
201	Hodgkin's disease	M	493	495	507	584	472	543	508	545	550	521	489
		F	288	284	309	288	314	332	355	307	352	305	352
202	Other forms of lymphoma (reticulosis)	M	93	75	78	78	110	70	93	92	93	96	115
		F	59	52	62	76	87	72	80	86	79	84	121
	0 Giant follicular lymphoma (Brill-Symmers' disease)	M	13	11	13	7	14	17	21	16	13	19	21
		F	7	18	7	13	17	19	21	12	15	21	23
	1 Other	M	80	64	65	71	96	53	72	76	80	77	94
		F	52	34	55	63	70	53	59	74	64	63	98
203	Multiple myeloma (plasmocytoma)	M	218	217	250	268	298	295	335	330	334	375	398
		F	217	261	277	314	290	311	350	369	356	374	428
204	Leukaemia and aleukaemia	M	1,142	1,223	1,229	1,301	1,301	1,315	1,476	1,408	1,392	1,511	1,564
		F	1,018	1,001	1,086	1,093	1,085	1,219	1,218	1,237	1,315	1,319	1,303
	0 Lymphatic leukaemia	M	296	310	288	339	270	284	309	306	320	328	347
		F	224	214	211	222	184	228	220	225	217	236	247
	1 Myeloid leukaemia	M	260	284	296	299	229	243	225	253	239	285	275
		F	265	273	296	307	247	285	294	278	291	271	288
	2 Monocytic leukaemia	M	99	92	119	103	105	114	118	94	108	104	114
		F	82	93	111	112	110	82	94	98	114	88	83
	3 Acute leukaemia	M	458	498	487	519	662	631	788	708	691	734	778
		F	414	394	428	420	512	592	583	603	655	679	640
	4 Other and unspecified leukaemia	M	29	39	39	41	35	43	36	47	34	60	50
		F	33	27	40	32	32	32	27	33	38	45	45

* Comparable figures not available.

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
205	Mycosis fungoides	M	16	11	17	10	9	16	17	14	12	16	5
		F	14	6	9	12	6	13	8	11	8	4	11
210-229	**Benign neoplasm**	**M**	**328**	**328**	**305**	**329**	**319**	**316**	**356**	**327**	**284**	**304**	**336**
		F	**598**	**571**	**548**	**555**	**499**	**524**	**546**	**479**	**470**	**450**	**468**
210	Buccal cavity and pharynx	M	1	2	3	2	1	1	-	2	3	2	1
		F	2	1	1	1	1	-	4	1	3	1	1
211	Other parts of digestive system	M	23	22	23	17	16	24	29	26	26	27	25
		F	24	32	29	28	19	15	32	24	28	31	18
212	Respiratory system	M	17	12	13	10	11	15	12	13	13	15	28
		F	8	10	6	10	8	12	7	6	3	6	12
213	Breast	M	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	1	-	2	2	1	2	-	-	-
214	Uterine fibromyoma	F	126	99	93	87	81	84	71	51	54	60	48
215	Other benign neoplasm of uterus	F	11	25	17	12	7	11	7	10	7	2	7
216	Ovary	F	121	103	122	112	93	86	95	79	78	82	82
217	Other female genital organs	F	2	3	1	1	1	3	3	1	-	2	2
219	Kidney and other urinary organs	M	98	87	67	91	75	73	86	82	51	52	58
		F	34	34	34	41	34	36	25	29	26	24	24
221	Pilonidal cyst	M	1	-	-	2	1	-	-	-	-	-	-
		F	-	1	-	-	1	1	1	1	-	-	2
222	Other benign neoplasm of skin	M	-	1	1	1	-	-	1	1	2	-	-
		F	-	1	-	3	1	1	-	1	-	-	-
223	Brain and other parts of nervous system	M	125	133	125	131	138	129	139	130	125	130	133
		F	177	178	163	179	158	187	193	180	173	160	179
224	Endocrine glands	M	37	38	39	38	48	40	51	40	45	47	45
		F	52	48	45	44	55	51	61	60	58	48	62
225	Bone and cartilage	M	9	7	6	12	5	5	5	2	1	2	5
		F	4	10	11	8	7	4	9	5	3	7	5
226	Lipoma	M	3	4	3	3	1	2	2	3	-	3	1
		F	11	3	1	4	3	3	4	3	3	1	1
227	Other benign neoplasm of muscular and connective tissue	M	4	5	5	5	7	9	11	9	7	11	13
		F	9	9	12	5	6	9	13	12	11	14	13
228	Haemangioma and lymphangioma	M	9	12	17	14	13	15	15	15	8	12	21
		F	11	11	8	13	18	15	17	8	15	10	4
229	Other and unspecified organs and tissues	M	1	5	3	3	3	2	5	3	3	3	4
		F	3	3	4	7	4	4	3	6	8	2	8
230-239	**Neoplasm of unspecified nature**	**M**	**463**	**419**	**435**	**407**	**219**	**225**	**257**	**277**	**273**	**350**	**376**
		F	**347**	**346**	**356**	**337**	**159**	**211**	**222**	**235**	**217**	**290**	**316**
230	Digestive organs	M	31	20	18	26	13	21	15	21	24	25	28
		F	19	23	26	23	26	19	25	30	22	29	40
231	Respiratory organs	M	27	21	23	14	30	15	34	23	13	31	38
		F	11	11	10	10	8	10	8	10	8	12	14
233	Uterus	F	3	1	1	-	1	2	-	4	2	-	4
234	Ovary	F	7	4	7	1	2	2	4	3	5	3	8
236	Other genito-urinary organs	M	9	6	5	6	4	6	4	8	3	8	11
		F	8	-	4	2	7	5	5	6	3	11	6
237	Brain and other parts of nervous system	M	383	360	375	344	160	171	183	203	210	271	281
		F	274	279	295	279	97	156	163	165	159	207	211
238	Skin and musculo-skeletal system	M	3	1	1	5	3	7	8	4	9	7	6
		F	6	1	3	5	4	4	3	3	4	5	4
239	Other and unspecified organs	M	10	11	13	12	9	5	13	18	14	8	12
		F	18	26	10	17	14	13	14	14	12	23	27
240-289	**III ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES**	**M**	**2,359**	**2,365**	**2,335**	**2,138**	**2,217**	**2,032**	**2,133**	**2,303**	**2,396**	**2,576**	**2,650**
		F	**3,947**	**4,100**	**4,022**	**3,924**	**3,980**	**3,824**	**4,111**	**4,364**	**4,439**	**4,711**	**4,542**
240-245	**Allergic disorders**	**M**	**891**	**889**	**812**	**720**	**625**	**539**	**528**	**566**	**605**	**710**	**804**
		F	**881**	**840**	**907**	**798**	**840**	**689**	**684**	**719**	**777**	**982**	**1,045**
240	Hay fever	M	-	-	1	-	-	-	-	1	1	-	-
		F	-	2	1	-	1	-	1	-	-	1	-
241	Asthma	M	886	887	806	715	617	534	516	560	587	691	776
		F	877	833	902	792	836	680	672	709	765	964	1,024
242	Angioneurotic oedema	M	3	2	5	3	7	-	4	1	1	2	3
		F	2	2	2	4	2	6	6	2	1	1	6
245	Other allergic disorders	M	-	-	-	2	-	5	8	4	16	17	25
		F	1	3	2	2	1	3	5	8	11	15	15

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
250-254	**Diseases of thyroid gland**	**M**	**98**	**95**	**99**	**89**	**96**	**114**	**99**	**90**	**120**	**108**	**95**
		F	**623**	**643**	**597**	**590**	**589**	**621**	**646**	**665**	**697**	**788**	**527**
250	Simple goitre	M	10	7	7	4	4	7	3	1	2	5	2
		F	26	21	20	22	17	15	10	13	8	16	16
251	Non-toxic nodular goitre	M	6	6	5	2	11	5	3	2	1	1	4
		F	21	42	27	22	25	18	19	27	16	11	9
252	Thyrotoxicosis with or without goitre	M	52	50	50	59	40	55	40	42	64	31	39
		F	342	320	300	314	282	296	311	286	277	264	207
	0 Toxic diffuse goitre	M	51	49	48	57	39	54	40	40	64	31	39
		F	324	303	286	292	262	281	287	278	260	252	195
	1 Toxic nodular goitre	M	1	1	2	2	1	1	-	2	-	-	-
		F	18	17	14	22	20	15	24	8	17	12	12
253	Myxoedema and cretinism	M	27	29	34	22	37	42	50	41	48	67	48
		F	225	249	241	223	250	279	289	327	378	478	280
254	Other diseases of thyroid gland	M	3	3	3	2	4	5	3	4	5	4	2
		F	9	11	9	9	15	13	17	12	18	19	15
260	**Diabetes mellitus**	**M**	**1,048**	**1,084**	**1,108**	**1,013**	**1,152**	**1,100**	**1,193**	**1,331**	**1,330**	**1,371**	**1,409**
		F	**1,980**	**2,207**	**2,134**	**2,124**	**2,163**	**2,093**	**2,366**	**2,538**	**2,481**	**2,433**	**2,522**
270-277	**Diseases of other endocrine glands**	**M**	**134**	**114**	**124**	**112**	**135**	**97**	**121**	**119**	**134**	**142**	**121**
		F	**201**	**156**	**146**	**156**	**132**	**141**	**151**	**144**	**152**	**160**	**142**
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M	5	7	8	4	10	3	6	8	4	15	14
		F	2	4	4	5	-	3	5	6	7	5	10
271	Diseases of parathyroid gland	M	3	5	1	2	2	3	3	2	6	3	4
		F	4	7	11	11	7	12	9	4	9	7	9
272	Diseases of pituitary gland	M	31	36	37	40	38	37	40	45	38	50	44
		F	80	60	58	65	55	55	50	58	49	59	43
273	Diseases of thymus gland	M	11	9	13	6	4	7	1	4	4	8	7
		F	3	4	2	5	4	2	3	3	4	4	5
274	Diseases of adrenal glands	M	70	52	49	42	63	33	57	45	69	58	45
		F	75	52	49	50	48	48	57	54	69	67	60
277	Polyglandular dysfunction and other diseases of endocrine glands	M	14	5	16	18	18	14	14	15	13	8	7
		F	37	29	21	20	18	21	27	19	14	18	15
280-289	**Avitaminoses and other metabolic diseases**	**M**	**188**	**183**	**192**	**204**	**209**	**182**	**192**	**197**	**207**	**245**	**221**
		F	**262**	**254**	**238**	**256**	**256**	**280**	**264**	**298**	**332**	**348**	**306**
280	Beriberi	M	1	1	4	2	1	2	2	1	-	1	-
		F	-	1	-	1	-	-	2	1	1	1	-
281	Pellagra	M	2	-	-	-	1	-	-	1	-	-	-
		F	4	2	1	2	-	1	-	2	-	-	-
282	Scurvy	M	-	3	1	1	4	2	1	1	-	-	2
		F	2	3	1	4	1	-	1	3	-	-	2
283	Active rickets	M	2	-	1	-	-	-	-	-	1	-	-
		F	1	1	2	-	-	-	-	-	-	-	-
284	Late effects of rickets	M	-	2	-	1	-	2	-	-	-	-	-
		F	-	1	2	3	1	-	-	-	-	1	1
285	Osteomalacia	M	-	1	1	-	2	-	-	1	-	-	2
		F	3	1	2	1	1	2	5	6	3	4	4
286	Other avitaminoses and nutritional deficiency states	M	63	48	50	41	50	46	38	53	67	56	46
		F	60	69	69	56	62	64	58	64	84	66	79
	0 Steatorrhoea and sprue	M	27	22	15	22	20	19	22	26	34	19	34
		F	21	22	28	24	22	21	20	25	36	23	41
	5 Malnutrition, unqualified	M	20	17	22	14	24	20	10	14	20	30	7
		F	29	38	31	21	31	28	28	31	32	30	18
	1-4, 6, 7 Other deficiency states	M	16	9	13	5	6	7	6	13	13	7	5
		F	10	9	10	11	9	15	10	8	16	13	20
287	Obesity, not specified as of endocrine origin	M	45	30	41	55	52	41	46	36	46	52	44
		F	136	110	101	127	123	146	127	158	160	176	137
288	Gout	M	17	16	16	17	10	15	14	17	12	13	14
		F	4	2	2	3	6	1	4	5	-	5	5
289	Other metabolic diseases	M	58	82	78	87	89	74	91	87	81	123	113
		F	52	64	58	59	62	66	67	59	84	95	78
	0 Lipidosis (disturbance of lipid metabolism)	M	15	19	16	15	18	7	11	13	16	16	19
		F	14	10	12	7	10	7	9	14	14	14	13
	1 Amyloidosis	M	14	17	18	36	23	30	37	30	21	41	36
		F	12	16	12	21	14	27	24	15	28	33	30
	2 Other	M	29	46	44	36	48	37	43	44	44	66	58
		F	26	38	34	31	38	32	34	30	42	48	35

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
290-299	**IV DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS**	**M**	**817**	**796**	**707**	**741**	**742**	**756**	**777**	**764**	**776**	**739**	**772**
		F	**1,381**	**1,344**	**1,379**	**1,348**	**1,308**	**1,313**	**1,248**	**1,344**	**1,318**	**1,382**	**1,256**
290	Pernicious and other hyperchromic anaemias	M	279	283	262	260	247	227	253	218	205	214	186
		F	639	628	650	622	578	582	517	544	514	487	449
	0 Pernicious anaemia	M	246	241	218	216	214	195	198	171	175	171	161
		F	569	547	567	551	502	489	445	471	447	407	378
	1 Subacute combined degeneration of spinal cord	M	13	24	18	13	16	11	14	19	10	11	5
		F	37	34	36	28	25	32	20	19	20	10	11
	2 Other hyperchromic anaemias	M	20	18	26	31	17	21	41	28	20	32	20
		F	33	47	47	43	51	61	52	54	47	70	60
291	Iron deficiency anaemias (hypochromic anaemias)	M	64	66	70	70	73	100	78	81	95	89	91
		F	180	169	192	193	194	223	221	252	218	274	213
292	Other anaemias of specified type	M	222	207	189	181	203	203	191	205	210	181	215
		F	242	225	216	237	225	219	196	219	229	286	260
	4 Aplastic anaemia	M	159	143	128	107	128	118	108	116	126	99	113
		F	173	144	138	151	133	118	105	116	128	173	134
	0-3, 5-7 Other specified anaemias	M	63	64	61	74	75	85	83	89	84	82	102
		F	69	81	78	86	92	101	91	103	101	113	126
293	Anaemia of unspecified type	M	47	47	46	48	53	52	71	69	69	74	73
		F	91	105	108	115	112	85	132	121	140	140	156
294	Polycythaemia	M	35	45	20	37	45	50	60	47	57	67	58
		F	19	26	32	28	28	42	31	40	49	42	47
295	Haemophilia	M	15	12	9	19	8	16	9	14	17	13	14
		F	-	-	-	-	-	-	-	-	-	1	-
296	Purpura and other haemorrhagic conditions	M	76	71	59	70	62	52	60	66	67	51	58
		F	81	85	63	73	82	79	62	95	93	85	63
297	Agranulocytosis	M	14	10	12	8	10	7	12	10	10	10	13
		F	21	17	20	8	12	13	12	12	20	11	18
298	Diseases of spleen	M	58	52	33	38	30	36	22	33	28	17	27
		F	103	87	87	62	60	56	59	42	39	30	24
299	Other diseases of blood and blood-forming organs	M	7	3	7	10	11	13	21	21	18	23	37
		F	5	2	11	10	17	14	18	19	16	26	26
300-326	**V MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS**	**M**	**458**	**438**	**374**	**347**	**341**	**364**	**401**	**392**	**461**	**430**	**464**
		F	**715**	**709**	**764**	**698**	**565**	**644**	**643**	**682**	**708**	**723**	**647**
300-309	**Psychoses**	**M**	**346**	**313**	**278**	**259**	**243**	**254**	**298**	**305**	**329**	**317**	**349**
		F	**611**	**570**	**643**	**593**	**475**	**519**	**534**	**572**	**571**	**598**	**552**
300	Schizophrenic disorders (dementia praecox)	M	44	24	28	27	22	21	10	22	19	16	19
		F	39	37	24	23	19	23	17	18	22	28	20
301	Manic-depressive reaction	M	27	27	17	9	14	8	6	6	7	6	7
		F	46	37	52	30	27	18	17	8	14	10	9
302	Involutional melancholia	M	3	4	3	5	1	2	2	-	2	-	2
		F	2	5	1	5	3	1	6	2	2	1	2
303	Paranoia and paranoid states	M	-	1	2	-	1	3	-	1	1	-	-
		F	4	-	4	3	-	3	-	1	-	3	-
304	Senile psychosis	M	216	202	176	161	151	155	204	212	233	216	237
		F	450	415	500	440	339	381	390	437	436	466	421
305	Presenile psychosis	M	28	34	37	43	30	48	46	41	49	53	66
		F	39	42	47	61	66	71	69	69	70	63	69
307	Alcoholic psychosis	M	2	6	-	3	5	2	7	6	1	3	1
		F	1	-	2	4	1	-	3	2	1	2	1
309	Other and unspecified psychoses	M	26	15	15	11	19	15	23	17	17	23	17
		F	30	34	13	27	20	22	32	35	26	25	30
310-318	**Psychoneurotic disorders**	**M**	**20**	**17**	**16**	**14**	**15**	**23**	**14**	**11**	**15**	**12**	**4**
		F	**35**	**42**	**38**	**36**	**31**	**54**	**39**	**33**	**51**	**34**	**20**
310	Anxiety reaction without mention of somatic symptoms	M	1	2	2	-	3	3	1	1	-	1	1
		F	2	5	3	1	2	5	2	2	3	-	1
311	Hysterical reaction without mention of anxiety reaction	M	8	4	4	7	3	6	7	7	4	6	2
		F	26	27	22	23	23	36	26	23	34	24	11
314	Neurotic-depressive reaction	M	1	2	2	-	3	2	2	1	8	3	1
		F	1	4	5	8	1	5	6	4	7	6	7
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	M	2	1	-	1	-	-	1	-	1	-	-
		F	1	1	1	2	-	3	3	1	-	1	-
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	M	1	4	5	2	2	4	1	-	-	-	-
		F	1	-	2	-	-	-	-	-	1	-	-

TABLE 7 *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
318	Psychoneurotic disorders, other, mixed and unspecified types	M	5	4	3	2	2	6	2	2	2	1	-
		F	4	5	4	2	4	5	2	3	5	3	1
320-326	**Disorders of character, behaviour, and intelligence**	**M**	**92**	**108**	**80**	**74**	**83**	**87**	**89**	**76**	**117**	**101**	**111**
		F	**69**	**97**	**83**	**69**	**59**	**71**	**70**	**77**	**86**	**91**	**75**
320	Pathological personality	M	-	-	4	-	1	-	-	-	-	-	1
		F	-	-	1	-	2	-	-	-	1	-	1
322	Alcoholism	M	20	22	20	15	25	33	23	24	31	31	48
		F	11	16	18	8	17	15	20	17	20	21	23
	0 Acute	M	3	3	2	1	5	6	2	3	6	1	10
		F	1	2	-	2	-	3	3	2	2	-	4
	1 Chronic	M	15	16	12	10	15	20	15	16	21	24	26
		F	10	9	18	5	15	11	16	13	16	20	16
	2 Unspecified	M	2	3	6	4	5	7	6	5	4	6	12
		F	-	5	-	1	2	1	1	2	2	1	3
323	Other drug addiction	M	1	2	-	-	2	4	-	1	4	3	5
		F	3	-	1	1	1	1	3	1	2	2	3
325	Mental deficiency	M	71	84	56	59	55	50	66	51	82	67	57
		F	55	81	62	60	39	55	44	58	63	68	48
330-398	**VI DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS**	**M**	**33,086**	**33,967**	**33,707**	**33,242**	**33,915**	**33,593**	**33,644**	**33,893**	**34,443**	**35,033**	**32,589**
		F	**44,386**	**46,011**	**46,334**	**45,959**	**47,763**	**47,184**	**48,191**	**49,019**	**49,657**	**51,176**	**47,319**
330-334	**Vascular lesions affecting central nervous system**	**M**	**30,516**	**31,098**	**31,034**	**30,537**	**31,298**	**30,897**	**31,006**	**31,160**	**31,673**	**32,264**	**29,818**
		F	**41,626**	**43,054**	**43,453**	**43,132**	**44,879**	**44,253**	**45,216**	**45,863**	**46,624**	**48,076**	**44,147**
330	Subarachnoid haemorrhage*	M	1,211	1,094	1,244	1,193	1,214	1,231	1,310	1,328	1,387	1,407	1,450
		F	1,747	1,856	1,902	1,902	2,039	1,934	2,137	2,105	2,299	2,334	2,382
331	Cerebral haemorrhage	M	13,326	12,861	12,562	11,970	11,923	11,493	11,688	11,444	11,550	11,754	11,390
		F	18,833	18,629	18,192	17,408	17,784	16,791	17,305	16,827	17,136	17,656	16,642
332	Cerebral embolism and thrombosis	M	13,795	14,813	14,791	14,914	15,452	15,341	15,250	15,311	15,408	15,719	13,574
		F	18,292	19,649	20,366	20,806	21,670	21,863	22,042	22,368	22,464	23,139	20,173
333	Spasm of cerebral arteries	M	1	1	-	1	1	1	1	1	3	1	1
		F	-	3	-	-	2	1	1	1	-	-	2
334	Other and ill-defined vascular lesions affecting central nervous system*	M	2,183	2,329	2,437	2,459	2,708	2,831	2,757	3,076	3,325	3,383	3,403
		F	2,754	2,917	2,993	3,016	3,384	3,664	3,731	4,562	4,725	4,947	4,948
340-345	**Inflammatory diseases of central nervous system**	**M**	**661**	**717**	**653**	**736**	**689**	**685**	**703**	**690**	**700**	**720**	**756**
		F	**729**	**779**	**793**	**787**	**820**	**795**	**818**	**847**	**826**	**836**	**870**
340	Meningitis, except meningococcal and tuberculous	M	190	213	191	233	197	180	209	208	234	212	251
		F	127	143	153	143	142	134	160	164	186	183	204
	0 H. influenzae	M	15	24	22	29	11	23	25	23	23	26	20
		F	15	20	20	14	10	10	12	13	18	13	18
	1 Pneumococcus	M	85	95	98	112	80	79	64	75	84	73	67
		F	56	58	71	60	66	56	65	57	75	65	62
	2 Due to other specified organism	M	41	42	35	39	55	42	49	48	42	37	48
		F	20	28	27	35	29	24	30	41	30	36	43
	3 With no organism specified as cause	M	49	52	36	53	51	36	71	62	85	76	116
		F	36	37	35	34	37	44	53	53	63	69	81
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M	12	10	6	15	10	9	7	13	8	16	15
		F	10	11	11	16	7	12	13	7	12	18	19
342	Intracranial and intraspinal abscess	M	53	53	57	71	41	49	34	37	47	59	46
		F	31	26	32	26	39	16	26	31	15	26	31
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M	58	67	49	74	68	60	64	58	59	57	61
		F	42	65	66	62	56	48	43	54	45	75	51
344	Late effects of intracranial abscess or pyogenic infection	M	36	30	37	33	47	47	42	38	44	39	53
		F	32	30	38	38	37	34	42	41	50	40	34
345	Multiple sclerosis	M	312	344	313	310	326	340	347	336	308	337	330
		F	487	504	493	502	539	551	534	550	518	494	531
350-357	**Other diseases of central nervous system**	**M**	**1,651**	**1,916**	**1,812**	**1,788**	**1,761**	**1,809**	**1,791**	**1,871**	**1,865**	**1,902**	**1,864**
		F	**1,833**	**2,010**	**1,925**	**1,903**	**1,941**	**2,005**	**1,988**	**2,161**	**2,081**	**2,098**	**2,138**
350	Paralysis agitans	M	599	775	675	685	686	726	696	699	697	698	676
		F	812	924	891	838	867	952	946	1,001	936	922	928
351	Cerebral spastic infantile paralysis	M	60	66	79	61	65	61	73	62	66	59	57
		F	66	59	61	56	47	53	51	51	61	49	48
352	Other cerebral paralysis	M	216	233	237	206	214	232	238	240	270	296	263
		F	259	299	295	310	306	301	310	383	341	364	416
353	Epilepsy	M	337	404	387	374	358	346	327	388	373	383	337
		F	348	373	341	319	343	280	312	324	328	331	270

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
	2 Status epilepticus	M	172	163	144	134	124	136	118	140	148	127	120
		F	176	154	131	132	143	115	141	140	148	113	112
	0, 1, 3 Other epilepsy	M	165	241	243	240	234	210	209	248	225	256	217
		F	172	219	210	187	200	165	171	184	180	218	158
355	Other diseases of brain	M	103	98	97	115	104	96	111	135	118	140	146
		F	97	99	111	126	128	121	115	136	157	165	181
356	Motor neurone disease and muscular atrophy	M	307	295	297	317	298	308	311	306	311	290	346
		F	221	218	199	223	231	260	227	230	228	227	258
	0 Progressive muscular atrophy	M	221	183	172	197	184	187	161	165	150	122	130
		F	166	151	138	148	141	147	136	118	122	117	110
	1 Amyotrophic lateral sclerosis	M	56	64	56	44	46	47	36	33	41	38	36
		F	27	36	25	25	40	40	26	26	21	30	18
	2, 3 Other motor neurone disease	M	30	48	69	76	68	74	114	108	120	130	180
		F	28	31	36	50	50	73	65	86	85	80	130
357	Other diseases of spinal cord	M	29	45	40	30	36	40	35	40	29	36	39
		F	30	38	26	30	19	35	27	36	29	39	36
360-369	**Diseases of nerves and peripheral ganglia**	**M**	**62**	**40**	**38**	**33**	**49**	**36**	**29**	**52**	**50**	**40**	**36**
		F	**53**	**35**	**42**	**29**	**20**	**35**	**69**	**33**	**39**	**50**	**47**
361	Trigeminal neuralgia	M	3	2	3	1	2	1	-	-	1	2	-
		F	4	3	5	2	2	4	9	3	2	5	5
363	Sciatica	M	2	1	1	1	2	-	1	-	1	2	2
		F	1	2	1	1	-	-	-	-	1	1	1
364	Polyneuritis and polyradiculitis	M	38	27	28	25	37	22	21	36	39	31	26
		F	30	18	23	19	11	19	43	20	24	31	31
365	Erythroedema polyneuritica	M	8	4	3	2	-	1	1	-	-	1	1
		F	7	3	1	1	1	1	1	-	-	-	-
366	Other and unspecified forms of neuralgia and neuritis	M	9	5	3	2	5	10	3	7	4	2	4
		F	6	5	9	5	5	9	11	7	4	5	3
368	Other diseases of peripheral nerves except autonomic	M	2	1	-	1	2	1	3	7	2	2	2
		F	3	1	1	1	-	1	2	1	5	4	3
370-379	**Inflammatory diseases of eye**	**M**	**1**	**8**	**2**	**1**	**1**	**2**	**2**	**2**	**6**	**2**	**3**
		F	**4**	**3**	**7**	**5**	**6**	**3**	**4**	**-**	**4**	**2**	**4**
370	Conjunctivitis and ophthalmia	M	-	-	-	-	-	1	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-
376	Other inflammation of uveal tract	M	-	2	-	1	1	-	-	-	2	2	-
		F	-	2	3	3	-	-	-	-	-	-	1
377	Inflammation of optic nerve and retina	M	-	1	1	-	-	-	-	-	3	-	-
		F	1	-	1	1	3	3	2	-	1	1	3
379	Other inflammatory diseases of eye	M	1	2	-	-	-	-	-	-	-	-	2
		F	1	-	2	1	2	-	1	-	-	-	-
380-389	**Other diseases and conditions of eye**	**M**	**20**	**18**	**18**	**23**	**14**	**26**	**19**	**24**	**24**	**13**	**18**
		F	**32**	**32**	**34**	**34**	**40**	**36**	**34**	**43**	**31**	**30**	**35**
381	Corneal ulcer	M	1	1	-	1	1	-	-	-	-	-	-
		F	-	-	-	-	2	1	2	2	-	-	-
384	Strabismus	M	3	2	1	2	1	1	2	1	2	-	1
		F	4	2	1	-	-	3	3	2	1	-	-
385	Cataract	M	8	7	9	11	6	15	10	8	8	9	6
		F	15	23	21	22	15	22	19	27	15	15	24
386	Detachment of retina	M	2	-	3	2	-	2	1	3	3	-	1
		F	3	2	3	5	3	2	1	3	2	1	2
387	Glaucoma	M	2	1	2	3	3	4	1	7	5	2	6
		F	6	1	4	2	14	5	7	7	10	8	6
388	Other diseases of eye	M	1	2	1	3	1	2	5	2	2	2	4
		F	3	1	3	2	4	3	1	1	2	4	3
389	Blindness	M	3	5	2	1	2	2	-	2	1	-	-
		F	1	3	2	3	2	-	1	1	-	2	-
390-398	**Diseases of ear and mastoid process**	**M**	**175**	**170**	**150**	**124**	**103**	**138**	**94**	**94**	**125**	**92**	**94**
		F	**109**	**98**	**80**	**69**	**57**	**57**	**62**	**72**	**52**	**84**	**78**
391	Otitis media without mention of mastoiditis	M	142	137	121	95	79	109	73	78	98	77	82
		F	91	67	61	52	47	45	48	57	49	74	72
392	Otitis media with mastoiditis	M	6	8	3	6	6	11	7	4	6	5	3
		F	4	10	4	5	2	4	1	-	1	2	1
393	Mastoiditis without mention of otitis media	M	23	24	24	21	16	17	13	9	14	7	8
		F	12	20	14	8	6	5	9	10	2	6	4
394	Other inflammatory diseases of ear	M	1	-	2	-	2	-	-	2	1	1	-
		F	-	-	-	-	-	-	1	-	-	1	-

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
395	Meniere's disease	M	1	-	-	1	-	-	-	-	1	-	-
		F	-	-	-	1	1	-	-	2	-	-	-
396	Other diseases of ear and mastoid process	M	2	1	-	1	-	-	1	-	4	2	1
		F	1	1	1	1	1	2	3	3	-	1	-
400-468	**VII DISEASES OF THE CIRCULATORY SYSTEM**	**M**	**94,637**	**96,704**	**98,065**	**95,784**	**99,907**	**96,306**	**100,244**	**102,364**	**105,466**	**108,513**	**101,956**
		F	**91,331**	**95,222**	**95,470**	**92,566**	**97,738**	**95,526**	**98,319**	**102,394**	**102,857**	**105,106**	**96,297**
400-402	**Rheumatic fever**	**M**	**152**	**103**	**102**	**78**	**70**	**63**	**61**	**56**	**62**	**52**	**30**
		F	**147**	**114**	**106**	**96**	**61**	**63**	**64**	**47**	**44**	**45**	**31**
400	Rheumatic fever without mention of heart involvement	M	8	9	5	3	3	1	2	-	2	1	-
		F	11	5	7	2	3	4	3	3	2	2	-
401	Rheumatic fever with heart involvement	M	141	87	92	68	63	57	54	56	59	47	27
		F	113	89	81	81	51	47	46	38	39	39	30
	0 Active rheumatic pericarditis	M	42	30	29	23	27	21	30	32	31	18	20
		F	27	24	22	14	23	28	22	18	22	24	21
	1 Active rheumatic endocarditis	M	31	13	15	10	10	19	5	5	10	10	1
		F	18	16	15	17	11	5	6	6	8	7	4
	2 Active rheumatic myocarditis	M	7	5	2	2	4	4	5	-	1	5	-
		F	8	3	4	9	-	2	1	-	-	1	2
	3 Active rheumatic fever with other and multiple types of heart involvement	M	61	39	46	33	22	13	14	19	17	14	6
		F	60	46	40	41	17	12	17	14	9	7	3
402	Chorea	M	3	7	5	7	4	5	5	-	1	4	3
		F	23	20	18	13	7	12	15	6	3	4	1
	0 Without mention of heart involvement	M	3	6	5	6	1	2	4	-	-	1	1
		F	18	18	17	12	4	8	13	3	-	-	-
	1 With heart involvement	M	-	1	-	1	3	3	1	-	1	3	2
		F	5	2	1	1	3	4	2	3	3	4	1
410-416	**Chronic rheumatic heart disease**	**M**	**3,144**	**2,991**	**3,049**	**2,989**	**2,567**	**2,482**	**2,469**	**2,580**	**2,529**	**2,382**	**2,126**
		F	**5,452**	**5,356**	**5,161**	**5,228**	**4,867**	**4,589**	**4,652**	**4,892**	**4,783**	**4,542**	**4,045**
410	Diseases of mitral valve	M	2,139	2,035	1,989	1,937	1,633	1,551	1,504	1,592	1,549	1,464	1,284
		F	4,241	4,066	3,926	3,933	3,629	3,381	3,433	3,538	3,492	3,293	2,893
411	Diseases of aortic valve specified as rheumatic	M	302	272	325	342	343	313	332	362	379	344	327
		F	172	156	177	171	187	172	179	198	174	231	197
412	Diseases of tricuspid valve	M	6	4	11	3	7	4	11	11	10	9	6
		F	4	12	6	8	6	11	10	12	15	15	7
414	Other endocarditis specified as rheumatic	M	255	243	259	236	182	163	146	152	147	138	124
		F	361	404	344	347	282	277	266	276	236	169	187
415	Other myocarditis specified as rheumatic	M	96	79	96	77	67	62	46	55	44	38	25
		F	150	151	128	141	112	93	62	89	95	75	40
416	Other heart disease specified as rheumatic	M	346	358	369	394	335	389	430	408	400	389	360
		F	524	567	580	628	651	655	702	779	771	759	721
420-422	**Arteriosclerotic and degenerative heart disease**	**M**	**69,683**	**71,677**	**73,012**	**71,151**	**75,237**	**72,700**	**76,064**	**77,639**	**81,063**	**83,559**	**79,699**
		F	**61,519**	**63,918**	**64,175**	**61,598**	**65,770**	**64,224**	**66,194**	**68,368**	**69,548**	**71,256**	**65,727**
420	Arteriosclerotic heart disease, including coronary disease	M	42,919	44,857	47,476	48,266	52,085	52,193	56,514	58,396	62,686	65,840	65,082
		F	24,925	26,813	28,300	28,910	31,956	32,729	35,447	37,379	39,792	42,016	41,208
	0 Arteriosclerotic heart disease so described	M	247	296	273	344	454	406	516	608	676	727	694
		F	247	263	286	364	541	498	623	805	911	891	830
	1 Heart disease specified as involving coronary arteries	M	42,246	44,199	46,909	47,655	51,389	51,576	55,815	57,611	61,864	64,973	64,293
		F	24,411	26,254	27,781	28,339	31,223	32,059	34,657	36,438	38,731	40,994	40,283
	2 Angina pectoris without mention of coronary disease	M	426	362	294	267	242	211	183	177	146	140	95
		F	267	296	233	207	192	172	167	136	150	131	95
421	Chronic endocarditis not specified as rheumatic	M	1,714	1,606	1,612	1,757	1,675	1,506	1,687	1,611	1,697	1,589	1,421
		F	1,482	1,383	1,371	1,631	1,519	1,520	1,570	1,654	1,645	1,610	1,296
	0 Of mitral valve, specified as non-rheumatic	M	54	45	71	97	110	103	96	103	127	94	90
		F	73	80	109	183	195	217	216	219	243	220	168
	1 Of aortic valve, not specified as rheumatic	M	1,170	1,163	1,148	1,313	1,257	1,137	1,327	1,308	1,350	1,341	1,200
		F	734	723	773	913	879	910	986	1,073	1,079	1,126	913
	2 Of tricuspid valve, specified as non-rheumatic	M	2	1	3	1	-	-	2	2	1	1	1
		F	-	1	1	1	1	1	-	-	2	-	-
	3 Of pulmonary valve, not specified as rheumatic	M	1	3	-	1	7	4	8	2	5	3	5
		F	1	1	2	3	1	1	7	2	7	1	1
	4 Other and ill-defined, not specified as rheumatic	M	487	394	390	345	301	262	254	196	214	150	125
		F	674	578	486	531	443	391	361	360	314	263	214
422	Other myocardial degeneration	M	25,050	25,214	23,924	21,128	21,477	19,001	17,863	17,632	16,680	16,130	13,196
		F	35,112	35,722	34,504	31,057	32,295	29,975	29,177	29,335	28,111	27,630	23,223

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
	0 Fatty degeneration	M	113	101	92	85	78	66	35	53	33	44	34
		F	195	185	166	141	122	128	108	107	77	89	80
	1 With arteriosclerosis	M	10,771	11,093	10,791	9,448	9,830	8,899	8,400	8,350	8,036	7,792	6,490
		F	14,124	14,623	14,375	13,444	14,162	13,440	13,285	13,423	12,872	12,818	10,731
	2 Other	M	14,166	14,020	13,041	11,595	11,569	10,036	9,428	9,229	8,611	8,294	6,672
		F	20,793	20,914	19,963	17,472	18,011	16,407	15,784	15,805	15,162	14,723	12,412
430-434	**Other diseases of heart**	**M**	**5,116**	**5,127**	**5,252**	**5,666**	**5,845**	**5,644**	**6,019**	**6,429**	**6,389**	**6,602**	**6,031**
		F	**5,875**	**6,126**	**6,435**	**6,772**	**7,150**	**7,120**	**7,479**	**8,232**	**8,213**	**8,399**	**7,671**
430	Acute and subacute endocarditis	M	198	208	196	195	187	196	174	198	188	203	178
		F	118	119	121	128	135	112	138	114	120	122	129
	0 Acute and subacute bacterial endocarditis	M	196	204	194	193	185	193	168	196	184	200	176
		F	114	116	119	127	129	111	133	111	118	119	128
	1 Other acute endocarditis	M	2	4	2	2	2	3	6	2	4	3	2
		F	4	3	2	1	6	1	5	3	2	3	1
431	Acute myocarditis not specified as rheumatic	M	80	59	77	66	53	74	63	71	78	87	78
		F	65	57	60	72	67	70	65	72	80	85	61
432	Acute pericarditis specified as non-rheumatic	M	17	13	12	15	6	5	13	12	9	16	10
		F	12	17	9	8	13	11	10	8	14	13	16
433	Functional disease of heart	M	2,321	2,080	2,157	2,113	2,164	1,927	1,927	1,868	1,860	1,807	1,544
		F	3,557	3,433	3,441	3,351	3,422	3,268	3,174	3,309	3,083	3,052	2,673
434	Other and unspecified diseases of heart	M	2,500	2,767	2,810	3,277	3,435	3,442	3,842	4,280	4,254	4,489	4,221
		F	2,123	2,500	2,804	3,213	3,513	3,659	4,092	4,729	4,916	5,127	4,792
440-443	**Hypertensive heart disease**	**M**	**5,686**	**5,834**	**5,782**	**5,491**	**5,173**	**4,656**	**4,678**	**4,495**	**4,266**	**4,082**	**3,427**
		F	**6,667**	**7,320**	**7,251**	**7,101**	**7,110**	**6,719**	**6,616**	**6,730**	**6,265**	**6,201**	**5,232.**
440	Essential benign hypertensive heart disease	M	95	104	97	106	98	95	78	84	83	68	50
		F	108	124	138	150	129	122	135	159	119	120	82
441	Essential malignant hypertensive heart disease	M	104	126	121	110	106	94	107	95	105	74	60
		F	81	46	65	77	80	67	52	58	58	38	34
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	123	129	143	125	116	98	75	68	74	60	37
		F	157	184	138	130	129	107	96	101	72	89	57
443	Other and unspecified hypertensive heart disease	M	5,364	5,475	5,421	5,150	4,853	4,369	4,418	4,248	4,004	3,880	3,280
		F	6,321	6,966	6,910	6,744	6,772	6,423	6,333	6,412	6,016	5,954	5,059
444-447	**Other hypertensive disease**	**M**	**4,044**	**3,966**	**3,776**	**3,570**	**3,524**	**3,269**	**3,123**	**2,897**	**2,599**	**2,574**	**2,171**
		F	**4,176**	**4,152**	**3,994**	**3,684**	**3,839**	**3,555**	**3,407**	**3,372**	**3,022**	**2,901**	**2,365**
444	Essential benign hypertension	M	2,809	2,726	2,628	2,482	2,421	2,166	2,080	2,035	1,768	1,696	1,391
		F	3,228	3,330	3,154	2,932	3,037	2,784	2,737	2,733	2,417	2,304	1,789
445	Essential malignant hypertension	M	718	738	721	704	701	724	711	559	484	516	498
		F	450	333	378	365	400	379	345	297	253	260	235
446	Hypertension with arteriolar nephrosclerosis	M	515	500	425	382	398	377	331	300	347	360	279
		F	496	487	460	385	399	391	322	341	351	336	339
447	Other hypertensive disease without mention of heart	M	2	2	2	2	4	2	1	3	-	2	3
		F	2	2	2	2	3	1	3	1	1	1	2
450-456	**Diseases of arteries**	**M**	**5,895**	**6,000**	**6,006**	**5,727**	**6,411**	**6,208**	**6,428**	**6,713**	**6,959**	**7,420**	**6,643**
		F	**6,148**	**6,763**	**6,689**	**6,457**	**7,173**	**7,368**	**7,814**	**8,356**	**8,549**	**8,932**	**8,346**
450	General arteriosclerosis	M	4,783	4,804	4,723	4,297	4,801	4,578	4,655	4,867	4,816	5,032	4,347
		F	5,252	5,790	5,596	5,367	5,913	6,130	6,378	6,896	6,854	7,172	6,564
	0 Without mention of gangrene	M	4,198	4,225	4,145	3,827	4,273	4,082	4,087	4,355	4,237	4,511	3,903
		F	4,766	5,276	5,106	4,876	5,414	5,611	5,830	6,255	6,273	6,590	6,025
	1 With mention of gangrene as a consequence	M	585	579	578	470	528	496	568	512	579	521	444
		F	486	514	490	491	499	519	548	641	581	582	539
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm	M	844	924	1,001	1,135	1,312	1,310	1,425	1,466	1,753	1,933	1,877
		F	663	711	834	836	1,003	946	1,106	1,083	1,289	1,327	1,321
452	Other aneurysm, except of heart and aorta	M	69	74	61	63	62	79	56	62	66	68	81
		F	28	45	55	48	36	47	44	36	44	60	44
453	Peripheral vascular disease	M	55	63	63	59	54	62	69	72	79	76	58
		F	30	16	31	12	21	25	37	35	37	45	39
	0 Raynaud's disease	M	4	8	5	3	1	1	2	2	3	3	1
		F	15	3	10	5	4	7	10	8	7	8	7
	1 Thrombo-angiitis obliterans	M	39	40	45	39	34	32	31	32	27	21	17
		F	8	9	6	1	7	5	11	2	4	3	3
	2, 3 Other peripheral vascular disease	M	12	15	13	17	19	29	36	38	49	52	40
		F	7	4	15	6	10	13	16	25	26	34	29
454	Arterial embolism and thrombosis	M	21	32	34	36	35	27	48	62	49	75	73
		F	44	53	51	40	43	57	64	67	85	83	105
455	Gangrene of unspecified cause	M	9	11	23	12	19	17	26	26	35	33	28
		F	22	25	6	12	13	22	18	35	25	28	49

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
456	Other diseases of arteries	M	114	92	101	125	128	135	149	158	161	203	179
		F	109	123	116	142	144	141	167	204	215	217	224
460-468	**Diseases of veins and other diseases of circulatory system**	**M**	**917**	**1,006**	**1,086**	**1,112**	**1,080**	**1,284**	**1,402**	**1,555**	**1,599**	**1,842**	**1,829**
		F	**1,347**	**1,473**	**1,659**	**1,630**	**1,768**	**1,888**	**2,093**	**2,397**	**2,433**	**2,830**	**2,880**
460	Varicose veins of lower extremities	M	52	51	55	53	48	61	57	57	68	69	33
		F	201	196	197	172	172	168	180	173	156	174	139
461	Haemorrhoids	M	24	22	23	19	18	16	20	15	19	7	6
		F	9	14	13	8	14	11	12	18	10	3	5
462	Varicose veins of other specified sites	M	20	20	17	27	26	20	17	30	26	28	22
		F	12	20	24	26	16	24	25	28	21	32	20
463	Phlebitis and thrombophlebitis of lower extremities	M	101	141	156	132	131	138	141	134	133	169	118
		F	230	223	261	254	247	256	261	300	280	259	239
464	Phlebitis and thrombophlebitis of other sites	M	12	14	13	14	12	15	20	27	14	20	21
		F	20	20	20	24	17	25	30	23	26	26	33
465	Pulmonary embolism and infarction	M	413	465	457	486	486	630	698	761	784	847	859
		F	433	484	574	565	675	723	807	908	952	1,087	1,146
466	Other venous embolism and thrombosis	M	261	253	332	359	324	371	415	492	521	652	716
		F	399	469	535	545	592	647	735	904	942	1,195	1,239
467	Other diseases of circulatory system	M	29	31	26	19	26	24	28	35	28	44	48
		F	31	38	29	26	30	25	37	33	36	50	48
468	Certain diseases of lymph nodes and lymph channels	M	5	9	7	3	9	9	6	4	6	6	6
		F	12	9	6	10	5	9	6	10	10	4	11
470-527	**VIII DISEASES OF THE RESPIRATORY SYSTEM**	**M**	**31,090**	**35,381**	**36,080**	**37,939**	**37,024**	**40,756**	**34,833**	**43,372**	**42,923**	**46,870**	**38,510**
		F	**20,056**	**23,345**	**24,428**	**24,066**	**23,784**	**27,796**	**22,122**	**29,732**	**29,871**	**33,195**	**25,867**
470-475	**Acute upper respiratory infections**	**M**	**78**	**67**	**68**	**68**	**59**	**57**	**68**	**65**	**60**	**65**	**50**
		F	**83**	**69**	**70**	**72**	**59**	**62**	**57**	**71**	**56**	**64**	**62**
470	Acute nasopharyngitis (common cold)	M	8	8	3	6	2	4	5	3	3	4	1
		F	16	6	4	8	8	4	3	3	10	8	-
471	Acute sinusitis	M	2	1	3	2	2	1	2	5	-	-	2
		F	4	1	3	1	-	1	3	-	-	2	2
472	Acute pharyngitis	M	9	8	13	7	12	11	9	7	4	5	6
		F	9	8	14	7	4	13	7	12	9	9	9
473	Acute tonsillitis	M	18	14	13	17	14	12	17	10	13	12	11
		F	23	18	18	14	12	10	12	14	8	9	8
474	Acute laryngitis and tracheitis	M	27	26	24	24	19	22	30	32	33	31	23
		F	17	27	18	29	27	21	26	36	27	29	31
475	Acute upper respiratory infection of multiple or unspecified sites*	M	14	10	12	12	10	7	5	8	7	13	7
		F	14	9	13	13	8	13	6	6	2	7	12
480-483	**Influenza**	**M**	**878**	**1,460**	**1,272**	**3,553**	**1,216**	**3,898**	**553**	**3,487**	**1,511**	**1,442**	**494**
		F	**933**	**1,523**	**1,354**	**3,163**	**1,185**	**3,964**	**545**	**3,615**	**1,797**	**1,772**	**549**
480	Influenza with pneumonia*	M	459	776	661	2,516	767	2,605	330	2,167	941	909	317
		F	446	774	645	2,236	706	2,533	322	2,227	1,104	1,116	332
481	Influenza with other respiratory manifestations, and influenza unqualified*	M	410	664	597	1,009	433	1,280	215	1,305	559	519	167
		F	463	725	693	892	463	1,408	204	1,366	673	643	208
482	Influenza with digestive manifestations, but without respiratory symptoms	M	5	12	6	9	8	8	7	8	8	11	6
		F	23	19	14	18	9	16	16	16	17	9	9
483	Influenza with nervous manifestations but without digestive or respiratory symptoms*	M	4	8	8	19	8	5	1	7	3	3	4
		F	1	5	2	17	7	7	3	6	3	4	-
490-493	**Pneumonia†**	**M**	**9,277**	**10,618**	**11,169**	**11,645**	**11,799**	**13,203**	**11,818**	**14,087**	**14,472**	**16,945**	**13,830**
		F	**8,838**	**10,415**	**11,245**	**11,203**	**11,939**	**13,387**	**12,525**	**15,188**	**16,437**	**19,118**	**15,679**
490	Lobar pneumonia*	M	1,874	1,999	1,977	1,889	1,746	1,778	1,635	1,878	1,900	2,008	1,646
		F	1,469	1,474	1,451	1,354	1,351	1,412	1,357	1,469	1,565	1,652	1,369
491	Bronchopneumonia*	M	6,721	7,894	8,439	8,906	9,321	10,628	9,374	11,281	11,694	14,025	11,364
		F	6,801	8,332	9,156	9,156	9,991	11,214	10,440	12,831	14,019	16,545	13,570
492	Primary atypical pneumonia*	M	89	59	86	145	98	133	140	183	170	204	203
		F	79	67	76	115	94	119	140	148	134	166	147
493	Pneumonia, other and unspecified*	M	593	666	667	705	634	664	669	745	708	708	617
		F	489	542	562	578	503	642	588	740	719	755	593

† 490-493. See 763 (Pneumonia of newborn) for pneumonia deaths at ages under 4 weeks

* Excluding the following 'late effects' (see note 2 at head of table):

		1958	1959	1960	1961	1962	1963	1964
480 Influenza with pneumonia	M	-	2	2	-	1	-	-
	F	-	-	1	-	-	-	-
481 Influenza with other respiratory manifestations, and influenza unqualified	M	-	2	1	1	2	1	-
	F	-	-	1	1	-	1	1
483 Influenza with nervous manifestations but without digestive or respiratory symptoms	M	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-
490 Lobar pneumonia	M	1	1	1	-	2	1	-
	F	2	-	2	2	3	-	-
491 Bronchopneumonia	M	1	3	3	4	2	-	2
	F	1	3	-	1	-	3	-
492 Primary atypical pneumonia	M	-	-	-	-	-	-	-
	F	-	-	-	1	-	-	-
493 Pneumonia, other and unspecified	M	8	8	3	7	1	3	5
	F	2	4	2	3	2	3	-

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
500-502	**Bronchitis**	**M**	**17,163**	**19,318**	**19,890**	**18,956**	**20,326**	**20,193**	**18,997**	**22,203**	**23,351**	**24,832**	**20,773**
		F	**8,625**	**9,675**	**10,019**	**8,141**	**9,070**	**8,858**	**7,488**	**9,160**	**9,942**	**10,500**	**7,967**
500	Acute bronchitis	M	1,496	1,699	1,678	1,397	1,494	1,487	1,149	1,365	1,448	1,605	1,065
		F	1,722	1,893	2,009	1,453	1,599	1,577	1,164	1,500	1,587	1,724	1,171
501	Bronchitis, unqualified	M	1,065	1,079	1,057	884	969	917	767	907	886	967	751
		F	1,045	1,052	1,123	845	1,003	932	712	923	983	1,116	741
502	Chronic bronchitis	M	14,602	16,540	17,155	16,675	17,863	17,789	17,081	19,931	21,017	22,260	18,957
		F	5,858	6,730	6,887	5,843	6,468	6,349	5,612	6,737	7,372	7,660	6,055
	0 Bronchitis with emphysema	M	6,537	7,959	8,369	8,529	9,316	9,223	8,998	10,255	10,724	11,354	9,700
		F	1,293	1,609	1,820	1,563	1,815	1,845	1,682	1,969	2,112	2,271	1,825
	1 Other	M	8,065	8,581	8,786	8,146	8,547	8,566	8,083	9,676	10,293	10,906	9,257
		F	4,565	5,121	5,067	4,280	4,653	4,504	3,930	4,768	5,260	5,389	4,230
510-527	**Other diseases of respiratory system**	**M**	**3,694**	**3,918**	**3,681**	**3,717**	**3,624**	**3,405**	**3,397**	**3,530**	**3,529**	**3,586**	**3,363**
		F	**1,577**	**1,663**	**1,740**	**1,487**	**1,531**	**1,525**	**1,507**	**1,698**	**1,639**	**1,741**	**1,610**
510	Hypertrophy of tonsils and adenoids	M	21	22	16	17	17	13	9	10	11	7	4
		F	12	15	13	5	18	8	8	6	11	6	2
511	Peritonsillar abscess (quinsy)	M	10	4	4	5	5	5	4	1	2	5	5
		F	8	5	6	6	8	4	8	2	-	5	4
512	Chronic pharyngitis and nasopharyngitis	M	4	-	3	2	1	1	1	1	-	-	-
		F	1	3	2	2	2	2	1	4	1	1	-
513	Chronic sinusitis	M	31	32	25	28	27	31	17	28	20	27	20
		F	19	13	18	11	20	18	9	12	6	12	13
514	Deflected nasal septum	M	-	-	2	-	1	1	1	3	-	2	-
		F	-	-	1	1	-	-	-	-	-	1	-
515	Nasal polyp	M	2	4	4	3	2	1	-	6	1	1	-
		F	4	-	4	2	-	1	1	2	1	-	3
516	Chronic laryngitis	M	1	1	-	1	-	1	-	-	-	1	-
		F	-	-	-	1	2	-	-	1	-	1	-
517	Other diseases of upper respiratory tract	M	18	10	14	17	20	22	23	32	25	29	23
		F	18	6	10	14	9	14	15	18	17	29	11
518	Empyema	M	110	87	86	72	83	73	66	63	56	76	49
		F	41	51	44	35	52	38	45	35	29	44	24
519	Pleurisy	M	51	49	59	30	23	27	50	46	43	34	30
		F	45	28	40	24	25	27	54	33	40	25	32
520	Spontaneous pneumothorax	M	6	14	6	5	7	5	5	7	8	13	18
		F	1	1	1	2	2	1	3	4	5	3	5
521	Abscess of lung	M	55	53	43	58	46	39	55	58	66	45	70
		F	25	29	24	32	16	22	29	29	22	39	26
522	Pulmonary congestion and hypostasis	M	264	247	255	167	198	195	240	215	249	279	242
		F	438	467	474	339	354	382	414	482	489	465	457
523	Pneumoconiosis due to silica and silicates (occupational)	M	647	714	666	760	713	637	650	700	667	663	659
		F	5	6	9	7	10	9	16	12	15	6	11
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	M	12	23	17	16	28	25	12	24	23	11	14
		F	1	1	6	3	2	7	3	3	6	4	1
525	Other chronic interstitial pneumonia	M	163	199	204	175	190	169	195	218	225	280	298
		F	92	94	73	93	106	114	97	118	120	153	168
526	Bronchiectasis	M	1,405	1,479	1,273	1,305	1,199	1,133	1,060	1,079	1,025	985	917
		F	662	712	724	677	615	586	543	628	580	601	538
527	Other diseases of lung and pleural cavity	M	894	980	1,004	1,056	1,064	1,027	1,009	1,039	1,108	1,128	1,014
		F	205	232	291	233	290	292	261	309	297	346	315
	0 Pulmonary collapse (1 year and over)	M	7	5	6	6	4	11	5	6	14	11	9
		F	7	3	7	3	10	6	8	8	9	11	8
	1 Emphysema without mention of bronchitis	M	822	917	926	981	997	939	927	955	1,008	1,002	892
		F	159	186	234	182	216	223	211	221	243	242	230
	2 Other	M	65	58	72	69	63	77	77	78	86	115	113
		F	39	43	50	48	64	63	42	80	45	93	77
530-587	**IX DISEASES OF THE DIGESTIVE SYSTEM**	**M**	**8,966**	**8,948**	**8,554**	**8,336**	**8,215**	**7,748**	**8,002**	**7,951**	**8,018**	**7,714**	**7,413**
		F	**7,121**	**7,251**	**7,177**	**7,010**	**6,948**	**7,159**	**7,414**	**7,488**	**7,540**	**7,667**	**7,495**
530-539	**Diseases of buccal cavity and oesophagus**	**M**	**120**	**129**	**95**	**125**	**110**	**97**	**106**	**105**	**123**	**118**	**115**
		F	**152**	**134**	**138**	**129**	**146**	**150**	**154**	**152**	**160**	**188**	**151**
530	Dental caries	M	2	-	1	-	1	1	-	1	-	-	-
		F	-	-	-	-	-	1	-	3	-	-	-
531	Abscesses of supporting structures of teeth	M	2	2	2	2	3	1	-	1	3	1	-
		F	-	-	4	1	3	-	-	1	1	1	1

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
532	Other inflammatory diseases of supporting structures of teeth	M	6	8	6	8	-	3	1	2	1	2	2
		F	8	4	3	3	1	1	-	1	1	1	-
533	Disorders of occlusion, eruption, and tooth development	M	11	10	6	8	1	-	-	-	2	-	-
		F	15	7	8	8	1	1	1	1	-	1	-
535	Other diseases of teeth and supporting structures	M	-	-	-	-	3	6	7	5	3	4	5
		F	-	-	-	-	6	6	7	1	-	7	3
536	Stomatitis	M	6	2	2	3	2	2	1	3	3	2	1
		F	7	3	4	2	-	2	3	5	1	8	1
537	Diseases of salivary glands	M	19	31	13	25	22	22	27	15	20	23	15
		F	48	43	58	56	64	74	59	61	69	63	46
538	Other diseases of buccal cavity	M	9	11	6	9	8	7	5	2	2	-	1
		F	14	5	6	9	1	1	6	5	4	5	2
539	Diseases of oesophagus	M	65	65	59	70	70	55	65	76	89	86	91
		F	60	72	55	50	70	64	78	74	84	102	98
540-545	**Diseases of stomach and duodenum**	**M**	**4,196**	**4,154**	**3,962**	**3,693**	**3,552**	**3,232**	**3,323**	**3,109**	**3,253**	**2,964**	**2,733**
		F	**1,604**	**1,670**	**1,671**	**1,547**	**1,570**	**1,576**	**1,636**	**1,550**	**1,679**	**1,661**	**1,466**
540	Ulcer of stomach	M	1,873	1,864	1,803	1,665	1,608	1,455	1,487	1,386	1,398	1,339	1,235
		F	913	967	998	960	944	959	988	939	978	988	853
	0 Without mention of perforation	M	1,353	1,356	1,318	1,214	1,189	1,102	1,119	1,044	1,004	1,025	969
		F	701	735	776	725	770	765	760	740	767	766	659
	1 With perforation	M	520	508	485	451	419	353	368	342	394	314	266
		F	212	232	222	235	174	194	228	199	211	222	194
541	Ulcer of duodenum	M	2,138	2,111	1,975	1,903	1,817	1,635	1,678	1,564	1,697	1,460	1,333
		F	554	575	566	501	529	514	552	516	619	554	523
	0 Without mention of perforation	M	1,334	1,318	1,263	1,194	1,133	1,040	1,031	1,000	1,104	901	807
		F	328	337	349	304	315	307	330	304	353	302	302
	1 With perforation	M	804	793	712	709	684	595	647	564	593	559	526
		F	226	238	217	197	214	207	222	212	266	252	221
542	Gastrojejunal ulcer	M	46	65	50	33	41	50	55	51	39	40	18
		F	18	14	15	7	10	10	9	11	12	12	7
	0 Without mention of perforation	M	35	49	36	24	27	33	33	42	28	30	14
		F	14	10	9	5	7	8	7	8	10	9	4
	1 With perforation	M	11	16	14	9	14	17	22	9	11	10	4
		F	4	4	6	2	3	2	2	3	2	3	3
543	Gastritis and duodenitis	M	49	41	49	34	34	31	30	38	34	31	30
		F	75	81	51	38	54	47	46	40	35	53	36
544	Disorders of function of stomach	M	8	13	11	9	9	5	5	6	9	9	12
		F	16	10	7	6	13	11	8	8	6	8	7
545	Other diseases of stomach and duodenum	M	82	60	74	49	43	56	68	64	76	85	105
		F	28	23	34	35	20	35	33	36	29	46	40
550-553	**Appendicitis**	**M**	**547**	**485**	**522**	**497**	**462**	**430**	**367**	**361**	**347**	**299**	**274**
		F	**422**	**360**	**331**	**302**	**328**	**271**	**271**	**284**	**259**	**257**	**224**
550	Acute appendicitis	M	456	415	425	415	395	371	304	304	302	253	224
		F	347	301	250	252	272	223	225	235	215	214	182
	0 Without mention of peritonitis	M	70	66	74	74	58	54	42	49	41	33	37
		F	47	42	41	30	37	31	28	37	29	39	23
	1 With peritonitis	M	386	349	351	341	337	317	262	255	261	220	187
		F	300	259	209	222	235	192	197	198	186	175	159
551	Appendicitis, unqualified	M	86	67	93	79	62	52	60	55	42	44	47
		F	72	55	75	49	50	45	45	47	40	42	39
552	Other appendicitis	M	2	2	3	2	1	4	2	2	-	1	3
		F	1	3	4	-	6	1	1	2	1	1	1
553	Other diseases of appendix	M	3	1	1	1	4	3	1	-	3	1	-
		F	2	1	2	1	-	2	-	-	3	-	2
560-561	**Hernia of abdominal cavity**	**M**	**761**	**830**	**768**	**769**	**707**	**705**	**700**	**747**	**740**	**693**	**689**
		F	**804**	**798**	**865**	**806**	**742**	**839**	**767**	**827**	**848**	**776**	**796**
560	Hernia of abdominal cavity without mention of obstruction	M	192	216	188	210	195	223	217	215	233	219	277
		F	168	159	182	158	179	207	201	236	248	253	289
	0 Inguinal	M	67	78	69	84	66	82	55	64	62	61	73
		F	10	8	7	9	6	10	7	9	14	9	10
	1 Femoral	M	4	7	4	8	5	5	5	4	6	4	4
		F	17	13	10	9	8	16	17	8	7	12	16
	2 Umbilical	M	40	30	17	31	26	25	26	36	29	25	42
		F	33	28	36	16	26	24	26	38	39	30	25
	3 Ventral (incisional)	M	11	11	9	6	5	10	10	8	9	9	5
		F	18	22	32	15	19	24	5	21	19	10	14

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
	4, 5 Other sites	M	70	90	89	81	93	101	121	103	127	120	153
		F	90	88	97	109	120	133	146	160	169	192	224
561	Hernia of abdominal cavity with obstruction	M	569	614	580	559	512	482	483	532	507	474	412
		F	636	639	683	648	563	632	566	591	600	523	507
	0 Inguinal	M	342	362	357	330	305	301	301	327	302	281	253
		F	68	58	72	71	66	74	78	68	67	63	55
	1 Femoral	M	90	101	91	96	81	65	62	73	69	68	67
		F	312	321	308	312	271	298	259	275	275	262	239
	2 Umbilical	M	38	40	42	36	41	31	30	33	39	35	23
		F	77	101	104	93	75	85	75	58	93	53	63
	3 Ventral (incisional)	M	32	37	35	33	25	31	36	33	40	31	24
		F	106	90	109	86	77	96	80	95	78	70	72
	4, 5 Other sites	M	67	74	55	64	60	54	54	66	57	59	45
		F	73	69	90	86	74	79	74	95	87	75	78
570-578	**Other diseases of intestines and peritoneum**	**M**	**1,873**	**1,884**	**1,781**	**1,806**	**1,863**	**1,814**	**1,947**	**2,012**	**1,979**	**2,046**	**2,000**
		F	**2,065**	**2,174**	**2,157**	**2,207**	**2,215**	**2,276**	**2,498**	**2,585**	**2,556**	**2,708**	**2,733**
570	Intestinal obstruction without mention of hernia	M	701	653	713	673	693	709	752	779	705	779	712
		F	634	707	720	658	722	731	832	837	848	885	842
	0 Intussusception	M	54	49	32	30	39	31	31	26	33	24	26
		F	40	33	35	27	27	26	25	20	25	25	21
	1 Paralytic ileus	M	6	10	19	6	14	9	13	27	14	20	18
		F	7	4	8	10	11	8	12	16	8	10	14
	2 Mesenteric infarction	M	211	170	203	186	205	206	242	274	259	276	259
		F	187	206	200	240	243	275	323	344	333	347	335
	3 Volvulus	M	188	184	221	201	178	215	168	205	152	185	181
		F	143	163	189	147	156	154	161	141	159	167	185
	4 Impaction of intestine	M	44	35	48	24	22	17	40	20	34	26	19
		F	68	84	79	53	49	50	56	62	62	73	49
	5 Other	M	198	205	190	226	235	230	258	226	213	248	209
		F	189	217	209	181	236	218	255	254	261	263	238
571	Gastro-enteritis and colitis, except ulcerative age 4 weeks and over	M	433	458	357	355	380	359	382	404	455	434	449
		F	467	445	366	397	344	365	439	478	484	459	534
572	Chronic enteritis and ulcerative colitis	M	501	529	493	542	582	561	603	594	589	566	567
		F	739	767	829	887	947	969	996	1,028	967	1,054	1,041
	0 Regional enteritis	M	24	34	29	39	26	34	36	35	49	49	40
		F	31	34	31	32	46	54	46	40	48	49	44
	1 Diverticulitis	M	323	313	288	318	379	365	391	401	373	363	350
		F	409	450	484	562	617	672	676	739	663	719	756
	2 Ulcerative colitis	M	138	173	162	176	173	157	172	152	161	152	171
		F	289	265	302	280	270	230	259	238	247	275	229
	3 Other	M	16	9	14	9	4	5	4	6	6	2	6
		F	10	18	12	13	14	13	16	11	9	11	12
573	Functional disorders of intestines	M	7	12	15	10	11	10	10	13	9	10	14
		F	17	19	19	15	18	22	17	25	12	22	25
574	Anal fissure and fistula	M	-	1	1	3	-	-	1	-	1	3	-
		F	-	3	1	1	2	2	1	-	3	1	1
575	Abscess of anal and rectal regions	M	16	12	8	20	15	15	11	11	6	9	12
		F	9	10	9	11	4	10	7	4	13	9	8
576	Peritonitis	M	57	50	47	56	55	40	50	48	45	61	63
		F	50	46	48	57	46	48	45	56	48	57	78
577	Peritoneal adhesion	M	6	6	6	5	5	6	7	6	5	9	6
		F	5	5	4	4	13	7	6	9	11	11	5
578	Other diseases of intestines and peritoneum	M	152	163	141	142	122	115	131	158	164	175	177
		F	144	172	161	177	119	122	155	148	170	210	199
580-587	**Diseases of liver, gallbladder and pancreas**	**M**	**1,469**	**1,466**	**1,426**	**1,446**	**1,521**	**1,470**	**1,559**	**1,617**	**1,576**	**1,594**	**1,602**
		F	**2,074**	**2,115**	**2,015**	**2,019**	**1,947**	**2,047**	**2,088**	**2,090**	**2,038**	**2,077**	**2,125**
580	Acute and subacute yellow atrophy of liver	M	63	49	37	45	31	40	40	46	42	33	37
		F	75	67	66	66	62	62	52	67	65	73	76
581	Cirrhosis of liver	M	632	617	618	667	644	617	685	737	697	701	657
		F	535	542	535	539	532	586	587	633	605	621	652
582	Suppurative hepatitis and liver abscess	M	19	12	14	9	13	14	20	19	17	16	15
		F	21	17	11	10	9	11	12	11	6	21	16
583	Other diseases of liver	M	18	25	28	24	45	41	55	52	43	61	85
		F	30	38	33	36	41	34	58	65	58	79	78
584	Cholelithiasis	M	273	278	275	246	276	274	235	213	239	229	217
		F	590	606	572	581	526	543	518	497	461	431	461

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
585	Cholecystitis and cholangitis, without mention of calculi	M	192	188	191	183	187	173	160	172	149	152	166
		F	452	431	412	386	382	367	393	374	337	318	315
586	Other diseases of gallbladder and biliary ducts	M	33	26	27	29	31	23	43	45	50	66	58
		F	62	50	49	59	59	76	89	88	92	93	113
587	Diseases of pancreas	M	239	271	236	243	294	288	321	333	339	336	367
		F	309	364	337	342	336	368	379	355	414	441	414
	0 Acute pancreatitis	M	162	172	142	136	176	166	191	197	220	206	244
		F	224	245	235	238	220	241	244	254	283	320	305
	1 Chronic pancreatitis	M	24	22	22	33	26	32	16	40	26	27	27
		F	36	41	28	31	33	22	36	30	27	24	19
	2 Other diseases of pancreas	M	53	77	72	74	92	90	114	96	93	103	96
		F	49	78	74	73	83	105	99	71	104	97	90
590-637	**X DISEASES OF THE GENITO-URINARY SYSTEM**	**M**	**8,370**	**7,906**	**7,761**	**7,336**	**7,106**	**6,888**	**6,821**	**6,551**	**6,300**	**5,946**	**5,650**
		F	**3,911**	**3,893**	**3,775**	**3,664**	**3,677**	**3,676**	**3,725**	**3,849**	**3,903**	**4,026**	**4,014**
590-594	**Nephritis and nephrosis**	**M**	**2,645**	**2,448**	**2,554**	**2,250**	**2,158**	**1,923**	**2,005**	**1,866**	**1,769**	**1,695**	**1,518**
		F	**2,453**	**2,294**	**2,125**	**1,945**	**1,920**	**1,762**	**1,709**	**1,632**	**1,654**	**1,484**	**1,404**
590	Acute nephritis	M	116	97	121	89	89	72	99	77	70	60	60
		F	95	54	67	68	65	50	62	61	60	45	47
591	Nephritis with oedema, including nephrosis	M	179	186	207	196	188	144	149	118	136	119	111
		F	147	180	154	143	127	120	120	92	86	94	90
592	Chronic nephritis	M	2,144	1,929	2,004	1,736	1,663	1,512	1,529	1,424	1,277	1,211	1,036
		F	2,035	1,894	1,738	1,572	1,572	1,402	1,347	1,278	1,265	1,081	955
593	Nephritis not specified as acute or chronic	M	195	218	208	218	204	189	215	234	275	289	304
		F	162	150	148	151	148	187	168	195	238	247	305
594	Other renal sclerosis	M	11	18	14	11	14	6	13	13	11	16	7
		F	14	16	18	11	8	3	12	6	5	17	7
600-609	**Other diseases of urinary system**	**M**	**1,286**	**1,261**	**1,264**	**1,335**	**1,274**	**1,367**	**1,459**	**1,523**	**1,563**	**1,707**	**1,731**
		F	**1,229**	**1,375**	**1,430**	**1,519**	**1,542**	**1,722**	**1,829**	**2,035**	**2,077**	**2,355**	**2,442**
600	Infections of kidney	M	578	608	651	716	722	803	907	964	988	1,161	1,150
		F	738	873	909	995	1,013	1,217	1,288	1,525	1,567	1,804	1,885
	0 Pyelitis, pyelocystitis, and pyelonephritis	M	547	572	622	685	704	779	868	942	961	1,126	1,124
		F	707	838	884	968	981	1,184	1,255	1,493	1,551	1,764	1,853
	1 Abscess of kidney and perirenal tissue	M	25	29	18	27	15	22	24	17	17	23	16
		F	25	29	19	20	27	26	24	22	13	24	20
	2 Other	M	6	7	11	4	3	2	15	5	10	12	10
		F	6	6	6	7	5	7	9	10	3	16	12
601	Hydronephrosis	M	79	80	64	71	75	68	67	82	76	74	99
		F	69	76	86	80	61	58	80	51	57	60	61
602	Calculi of kidney and ureter	M	161	147	136	139	122	135	130	142	136	129	100
		F	146	154	152	154	140	135	134	126	133	141	131
603	Other diseases of kidney and ureter	M	42	46	42	44	33	48	35	47	61	73	69
		F	27	36	41	38	38	50	44	62	57	65	65
604	Calculi of other parts of urinary system	M	42	29	33	36	32	33	38	25	26	24	15
		F	9	11	6	14	9	9	11	10	6	9	7
605	Cystitis	M	168	142	147	119	148	122	139	105	109	80	89
		F	190	183	186	179	215	195	190	184	180	175	172
606	Other diseases of bladder	M	67	70	61	78	67	72	55	73	56	73	85
		F	25	23	18	27	22	23	26	28	26	32	33
607	Urethritis (non-venereal)	M	2	1	2	3	2	3	4	4	2	3	1
		F	-	-	1	1	-	1	1	1	-	-	1
608	Stricture of urethra	M	118	101	103	94	42	57	46	44	48	37	39
		F	2	3	2	1	3	1	6	3	-	2	1
609	Other diseases of urethra	M	29	37	25	35	31	26	38	37	61	53	84
		F	23	16	29	30	41	33	49	45	51	67	86
610-617	**Diseases of male genital organs**	**M**	**4,439**	**4,197**	**3,943**	**3,751**	**3,674**	**3,597**	**3,356**	**3,162**	**2,968**	**2,544**	**2,401**
610	Hyperplasia of prostate	M	4,334	4,090	3,852	3,645	3,577	3,505	3,259	3,075	2,901	2,479	2,338
611	Prostatitis	M	68	75	50	72	69	56	55	48	37	29	33
612	Other diseases of prostate	M	14	11	16	14	13	11	15	15	12	18	15
613	Hydrocele	M	3	3	3	2	3	1	1	4	1	2	1
614	Orchitis and epididymitis	M	2	2	1	4	4	2	2	2	1	1	4
615	Redundant prepuce and phimosis	M	3	7	8	3	4	6	7	8	7	3	3

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
617	Other diseases of male genital organs	M	15	9	13	11	4	16	16	10	9	12	7
620-626	**Diseases of breast, ovary, Fallopian tube, and parametrium**	**M**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**-**	**-**	**-**	**-**
		F	**56**	**61**	**54**	**41**	**28**	**44**	**34**	**38**	**39**	**41**	**40**
621	Other diseases of breast	M	-	-	-	-	-	1	1	-	-	-	-
		F	3	3	3	3	2	7	2	2	2	3	3
622	Acute salpingitis and oophoritis	F	2	1	1	5	-	3	4	-	1	-	1
623	Chronic salpingitis and oophoritis	F	5	4	2	3	2	-	2	2	4	1	1
624	Salpingitis and oophoritis, unqualified	F	24	36	28	18	13	25	14	19	17	14	14
625	Other diseases of ovary and Fallopian tube	F	7	5	4	2	1	3	3	2	2	1	3
626	Diseases of parametrium and pelvic peritoneum (female)	F	15	12	16	10	10	6	9	13	13	22	18
630-637	**Diseases of uterus and other female genital organs**	**F**	**173**	**163**	**166**	**159**	**187**	**148**	**153**	**144**	**133**	**146**	**128**
630	Infective disease of uterus, vagina, and vulva	F	15	15	12	8	17	14	9	11	10	17	18
631	Uterovaginal prolapse	F	101	96	108	106	119	89	103	78	68	63	59
632	Malposition of uterus	F	1	1	1	-	3	3	2	-	2	1	-
633	Other diseases of uterus	F	24	26	18	30	25	15	19	29	28	44	31
634	Disorders of menstruation	F	24	19	17	12	17	19	14	12	15	15	8
635	Menopausal symptoms	F	3	1	-	1	1	-	1	3	-	-	-
637	Other diseases of female genital organs	F	5	3	9	2	4	8	5	10	8	5	10
640-689	**XI DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM**	**F**	***446**	**405**	***374**	***333**	***328**	***290**	***310**	***274**	***299**	***243**	***227**
640-648	**Complications of pregnancy**	**F**	**140**	**135**	**144**	**114**	**105**	**96**	**99**	**82**	**105**	**93**	**71**
640	Pyelitis and pyelonephritis of pregnancy	F	2	2	5	-	4	2	1	-	3	3	-
641	Other infections of genito-urinary tract during pregnancy	F	-	2	-	2	-	1	-	2	-	-	-
642	Toxaemias of pregnancy	F	90	82	82	72	58	50	60	46	50	43	30
644	Other haemorrhage of pregnancy	F	1	2	10	7	9	3	1	2	4	6	-
645	Ectopic pregnancy	F	24	20	21	21	13	12	17	12	22	16	21
646	Anaemia of pregnancy	F	3	3	3	3	2	1	2	1	-	2	-
648	Other complications arising from pregnancy	F	18	23	23	9	19	27	18	19	26	23	20
650-652	**Abortion**	**F**	**76**	**66**	**72**	**61**	**63**	**47**	**62**	**54**	**57**	**49**	**50**
650	Abortion without mention of sepsis or toxaemia	F	33	27	24	24	25	16	23	18	28	14	16
651	Abortion with sepsis	F	32	36	40	33	35	29	33	32	28	32	29
652	Abortion with toxaemia, without mention of sepsis	F	11	3	8	4	3	2	6	4	1	3	5
660	**Delivery without mention of complication**	**F**	**5**	**1**	**1**	**7**	**6**	**4**	**3**	**7**	**4**	**6**	**5**
670-678	**Delivery with specified complication**	**F**	**146**	**116**	**96**	**92**	**90**	**85**	**105**	**88**	**82**	**59**	**58**
670	Placenta praevia or antepartum haemorrhage	F	29	21	23	20	16	18	24	18	19	11	7
671	Retained placenta	F	19	16	10	5	8	3	7	8	3	6	5
672	Other postpartum haemorrhage	F	25	25	14	17	25	20	12	15	17	15	7
673	Abnormality of bony pelvis	F	2	3	1	1	-	1	2	-	2	-	-
674	Disproportion or malposition of foetus	F	9	10	15	10	11	7	10	8	8	3	7
675	Prolonged labour of other origin	F	21	18	18	16	10	10	14	7	10	6	6
677	With other trauma	F	15	12	10	14	10	7	16	12	8	7	11
678	With other complications of childbirth	F	26	11	5	9	10	19	20	20	15	11	15
680-689	**Complications of the puerperium**	**F**	**79**	**87**	**61**	**59**	**64**	**58**	**41**	**43**	**51**	**36**	**43**
681	Sepsis of childbirth and the puerperium	F	11	13	8	16	9	14	7	4	9	5	10
682	Puerperal phlebitis and thrombosis	F	38	32	27	24	23	19	19	23	25	15	16
684	Puerperal pulmonary embolism	F	13	23	5	8	17	11	8	1	9	5	6
685	Puerperal eclampsia	F	10	8	8	5	6	6	2	8	3	2	4
686	Other forms of puerperal toxaemia	F	4	1	3	-	2	1	1	1	-	1	-

* Excluding the following cases in which it was stated that death followed the maternal condition after an interval of more than 12 months: 1954 - 34; 1956 - 25; 1957 - 16; 1958 - 22; 1959 - 21; 1960 - 26; 1961 - 11; 1962 - 20; 1963 - 24; 1964 - 6.

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
687	Cerebral haemorrhage in the puerperium	F	-	6	5	4	5	3	2	5	2	4	1
688	Other and unspecified complications of the puerperium	F	1	3	1	2	2	4	1	-	2	4	4
689	Mastitis and other disorders of lactation	F	2	1	4	-	-	-	-	1	1	-	1
690-716	**XII DISEASES OF THE SKIN AND CELLULAR TISSUE**	**M**	**230**	**187**	**183**	**194**	**204**	**173**	**170**	**197**	**161**	**136**	**174**
		F	**322**	**321**	**292**	**247**	**283**	**282**	**294**	**315**	**248**	**247**	**247**
690-698	**Infections of skin and subcutaneous tissue**	**M**	**92**	**94**	**72**	**74**	**89**	**83**	**72**	**81**	**61**	**51**	**78**
		F	**102**	**95**	**91**	**74**	**90**	**90**	**88**	**93**	**90**	**81**	**80**
690	Boil and carbuncle	M	18	22	26	25	28	26	21	27	7	8	18
		F	19	12	26	20	16	21	13	15	13	13	9
691	Cellulitis of finger and toe	M	3	3	-	2	3	4	1	3	2	2	2
		F	3	3	1	1	2	5	4	1	1	1	1
692	Other cellulitis and abscess without mention of lymphangitis	M	59	57	42	38	53	44	45	47	40	40	47
		F	69	70	56	43	64	46	59	60	65	53	55
693	Other cellulitis and abscess with lymphangitis	M	-	-	-	-	-	1	-	-	-	-	1
		F	2	-	1	3	1	-	-	-	1	1	1
695	Impetigo	M	1	1	-	-	-	-	-	1	1	-	-
		F	1	1	2	1	-	-	2	-	1	-	1
698	Other local infections of skin and subcutaneous tissue	M	10	11	4	9	3	8	5	3	10	1	10
		F	7	9	5	6	7	17	10	16	9	12	12
700-716	**Other diseases of skin and subcutaneous tissue**	**M**	**138**	**93**	**111**	**120**	**115**	**90**	**98**	**116**	**100**	**85**	**96**
		F	**220**	**226**	**201**	**173**	**193**	**192**	**206**	**222**	**158**	**166**	**167**
700	Seborrhoeic dermatitis	M	1	1	1	-	-	1	-	-	-	-	1
		F	3	1	1	-	2	2	1	-	-	-	-
701	Eczema	M	11	6	7	7	11	4	5	6	6	4	3
		F	4	15	9	6	7	3	6	6	5	7	1
703	Other dermatitis	M	4	2	4	1	2	3	-	3	3	-	2
		F	6	3	2	4	-	1	4	7	2	4	3
704	Pemphigus	M	41	19	28	27	28	20	29	24	16	15	18
		F	56	36	42	40	36	37	31	37	24	20	22
705	Erythematous conditions	M	28	27	23	29	17	22	21	27	23	19	13
		F	30	47	30	24	23	27	26	20	21	23	24
706	Psoriasis and similar disorders	M	5	4	2	3	2	6	4	5	4	5	7
		F	10	4	5	2	5	4	4	7	6	2	8
708	Pruritus and related conditions	M	1	1	1	-	1	-	-	-	1	1	-
		F	2	2	3	1	3	1	1	-	-	-	1
710	Other hypertrophic and atrophic conditions of skin	M	9	11	18	22	24	14	18	26	21	15	23
		F	30	38	47	38	51	59	55	57	48	42	53
714	Diseases of sweat and sebaceous glands	M	-	2	-	2	1	1	1	-	1	-	1
		F	1	-	-	-	-	1	1	1	-	-	1
715	Chronic ulcer of skin	M	34	17	24	23	22	17	19	23	22	26	26
		F	75	77	58	58	64	55	74	85	52	66	53
716	Other diseases of skin	M	1	2	2	1	3	1	-	-	2	-	2
		F	2	1	4	-	-	2	1	2	-	2	-
720-749	**XIII DISEASES OF THE BONES AND ORGANS OF MOVEMENT**	**M**	**619**	**614**	**624**	**584**	**613**	**613**	**661**	**669**	**672**	**649**	**627**
		F	**1,156**	**1,352**	**1,236**	**1,225**	**1,307**	**1,331**	**1,334**	**1,370**	**1,382**	**1,398**	**1,391**
720-727	**Arthritis and rheumatism, except rheumatic fever**	**M**	**355**	**338**	**351**	**309**	**353**	**355**	**388**	**353**	**356**	**363**	**345**
		F	**890**	**1,076**	**951**	**941**	**1,019**	**1,027**	**1,066**	**1,053**	**1,059**	**1,033**	**1,033**
720	Acute arthritis due to pyogenic organisms	M	11	9	15	10	16	13	8	8	6	17	12
		F	11	13	5	11	12	18	18	9	15	16	18
722	Rheumatoid arthritis and allied conditions	M	223	214	206	183	222	221	252	246	230	222	222
		F	683	814	729	705	757	754	799	771	798	750	735
	0 Rheumatoid arthritis	M	196	192	189	169	206	208	225	225	209	195	196
		F	680	809	727	700	753	746	791	764	792	746	725
	1 Spondylitis ankylopoietica	M	27	22	17	14	16	13	26	21	21	27	26
		F	3	5	2	5	4	8	7	7	6	4	10
723	Osteo-arthritis (arthrosis) and allied conditions	M	111	107	122	107	103	111	120	84	111	108	95
		F	180	237	212	208	235	240	226	257	231	248	247
724	Other specified forms of arthritis	M	1	1	-	1	4	3	1	-	2	1	2
		F	3	1	2	3	3	6	5	3	3	1	4
725	Arthritis, unspecified	M	3	1	2	-	2	-	4	8	4	8	9
		F	10	3	2	3	7	5	11	4	7	13	20
726	Muscular rheumatism	M	4	6	3	6	4	5	3	7	3	6	5
		F	2	3	-	8	3	4	6	9	4	5	7
727	Rheumatism, unspecified	M	2	-	3	2	2	2	-	-	-	1	-
		F	1	5	1	3	2	-	1	-	1	-	2

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
730-738	**Osteomyelitis and other diseases of bone and joint**	**M**	**162**	**167**	**156**	**157**	**137**	**143**	**148**	**167**	**158**	**133**	**138**
		F	**178**	**178**	**189**	**187**	**197**	**206**	**195**	**206**	**204**	**254**	**248**
730	Osteomyelitis and periostitis	M	51	48	37	43	45	36	38	33	32	25	29
		F	36	27	42	35	28	31	27	17	11	27	17
731	Osteitis deformans	M	87	88	93	76	68	68	68	87	67	62	61
		F	80	102	83	87	93	81	83	81	98	92	96
733	Other diseases of bone	M	11	10	19	18	16	28	27	30	43	28	34
		F	52	43	52	54	66	77	68	95	86	114	122
735	Displacement of intervertebral disc	M	7	16	4	15	5	5	10	9	9	12	10
		F	4	4	7	6	5	7	6	5	6	13	3
737	Ankylosis of joint	M	2	-	1	1	1	-	-	2	3	-	-
		F	-	1	1	1	-	4	-	-	-	1	-
738	Other diseases of joint	M	3	3	2	4	1	6	3	3	4	5	2
		F	6	1	3	3	5	6	9	7	3	7	10
740-749	**Other diseases of musculoskeletal system**	**M**	**102**	**109**	**117**	**118**	**123**	**115**	**125**	**149**	**158**	**153**	**144**
		F	**88**	**98**	**96**	**97**	**91**	**98**	**73**	**111**	**119**	**111**	**110**
740	Bunion	M	1	-	-	-	-	-	1	-	1	-	-
		F	1	-	1	-	1	5	1	2	3	2	-
741	Synovitis, bursitis, and tenosynovitis, without mention of occupational origin	M	1	2	4	-	3	-	2	1	-	6	2
		F	2	1	4	1	2	3	1	-	2	-	2
743	Infective myositis and other inflammatory diseases of tendon and fascia	M	-	1	-	1	-	1	1	-	1	-	2
		F	-	-	1	-	1	2	-	-	1	-	1
744	Other diseases of muscle, tendon and fascia	M	81	91	87	92	105	96	104	126	132	115	116
		F	56	73	63	57	60	62	57	73	79	73	77
745	Curvature of spine	M	14	10	21	22	12	13	14	18	17	27	19
		F	26	16	21	31	18	21	11	29	27	31	28
747	Hallux valgus and varus	M	-	-	-	-	-	-	2	-	1	1	-
		F	1	2	2	2	3	2	1	2	1	1	1
748	Clubfoot	M	2	-	2	1	-	-	1	-	2	1	-
		F	-	1	-	2	1	-	-	1	-	-	-
749	Other deformities	M	3	5	3	2	3	5	-	4	4	3	5
		F	2	5	4	4	5	3	2	4	6	4	1
750-759	**XIV CONGENITAL MALFORMATIONS**	**M**	**2,349**	**2,431**	**2,442**	**2,589**	**2,589**	**2,503**	**2,696**	**2,671**	**2,836**	**2,783**	**2,741**
		F	**2,144**	**2,132**	**2,133**	**2,341**	**2,301**	**2,408**	**2,426**	**2,525**	**2,590**	**2,466**	**2,417**
750	Monstrosity	M	51	41	59	57	59	50	80	67	75	93	97
		F	72	77	73	96	106	115	110	118	130	109	123
751	Spina bifida and meningocele *	M	328	343	348	328	340	301	294	258	245	306	248
		F	477	477	462	462	458	411	399	395	368	486	448
752	Congenital hydrocephalus *	M	201	185	209	201	201	237	245	265	227	115	108
		F	222	235	221	223	243	275	299	304	310	100	98
753	Other congenital malformations of nervous system and sense organs	M	65	50	48	83	61	69	83	68	60	64	70
		F	62	63	67	74	68	76	78	73	79	83	101
754	Congenital malformations of circulatory system	M	948	1,007	1,017	1,126	1,124	1,102	1,161	1,214	1,330	1,395	1,313
		F	767	756	791	911	870	921	1,009	1,056	1,087	1,099	1,047
755	Cleft palate and harelip	M	16	11	16	12	11	11	5	5	8	6	11
		F	8	13	15	10	6	7	5	8	4	6	4
756	Congenital malformations of digestive system	M	292	296	288	294	286	274	295	285	311	270	295
		F	179	164	172	173	179	194	167	185	190	167	183
	0 Congenital hypertrophic pyloric stenosis	M	46	38	25	27	24	20	31	22	30	25	19
		F	5	3	10	7	6	4	5	3	3	8	3
	1 Imperforate anus	M	31	26	27	30	11	21	21	24	23	19	19
		F	8	9	6	11	4	6	9	4	6	6	4
	2 Other	M	215	232	236	237	251	233	243	239	258	226	257
		F	166	152	156	155	169	184	153	178	181	153	176
757	Congenital malformations of genito-urinary system	M	260	279	267	274	261	248	307	273	321	291	303
		F	189	187	178	223	182	224	185	210	201	210	185
	1 Polycystic disease of kidney	M	138	158	141	130	142	131	152	162	165	148	167
		F	139	135	114	170	133	167	131	150	146	163	129
	0, 2, 3 Other	M	122	121	126	144	119	117	155	111	156	143	136
		F	50	52	64	53	49	57	54	60	55	47	56
758	Congenital malformations of bone and joint	M	30	27	30	32	39	29	33	36	41	31	40
		F	28	32	21	39	33	34	27	24	42	25	47
759	Other and unspecified congenital malformations, not elsewhere classified	M	158	192	160	182	207	182	193	200	218	222	256
		F	140	128	133	130	156	151	147	152	179	181	181

* From January 1963 deaths having joint mention of conditions in 751 (Spina bifida and meningocele) and 752 (Congenital hydrocephalus) have been assigned to 751.

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
760-776	**XV CERTAIN DISEASES OF EARLY INFANCY**	**M**	**5,690**	**5,448**	**5,575**	**5,616**	**5,618**	**5,506**	**5,698**	**5,828**	**5,862**	**5,600**	**5,395**
		F	**3,784**	**3,719**	**3,778**	**3,812**	**3,800**	**3,807**	**3,822**	**3,925**	**3,833**	**3,815**	**3,755**
760-773	5 With immaturity	M	1,713	1,670	1,761	1,886	1,950	1,982	1,986	2,158	2,131	2,051	2,201
		F	1,107	1,083	1,119	1,237	1,227	1,272	1,315	1,321	1,303	1,346	1,417
760-769	**Birth injuries, asphyxia, and infections of newborn**	**M**	**3,232**	**3,141**	**3,238**	**3,322**	**3,381**	**3,404**	**3,356**	**3,537**	**3,465**	**3,307**	**3,322**
		F	**2,001**	**1,950**	**2,057**	**2,158**	**2,158**	**2,140**	**2,123**	**2,211**	**2,181**	**2,166**	**2,222**
760	Intracranial and spinal injury at birth	M	936	901	922	885	914	929	902	968	871	852	874
		F	535	506	539	542	536	529	516	540	464	551	523
761	Other birth injury	M	214	238	219	255	221	243	250	336	304	321	330
		F	145	151	176	159	134	150	157	199	223	219	214
762	Postnatal asphyxia and atelectasis	M	1,478	1,407	1,460	1,628	1,590	1,646	1,597	1,602	1,623	1,532	1,561
		F	916	901	924	1,068	1,057	1,064	1,080	1,045	1,052	983	1,079
763	Pneumonia of newborn	M	473	483	502	429	512	445	451	426	470	401	354
		F	288	300	304	285	325	305	281	278	293	278	229
764	Diarrhoea of newborn	M	22	25	27	22	21	30	33	32	32	42	33
		F	18	15	21	13	13	14	13	31	23	23	22
765	Ophthalmia neonatorum	M	1	1	-	-	-	2	-	-	-	-	1
		F	2	1	3	-	-	-	1	-	-	-	-
766	Pemphigus neonatorum	M	2	2	4	4	2	4	3	1	-	2	-
		F	6	5	4	4	8	1	1	1	3	2	1
767	Umbilical sepsis	M	9	9	12	17	9	10	10	13	7	9	6
		F	15	8	12	11	3	3	6	7	5	5	6
768	Other sepsis of newborn	M	25	20	19	22	29	20	27	31	22	35	37
		F	20	14	17	22	19	15	16	25	22	27	25
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	M	72	55	73	60	83	75	83	128	136	113	126
		F	56	49	57	54	63	59	52	85	96	78	123
770-776	**Other diseases peculiar to early infancy**	**M**	**2,458**	**2,307**	**2,337**	**2,294**	**2,237**	**2,102**	**2,342**	**2,291**	**2,397**	**2,293**	**2,073**
		F	**1,783**	**1,769**	**1,721**	**1,654**	**1,642**	**1,667**	**1,699**	**1,714**	**1,652**	**1,649**	**1,533**
770	Haemolytic disease of newborn (erythroblastosis)	M	282	196	182	203	182	184	201	172	191	197	174
		F	186	170	171	175	197	176	174	163	164	149	147
771	Haemorrhagic disease of newborn	M	132	120	142	120	162	127	124	111	156	127	101
		F	88	90	82	64	87	92	80	79	76	91	83
772	Nutritional maladjustment	M	5	4	8	6	9	3	4	1	5	8	-
		F	6	3	3	1	2	-	-	1	2	3	-
773	Ill-defined diseases peculiar to early infancy	M	182	196	178	155	172	180	229	294	301	338	315
		F	151	126	110	114	107	123	161	159	167	180	182
774	Immaturity with mention of any other subsidiary condition	M	68	67	64	81	73	76	66	71	72	61	18
		F	58	64	63	48	72	78	60	60	57	51	26
776	Immaturity, unqualified	M	1,789	1,724	1,763	1,729	1,639	1,532	1,718	1,642	1,672	1,562	1,465
		F	1,294	1,316	1,292	1,252	1,177	1,198	1,224	1,252	1,186	1,175	1,095
780-795	**XVI SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS**	**M**	**3,326**	**3,703**	**3,490**	**2,935**	**2,989**	**2,718**	**2,435**	**2,454**	**2,281**	**2,173**	**1,725**
		F	**5,754**	**6,270**	**6,030**	**5,213**	**5,265**	**5,094**	**4,873**	**4,876**	**4,476**	**4,092**	**3,444**
780-789	**Symptoms referable to systems or organs**	**M**	**146**	**158**	**124**	**114**	**96**	**69**	**88**	**106**	**81**	**116**	**106**
		F	**119**	**130**	**140**	**126**	**91**	**65**	**99**	**113**	**83**	**102**	**104**
780	Certain symptoms referable to nervous system and special senses	M	18	14	11	7	7	4	2	7	5	6	8
		F	13	8	5	4	8	4	4	8	4	5	4
	2 Convulsions	M	17	12	10	5	6	4	2	5	5	3	8
		F	13	8	4	3	8	4	4	6	3	5	2
	0, 1, 3-9 Others included under 780	M	1	2	1	2	1	-	-	2	-	3	-
		F	-	-	1	1	-	-	-	2	1	-	2
782	Symptoms referable to cardiovascular and lymphatic system	M	98	105	91	90	41	32	46	53	46	57	52
		F	92	100	109	107	54	31	59	69	53	65	58
	4 Acute heart failure, undefined	M	96	105	88	85	40	29	44	46	39	54	50
		F	88	96	107	102	50	30	56	63	49	63	53
	0-3,5-9 Other symptoms referable to cardio-vascular and lymphatic system	M	2	-	3	5	1	3	2	7	7	3	2
		F	4	4	2	5	4	1	3	6	4	2	5
783	Symptoms referable to respiratory system	M	4	3	3	2	1	2	4	2	3	5	6
		F	1	2	4	-	4	1	7	5	4	-	4
784	Symptoms referable to upper gastro-intestinal tract	M	8	15	7	5	26	18	11	21	17	19	19
		F	4	16	11	8	16	18	14	18	11	14	21
785	Symptoms referable to abdomen and lower gastro-intestinal tract	M	9	5	2	3	7	4	8	8	5	9	4
		F	5	1	5	4	2	6	7	7	6	3	7
786	Symptoms referable to genito-urinary system	M	8	8	6	4	9	6	12	7	3	12	6
		F	1	-	2	-	3	1	2	2	1	-	-

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
788	Other general symptoms	M	1	2	2	3	4	3	3	3	2	8	7
		F	1	1	3	3	3	4	5	3	3	11	7
789	Abnormal urinary constituents of unspecified cause	M	-	2	2	-	-	-	-	4	-	-	-
		F	1	1	1	-	1	-	1	1	1	1	-
790-795	**Senility and ill-defined diseases**	**M**	**3,180**	**3,545**	**3,366**	**2,821**	**2,893**	**2,649**	**2,347**	**2,348**	**2,200**	**2,057**	**1,619**
		F	**5,635**	**6,140**	**5,890**	**5,087**	**5,174**	**5,029**	**4,774**	**4,763**	**4,393**	**3,990**	**3,340**
790	Nervousness and debility	M	-	1	-	-	-	-	-	1	-	-	1
		F	-	-	1	-	-	1	-	-	1	-	2
792	Uraemia	M	21	20	26	12	27	22	20	39	27	38	34
		F	10	10	15	15	16	19	27	19	27	26	27
794	Senility without mention of psychosis	M	3,094	3,475	3,275	2,750	2,817	2,578	2,269	2,253	2,125	1,964	1,520
		F	5,590	6,098	5,844	5,034	5,132	4,970	4,716	4,710	4,335	3,926	3,262
795	Ill-defined and unknown causes of mortality	M	65	49	65	59	49	49	58	55	48	55	64
		F	35	32	30	38	26	39	31	34	30	38	49
800-E999	**XVII ACCIDENTS, POISONINGS, AND VIOLENCE**	**M**	**12,630**	**12,932**	**12,992**	**12,858**	**13,343**	**13,456**	**13,503**	**13,654**	**13,812**	**14,074**	**14,244**
		F	**8,239**	**8,537**	**8,878**	**8,703**	**9,113**	**9,379**	**9,619**	**9,660**	**10,085**	**10,549**	**10,316**
800-E802	**Railway accidents**	**M**	**249**	**283**	**292**	**288**	**300**	**250**	**219**	**254**	**209**	**215**	**189**
		F	**31**	**34**	**39**	**21**	**46**	**30**	**28**	**29**	**22**	**27**	**25**
E800	Involving railroad employee	M	148	166	164	162	119	140	115	139	94	102	95
		F	1	-	-	1	2	2	3	1	-	1	1
E801	Involving passenger	M	19	35	44	19	97	20	20	30	25	37	18
		F	7	10	19	3	33	11	8	9	7	12	7
E802	Involving other and unspecified person	M	82	82	84	107	84	90	84	85	90	76	76
		F	23	24	20	17	11	17	17	19	15	14	17
810-E825	**Motor vehicle traffic accidents***	**M**	**3,289**	**3,552**	**3,655**	**3,608**	**3,966**	**4,345**	**4,676**	**4,669**	**4,451**	**4,522**	**5,160**
		F	**1,158**	**1,256**	**1,284**	**1,219**	**1,400**	**1,607**	**1,881**	**1,875**	**1,779**	**1,754**	**2,030**
E810	Involving collision with railway train	M	7	10	11	13	15	8	6	20	6	13	7
		F	1	-	3	2	4	-	-	5	4	-	5
E812	To pedestrian	M	1,201	1,210	1,275	1,219	1,323	1,299	1,488	1,512	1,421	1,418	1,606
		F	807	813	844	753	900	979	1,174	1,129	1,076	1,099	1,213
E813	To pedal cyclist	M	457	437	458	428	446	524	477	481	412	431	431
		F	79	84	67	68	56	90	91	74	68	58	68
E814	To rider or passenger of motorcycle in collision with non-motor vehicle or object	M	49	60	59	62	57	57	65	48	44	50	47
		F	1	2	8	4	3	4	8	2	3	2	2
E815	To rider or passenger of motorcycle in collision with other motor vehicle	M	696	797	746	730	862	977	1,054	925	840	775	827
		F	38	59	57	60	63	77	99	85	65	56	76
E816	Other motor vehicle traffic accident involving two or more motor vehicles	M	302	389	437	370	533	626	659	746	797	934	1,141
		F	107	153	165	171	204	253	276	370	339	326	412
E817	To occupant of motor vehicle in collision with pedestrian or pedal cycle	M	2	1	1	-	-	1	2	2	1	-	3
		F	-	-	1	-	1	-	1	-	1	-	-
E818	Involving collision with animal or animal-drawn vehicle	M	3	6	2	1	-	3	-	3	1	1	5
		F	-	-	-	1	1	3	1	2	5	2	-
E819	Involving collision with fixed or unspecified object	M	4	2	3	10	10	9	10	9	16	19	10
		F	1	1	2	-	3	-	5	1	6	5	4
E820	While boarding and alighting	M	6	12	21	24	11	22	13	7	10	9	11
		F	9	18	8	10	7	13	21	8	10	13	8
E821	To rider of motorcycle without antecedent collision	M	304	322	327	387	332	396	410	409	306	315	392
		F	31	28	23	32	38	51	44	38	25	27	33
E822	Involving overturning in roadway	M	47	72	48	53	54	55	42	47	82	72	61
		F	15	14	10	16	16	20	13	16	13	15	25
E823	Involving running off roadway	M	130	165	190	231	238	271	349	349	405	379	518
		F	40	49	61	57	61	75	97	101	114	98	143
E824	Other non-collision motor vehicle traffic accident	M	75	62	63	62	64	61	58	66	76	55	48
		F	28	34	31	32	23	26	31	30	25	27	15
E825	Of unspecified nature	M	6	7	13	17	21	36	43	45	34	51	53
		F	1	1	4	13	20	16	20	14	25	26	26
830-E835	**Motor vehicle non-traffic accidents***	**M**	**134**	**104**	**84**	**65**	**68**	**69**	**78**	**84**	**71**	**67**	**78**
		F	**8**	**11**	**13**	**6**	**5**	**5**	**8**	**6**	**5**	**8**	**3**
E830	To pedestrian	M	55	52	47	40	37	39	36	50	34	29	36
		F	8	9	9	6	4	4	6	4	5	6	3
E832	To rider or passenger of motorcycle	M	8	18	5	5	7	9	10	12	15	11	14
		F	-	-	-	-	-	1	-	-	-	-	-
E833	Other motor vehicle non-traffic accident involving two or more motor vehicles	M	1	3	1	1	3	2	-	-	2	4	1
		F	-	-	-	-	-	-	-	-	-	-	-
E834	While boarding and alighting	M	-	-	-	1	1	-	1	2	1	-	-
		F	-	1	1	-	-	-	2	1	-	2	-

E810-E835. Motor vehicle accidents. An analysis of these deaths for years 1954 and on according to the type of vehicle involved (as provided for in the 1955 International Statistical Classification) is not included in this table, but details are available at the General Register Office.

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
E835	Of other and unspecified nature	M	70	30	30	16	20	18	29	19	18	23	26
		F	-	1	3	-	1	-	-	1	-	-	-
E840-E845	**Other road vehicle accidents**	**M**	**198**	**191**	**157**	**170**	**152**	**112**	**114**	**98**	**99**	**74**	**71**
		F	**60**	**56**	**43**	**50**	**66**	**54**	**46**	**46**	**40**	**34**	**41**
E840	Street car accident to pedestrian	M	5	3	6	-	-	1	-	1	1	1	-
		F	3	2	3	1	1	1	1	-	1	1	1
E841	Other street car accident, excluding collision with motor vehicle	M	1	-	-	-	1	-	-	-	-	-	-
		F	1	-	2	-	-	-	-	-	-	-	-
E842	Accident to pedestrian caused by pedal cycle	M	46	38	35	38	24	15	19	18	14	9	10
		F	24	27	25	21	32	25	23	22	22	13	20
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	M	126	131	101	126	119	81	88	71	77	55	57
		F	23	19	9	21	17	21	14	11	9	10	10
E844	Accident to pedestrian caused by other non-motor road vehicle	M	6	2	4	-	1	1	1	-	-	-	1
		F	-	2	1	-	-	-	1	1	1	-	-
E845	Other non-motor road vehicle accidents	M	14	17	11	6	7	14	6	8	7	9	3
		F	9	6	3	7	16	7	7	12	7	10	10
E850-E858	**Water transport accidents**	**M**	**127**	**135**	**140**	**156**	**134**	**147**	**168**	**172**	**164**	**166**	**150**
		F	**5**	**4**	**6**	**5**	**4**	**5**	**6**	**13**	**8**	**5**	**10**
E850	Submersion of occupant of small boat	M	38	43	52	62	66	64	86	81	67	73	74
		F	2	3	4	4	3	4	2	7	5	4	5
E851	Other water transport injury by submersion	M	42	32	44	41	33	31	35	58	46	46	32
		F	1	-	-	-	1	-	1	4	2	-	1
E852	Fall on stairs and ladders in water transport	M	7	4	9	3	3	7	5	2	6	5	3
		F	-	-	-	-	-	-	1	-	-	-	-
E853	Other falls from one level to another in water transport	M	13	20	12	15	11	16	18	16	11	14	19
		F	-	1	-	-	-	-	1	-	-	-	-
E854	Falls on same level in water transport	M	2	1	-	3	2	1	-	2	1	3	-
		F	-	-	1	-	-	1	-	-	-	-	1
E855	Unspecified falls in water transport	M	2	2	1	1	2	1	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
E856	Machinery accident in water transport	M	3	2	3	7	6	9	6	4	7	9	4
		F	-	-	-	-	-	-	-	-	-	-	-
E857	Other specified accidents in water transport	M	20	30	19	23	9	18	18	8	25	16	18
		F	1	-	1	1	-	-	1	2	1	1	3
E860-E866	**Aircraft accidents**	**M**	**222**	**139**	**130**	**145**	**170**	**75**	**51**	**35**	**68**	**34**	**61**
		F	**3**	**5**	**6**	**12**	**27**	**3**	**-**	**2**	**12**	**-**	**5**
E860	Accident to personnel in military aircraft	M	194	106	100	81	63	36	37	13	28	20	31
		F	-	-	1	-	-	-	-	-	-	-	-
E861	Injury to occupant by accident to commercial 'transport' aircraft	M	2	1	7	49	82	25	1	7	18	-	16
		F	2	-	1	7	22	-	-	1	7	-	3
E863	Injury to occupant by accident to other specified aircraft	M	13	8	5	6	11	2	4	8	15	9	6
		F	-	-	1	1	1	-	-	1	3	-	-
E864	Aircraft accident at airfield to person not in aircraft	M	4	7	3	1	5	1	2	-	2	1	4
		F	-	1	-	-	-	-	-	-	-	-	1
E865	Aircraft accident elsewhere to person not in aircraft	M	1	7	5	2	2	4	-	1	1	-	-
		F	-	4	3	3	3	3	-	-	2	-	-
E866	Other and unspecified aircraft accidents	M	8	10	10	6	7	7	7	6	4	4	3
		F	1	-	-	1	1	-	-	-	-	-	1
E870-E888	**Accidental poisoning by solid and liquid substances**	**M**	**150**	**152**	**165**	**176**	**158**	**175**	**195**	**223**	**260**	**324**	**309**
		F	**165**	**169**	**191**	**177**	**191**	**197**	**253**	**241**	**313**	**348**	**423**
E870	Morphine and other opium derivatives	M	2	3	-	1	-	3	-	1	1	1	2
		F	-	-	1	1	1	-	1	2	1	2	1
E871	Barbituric acid and derivatives	M	67	77	91	96	88	96	115	144	176	218	192
		F	117	115	132	112	117	136	178	159	217	264	314
E872	Aspirin and salicylates	M	18	16	18	18	13	18	24	30	18	30	27
		F	14	15	21	26	29	25	41	37	36	30	30
E873	Accidental poisoning by bromides	M	2	-	-	-	-	1	1	1	1	-	-
		F	-	-	1	1	-	-	-	1	-	-	1
E874	Other analgesic and soporific drugs	M	11	7	5	10	10	17	8	3	7	15	18
		F	8	7	6	14	14	10	10	6	9	12	21
E876	Strychnine	M	1	2	-	2	-	1	-	-	-	-	-
		F	-	1	3	-	2	-	1	1	2	-	1
E878	Other and unspecified drugs	M	11	7	14	16	16	16	13	15	28	23	27
		F	10	12	11	7	9	12	14	24	36	24	33
E880	Alcohol	M	11	11	13	15	5	5	15	11	7	17	15
		F	1	6	4	5	4	3	-	1	6	6	6

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
E881	Petroleum products	M	1	5	-	-	-	-	1	2	2	1	-
		F	-	1	-	1	-	-	-	-	-	-	-
E882	Industrial solvents	M	4	2	3	4	2	3	-	2	2	5	3
		F	-	1	2	-	1	1	-	-	1	-	2
E883	Corrosive aromatics, acids, and caustic alkalis	M	6	8	4	4	8	9	4	8	11	5	8
		F	6	2	6	6	8	7	4	4	2	3	5
E884	Mercury and its compounds	M	-	1	1	-	1	1	-	1	-	-	1
		F	-	2	-	-	1	-	-	-	-	1	-
E885	Lead and its compounds	M	4	2	3	-	5	1	2	1	-	1	3
		F	1	-	-	-	-	1	-	2	-	2	1
E888	Other and unspecified solid and liquid substances	M	11	8	12	10	10	4	12	4	7	8	12
		F	7	5	3	3	4	1	3	3	3	4	8
E890-E895	**Accidental poisoning by gases and vapours**	**M**	**326**	**376**	**360**	**369**	**430**	**433**	**464**	**444**	**562**	**604**	**471**
		F	**391**	**476**	**452**	**464**	**525**	**553**	**560**	**570**	**696**	**796**	**559**
E890	Utility (illuminating gas)	M	280	320	301	309	368	377	412	375	481	527	395
		F	380	464	440	448	502	538	536	550	665	751	540
E891	Motor vehicle exhaust gas	M	8	15	15	9	13	10	11	15	17	21	26
		F	2	-	-	1	-	1	1	-	-	2	-
E892	Other carbon monoxide gas	M	23	23	29	27	33	30	28	29	47	40	36
		F	8	10	11	14	21	12	22	20	29	37	18
E894	Other specified gases and vapours	M	15	17	14	22	14	16	11	16	15	14	10
		F	1	1	1	1	2	2	1	-	2	6	1
E895	Accidental poisoning by unspecified gases and vapours	M	-	1	-	1	2	-	1	4	1	2	2
		F	-	-	-	-	-	-	-	-	-	-	-
E900-E904	**Accidental falls**	**M**	**2,118**	**2,019**	**2,124**	**1,991**	**2,010**	**2,105**	**1,906**	**1,889**	**2,006**	**2,073**	**1,873**
		F	**3,235**	**3,310**	**3,459**	**3,305**	**3,474**	**3,538**	**3,559**	**3,487**	**3,490**	**3,613**	**3,441**
E900	Fall on stairs	M	381	405	412	371	373	385	368	343	345	344	324
		F	555	565	536	545	557	544	529	491	510	483	463
E901	Fall from ladders	M	95	81	82	74	78	82	69	77	64	78	65
		F	7	7	11	9	6	11	10	12	14	9	7
E902	Other falls from one level to another	M	503	498	457	450	458	497	447	429	478	429	426
		F	261	214	254	246	236	279	229	213	246	210	197
E903	Fall on same level	M	566	461	482	498	585	627	640	621	799	850	712
		F	1,021	991	1,024	1,100	1,307	1,521	1,652	1,684	1,923	1,991	1,814
E904	Unspecified falls	M	573	574	691	598	516	514	382	419	320	372	346
		F	1,391	1,533	1,634	1,405	1,368	1,183	1,139	1,087	797	920	960
E910-E936	**Other accidents**	**M**	**2,347**	**2,600**	**2,413**	**2,414**	**2,504**	**2,360**	**2,305**	**2,450**	**2,375**	**2,410**	**2,460**
		F	**1,151**	**1,143**	**1,153**	**1,100**	**1,113**	**1,118**	**1,078**	**1,071**	**1,217**	**1,388**	**1,218**
E910	Blow from falling or projected object or missile	M	295	297	285	299	319	266	277	252	222	239	241
		F	13	18	20	7	18	14	19	15	16	15	11
E911	Caused by vehicle	M	75	98	67	83	86	59	55	60	59	72	39
		F	-	-	-	-	1	-	-	-	-	-	1
E912	Caused by machinery	M	173	243	233	245	254	211	207	241	224	207	234
		F	7	4	10	3	6	5	7	7	6	4	4
E913	Caused by cutting and piercing instruments	M	19	21	15	13	21	13	13	18	8	11	7
		F	14	3	3	6	6	5	5	7	4	3	6
E914	Caused by electric current	M	82	92	109	106	101	92	97	111	93	111	112
		F	20	18	14	19	21	29	20	22	19	32	17
E915	Caused by explosion of pressure vessel	M	8	14	7	8	5	7	4	10	9	10	8
		F	-	1	1	1	-	-	-	-	1	2	-
E916	Caused by fire and explosion of combustible material*	M	221	257	233	232	226	268	228	297	315	323	314
		F	437	435	439	398	404	422	413	382	494	560	466
E917	Caused by hot substance, corrosive liquid and steam*	M	54	65	70	52	76	52	47	66	46	51	44
		F	69	60	80	54	63	64	42	38	52	52	39
E919	Caused by firearm	M	83	66	74	74	82	75	59	77	78	69	54
		F	4	5	3	7	1	6	6	6	2	8	6
E921	Inhalation and ingestion of food, causing obstruction or suffocation	M	256	259	249	230	228	212	223	271	278	254	306
		F	173	165	185	157	141	154	180	179	210	219	238
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M	16	21	16	18	35	18	26	8	20	21	13
		F	3	14	11	12	3	14	6	11	5	12	8
E923	Foreign body entering other orifice	M	14	7	9	7	15	12	12	10	13	14	16
		F	23	14	15	5	9	16	16	13	7	11	16
E924	Accidental mechanical suffocation in bed and cradle*	M	132	118	118	93	103	82	76	71	94	94	102
		F	90	70	95	74	77	59	55	51	72	54	67
E925	Accidental mechanical suffocation in other and unspecified circumstances	M	71	65	56	39	31	49	52	63	64	86	57
		F	5	4	1	5	9	7	5	10	14	19	8

* E916, E917, E924. See footnotes to these causes in Table 18A.

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
E926	Lack of care of infants under 1 year of age	M	28	31	28	26	19	30	20	26	23	34	16
		F	28	30	16	34	36	23	12	24	20	27	25
E927	Accidents caused by bites and stings of venomous animals and insects	M	1	3	1	3	4	3	3	3	5	5	1
		F	2	2	4	3	5	1	1	4	-	3	1
E928	Other accidents caused by animals	M	13	20	12	14	12	12	12	14	17	11	13
		F	5	7	3	5	7	8	3	8	3	2	10
E929	Accidental drowning and submersion	M	646	759	637	703	695	719	677	680	591	528	647
		F	189	225	188	227	220	214	197	197	187	174	187
E931	Excessive heat and insolation	M	4	3	-	1	-	3	3	2	-	2	3
		F	-	2	1	4	-	2	1	-	-	1	2
E932	Excessive cold	M	17	12	11	4	8	3	9	6	27	69	11
		F	7	10	9	3	2	6	6	2	13	79	17
E933	Hunger, thirst, and exposure	M	10	18	24	14	14	16	23	19	24	33	26
		F	9	11	10	12	18	11	7	10	17	28	6
E934	Cataclysm	M	2	-	7	-	-	2	1	-	4	-	1
		F	3	1	2	1	1	-	-	-	4	2	-
E935	Lightning	M	5	12	7	7	9	6	6	4	4	2	2
		F	3	3	2	-	2	1	3	3	1	-	1
E936	Other and unspecified accidents	M	121	118	145	143	161	150	175	141	155	162	193
		F	47	41	41	62	63	57	74	82	70	81	82
E940-E946	**Complications due to non-therapeutic medical and surgical procedures**	**M**	**5**	**3**	**4**	**6**	**6**	**1**	**6**	**7**	**5**	**1**	**1**
		F	**2**	**2**	**5**	**7**	**7**	**2**	**4**	**2**	**7**	**3**	**4**
E940	Generalized vaccinia following vaccination	M	-	-	1	1	-	-	1	2	2	-	-
		F	-	-	-	-	1	1	-	1	1	-	-
E941	Postvaccinal encephalitis	M	1	1	1	1	3	1	3	2	2	-	-
		F	-	-	2	2	2	-	1	-	2	-	2
E944	Other complications of prophylactic inoculation	M	4	2	2	3	3	-	1	3	1	1	1
		F	1	1	2	1	2	-	1	1	1	-	1
E946	Other complications due to non-therapeutic medical and surgical procedures	M	-	-	-	-	-	-	1	-	-	-	-
		F	1	-	-	2	-	1	2	-	-	1	1
E950-E959	**Therapeutic misadventure and late complications of therapeutic procedures**	**M**	**35**	**28**	**27**	**23**	**8**	**10**	**4**	**12**	**12**	**7**	**15**
		F	**29**	**28**	**23**	**28**	**5**	**8**	**3**	**8**	**9**	**17**	**15**
E950	Therapeutic misadventure in surgical treatment	M	32	23	22	17	4	5	1	5	2	-	3
		F	22	20	19	20	3	2	-	3	3	2	1
E951	Therapeutic misadventure in infusion or transfusion	M	-	1	-	1	1	1	-	1	3	-	2
		F	1	1	-	3	-	1	3	1	-	3	-
E953	Therapeutic misadventure in administration of drugs or biologicals	M	-	2	2	2	1	-	1	3	5	4	9
		F	3	-	-	2	1	4	-	1	4	7	12
E954	Therapeutic misadventure in anaesthesia	M	-	-	-	-	-	-	-	1	1	-	1
		F	1	-	1	2	-	-	-	1	-	-	-
E955	Other and unspecified therapeutic misadventure	M	3	2	3	2	1	3	1	1	1	1	-
		F	2	2	2	-	-	-	-	2	1	1	-
E960-E965	**Late effects of injury and poisoning**	**M**	**154**	**184**	**153**	**159**	**154**	**155**	**136**	**142**	**138**	**142**	**100**
		F	**32**	**19**	**29**	**37**	**25**	**26**	**31**	**30**	**25**	**22**	**15**
E960	Late effect of motor vehicle accident	M	11	11	9	10	12	13	20	21	22	21	16
		F	2	-	4	2	3	5	6	7	5	3	4
E961	Late effect of accidental poisoning	M	-	1	-	1	1	1	1	1	-	2	1
		F	2	-	-	-	-	1	1	-	-	-	-
E962	Late effect of other accidental injury	M	64	66	44	48	70	63	57	69	73	59	58
		F	28	18	23	32	22	19	23	22	19	19	11
E965	Late effects of injury due to war operations	M	79	106	100	100	71	78	57	51	43	59	25
		F	-	1	2	2	-	1	-	-	-	-	-
E970-E979	**Suicide and self-inflicted injury**	**M**	**3,178**	**3,060**	**3,198**	**3,170**	**3,175**	**3,116**	**3,058**	**3,025**	**3,264**	**3,307**	**3,175**
		F	**1,865**	**1,940**	**2,084**	**2,145**	**2,123**	**2,091**	**2,054**	**2,175**	**2,324**	**2,407**	**2,391**
E970	Poisoning by analgesic and soporific substances	M	222	241	314	294	330	327	335	385	544	704	745
		F	312	354	388	401	445	451	504	634	761	976	1,053
E971	Poisoning by other solid and liquid substances	M	82	90	104	85	69	75	56	76	78	86	79
		F	51	42	54	55	33	46	48	36	58	67	50
E972	Poisoning by gases in domestic use	M	1,356	1,261	1,347	1,399	1,448	1,417	1,421	1,319	1,396	1,367	1,188
		F	1,072	1,073	1,183	1,202	1,189	1,177	1,078	1,060	1,073	1,001	900
E973	Poisoning by other gases	M	39	41	45	67	67	58	94	109	107	115	126
		F	5	2	8	5	7	6	8	10	10	10	17
E974	Injury by hanging and strangulation	M	612	573	562	553	485	438	417	456	465	444	458
		F	128	124	117	132	128	120	124	132	145	106	117
E975	Injury by submersion (drowning)	M	290	282	271	264	251	249	256	232	224	195	185
		F	178	206	213	211	205	197	182	177	172	151	149

TABLE 7 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
E976	Injury by firearms and explosives	M	197	218	210	189	187	212	168	174	187	152	153
		F	6	10	9	14	8	8	9	12	5	9	6
E977	Injury by cutting and piercing instruments	M	160	162	138	130	131	119	107	97	71	64	66
		F	27	22	35	30	31	17	18	24	14	16	14
E978	Injury by jumping from high place	M	76	59	63	70	68	74	60	70	59	51	47
		F	51	57	43	58	38	41	43	36	35	32	50
E979	Injury by other and unspecified means	M	144	133	144	119	139	147	144	107	133	129	128
		F	35	50	34	37	39	28	40	54	51	39	35
E980-E985	**Homicide and injury purposely inflicted by other persons (not in war)**	**M**	**97**	**101**	**90**	**116**	**108**	**103**	**123**	**150**	**123**	**128**	**128**
		F	**104**	**84**	**91**	**127**	**102**	**142**	**108**	**105**	**138**	**127**	**136**
E980	Non-accidental poisoning by another person	M	14	13	21	24	11	9	11	12	16	18	14
		F	23	11	14	29	15	26	11	11	15	12	15
E981	Assault by firearm and explosive	M	15	6	10	14	4	7	9	14	14	12	9
		F	8	4	10	13	11	13	10	6	15	12	10
E982	Assault by cutting and piercing instruments	M	10	12	10	17	19	17	25	29	20	30	38
		F	16	17	15	19	14	22	20	26	21	23	27
E983	Assault by other means	M	44	59	49	59	70	64	75	88	70	66	65
		F	56	51	52	66	62	81	67	62	87	80	84
E985	Execution	M	14	11	-	2	4	6	3	7	3	2	2
		F	1	1	-	-	-	-	-	-	-	-	-
E990-E999	**Injury resulting from operations of war**	**M**	**1**	**5**	**-**	**2**	**-**	**-**	**-**	**-**	**5**	**-**	**3**
		F	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
E999	Injury due to war operations but occurring after cessation of hostilities	M	1	5	-	2	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-
N800-N999	**XVII ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, AND VIOLENCE (NATURE OF INJURY)**	**M**	**12,630**	**12,932**	**12,992**	**12,858**	**13,343**	**13,456**	**13,503**	**13,654**	**13,812**	**14,074**	**14,244**
		F	**8,239**	**8,537**	**8,878**	**8,703**	**9,113**	**9,379**	**9,619**	**9,660**	**10,085**	**10,549**	**10,316**
N800-N804	Fracture of skull	M	3,057	3,169	3,125	3,064	3,210	3,233	3,317	3,249	3,068	2,958	3,282
		F	877	910	972	903	952	1,017	1,136	1,090	1,047	1,013	1,122
N805-N809	Fracture of spine and trunk	M	759	766	793	782	855	855	888	873	855	962	888
		F	372	389	408	406	449	481	555	550	511	549	541
N810-N829	Fracture of limbs	M	1,191	1,127	1,243	1,205	1,166	1,157	1,142	1,151	1,165	1,164	1,125
		F	2,511	2,599	2,787	2,594	2,825	2,836	2,893	2,822	2,847	2,902	2,835
N830-N839	Dislocation without fracture	M	40	58	42	43	50	46	39	49	47	38	32
		F	24	30	23	25	27	22	21	21	21	22	28
N840-N848	Sprains and strains of joints and adjacent muscles	M	2	2	4	3	6	6	3	3	7	12	3
		F	1	2	-	3	4	1	4	1	5	4	3
N850-N856	Head injury (excluding skull fracture)	M	932	962	916	896	957	1,067	1,016	1,056	1,072	1,003	994
		F	429	446	432	446	400	495	486	536	526	534	513
N860-N869	Internal injury of chest, abdomen, and pelvis	M	885	934	933	937	1,057	1,150	1,158	1,235	1,206	1,381	1,512
		F	173	175	186	186	242	294	316	333	329	336	404
N870-N908	Laceration and open wounds	M	429	458	398	395	425	402	372	350	347	318	345
		F	107	108	94	96	104	104	129	133	98	109	115
N910-N929	Superficial injury, contusion and crushing with intact skin surface	M	42	59	54	48	46	43	42	18	38	45	34
		F	90	92	56	58	53	45	60	46	41	41	40
N930-N936	Effects of foreign body entering through orifice	M	289	291	281	265	278	246	265	292	320	294	343
		F	201	193	213	176	156	186	201	201	226	242	265
N940-N949	Burns	M	251	297	265	272	278	269	227	271	278	285	262
		F	480	475	464	406	437	444	402	359	485	522	422
N960-N979	Effects of poisons	M	2,271	2,287	2,458	2,509	2,603	2,614	2,667	2,697	3,079	3,341	3,060
		F	2,057	2,159	2,356	2,391	2,450	2,508	2,524	2,639	3,006	3,313	3,117
N950-N959 N980-N999	All other and unspecified effects of external causes	M	2,482	2,522	2,480	2,439	2,412	2,368	2,367	2,410	2,330	2,273	2,364
		F	917	959	887	1,013	1,014	946	892	929	943	962	911

TABLE 7 - *continued* **Causes of death not included in the tabular series**

004 Primary tuberculosis complex with symptoms, 1954 1F 1963 1F 1964 1M.
006 Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere, -.
021 Early syphilis, 1956, 1F; 1961, 1F.
028 Latent syphilis, -.
031 Chronic gonococcal infection of genito-urinary system, 1954, 1M; 1958, 1M; 1963, 1M; 1964, 1M.
032 Gonococcal infection of joint, -.
033 Gonococcal infection of eye, -.
034 Gonococcal infection of other sites, 1954, 2M; 1956, 1M; 1961, 1M.
036 Chancroid, -.
037 Lymphogranuloma venereum, 1955, 1F; 1957, 1F; 1958, 1F; 1959, 1M; 1960, 1M, 1F; 1964, 1M.
038 Granuloma inguinale, venereal, 1954, 1M; 1961, 1M.
039 Other and unspecified venereal diseases, 1955, 1M, 1F; 1958, 1M; 1960, 1F.
043 Cholera, -.
047 Other protozoal dysentery, 1958, 1F.
054 Bacterial toxaemia, 1955, 1F; 1956, 1F; 1957, 1M; 1960, 1F; 1962, 1F.
058 Plague, 1962, 1M.
059 Tularaemia, -.
060 Leprosy, 1961, 1F; 1964, 1F.
071 Relapsing fever, -.
073 Yaws, -.
074 Other spirochaetal and leptospirochaetal infections, 1955, 1M; 1957, 1F; 1958, 1M; 1960, 1F; 1964, 1F.
080·2 Acute poliomyelitis specified as non-paralytic, -.
090 Dengue, -.
091 Yellow fever, -.
094 Rabies, 1955, 1M; 1956, 1M.
095 Trachoma, -.
100 Louse-borne epidemic typhus, -.
101 Flea-borne endemic typhus (murine), -.
102 Brill's disease, not specified as louse- or flea-borne typhus, 1959, 1M; 1963, 1M.
103 Tabardillo (Mexican typhus), not specified as louse- or flea-borne, -.
104 Tick-borne typhus, -.
105 Mite-borne typhus, -.
106 Volhynian fever (trench fever), -.
107 Typhus, unspecified, -.
108 Other rickettsial diseases, 1960, 1M; 1963, 1F.
110 Vivax malaria (benign tertian), 1957, 1M; 1961, 1M.
111 Malariae malaria (quartan), -.
113 Ovale malaria, -.
114 Mixed malarial infections, -.
115 Blackwater fever, -.
117 Recurrent induced malaria, -.
120 Leishmaniasis, 1958, 1M; 1960, 1M; 1964, 1M.
121 Trypanosomiasis, 1954, 1M; 1957, 2M.
124 Other trematode infestation, 1954, 1M; 1961, 1F.
127 Filariasis, -.
128 Trichiniasis, -.
129 Ankylostomiasis, 1962, 1M.
130 Infestation with worms of other, mixed and unspecified type, 1954, 1M; 1955, 2M; 1962, 1M, 1F; 1963, 1F.
131 Dermatophytosis, 1956, 1M, 1F; 1964, 1F.
133 Coccidioidomycosis, -.
135 Scabies, -.
136 Pediculosis, 1955, 1F.
137 Other arthropod infestation, -.
218 Benign neoplasm of male genital organs, 1959, 1M; 1964, 2M.
220 Benign melanoma of skin, 1961, 1M.
232 Neoplasm of unspecified nature of breast, 1954, 1F; 1955, 1F; 1962, 2F; 1964, 1F.
235 Neoplasm of unspecified nature of other female genital organs, 1964, 1F.
243 Urticaria, 1954, 1F; 1958, 1M; 1963, 1F.
244 Allergic eczema, 1954, 2M.
275 Ovarian dysfunction, 1956, 1F.
276 Testicular dysfunction, -.
312 Phobic reaction, 1957, 1M.
313 Obsessive-compulsive reaction, 1954, 2M; 1957, 1M; 1958, 1M; 1959, 2M; 1962, 1F.
315 Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system, 1956, 1F, 1958, 1M, 1F; 1963, 1M.
321 Immature personality, 1960, 2F; 1961, 1F.
324 Primary childhood behaviour disorders, -.
326 Other and unspecified character, behaviour and intelligence disorders, 1956, 1F; 1960, 1F.
354 Migraine, 1956, 1F; 1957, 1F; 1959, 3F; 1961, 1M; 1962, 1M, 1F; 1963, 1F; 1964, 1F.
360 Facial paralysis, 1954, 1F; 1955, 1F; 1959, 1M; 1960, 1F; 1961, 1M; 1962, 1F; 1963, 2F; 1964, 2F.
362 Brachial neuritis, 1955, 2F.
367 Other diseases of cranial nerves, 1954, 1F; 1956, 1F; 1958, 1F; 1959, 1F; 1962, 2M; 1964, 1F.
369 Diseases of peripheral automatic nervous system, 1956, 1F; 1957, 1M; 1958, 1M; 1960, 2F; 1961, 1M, 2F; 1962, 1M, 2F; 1963, 2F; 1964, 1M, 1F.
371 Blepharitis, 1954, 1F; 1955, 1M; 1961, 1M.
372 Hordeolum (stye), 1954, 1F; 1956, 1F; 1959, 1M; 1960, 1M; 1962, 1M.
373 Iritis, 1956, 1M; 1958, 1F.
374 Keratitis, 1955, 1F; 1960, 1M; 1963, 1F.
375 Choroiditis, 1962, 1F.
378 Inflammation of lachrymal glands and ducts, 1955, 2M; 1960, 1F; 1962, 2F.
380 Refractive errors, -.
382 Corneal opacity, 1961, 1M; 1962, 3M, 1F.
383 Pterygium, -.
390 Otitis externa, 1959, 1M; 1961, 1M; 1962, 1M; 1964, 1F.
397 Deaf mutism, 1957, 1F.
398 Other deafness, 1954, 1F; 1957, 1F; 1959, 1F.
413 Diseases of pulmonary valve specified as rheumatic, -.
534 Toothache from unspecified cause, -.
616 Sterility, male, 1960, 1M.
620 Chronic cystic disease of breast, -.
636 Sterility, female, 1955, 2F; 1956, 1F; 1958, 1F; 1961, 1F; 1962, 2F; 1963, 1F; 1964, 2F.
643 Placenta praevia, 1954, 2F; 1955, 1F.
647 Pregnancy with malposition of foetus in uterus, -.
676 Delivery with laceration of perineum, without mention of other laceration, -.
680 Puerperal urinary infection without other sepsis, 1960, 1F; 1964, 1F.
683 Pyrexia of unknown origin during the puerperium, -.
694 Acute lymphadenitis, 1954, 1M, 1F; 1959, 1F; 1961, 1F; 1964, 1F.
696 Infectious warts, 1958, 2M; 1962, 1M; 1963, 1F.
697 Molluscum contagiosum, -.
702 Occupational dermatitis, 1954, 1M; 1960, 1M; 1961, 1M.
707 Lichen planus, 1954, 1F; 1958, 2M; 1962, 1M; 1964, 1F.
709 Corns and callosities, 1954, 1M; 1955, 1M, 1F; 1957, 1M; 1958, 1M.
711 Other dermatoses, 1955, 1F; 1957, 2M; 1959, 1M; 1960, 1F.
712 Diseases of nail, 1954, 1M; 1956, 1M; 1957, 1M; 1958, 1F; 1960, 1F; 1961, 1M.
713 Diseases of hair and hair follicles, 1957, 1M; 1958, 1M, 1F.
721 Acute non-pyogenic arthritis, -.
722·2 Chronic rheumatoid nodular fibrositis, 1960, 1M, 1F.
732 Osteochondrosis, 1955, 1M; 1956, 1F; 1958, 1M; 1960, 1F; 1961, 1M, 1F; 1963, 1M.
734 Internal derangement of knee joint, 1957, 1F; 1960, 2M, 1F; 1961, 2M; 1964, 1M.
736 Affection of sacro-iliac joint, 1954, 1M; 1955, 1M; 1964, 1M.
742 Synovitis, bursitis and tenosynovitis, without mention of occupational origin, -.
746 Flat foot, -.
781 Other symptoms referable to nervous system and special senses, 1954, 1F; 1955, 1F; 1958, 1M; 1960, 2M; 1961, 1M; 1963, 3F; 1964, 4M, 3F.
787 Symptoms referable to limbs and back, -.
791 Headache, -.
793 Observation, without need for further medical care, -.
E811 Motor vehicle traffic accident involving collision with streetcar, 1956, 1M; 1957, 1M.
E831 Motor vehicle non-traffic accident to pedal cyclist, 1955, 1M; 1956, 1M; 1957, 2M; 1959, 1M; 1960, 2M; 1961, 1M; 1962, 1M; 1964, 1M.
E858 Water transport accident of unspecified cause, 1954, 1F; 1955, 1M; 1957, 1M; 1958, 2M; 1962, 1M.
E862 Other injury in commercial 'transport' aircraft, 1964, 1M.
E875 Accidental poisoning by sulfonamides, -.
E877 Accidental poisoning by belladonna, hyoscine, and atropine, 1955, 1M, 1F; 1964, 1M.
E879 Accidental poisoning by noxious foodstuffs, 1955, 1M; 1956, 1M; 1957, 1F; 1960, 1F.
E886 Accidental poisoning by arsenic and antimony, and their compounds, 1954, 1M, 1F; 1955, 1M; 1958, 1F; 1959, 1F; 1961, 1F.
E887 Accidental poisoning by fluorides, 1955, 1F; 1956, 1F.
E893 Accidental poisoning by cyanide gas, 1955, 1F; 1956, 1M; 1957, 1M; 1960, 1M; 1961, 5M; 1962, 1M; 1964, 2M.
E918 Accident caused by radiation, - .
E920 Foreign body entering the eye and adnexa, 1957, 1F.
E930 High and low air pressure, 1954, 1M; 1955, 1M; 1962, 2M; 1963, 2M.
E942 Other complications of smallpox vaccination, 1957, 1M; 1F; 1958, 1F; 1962, 3F.
E943 Post-immunization jaundice and hepatitis, 1957, 1F.
E945 Complications of anaesthesia for non-therapeutic purpose, 1955, 1F; 1956, 1F; 1958, 1F; 1963, 2F.
E952 Therapeutic misadventure in local applications, 1955, 1F; 1956, 1F; 1958, 1F; 1959, 1F; 1961, 1M; 1963, 1M, 2F; 1964, 2F.
E956 Late complication of surgical operation, 1955, 3F; 1957, 1F; 1961, 1F; 1963, 1F.
E957 Late complication of amputation stump, - .
E958 Late complication of irradiation, 1958, 1M; 1963, 1F.
E959 Late complications of other forms of treatment, 1955, 1F; 1957, 1M; 1959, 1M; 1960, 1M; 1963, 1M.
E963 Late effect of self-inflicted injury, 1957, 1F; 1960, 1M; 1961, 1F; 1962, 1F; 1963, 1M.
E964 Late effect of injury purposely inflicted by another person (not in war), 1960, 1F.
E984 Injury by intervention of police, - .
E990 War injury by gas and chemicals, - .
E991 War injury by gunshot, - .
E992 War injury by grenade and land mine, 1964, 1M.
E993 War injury by bomb, - .
E994 War injury by marine bomb, depth charge and torpedo, - .
E995 War injury by explosion of artillery shell, - .
E996 War injury by explosion of undetermined origin, - .
E997 War injury by aircraft destruction, 1962, *5M.
E998 War injury by other and unspecified means, 1964, 1M.

* E997. These deaths which occurred on the 11th November 1944 were registered in 1962, and are therefore included in the 1962 deaths.

BLE 8. Crude death rates per million living from certain causes, by sex at all ages, 1954 to 1964

England and Wales

Note. 1 Rates are based on total deaths and home populations.
2 Footnotes to individual causes in Table 7 apply also to those causes in this table.
3 The symbols M, F and P in the second column indicate 'Males', 'Females', and all 'Persons' respectively.

CD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
	Estimated mid-year population (in thousands)	M	21,288	21,389	21,517	21,648	21,744	21,885	22,070	22,353	22,660	22,834	23,044
		F	22,986	23,052	23,150	23,259	23,365	23,501	23,685	23,852	24,049	24,194	24,358
		P	44,274	44,441	44,667	44,907	45,109	45,386	45,755	46,205	46,709	47,028	47,401
	ALL CAUSES	**M**	**12,204**	**12,482**	**12,451**	**12,306**	**12,447**	**12,332**	**12,196**	**12,561**	**12,584**	**12,806**	**11,924**
		F	**10,532**	**10,927**	**10,947**	**10,682**	**10,965**	**10,969**	**10,855**	**11,360**	**11,330**	**11,592**	**10,673**
		P	**11,336**	**11,675**	**11,672**	**11,465**	**11,679**	**11,626**	**11,502**	**11,941**	**11,939**	**12,182**	**11,281**
001-138	**I INFECTIVE AND PARASITIC DISEASES**	**M**	**332**	**292**	**248**	**230**	**209**	**189**	**170**	**164**	**152**	**146**	**126**
		F	**160**	**138**	**116**	**108**	**99**	**85**	**79**	**82**	**71**	**70**	**61**
		P	**243**	**212**	**180**	**166**	**152**	**135**	**123**	**122**	**111**	**107**	**93**
001-019	Tuberculosis (all forms)	M	253	212	177	158	147	128	113	108	101	96	80
		F	109	85	68	59	54	44	39	39	34	32	26
		P	178	146	120	107	99	85	75	72	66	63	52
001-008	Respiratory system	M	232	195	164	146	136	120	106	100	93	89	74
		F	92	72	57	47	45	36	32	32	28	24	20
		P	160	131	109	95	89	77	68	65	59	55	47
010-019	Other forms	M	21	17	13	12	12	9	7	7	8	7	6
		F	17	13	11	12	10	8	7	7	6	8	5
		P	19	15	12	12	11	8	7	7	7	7	6
010	Meninges and central nervous system	M	5	3	2	2	2	2	1	2	2	2	1
		F	4	3	2	3	2	2	1	1	1	1	1
		P	4	3	2	2	2	2	1	1	1	2	1
011	Intestines, peritoneum and mesenteric glands	M	2	2	2	1	1	1	1	1	1	1	0
		F	3	2	2	1	1	1	1	1	1	1	1
		P	2	2	2	1	1	1	1	1	1	1	0
12, 013	Bones and joints	M	4	3	2	2	2	2	1	2	2	1	1
		F	3	2	2	2	2	2	2	1	1	2	1
		P	3	3	2	2	2	2	2	1	1	2	1
016	Genito-urinary system	M	6	4	4	4	3	2	2	2	2	2	2
		F	3	2	3	2	2	2	1	2	1	1	1
		P	4	3	3	3	2	2	2	2	2	1	2
019	Disseminated tuberculosis	M	4	3	2	2	2	1	1	1	1	1	1
		F	3	2	2	2	1	1	1	1	1	1	1
		P	3	3	2	2	2	1	1	1	1	1	1
020-029	Syphilis and its sequelae	M	38	37	36	34	30	29	28	25	22	21	22
		F	17	16	16	15	17	14	14	14	13	14	12
		P	27	26	26	24	23	21	21	19	18	17	17
022	Aneurysm of aorta	M	14	16	15	17	14	13	14	13	13	12	14
		F	7	8	7	8	9	8	8	8	8	9	8
		P	11	11	11	12	12	11	11	10	11	10	11
023	Other cardiovascular syphilis	M	13	13	13	11	10	8	8	7	6	5	5
		F	5	5	5	4	4	3	3	4	3	3	2
		P	9	9	9	7	7	5	6	5	4	4	3
024	Tabes dorsalis	M	3	2	3	2	2	2	2	2	1	1	1
		F	1	1	1	1	1	1	1	1	0	1	0
		P	2	2	2	2	1	2	1	1	1	1	1
025	General paralysis of insane	M	4	4	3	2	3	3	3	2	1	2	1
		F	2	2	1	1	1	1	1	1	1	0	0
		P	3	3	2	2	2	2	2	1	1	1	1
026	Other syphilis of central nervous system	M	2	1	2	1	1	1	1	1	1	1	1
		F	1	1	1	1	1	1	1	1	1	1	0
		P	2	1	1	1	1	1	1	1	1	1	0
040-049	Infectious diseases commonly arising in intestinal tract	M	2	3	2	2	2	2	2	2	2	2	1
		F	1	2	2	2	2	2	2	1	1	1	1
		P	2	2	2	2	2	2	2	1	1	1	1
050-064	Other bacterial diseases	M	15	11	12	10	8	8	7	8	8	8	8
		F	13	9	9	9	7	6	5	6	5	6	6
		P	14	10	10	9	7	7	6	7	7	7	7
053	Septicaemia and pyaemia	M	3	2	3	2	2	2	2	3	3	3	3
		F	3	2	2	2	2	1	1	2	2	2	2
		P	3	2	2	2	2	2	2	2	2	2	3
056	Whooping cough	M	3	2	2	1	1	1	1	1	1	1	1
		F	3	2	2	2	1	1	1	0	0	1	1
		P	3	2	2	2	1	1	1	1	1	1	1
057	Meningococcal infections	M	6	5	5	4	3	4	2	3	4	4	2
		F	5	4	3	4	3	3	2	3	2	2	2
		P	6	5	4	4	3	4	2	3	3	3	2

TABLE 8 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
080-096	Diseases attributable to viruses	M	19	25	18	23	17	17	16	19	15	15	12
		F	17	23	17	21	17	16	16	19	16	14	13
		P	18	24	18	22	17	17	16	19	15	15	13
080, 081	Acute poliomyelitis including late effects	M	4	8	4	8	4	2	1	3	1	1	1
		F	2	5	3	4	3	1	1	1	1	0	0
		P	3	6	3	6	3	2	1	2	1	1	1
082, 083	Acute infectious encephalitis including late effects	M	6	6	7	5	6	5	5	5	5	5	5
		F	6	5	5	4	4	4	5	4	4	3	3
		P	6	6	6	5	5	5	5	4	4	4	4
085	Measles	M	1	4	1	2	1	2	1	4	1	3	1
		F	1	4	1	2	1	2	1	3	1	3	2
		P	1	4	1	2	1	2	1	3	1	3	2
092	Infectious hepatitis	M	5	5	5	5	5	5	6	6	5	5	4
		F	7	7	7	7	6	6	7	7	7	5	5
		P	6	6	6	7	5	6	7	6	6	5	4
140-239	**II NEOPLASMS**	**M**	**2,260**	**2,287**	**2,309**	**2,346**	**2,358**	**2,391**	**2,419**	**2,418**	**2,440**	**2,446**	**2,472**
		F	**1,902**	**1,913**	**1,930**	**1,928**	**1,957**	**1,960**	**1,975**	**1,978**	**1,978**	**1,982**	**2,021**
		P	**2,074**	**2,093**	**2,112**	**2,130**	**2,150**	**2,168**	**2,189**	**2,191**	**2,202**	**2,207**	**2,240**
140-205	Cancer, including Hodgkin's disease, leukaemia and aleukaemia	M	2,223	2,252	2,274	2,312	2,333	2,366	2,391	2,391	2,415	2,417	2,441
		F	1,861	1,873	1,891	1,890	1,929	1,929	1,943	1,948	1,949	1,952	1,989
		P	2,035	2,055	2,076	2,094	2,124	2,140	2,159	2,162	2,175	2,178	2,209
140-200, 202, 203, 205	Cancer, excluding Hodgkin's disease, leukaemia and aleukaemia	M	2,146	2,171	2,194	2,225	2,252	2,281	2,302	2,303	2,330	2,328	2,352
		F	1,804	1,817	1,831	1,831	1,869	1,863	1,876	1,884	1,880	1,885	1,921
		P	1,969	1,988	2,005	2,021	2,054	2,065	2,081	2,087	2,098	2,100	2,131
140-148	Malignant neoplasm of buccal cavity and pharynx	M	71	66	57	58	58	57	51	48	47	43	44
		F	28	28	28	29	28	26	28	27	26	25	27
		P	49	47	42	43	43	41	39	37	36	34	35
140	Lip	M	5	5	4	4	4	3	3	4	3	2	3
		F	1	1	1	0	0	0	1	0	0	0	0
		P	3	3	2	2	2	2	2	2	1	1	1
141	Tongue	M	21	18	17	16	17	17	14	12	13	12	13
		F	6	7	7	7	6	6	6	6	5	5	6
		P	13	12	12	11	11	11	10	9	9	8	9
142	Salivary gland	M	4	4	4	4	4	3	3	4	3	3	3
		F	3	3	2	3	3	3	3	2	3	2	3
		P	3	3	3	3	4	3	3	3	3	3	3
143-148	Other or unspecified parts of buccal cavity and pharynx	M	42	39	33	35	34	34	30	28	28	26	26
		F	18	18	18	19	19	16	19	18	18	17	19
		P	30	28	25	27	26	25	25	23	23	21	22
150-159	Malignant neoplasm of digestive organs and peritoneum	M	918	906	887	894	880	875	862	851	841	835	827
		F	793	791	780	769	786	791	779	768	766	762	755
		P	853	846	831	829	831	832	819	809	802	798	790
150	Oesophagus	M	61	63	64	60	60	63	59	61	61	60	59
		F	40	41	41	41	42	41	43	44	44	44	49
		P	50	52	52	50	51	51	50	52	52	52	54
151	Stomach	M	367	371	358	367	365	362	356	348	341	339	325
		F	271	267	266	257	264	262	258	252	244	245	229
		P	317	317	311	310	313	310	305	298	291	291	276
152	Small intestine, including duodenum	M	5	5	5	4	5	5	5	6	5	4	5
		F	4	4	4	3	5	4	6	4	4	5	4
		P	4	5	5	4	5	5	5	5	5	4	5
153	Large intestine, except rectum	M	189	183	176	175	170	165	164	165	163	156	157
		F	237	239	235	232	232	236	230	229	228	223	225
		P	214	212	207	204	202	202	198	198	196	190	192
154	Rectum	M	156	148	146	143	144	140	137	131	130	129	128
		F	107	103	102	98	107	111	103	102	101	105	107
		P	131	125	124	120	125	125	120	116	115	116	117
155	Biliary passages and of liver (stated to be primary site)	M	24	22	23	25	27	28	26	27	27	28	27
		F	33	33	35	34	39	37	37	36	39	37	36
		P	29	27	29	29	33	32	32	32	33	32	32
156	Liver (secondary and unspecified)	M	24	22	21	23	13	13	14	14	14	13	15
		F	24	22	21	20	13	13	12	12	12	12	13
		P	24	22	21	22	13	13	13	13	13	13	14
157	Pancreas	M	83	85	85	87	91	95	94	93	93	98	102
		F	66	70	67	74	75	79	79	80	84	82	83
		P	74	77	76	80	83	87	87	86	88	90	92
158	Peritoneum	M	8	6	6	8	4	4	5	6	5	6	7
		F	9	10	8	10	7	7	8	7	8	8	8
		P	9	8	7	9	6	5	7	7	6	7	7
160-165	Malignant neoplasm of respiratory system	M	697	733	765	795	823	869	895	908	930	944	965
		F	116	121	124	128	132	136	145	153	158	163	172
		P	395	415	433	450	465	490	507	518	532	542	557

TABLE 8 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
160	Nose, nasal cavities, middle ear and accessory sinuses	M	6	6	6	5	6	6	5	4	5	5	6
		F	5	4	4	4	4	4	5	4	5	4	4
		P	5	5	5	4	5	5	5	4	5	4	5
161	Larynx	M	31	32	31	31	30	29	31	29	28	28	25
		F	8	9	7	7	7	8	7	7	6	6	6
		P	19	20	19	19	18	18	18	18	17	16	15
162	Bronchus and trachea, and of lung specified as primary	M	*	445	471	496	526	559	582	598	614	641	654
		F	*	67	72	75	79	80	89	92	97	104	108
		P	*	249	264	278	294	311	327	337	348	365	373
163	Lung, unspecified as to whether primary or secondary	M	*	245	251	260	258	272	274	273	281	268	278
		F	*	38	38	40	40	43	43	49	48	48	52
		P	*	138	141	146	145	153	154	157	161	155	162
164	Mediastinum	M	4	4	3	3	3	3	2	3	1	2	2
		F	2	2	2	2	1	1	1	1	1	1	1
		P	3	3	2	2	2	2	2	2	1	1	1
170-181	Malignant neoplasm of breast and genito-urinary organs	M	295	298	309	304	313	306	313	312	327	320	321
		F	719	729	736	737	764	749	764	766	766	760	783
		P	515	522	530	528	546	535	546	546	553	547	558
170	Breast	M	4	4	3	3	3	3	3	4	3	3	4
		F	362	367	368	368	383	371	382	389	389	390	405
		P	190	192	192	192	200	193	199	203	202	202	210
171-174	Uterus	F	166	167	169	168	176	170	173	167	167	164	164
171	Cervix uteri	F	104	107	108	106	116	109	110	105	104	102	106
172	Corpus uteri	F	51	49	51	52	51	52	53	52	52	49	45
173, 174	Other and unspecified parts of uterus	F	11	10	11	11	10	10	10	10	10	13	13
175	Ovary, Fallopian tube and broad ligament	F	113	120	121	123	124	125	125	128	127	126	129
176	Other and unspecified female genital organs	F	21	21	21	22	22	23	23	21	22	21	21
177	Prostate	M	156	155	164	160	166	164	166	164	169	166	162
178	Testis	M	10	8	9	8	9	9	10	8	9	9	10
179	Other and unspecified male genital organs	M	6	8	7	6	6	7	5	7	6	6	6
180	Kidney	M	32	33	33	33	35	32	32	34	37	36	37
		F	20	18	20	19	22	20	22	22	21	22	23
		P	26	25	26	25	28	26	27	27	29	29	30
181	Bladder and other urinary organs	M	87	91	93	94	92	92	97	96	103	99	103
		F	37	37	37	37	37	41	39	39	40	38	41
		P	61	63	64	65	64	65	67	67	71	68	71
190-199	Malignant neoplasm of other and unspecified sites	M	128	132	138	135	135	130	134	139	139	136	141
		F	121	118	131	134	124	126	123	128	126	135	142
		P	124	125	135	135	129	128	128	133	132	135	141
190, 191	Skin	M	22	22	22	21	19	19	20	19	18	18	18
		F	20	21	19	22	19	19	19	19	19	18	21
		P	21	21	20	21	19	19	20	19	19	18	19
192	Eye	M	2	2	3	3	3	3	3	3	4	3	2
		F	3	2	2	2	3	3	3	3	3	3	3
		P	3	2	3	2	3	3	3	3	3	3	3
193	Brain and other parts of nervous system	M	39	42	41	41	50	48	50	51	50	49	51
		F	27	27	28	29	34	35	33	36	33	35	33
		P	33	34	35	35	42	41	41	43	41	42	42
194	Thyroid gland	M	5	4	5	4	4	5	5	4	5	4	4
		F	12	12	12	11	10	12	12	12	11	12	12
		P	8	8	9	8	7	8	8	8	8	9	8
195	Other endocrine glands	M	3	3	3	3	3	3	2	2	3	2	3
		F	2	2	2	2	2	2	2	2	2	2	2
		P	2	2	3	3	2	2	2	2	2	2	2
196	Bone	M	17	16	18	16	16	15	15	16	14	12	11
		F	14	12	13	12	13	11	11	11	11	10	10
		P	15	14	15	14	14	13	13	13	12	11	11
197	Connective tissue	M	6	5	6	6	5	5	5	6	6	5	6
		F	5	4	5	4	5	4	4	5	6	5	5
		P	5	5	5	5	5	4	4	5	6	5	5
198, 199	Other and unspecified sites	M	34	37	40	40	35	33	34	38	38	42	46
		F	40	40	50	51	39	40	39	41	42	49	56
		P	37	38	45	46	37	37	37	40	40	46	51
200-205	Neoplasms of lymphatic and haematopoietic tissues	M	114	116	118	126	124	128	137	133	132	139	143
		F	84	86	91	93	95	102	104	106	107	107	111
		P	98	101	104	109	109	114	120	119	119	122	127
200	Lymphosarcoma and reticulosarcoma	M	22	22	21	22	24	25	27	26	27	29	31
		F	15	17	16	16	18	19	19	22	20	20	20
		P	18	19	19	19	21	22	23	24	23	24	26

* Comparable data not available.

TABLE 8 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
201	Hodgkin's disease	M	23	23	24	27	22	25	23	24	24	23	21
		F	13	12	13	12	13	14	15	13	15	13	14
		P	18	18	18	19	17	19	19	18	19	18	18
202	Other forms of lymphoma (reticulosis)	M	4	4	4	4	5	3	4	4	4	4	5
		F	3	2	3	3	4	3	3	4	3	3	5
		P	3	3	3	3	4	3	4	4	4	4	5
203	Multiple myeloma (plasmocytoma)	M	10	10	12	12	14	13	15	15	15	16	17
		F	9	11	12	14	12	13	15	15	15	15	18
		P	10	11	12	13	13	13	15	15	15	16	17
204	Leukaemia and aleukaemia	M	54	57	57	60	60	60	67	63	61	66	68
		F	44	43	47	47	46	52	51	52	55	55	53
		P	49	50	52	53	53	56	59	57	58	60	60
	0 Lymphatic leukaemia	M	14	14	13	16	12	13	14	14	14	14	15
		F	10	9	9	10	8	10	9	9	9	10	10
		P	12	12	11	12	10	11	12	11	11	12	13
	1 Myeloid leukaemia	M	12	13	14	14	11	11	10	11	11	12	12
		F	12	12	13	13	11	12	12	12	12	11	12
		P	12	13	13	13	11	12	11	11	11	12	12
	2-4 Other and unspecified leukaemia	M	28	29	30	31	37	36	43	38	37	39	41
		F	23	22	25	24	28	30	30	31	34	34	32
		P	25	26	27	27	32	33	36	34	35	36	36
210-229	Benign neoplasm	M	15	15	14	15	15	14	16	15	13	13	15
		F	26	25	24	24	21	22	23	20	20	19	19
		P	21	20	19	20	18	19	20	17	16	16	17
214	Uterine fibromyoma	F	5	4	4	4	3	4	3	2	2	2	2
216	Ovary	F	5	4	5	5	4	4	4	3	3	3	3
219	Kidney and other urinary organs	M	5	4	3	4	3	3	4	4	2	2	3
		F	1	1	1	2	1	2	1	1	1	1	1
		P	3	3	2	3	2	2	2	2	2	2	2
223	Brain and other parts of nervous system	M	6	6	6	6	6	6	6	6	6	6	6
		F	8	8	7	8	7	8	8	8	7	7	7
		P	7	7	6	7	7	7	7	7	6	6	7
230-239	Neoplasm of unspecified nature	M	22	20	20	19	10	10	12	12	12	15	16
		F	15	15	15	14	7	9	9	10	9	12	13
		P	18	17	18	17	8	10	10	11	10	14	15
237	Brain and other parts of nervous system	M	18	17	17	16	7	8	8	9	9	12	12
		F	12	12	13	12	4	7	7	7	7	9	9
		P	15	14	15	14	6	7	8	8	8	10	10
240-289	**III ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES**	**M**	**111**	**111**	**109**	**99**	**102**	**93**	**97**	**103**	**106**	**113**	**115**
		F	**172**	**178**	**174**	**169**	**170**	**163**	**174**	**183**	**185**	**195**	**186**
		P	**142**	**145**	**142**	**135**	**137**	**129**	**136**	**144**	**146**	**155**	**152**
240-245	Allergic disorders	M	42	42	38	33	29	25	24	25	27	31	35
		F	38	36	39	34	36	29	29	30	32	41	43
		P	40	39	38	34	32	27	26	28	30	36	39
241	Asthma	M	42	41	37	33	28	24	23	25	26	30	34
		F	38	36	39	34	36	29	28	30	32	40	42
		P	40	39	38	34	32	27	26	27	29	35	38
250-254	Diseases of thyroid gland	M	5	4	5	4	4	5	4	4	5	5	4
		F	27	28	26	25	25	26	27	28	29	33	22
		P	16	17	16	15	15	16	16	16	17	19	13
252	Thyrotoxicosis with or without goitre	M	2	2	2	3	2	3	2	2	3	1	2
		F	15	14	13	14	12	13	13	12	12	11	8
		P	9	8	8	8	7	8	8	7	7	6	5
253	Myxoedema and cretinism	M	1	1	2	1	2	2	2	2	2	3	2
		F	10	11	10	10	11	12	12	14	16	20	11
		P	6	6	6	5	6	7	7	8	9	12	7
260	Diabetes mellitus	M	49	51	51	47	53	50	54	60	59	60	61
		F	86	96	92	91	93	89	100	106	103	101	104
		P	68	74	73	70	73	70	78	84	82	81	83
270-277	Diseases of other endocrine glands	M	6	5	6	5	6	4	5	5	6	6	5
		F	9	7	6	7	6	6	6	6	6	7	6
		P	8	6	6	6	6	5	6	6	6	6	6
272	Diseases of pituitary gland	M	1	2	2	2	2	2	2	2	2	2	2
		F	3	3	3	3	2	2	2	2	2	2	2
		P	3	2	2	2	2	2	2	2	2	2	2
274	Diseases of adrenal glands	M	3	2	2	2	3	2	3	2	3	3	2
		F	3	2	2	2	2	2	2	2	3	3	2
		P	3	2	2	2	2	2	2	2	3	3	2
280-289	Avitaminoses, and other metabolic diseases	M	9	9	9	9	10	8	9	9	9	11	10
		F	11	11	10	11	11	12	11	12	14	14	13
		P	10	10	10	10	10	10	10	11	12	13	11

TABLE 8 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
290-299	**IV DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS**	**M**	**38**	**37**	**33**	**34**	**34**	**35**	**35**	**34**	**34**	**32**	**34**
		F	**60**	**58**	**60**	**58**	**56**	**56**	**53**	**56**	**55**	**57**	**52**
		P	**50**	**48**	**47**	**47**	**45**	**46**	**44**	**46**	**45**	**45**	**43**
290	Pernicious and other hyperchromic anaemias	M	13	13	12	12	11	10	11	10	9	9	8
		F	28	27	28	27	25	25	22	23	21	20	18
		P	21	20	20	20	18	18	17	16	15	15	13
	0 Pernicious anaemia	M	12	11	10	10	10	9	9	8	8	7	7
		F	25	24	24	24	21	21	19	20	19	17	16
		P	18	18	18	17	16	15	14	14	13	12	11
	1 Subacute combined degeneration of spinal cord	M	*1*	1	*1*	*1*	*1*	*1*	*1*	*1*	0	0	*0*
		F	2	1	2	1	1	1	1	*1*	1	0	*0*
		P	1	1	1	1	1	1	1	1	1	0	*0*
291	Iron deficiency anaemias (hypochromic anaemias)	M	3	3	3	3	3	5	4	4	4	4	4
		F	8	7	8	8	8	9	9	11	9	11	9
		P	6	5	6	6	6	7	7	7	7	8	6
292	Other anaemias of specified type	M	10	10	9	8	9	9	9	9	9	8	9
		F	11	10	9	10	10	9	8	9	10	12	11
		P	10	10	9	9	9	9	8	9	9	10	10
	4 Aplastic anaemia	M	7	7	6	5	6	5	5	5	6	4	5
		F	8	6	6	6	6	5	4	5	5	7	6
		P	7	6	6	6	6	5	5	5	5	6	5
	0-3, 5-7 Other	M	3	3	3	3	3	4	4	4	4	4	4
		F	3	4	3	4	4	4	4	4	4	5	5
		P	3	3	3	4	4	4	4	4	4	4	5
293	Anaemia of unspecified type	M	2	2	2	2	2	2	3	3	3	3	3
		F	4	5	5	5	5	4	6	5	6	6	6
		P	3	3	3	4	4	3	4	4	4	5	5
300-326	**V MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS**	**M**	**22**	**20**	**17**	**16**	**16**	**17**	**18**	**18**	**20**	**19**	**20**
		F	**31**	**31**	**33**	**30**	**24**	**27**	**27**	**29**	**29**	**30**	**27**
		P	**26**	**26**	**25**	**23**	**20**	**22**	**23**	**23**	**25**	**25**	**23**
300-309	Psychoses	M	16	15	13	12	11	12	14	14	15	14	15
		F	27	25	28	25	20	22	23	24	24	25	23
		P	22	20	21	19	16	17	18	19	19	19	19
304	Senile psychosis	M	10	9	8	7	7	7	9	9	10	9	10
		F	20	18	22	19	15	16	16	18	18	19	17
		P	15	14	15	13	11	12	13	14	14	15	14
320-326	Disorders of character, behaviour, and intelligence	M	4	5	4	3	4	4	4	3	5	4	5
		F	3	4	4	3	3	3	3	3	4	4	3
		P	4	5	4	3	3	3	3	3	4	4	4
325	Mental deficiency	M	3	4	3	3	3	2	3	2	4	3	2
		F	2	4	3	3	2	2	2	2	3	3	2
		P	3	4	3	3	2	2	2	2	3	3	2
330-398	**VI DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS**	**M**	**1,554**	**1,588**	**1,567**	**1,536**	**1,560**	**1,535**	**1,524**	**1,516**	**1,520**	**1,534**	**1,414**
		F	**1,931**	**1,996**	**2,001**	**1,976**	**2,044**	**2,008**	**2,035**	**2,055**	**2,065**	**2,115**	**1,943**
		P	**1,750**	**1,800**	**1,792**	**1,764**	**1,811**	**1,780**	**1,789**	**1,794**	**1,801**	**1,833**	**1,686**
330-334	Vascular lesions affecting central nervous system	M	1,433	1,454	1,442	1,411	1,439	1,412	1,405	1,394	1,398	1,413	1,294
		F	1,811	1,868	1,877	1,854	1,921	1,883	1,909	1,923	1,939	1,987	1,812
		P	1,629	1,669	1,668	1,640	1,689	1,656	1,666	1,667	1,676	1,708	1,560
330	Subarachnoid haemorrhage	M	57	51	58	55	56	56	59	59	61	62	63
		F	76	81	82	82	87	82	90	88	96	96	98
		P	67	66	70	69	72	70	75	74	79	80	81
331	Cerebral haemorrhage	M	626	601	584	553	548	525	530	512	510	515	494
		F	819	808	786	748	761	714	731	705	713	730	683
		P	726	709	689	654	659	623	634	612	614	625	591
332	Cerebral embolism and thrombosis	M	648	693	687	689	711	701	691	685	680	688	589
		F	796	852	880	895	927	930	931	938	934	956	828
		P	725	775	787	795	823	820	815	815	811	826	712
33, 334	Spasm of cerebral arteries and other and ill-defined vascular lesions affecting central nervous system	M	103	109	113	114	125	129	125	138	147	148	148
		F	120	127	129	130	145	156	158	191	196	204	203
		P	112	118	122	122	135	143	142	165	172	177	176
340-345	Inflammatory diseases of central nervous system	M	31	34	30	34	32	31	32	31	31	32	33
		F	32	34	34	34	35	34	34	36	34	35	36
		P	31	34	32	34	33	33	33	33	33	33	34
340	Meningitis, except meningococcal and tuberculous	M	9	10	9	11	9	8	9	9	10	9	11
		F	6	6	7	6	6	6	7	7	8	8	8
		P	7	8	8	8	8	7	8	8	9	8	10
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M	3	3	2	3	3	3	3	3	3	2	3
		F	2	3	3	3	2	2	2	2	2	3	2
		P	2	3	3	3	3	2	2	2	2	3	2
345	Multiple sclerosis	M	15	16	15	14	15	16	16	15	14	15	14
		F	21	22	21	22	23	23	23	23	22	20	22
		P	18	19	18	18	19	20	19	19	18	18	18

TABLE 8 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
350-357	Other diseases of central nervous system	M	78	90	84	83	81	83	81	84	82	83	81
		F	80	87	83	82	83	85	84	91	87	87	88
		P	79	88	84	82	82	84	83	87	84	85	84
350	Paralysis agitans	M	28	36	31	32	32	33	32	31	31	31	29
		F	35	40	38	36	37	41	40	42	39	38	38
		P	32	38	35	34	34	37	36	37	35	34	34
351	Cerebral spastic infantile paralysis	M	3	3	4	3	3	3	3	3	3	3	2
		F	3	3	3	2	2	2	2	2	3	2	2
		P	3	3	3	3	2	3	3	2	3	2	2
352	Other cerebral paralysis	M	10	11	11	10	10	11	11	11	12	13	11
		F	11	13	13	13	13	13	13	16	14	15	17
		P	11	12	12	11	12	12	12	13	13	14	14
353	Epilepsy	M	16	19	18	17	16	16	15	17	16	17	15
		F	15	16	15	14	15	12	13	14	14	14	11
		P	15	17	16	15	16	14	14	15	15	15	13
355	Other diseases of brain	M	5	5	5	5	5	4	5	6	5	6	6
		F	4	4	5	5	5	5	5	6	7	7	7
		P	5	4	5	5	5	5	5	6	6	6	7
356	Motor neurone disease and muscular atrophy	M	14	14	14	15	14	14	14	14	14	13	15
		F	10	9	9	10	10	11	10	10	9	9	11
		P	12	12	11	12	12	13	12	12	12	11	13
	0 Progressive muscular atrophy	M	10	9	8	9	8	9	7	7	7	5	6
		F	7	7	6	6	6	6	6	5	5	5	5
		P	9	8	7	8	7	7	6	6	6	5	5
360-369	Diseases of nerves and peripheral ganglia	M	3	2	2	2	2	2	1	2	2	2	2
		F	2	2	2	1	1	1	3	1	2	2	2
		P	3	2	2	1	2	2	2	2	2	2	2
390-398	Diseases of ear and mastoid process	M	8	8	7	6	5	6	4	4	6	4	4
		F	5	4	3	3	2	2	3	3	2	3	3
		P	6	6	5	4	4	4	3	4	4	4	4
391	Otitis media without mention of mastoiditis	M	7	6	6	4	4	5	3	3	4	3	4
		F	4	3	3	2	2	2	2	2	2	3	3
		P	5	5	4	3	3	3	3	3	3	3	3
400-468	**VII DISEASES OF THE CIRCULATORY SYSTEM**	**M**	**4,446**	**4,521**	**4,558**	**4,425**	**4,595**	**4,401**	**4,542**	**4,579**	**4,654**	**4,752**	**4,424**
		F	**3,973**	**4,131**	**4,124**	**3,980**	**4,183**	**4,065**	**4,151**	**4,293**	**4,277**	**4,344**	**3,953**
		P	**4,200**	**4,319**	**4,333**	**4,194**	**4,381**	**4,227**	**4,340**	**4,432**	**4,460**	**4,542**	**4,182**
400-402	Rheumatic fever	M	7	5	5	4	3	3	3	3	3	2	1
		F	6	5	5	4	3	3	3	2	2	2	1
		P	7	5	5	4	3	3	3	2	2	2	1
410-416	Chronic rheumatic heart disease	M	148	140	142	138	118	113	112	115	112	104	92
		F	237	232	223	225	208	195	196	205	199	188	166
		P	194	188	184	183	165	156	156	162	157	147	130
410	Diseases of mitral valve	M	100	95	92	89	75	71	68	71	68	64	56
		F	185	176	170	169	155	144	145	148	145	136	119
		P	144	137	132	131	117	109	108	111	108	101	88
411	Diseases of aortic valve specified as rheumatic	M	14	13	15	16	16	14	15	16	17	15	14
		F	7	7	8	7	8	7	8	8	7	10	8
		P	11	10	11	11	12	11	11	12	12	12	11
412-414	Diseases of tricuspid valve, pulmonary valve specified as rheumatic, and other endocarditis specified as rheumatic	M	12	12	13	11	9	8	7	7	7	6	6
		F	16	18	15	15	12	12	12	12	10	8	8
		P	14	15	14	13	11	10	9	10	9	7	7
415	Other myocarditis specified as rheumatic	M	5	4	4	4	3	3	2	2	2	2	1
		F	7	7	6	6	5	4	3	4	4	3	2
		P	6	5	5	5	4	3	2	3	3	2	1
416	Other heart disease specified as rheumatic	M	16	17	17	18	15	18	19	18	18	17	16
		F	23	25	25	27	28	28	30	33	32	31	30
		P	20	21	21	23	22	23	25	26	25	24	23
420-422	Arteriosclerotic and degenerative heart disease	M	3,273	3,351	3,393	3,287	3,460	3,322	3,446	3,473	3,577	3,659	3,459
		F	2,676	2,773	2,772	2,648	2,815	2,733	2,795	2,866	2,892	2,945	2,698
		P	2,963	3,051	3,071	2,956	3,126	3,017	3,109	3,160	3,224	3,292	3,068
420	Arteriosclerotic heart disease, including coronary disease	M	2,016	2,097	2,206	2,230	2,395	2,385	2,561	2,612	2,766	2,883	2,824
		F	1,084	1,163	1,222	1,243	1,368	1,393	1,497	1,567	1,655	1,737	1,692
		P	1,532	1,613	1,696	1,719	1,863	1,871	2,010	2,073	2,194	2,293	2,242
	0 Arteriosclerotic heart disease so described	M	12	14	13	16	21	19	23	27	30	32	30
		F	11	11	12	16	23	21	26	34	38	37	34
		P	11	13	13	16	22	20	25	31	34	34	32
	1 Heart disease specified as involving coronary arteries	M	1,984	2,066	2,180	2,201	2,363	2,357	2,529	2,577	2,730	2,845	2,790
		F	1,062	1,139	1,200	1,218	1,336	1,364	1,463	1,528	1,611	1,694	1,654
		P	1,506	1,585	1,672	1,692	1,831	1,843	1,977	2,035	2,154	2,253	2,206
	2 Angina pectoris without mention of coronary disease	M	20	17	14	12	11	10	8	8	6	6	4
		F	12	13	10	9	8	7	7	6	6	5	4
		P	16	15	12	11	10	8	8	7	6	6	4

TABLE 8 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
421	Chronic endocarditis not specified as rheumatic	M	81	75	75	81	77	69	76	72	75	70	62
		F	64	60	59	70	65	65	66	69	68	67	53
		P	72	67	67	75	71	67	71	71	72	68	57
	0 Of mitral valve, specified as non-rheumatic	M	3	2	3	4	5	5	4	5	6	4	4
		F	3	3	5	8	8	9	9	9	10	9	7
		P	3	3	4	6	7	7	7	7	8	7	5
	1 Of aortic valve, not specified as rheumatic	M	55	54	53	61	58	52	60	59	60	59	52
		F	32	31	33	39	38	39	42	45	45	47	37
		P	43	42	43	50	47	45	51	52	52	52	45
	2-4 Of tricuspid valve, specified as non-rheumatic, pulmonary valve, not specified as rheumatic, and other and ill-defined, not specified as rheumatic	M	23	19	18	16	14	12	12	9	10	7	6
		F	29	25	21	23	19	17	16	15	13	11	9
		P	26	22	20	20	17	15	14	12	12	9	7
422	Other myocardial degeneration	M	1,177	1,179	1,112	976	988	868	809	789	736	706	573
		F	1,528	1,550	1,490	1,335	1,382	1,275	1,232	1,230	1,169	1,142	953
		P	1,359	1,371	1,308	1,162	1,192	1,079	1,028	1,016	959	931	768
	0 Fatty degeneration	M	5	5	4	4	4	3	2	2	1	2	1
		F	8	8	7	6	5	5	5	4	3	4	3
		P	7	6	6	5	4	4	3	3	2	3	2
	1 With arteriosclerosis	M	506	519	502	436	452	407	381	374	355	341	282
		F	614	634	621	578	606	572	561	563	535	530	441
		P	562	579	563	510	532	492	474	471	448	438	363
	2 Other	M	665	655	606	536	532	459	427	413	380	363	290
		F	905	907	862	751	771	698	666	663	630	609	510
		P	790	786	739	647	656	583	551	542	509	489	403
430-434	Other diseases of heart	M	240	240	244	262	269	258	273	288	282	289	262
		F	256	266	278	291	306	303	316	345	342	347	315
		P	248	253	262	277	288	281	295	317	313	319	289
430	Acute and subacute endocarditis	M	9	10	9	9	9	9	8	9	8	9	8
		F	5	5	5	6	6	5	6	5	5	5	5
		P	7	7	7	7	7	7	7	7	7	7	6
431	Acute myocarditis not specified as rheumatic	M	4	3	4	3	2	3	3	3	3	4	3
		F	3	2	3	3	3	3	3	3	3	4	3
		P	3	3	3	3	3	3	3	3	3	4	3
433	Functional disease of heart	M	109	97	100	98	100	88	87	84	82	79	67
		F	155	149	149	144	146	139	134	139	128	126	110
		P	133	124	125	122	124	114	111	112	106	103	89
434	Other and unspecified diseases of heart	M	117	129	131	151	158	157	174	191	188	197	183
		F	92	108	121	138	150	156	173	198	204	212	197
		P	104	119	126	145	154	156	173	195	196	204	190
440-443	Hypertensive heart disease	M	267	273	269	254	238	213	212	201	188	179	149
		F	290	318	313	305	304	286	279	282	261	256	215
		P	279	296	292	280	272	251	247	243	225	219	183
440	Essential benign hypertensive heart disease	M	4	5	5	5	5	4	4	4	4	3	2
		F	5	5	6	6	6	5	6	7	5	5	3
		P	5	5	5	6	5	5	5	5	4	4	3
441	Essential malignant hypertensive heart disease	M	5	6	6	5	5	4	5	4	5	3	3
		F	4	2	3	3	3	3	2	2	2	2	1
		P	4	4	4	4	4	4	3	3	3	2	2
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	6	6	7	6	5	4	3	3	3	3	2
		F	7	8	6	6	6	5	4	4	3	4	2
		P	6	7	6	6	5	5	4	4	3	3	2
443	Other and unspecified hypertensive heart disease	M	252	256	252	238	223	200	200	190	177	170	142
		F	275	302	298	290	290	273	267	269	250	246	208
		P	264	280	276	265	258	238	235	231	215	209	176
444-447	Other hypertensive disease	M	190	185	175	165	162	149	142	130	115	113	94
		F	182	180	173	158	164	151	144	141	126	120	97
		P	186	183	174	162	163	150	143	136	120	116	96
444	Essential benign hypertension	M	132	127	122	115	111	99	94	91	78	74	60
		F	140	144	136	126	130	118	116	115	101	95	73
		P	136	136	129	121	121	109	105	103	90	85	67
445	Essential malignant hypertension	M	34	35	34	33	32	33	32	25	21	23	22
		F	20	14	16	16	17	16	15	12	11	11	10
		P	26	24	25	24	24	24	23	19	16	17	15
446	Hypertension with arteriolar nephrosclerosis	M	24	23	20	18	18	17	15	13	15	16	12
		F	22	21	20	17	17	17	14	14	15	14	14
		P	23	22	20	17	18	17	14	14	15	15	13
447	Other hypertensive disease without mention of heart	M	0	0	0	0	0	0	0	0	-	0	0
		F	0	0	0	0	0	0	0	0	0	0	0
		P	0	0	0	0	0	0	0	0	0	0	0
450-456	Diseases of arteries	M	277	281	279	265	295	284	291	300	307	325	288
		F	267	293	289	278	307	314	330	350	355	369	343
		P	272	287	284	271	301	299	311	326	332	348	316

TABLE 8 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
450	General arteriosclerosis	M	225	225	220	198	221	209	211	218	213	220	189
		F	228	251	242	231	253	261	269	289	285	296	269
		P	227	238	231	215	238	236	241	255	250	260	230
	0 Without mention of gangrene	M	197	198	193	177	197	187	185	195	187	198	169
		F	207	229	221	210	232	239	246	262	261	272	247
		P	202	214	207	194	215	214	217	230	225	236	209
	1 With mention of gangrene as a consequence	M	27	27	27	22	24	23	26	23	26	23	19
		F	21	22	21	21	21	22	23	27	24	24	22
		P	24	25	24	21	23	22	24	25	25	23	21
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm	M	40	43	47	52	60	60	65	66	77	85	81
		F	29	31	36	36	43	40	47	45	54	55	54
		P	34	37	41	44	51	50	55	55	65	69	67
452-456	Other diseases of arteries	M	13	13	13	14	14	15	16	17	17	20	18
		F	10	11	11	11	11	12	14	16	17	18	19
		P	11	12	12	12	12	13	15	16	17	19	19
460-468	Diseases of veins and other diseases of circulatory system	M	43	47	50	51	50	59	64	70	71	81	79
		F	59	64	72	70	76	80	88	100	101	117	118
		P	51	56	61	61	63	70	76	86	86	99	99
460	Varicose veins of lower extremities	M	2	2	3	2	2	3	3	3	3	3	1
		F	9	9	9	7	7	7	8	7	6	7	6
		P	6	6	6	5	5	5	5	5	5	5	4
463	Phlebitis and thrombo-phlebitis of lower extremities	M	5	7	7	6	6	6	6	6	6	7	5
		F	10	10	11	11	11	11	11	13	12	11	10
		P	7	8	9	9	8	9	9	9	9	9	8
465	Pulmonary embolism and infarction	M	19	22	21	22	22	29	32	34	35	37	37
		F	19	21	25	24	29	31	34	38	40	45	47
		P	19	21	23	23	26	30	33	36	37	41	42
466	Other venous embolism and thrombosis	M	12	12	15	17	15	17	19	22	23	29	31
		F	17	20	23	23	25	28	31	38	39	49	51
		P	15	16	19	20	20	22	25	30	31	39	41
470-527	**VIII DISEASES OF THE RESPIRATORY SYSTEM**	**M**	**1,460**	**1,654**	**1,677**	**1,753**	**1,703**	**1,862**	**1,578**	**1,940**	**1,894**	**2,053**	**1,671**
		F	**873**	**1,013**	**1,055**	**1,035**	**1,018**	**1,183**	**934**	**1,247**	**1,242**	**1,372**	**1,062**
		P	**1,155**	**1,321**	**1,355**	**1,381**	**1,348**	**1,510**	**1,245**	**1,582**	**1,558**	**1,703**	**1,358**
470-475	Acute upper respiratory infections	M	4	3	3	3	3	3	3	3	3	3	2
		F	4	3	3	3	3	3	2	3	2	3	3
		P	4	3	3	3	3	3	3	3	2	3	2
480-483	Influenza	M	41	68	59	164	56	178	25	156	67	63	21
		F	41	66	58	136	51	169	23	152	75	73	23
		P	41	67	59	150	53	173	24	154	71	68	22
480	Influenza with pneumonia	M	22	36	31	116	35	119	15	97	42	40	14
		F	19	34	28	96	30	108	14	93	46	46	14
		P	20	35	29	106	33	113	14	95	44	43	14
481	Influenza with other respiratory manifestations, and influenza unqualified	M	19	31	28	47	20	58	10	58	25	23	7
		F	20	31	30	38	20	60	9	57	28	27	9
		P	20	31	29	42	20	59	9	58	26	25	8
490-493, 763	Pneumonia	M	458	519	542	558	566	624	556	649	659	760	616
		F	397	465	499	494	525	583	541	648	696	802	653
		P	426	491	520	525	545	602	548	649	678	781	635
490	Lobar pneumonia (age 4 weeks and over)	M	88	93	92	87	80	81	74	84	84	88	71
		F	64	64	63	58	58	60	57	62	65	68	56
		P	76	78	77	72	69	70	65	72	74	78	64
491	Bronchopneumonia (age 4 weeks and over)	M	316	369	392	411	429	486	425	505	516	614	493
		F	296	361	396	394	428	477	441	538	583	684	557
		P	305	365	394	402	428	481	433	522	550	650	526
492	Primary atypical pneumonia (age 4 weeks and over)	M	4	3	4	7	5	6	6	8	8	9	9
		F	3	3	3	5	4	5	6	6	6	7	6
		P	4	3	4	6	4	6	6	7	7	8	7
493	Pneumonia, other and unspecified	M	28	31	31	33	29	30	30	33	31	31	27
		F	21	24	24	25	22	27	25	31	30	31	24
		P	24	27	28	29	25	29	27	32	31	31	26
763	Pneumonia of the newborn*	M	1·37	1·41	1·40	1·15	1·34	1·15	1·12	1·02	1·09	0·91	0·78
		F	0·88	0·93	0·89	0·81	0·90	1·84	0·74	0·71	0·72	0·67	0·54
		P	1·13	1·17	1·15	0·99	1·13	1·00	0·93	0·87	0·91	0·80	0·67
500-502	Bronchitis	M	806	903	924	876	935	923	861	993	1,030	1,088	901
		F	375	420	433	350	388	377	316	384	413	434	327
		P	582	652	670	603	652	640	579	679	713	751	606
500	Acute bronchitis	M	70	79	78	65	69	68	52	61	64	70	46
		F	75	82	87	62	68	67	49	63	66	71	48
		P	73	81	83	63	69	68	51	62	65	71	47
501	Bronchitis, unqualified	M	50	50	49	41	45	42	35	41	39	42	33
		F	45	46	49	36	43	40	30	39	41	46	30
		P	48	48	49	39	44	41	32	40	40	44	31

* 763. Rates per 1,000 live births (related live births prior to 1957; live birth occurrences from 1957).

TABLE 8 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
502	Chronic bronchitis	M	686	773	797	770	822	813	774	892	927	975	823
		F	255	292	297	251	277	270	237	282	307	317	249
		P	462	524	538	501	539	532	496	577	608	636	528
	0 Bronchitis with emphysema	M	307	372	389	394	428	421	408	459	473	497	421
		F	56	70	79	67	78	79	71	83	88	94	75
		P	177	215	228	225	247	244	233	265	275	290	243
	1 Other	M	379	401	408	376	393	391	366	433	454	478	402
		F	199	222	219	184	199	192	166	200	219	223	174
		P	285	308	310	277	293	288	263	313	333	346	285
510-527	Other diseases of respiratory system	M	174	183	171	172	167	156	154	158	156	157	146
		F	69	72	75	64	66	65	64	71	68	72	66
		P	119	126	121	116	114	109	107	113	111	113	105
518	Empyema	M	5	4	4	3	4	3	3	3	2	3	2
		F	2	2	2	2	2	2	2	1	1	2	1
		P	3	3	3	2	3	2	2	2	2	3	2
519	Pleurisy	M	2	2	3	1	1	1	2	2	2	1	1
		F	2	1	2	1	1	1	2	1	2	1	1
		P	2	2	2	1	1	1	2	2	2	1	1
522	Pulmonary congestion and hypostasis	M	12	12	12	8	9	9	11	10	11	12	11
		F	19	20	20	15	15	16	17	20	20	19	19
		P	16	16	16	11	12	13	14	15	16	16	15
523, 524	Silicosis, and occupational pulmonary fibrosis	M	31	34	32	36	34	30	30	32	30	30	29
		F	0	0	1	0	1	1	1	1	1	0	0
		P	15	17	16	18	17	15	15	16	15	15	14
525	Other chronic interstitial pneumonia	M	8	9	9	8	9	8	9	10	10	12	13
		F	4	4	3	4	5	5	4	5	5	6	7
		P	6	7	6	6	7	6	6	7	7	9	10
526	Bronchiectasis	M	66	69	59	60	55	52	48	48	45	43	40
		F	29	31	31	29	26	25	23	26	24	25	22
		P	47	49	45	44	40	38	35	37	34	34	31
527	Other diseases of lung and pleural cavity	M	42	46	47	49	49	47	46	46	49	49	44
		F	9	10	13	10	12	12	11	13	12	14	13
		P	25	27	29	29	30	29	28	29	30	31	28
	1 Emphysema without mention of bronchitis	M	39	43	43	45	46	43	42	43	44	44	39
		F	7	8	10	8	9	9	9	9	10	10	9
		P	22	25	26	26	27	26	25	25	27	26	24
530-587	**IX DISEASES OF THE DIGESTIVE SYSTEM**	**M**	**421**	**418**	**398**	**385**	**378**	**354**	**363**	**356**	**354**	**338**	**322**
		F	**310**	**315**	**310**	**301**	**297**	**305**	**313**	**314**	**314**	**317**	**308**
		P	**363**	**365**	**352**	**342**	**336**	**328**	**337**	**334**	**333**	**327**	**315**
530-539	Diseases of buccal cavity and oesophagus	M	6	6	4	6	5	4	5	5	5	5	5
		F	7	6	6	6	6	6	6	6	7	8	6
		P	6	6	5	6	6	5	6	6	6	7	6
540-545	Diseases of stomach and duodenum	M	197	194	184	171	163	148	151	139	144	130	119
		F	70	72	72	67	67	67	69	65	70	69	60
		P	131	131	126	117	114	106	108	101	106	98	89
540	Ulcer of stomach	M	88	87	84	77	74	66	67	62	62	59	54
		F	40	42	43	41	40	41	42	39	41	41	35
		P	63	64	63	58	57	53	54	50	51	49	44
	0 Without mention of perforation	M	64	63	61	56	55	50	51	47	44	45	42
		F	30	32	34	31	33	33	32	31	32	32	27
		P	46	47	47	43	43	41	41	39	38	38	34
	1 With perforation	M	24	24	23	21	19	16	17	15	17	14	12
		F	9	10	10	10	7	8	10	8	9	9	8
		P	17	17	16	15	13	12	13	12	13	11	10
541	Ulcer of duodenum	M	100	99	92	88	84	75	76	70	75	64	58
		F	24	25	24	22	23	22	23	22	26	23	21
		P	61	60	57	54	52	47	49	45	50	43	39
	0 Without mention of perforation	M	63	62	59	55	52	48	47	45	49	39	35
		F	14	15	15	13	13	13	14	13	15	12	12
		P	38	37	36	33	32	30	30	28	31	26	23
	1 With perforation	M	38	37	33	33	31	27	29	25	26	24	23
		F	10	10	9	8	9	9	9	9	11	10	9
		P	23	23	21	20	20	18	19	17	18	17	16
550-553	Appendicitis	M	26	23	24	23	21	20	17	16	15	13	12
		F	18	16	14	13	14	12	11	12	11	11	9
		P	22	19	19	18	18	15	14	14	13	12	11
550	Acute appendicitis	M	21	19	20	19	18	17	14	14	13	11	10
		F	15	13	11	11	12	9	9	10	9	9	7
		P	18	16	15	15	15	13	12	12	11	10	9
	0 Without mention of peritonitis	M	3	3	3	3	3	2	2	2	2	1	2
		F	2	2	2	1	2	1	1	2	1	2	1
		P	3	2	3	2	2	2	2	2	1	2	1

TABLE 8 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
	1 With peritonitis	M	18	16	16	16	15	14	12	11	12	10	8
		F	13	11	9	10	10	8	8	8	8	7	7
		P	15	14	13	13	13	11	10	10	10	8	7
551-553	Other and unqualified appendicitis	M	4	3	5	4	3	3	3	3	2	2	2
		F	3	3	3	2	2	2	2	2	2	2	2
		P	4	3	4	3	3	2	2	2	2	2	2
560, 561	Hernia of abdominal cavity	M	36	39	36	36	33	32	32	33	33	30	30
		F	35	35	37	35	32	36	32	35	35	32	33
		P	35	37	37	35	32	34	32	34	34	31	31
560	Hernia of abdominal cavity without mention of obstruction	M	9	10	9	10	9	10	10	10	10	10	12
		F	7	7	8	7	8	9	8	10	10	10	12
		P	8	8	8	8	8	9	9	10	10	10	12
561	Hernia of abdominal cavity with obstruction	M	27	29	27	26	24	22	22	24	22	21	18
		F	28	28	30	28	24	27	24	25	25	22	21
		P	27	28	28	27	24	25	23	24	24	21	19
570-578	Other diseases of intestines and peritoneum	M	88	88	83	83	86	83	88	90	87	90	87
		F	90	94	93	95	95	97	105	108	106	112	112
		P	89	91	88	89	90	90	97	99	97	101	100
570	Intestinal obstruction without mention of hernia	M	33	31	33	31	32	32	34	35	31	34	31
		F	28	31	31	28	31	31	35	35	35	37	35
		P	30	31	32	30	31	32	35	35	33	35	33
	2 Mesenteric infarction	M	10	8	9	9	9	9	11	12	11	12	11
		F	8	9	9	10	10	12	14	14	14	14	14
		P	9	8	9	9	10	11	12	13	13	13	13
	3 Volvulus	M	9	9	10	9	8	10	8	9	7	8	8
		F	6	7	8	6	7	7	7	6	7	7	8
		P	7	8	9	8	7	8	7	7	7	7	8
	4 Impaction of intestine	M	2	2	2	1	1	1	2	1	2	1	1
		F	3	4	3	2	2	2	2	3	3	3	2
		P	3	3	3	2	2	1	2	2	2	2	1
	5 Other	M	9	10	9	10	11	11	12	10	9	11	9
		F	8	9	9	8	10	9	11	11	11	11	10
		P	9	9	9	9	10	10	11	10	10	11	9
571	Gastro-enteritis and colitis except ulcerative (age 4 weeks and over)	M	20	21	17	16	17	16	17	18	20	19	19
		F	20	19	16	17	15	16	19	20	20	19	22
		P	20	20	16	17	16	16	18	19	20	19	21
	0 Ages between 4 weeks and 2 years*	M	406	409	266	278	243	252	285	280	333	273	305
		F	313	287	195	197	163	163	196	230	272	202	227
		P	361	350	231	239	204	209	242	256	303	238	267
	1 Ages 2 years and over	M	7	9	8	7	9	8	8	8	8	9	8
		F	11	12	11	11	10	11	13	13	11	12	14
		P	9	10	10	9	10	10	10	11	10	11	11
572	Chronic enteritis and ulcerative colitis	M	24	25	23	25	27	26	27	27	26	25	25
		F	32	33	36	38	41	41	42	43	40	44	43
		P	28	29	30	32	34	34	35	35	33	34	34
	1 Diverticulitis	M	15	15	13	15	17	17	18	18	16	16	15
		F	18	20	21	24	26	29	29	31	28	30	31
		P	17	17	17	20	22	23	23	25	22	23	23
	2 Ulcerative colitis	M	6	8	8	8	8	7	8	7	7	7	7
		F	13	11	13	12	12	10	11	10	10	11	9
		P	10	10	10	10	10	9	9	8	9	9	8
573-578	Other diseases of intestines and peritoneum	M	11	11	10	11	10	8	10	11	10	12	12
		F	10	11	10	11	9	9	10	10	11	13	13
		P	10	11	10	11	9	9	10	10	10	12	12
580-587	Diseases of liver, gallbladder and pancreas	M	69	69	66	67	70	67	71	72	70	70	70
		F	90	92	87	87	83	87	88	88	85	86	87
		P	80	81	77	77	77	77	80	80	77	78	79
581	Cirrhosis of liver	M	30	29	29	31	30	28	31	33	31	31	29
		F	23	24	23	23	23	25	25	27	25	26	27
		P	26	26	26	27	26	27	28	30	28	28	28
584	Cholelithiasis	M	13	13	13	11	13	13	11	10	11	10	9
		F	26	26	25	25	23	23	22	21	19	18	19
		P	19	20	19	18	18	18	16	15	15	14	14
585	Cholecystitis and cholangitis, without mention of calculi	M	9	9	9	8	9	8	7	8	7	7	7
		F	20	19	18	17	16	16	17	16	14	13	13
		P	15	14	13	13	13	12	12	12	10	10	10
587	Diseases of pancreas	M	11	13	11	11	14	13	15	15	15	15	16
		F	13	16	15	15	14	16	16	15	17	18	17
		P	12	14	13	13	14	14	15	15	16	17	16
	0 Acute pancreatitis	M	8	8	7	6	8	8	9	9	10	9	11
		F	10	11	10	10	9	10	10	11	12	13	13
		P	9	9	8	8	9	9	10	10	11	11	12

* 571·0 Rates per million population aged under 2 years.

TABLE 8 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
590-637	**X DISEASES OF THE GENITO-URINARY SYSTEM**	**M**	**393**	**370**	**361**	**339**	**327**	**315**	**309**	**293**	**278**	**260**	**245**
		F	**170**	**169**	**163**	**158**	**157**	**156**	**157**	**161**	**162**	**166**	**165**
		P	**277**	**265**	**258**	**245**	**239**	**233**	**230**	**225**	**218**	**212**	**204**
590-594	Nephritis and nephrosis	M	124	114	119	104	99	88	91	83	78	74	66
		F	107	100	92	84	82	75	72	68	69	61	58
		P	115	107	105	93	90	81	81	76	73	68	62
590	Acute nephritis	M	5	5	6	4	4	3	4	3	3	3	3
		F	4	2	3	3	3	2	3	3	2	2	2
		P	5	3	4	3	3	3	4	3	3	2	2
591	Nephritis with oedema	M	8	9	10	9	9	7	7	5	6	5	5
		F	6	8	7	6	5	5	5	4	4	4	4
		P	7	8	8	8	7	6	6	5	5	5	4
592	Chronic nephritis	M	101	90	93	80	76	69	69	64	56	53	45
		F	89	82	75	68	67	60	57	54	53	45	39
		P	94	86	84	74	72	64	63	58	54	49	42
593	Nephritis not specified as acute or chronic	M	9	10	10	10	9	9	10	10	12	13	13
		F	7	7	6	6	6	8	7	8	10	10	13
		P	8	8	8	8	8	8	8	9	11	11	13
600-609	Other diseases of urinary system	M	60	59	59	62	59	62	66	68	69	75	75
		F	53	60	62	65	66	73	77	85	86	97	100
		P	57	59	60	64	62	68	72	77	78	86	88
600	Infections of kidney	M	27	28	30	33	33	37	41	43	44	51	50
		F	32	38	39	43	43	52	54	64	65	75	77
		P	30	33	35	38	38	45	48	54	55	63	64
	0 Pyelitis, pyelocystitis and pyelonephritis	M	26	27	29	32	32	36	39	42	42	49	49
		F	31	36	38	42	42	50	53	63	64	73	76
		P	28	32	34	37	37	43	46	53	54	61	63
602	Calculi of kidney and ureter	M	8	7	6	6	6	6	6	6	6	6	4
		F	6	7	7	7	6	6	6	5	6	6	5
		P	7	7	6	7	6	6	6	6	6	6	5
605	Cystitis	M	8	7	7	5	7	6	6	5	5	4	4
		F	8	8	8	8	9	8	8	8	7	7	7
		P	8	7	7	7	8	7	7	6	6	5	6
608	Stricture of urethra	M	6	5	5	4	2	3	2	2	2	2	2
		F	0	0	0	0	0	0	0	0	-	0	0
		P	3	2	2	2	1	1	1	1	1	1	1
610-617	Diseases of male genital organs	M	209	196	183	173	169	164	152	141	131	111	104
610	Hyperplasia of prostate	M	204	191	179	168	165	160	148	138	128	109	101
611	Prostatitis	M	3	4	2	3	3	3	2	2	2	1	1
620-626	Diseases of breast, ovary, Fallopian tube, and parametrium	M	-	-	-	-	-	0	0	-	-	-	-
		F	2	3	2	2	1	2	1	2	2	2	2
		P	1	1	1	1	1	1	1	1	1	1	1
630-637	Diseases of uterus and other female genital organs	F	8	7	7	7	8	6	6	6	6	6	5
631	Uterovaginal prolapse	F	4	4	5	5	5	4	4	3	3	3	2
*640-689	**XI DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM**	**F**	**0·65**	**0·59**	**0·52**	**0·45**	**0·43**	**0·38**	**0·39**	**0·33**	**0·35**	**0·28**	**0·25**
*640-649 660-689	Deliveries and complications of pregnancy, childbirth and the puerperium, excluding abortion	F	0·54	0·50	0·42	0·37	0·35	0·32	0·31	0·27	0·28	0·22	0·20
*640-648	Complications of pregnancy	F	0·20	0·20	0·20	0·15	0·14	0·13	0·12	0·10	0·12	0·11	0·08
*642	Toxaemias of pregnancy	F	0·13	0·12	0·11	0·10	0·08	0·07	0·07	0·06	0·06	0·05	0·03
*645	Ectopic pregnancy	F	0·03	0·03	0·03	0·03	0·02	0·02	0·02	0·01	0·03	0·02	0·02
†650-652	Abortion	F	8	7	8	7	7	5	7	6	6	5	5
†650	Without mention of sepsis or toxaemia	F	4	3	3	3	3	2	3	2	3	1	2
†651	With sepsis	F	3	4	4	4	4	3	4	4	3	3	3
†652	With toxaemia, without mention of sepsis	F	1	0	1	0	0	0	1	0	0	0	1
*670-678	Delivery with specified complication	F	0·21	0·17	0·13	0·12	0·12	0·11	0·13	0·11	0·10	0·07	0·07
*670	Placenta praevia or antepartum haemorrhage	F	0·04	0·03	0·03	0·03	0·02	0·02	0·03	0·02	0·02	0·01	0·01
*671, 672	Retained placenta, and other postpartum haemorrhage	F	0·06	0·06	0·03	0·03	0·04	0·03	0·02	0·03	0·02	0·02	0·01
*673-675	Abnormality of bony pelvis, disproportion or malposition of foetus, and prolonged labour of other origin	F	0·05	0·05	0·05	0·04	0·03	0·02	0·03	0·02	0·02	0·01	0·01
*680-689	Complications of the puerperium	F	0·11	0·13	0·09	0·08	0·08	0·08	0·05	0·05	0·06	0·04	0·05
*681	Sepsis of childbirth and the puerperium	F	0·02	0·02	0·01	0·02	0·01	0·02	0·01	0·00	0·01	0·01	0·01
*682	Puerperal phlebitis and thrombosis	F	0·06	0·05	0·04	0·03	0·03	0·02	0·02	0·03	0·03	0·02	0·02
*684	Puerperal pulmonary embolism	F	0·02	0·03	0·01	0·01	0·02	0·01	0·01	0·00	0·01	0·01	0·01
*685	Puerperal eclampsia	F	0·01	0·01	0·01	0·01	0·01	0·01	0·00	0·01	0·00	0·00	0·00

* Rates per 1,000 total (live and still) births.
† Rates per million women age 15-44 years.

TABLE 8 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
690-716	**XII DISEASES OF THE SKIN AND CELLULAR TISSUE**	**M**	**11**	**9**	**9**	**9**	**9**	**8**	**8**	**9**	**7**	**6**	**8**
		F	**14**	**14**	**13**	**11**	**12**	**12**	**12**	**13**	**10**	**10**	**10**
		P	**12**	**11**	**11**	**10**	**11**	**10**	**10**	**11**	**9**	**8**	**9**
690-698	Infections of skin and subcutaneous tissue	M	4	4	3	3	4	4	3	4	3	2	3
		F	4	4	4	3	4	4	4	4	4	3	3
		P	4	4	4	3	4	4	3	4	3	3	3
700-716	Other diseases of skin and subcutaneous tissue	M	6	4	5	6	5	4	4	5	4	4	4
		F	10	10	9	7	8	8	9	9	7	7	7
		P	8	7	7	7	7	6	7	7	6	5	6
720-749	**XIII DISEASES OF THE BONES AND ORGANS OF MOVEMENT**	**M**	**29**	**29**	**29**	**27**	**28**	**28**	**30**	**30**	**30**	**28**	**27**
		F	**50**	**59**	**53**	**53**	**56**	**57**	**56**	**57**	**57**	**58**	**57**
		P	**40**	**44**	**42**	**40**	**43**	**43**	**44**	**44**	**44**	**44**	**43**
720-727	Arthritis and rheumatism except rheumatic fever	M	17	16	16	14	16	16	18	16	16	16	15
		F	39	47	41	40	44	44	45	44	44	43	42
		P	28	32	29	28	30	30	32	30	30	30	29
722	Rheumatoid arthritis and allied conditions	M	10	10	10	8	10	10	11	11	10	10	10
		F	30	35	31	30	32	32	34	32	33	31	30
		P	20	23	21	20	22	21	23	22	22	21	20
	0 Rheumatoid arthritis	M	9	9	9	8	9	10	10	10	9	9	9
		F	30	35	31	30	32	32	33	32	33	31	30
		P	20	23	21	19	21	21	22	21	21	20	19
723	Osteo-arthritis (arthrosis) and allied conditions	M	5	5	6	5	5	5	5	4	5	5	4
		F	8	10	9	9	10	10	10	11	10	10	10
		P	7	8	7	7	7	8	8	7	7	8	7
	0 Osteo-arthritis (arthrosis)	M	4	4	4	4	4	3	3	3	3	3	3
		F	7	9	8	8	8	9	9	9	8	9	8
		P	5	7	6	6	6	6	6	6	6	6	6
730-738	Osteomyelitis and other diseases of bone and joint	M	8	8	7	7	6	7	7	7	7	6	6
		F	8	8	8	8	8	9	8	9	8	10	10
		P	8	8	8	8	7	8	7	8	8	8	8
730	Osteomyelitis and periostitis	M	2	2	2	2	2	2	2	1	1	1	1
		F	2	1	2	2	1	1	1	1	0	1	1
		P	2	2	2	2	2	1	1	1	1	1	1
731	Osteitis deformans	M	4	4	4	4	3	3	3	4	3	3	3
		F	3	4	4	4	4	3	4	3	4	4	4
		P	4	4	4	4	4	3	3	4	4	3	3
740-749	Other diseases of musculoskeletal system	M	5	5	5	5	6	5	6	7	7	7	6
		F	4	4	4	4	4	4	3	5	5	5	5
		P	4	5	5	5	5	5	4	6	6	6	5
750-759	**XIV CONGENITAL MALFORMATIONS**	**M**	**110**	**114**	**113**	**120**	**119**	**114**	**122**	**119**	**125**	**122**	**119**
		F	**93**	**92**	**92**	**101**	**98**	**102**	**102**	**106**	**108**	**102**	**99**
		P	**101**	**103**	**102**	**110**	**108**	**108**	**112**	**112**	**116**	**112**	**109**
750	Monstrosity	M	2	2	3	3	3	2	4	3	3	4	4
		F	3	3	3	4	5	5	5	5	5	5	5
		P	3	3	3	3	4	4	4	4	4	4	5
751	Spina bifida and meningocele	M	15	16	16	15	16	14	13	12	11	13	11
		F	21	21	20	20	20	17	17	17	15	20	18
		P	18	18	18	18	18	16	15	14	13	17	15
752	Congenital hydrocephalus	M	9	9	10	9	9	11	11	12	10	5	5
		F	10	10	10	10	10	12	13	13	13	4	4
		P	10	9	10	9	10	11	12	12	11	5	4
753	Other congenital malformations of nervous system and sense organs	M	3	2	2	4	3	3	4	3	3	3	3
		F	3	3	3	3	3	3	3	3	3	3	4
		P	3	3	3	3	3	3	4	3	3	3	4
754	Congenital malformations of circulatory system	M	45	47	47	52	52	50	53	54	59	61	57
		F	33	33	34	39	37	39	43	44	45	45	43
		P	39	40	40	45	44	45	47	49	52	53	50
756	Congenital malformations of digestive system	M	14	14	13	14	13	13	13	13	14	12	13
		F	8	7	7	7	8	8	7	8	8	7	8
		P	11	10	10	10	10	10	10	10	11	9	10
757	Congenital malformations of genito-urinary system	M	12	13	12	13	12	11	14	12	14	13	13
		F	8	8	8	10	8	10	8	9	8	9	8
		P	10	10	10	11	10	10	11	10	11	11	10
760-776*	**XV CERTAIN DISEASES OF EARLY INFANCY †**	**M**	**16·39**	**15·87**	**15·55**	**15·08**	**14·75**	**14·28**	**14·10**	**13·95**	**13·58**	**12·77**	**11·96**
		F	**11·54**	**11·48**	**11·16**	**10·86**	**10·56**	**10·49**	**10·04**	**9·97**	**9·42**	**9·18**	**8·84**
		P	**14·03**	**13·74**	**13·43**	**13·03**	**12·71**	**12·44**	**12·13**	**12·02**	**11·56**	**11·02**	**10·45**
780-795	**XVI SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS**	**M**	**156**	**173**	**162**	**136**	**137**	**124**	**110**	**110**	**101**	**95**	**75**
		F	**250**	**272**	**260**	**224**	**225**	**217**	**206**	**204**	**186**	**169**	**141**
		P	**205**	**224**	**213**	**181**	**183**	**172**	**160**	**159**	**145**	**133**	**109**
780-789	Symptoms referable to systems or organs	M	7	7	6	5	4	3	4	5	4	5	5
		F	5	6	6	5	4	3	4	5	3	4	4
		P	6	6	6	5	4	3	4	5	4	5	4

* For details of causes 760-776, see Table 12.
† Rates per 1,000 live births (related live births prior to 1957; live birth occurrences from 1957).

TABLE 8 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
790-795	Senility and ill-defined diseases	M	149	166	156	130	133	121	106	105	97	90	70
		F	245	266	254	219	221	214	202	200	183	165	137
		P	199	218	207	176	179	169	156	154	141	129	105
794	Senility without mention of psychosis	M	145	162	152	127	130	118	103	101	94	86	66
		F	243	265	252	216	220	211	199	197	180	162	134
		P	196	215	204	173	176	166	153	151	138	125	101
E800-E999	**XVII ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)**	**M**	**593**	**605**	**604**	**594**	**614**	**615**	**612**	**611**	**610**	**616**	**618**
		F	**358**	**370**	**383**	**374**	**390**	**399**	**406**	**405**	**419**	**436**	**424**
		P	**471**	**483**	**490**	**480**	**498**	**503**	**505**	**505**	**512**	**524**	**518**
E800-E802	Railway accidents	M	12	13	14	13	14	11	10	11	9	9	8
		F	1	1	2	1	2	1	1	1	1	1	1
		P	6	7	7	7	8	6	5	6	5	5	5
E810-E835	Motor vehicle accidents	M	161	171	174	170	186	202	215	213	200	201	227
		F	51	55	56	53	60	69	80	79	74	73	83
		P	104	111	113	109	121	132	145	144	135	135	153
E812	To pedestrian	M	56	57	59	56	61	59	67	68	63	62	70
		F	35	35	36	32	39	42	50	47	45	45	50
		P	45	46	47	44	49	50	58	57	53	54	59
E813	To pedal cyclist	M	21	20	21	20	21	24	22	22	18	19	19
		F	3	4	3	3	2	4	4	3	3	2	3
		P	12	12	12	11	11	14	12	12	10	10	11
E815	To rider or passenger of motorcycle in collision with other motor vehicle	M	33	37	35	34	40	45	48	41	37	34	36
		F	2	3	2	3	3	3	4	4	3	2	3
		P	17	19	18	18	21	23	25	22	19	18	19
E816	Other motor vehicle traffic accident involving two or more motor vehicles	M	14	18	20	17	25	29	30	33	35	41	50
		F	5	7	7	7	9	11	12	16	14	13	17
		P	9	12	13	12	16	19	20	24	24	27	33
E821	To rider of motorcycle without antecedent collision	M	14	15	15	18	15	18	19	18	14	14	17
		F	1	1	1	1	2	2	2	2	1	1	1
		P	8	8	8	9	8	10	10	10	7	7	9
E823	Involving running off roadway	M	6	8	9	11	11	12	16	16	18	17	22
		F	2	2	3	2	3	3	4	4	5	4	6
		P	4	5	6	6	7	8	10	10	11	10	14
E840-E845	Other road vehicle accidents	M	9	9	7	8	7	5	5	4	4	3	3
		F	3	2	2	2	3	2	2	2	2	1	2
		P	6	6	4	5	5	4	3	3	3	2	2
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	M	6	6	5	6	5	4	4	3	3	2	2
		F	1	1	0	1	1	1	1	0	0	0	0
		P	3	3	2	3	3	2	2	2	2	1	1
E850-E858	Water transport accidents	M	6	6	7	7	6	7	8	8	7	7	7
		F	0	0	0	0	0	0	0	1	0	0	0
		P	3	3	3	4	3	3	4	4	4	4	3
E860-E866	Aircraft accidents	M	10	6	6	7	8	3	2	2	3	1	3
		F	0	0	0	1	1	0	0	0	0	-	0
		P	5	3	3	3	4	2	1	1	2	1	1
E870-E888	Accidental poisoning by solid and liquid substances	M	7	7	8	8	7	8	9	10	11	14	13
		F	7	7	8	8	8	8	11	10	13	14	17
		P	7	7	8	8	8	8	10	10	12	14	15
E871	Barbituric acid and derivatives	M	3	4	4	4	4	4	5	6	8	10	8
		F	5	5	6	5	5	6	8	7	9	11	13
		P	4	4	5	5	5	5	6	7	8	10	11
E870, E872-E888	Remainder, accidental poisoning by solid and liquid substances	M	4	4	3	4	3	4	4	4	4	5	5
		F	2	2	3	3	3	3	3	3	4	3	4
		P	3	3	3	3	3	3	3	3	4	4	5
E890-E895	Accidental poisoning by gases and vapours	M	15	18	17	17	20	20	21	20	25	26	20
		F	17	21	20	20	22	24	24	24	29	33	23
		P	16	19	18	19	21	22	22	22	27	30	22
E890	Utility (illuminating) gas	M	13	15	14	14	17	17	19	17	21	23	17
		F	17	20	19	19	21	23	23	23	28	31	22
		P	15	18	17	17	19	20	21	20	25	27	20
E900-E904	Accidental falls	M	99	94	99	92	92	96	86	85	89	91	81
		F	141	144	149	142	149	151	150	146	145	149	141
		P	121	120	125	118	122	124	119	116	118	121	112
E910-E936	Other accidents	M	110	122	112	112	115	108	104	110	105	106	107
		F	50	50	50	47	48	48	46	45	51	57	50
		P	79	84	80	78	80	77	74	76	77	81	78
E910	Blow from falling or projected object or missile	M	14	14	13	14	15	12	13	11	10	10	10
		F	1	1	1	0	1	1	1	1	1	1	0
		P	7	7	7	7	7	6	6	6	5	5	5
E912	Caused by machinery	M	8	11	11	11	12	10	9	11	10	9	10
		F	0	0	0	0	0	0	0	0	0	0	0
		P	4	6	5	6	6	5	5	5	5	4	5

TABLE 8 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
E914	Caused by electric current	M	4	4	5	5	5	4	4	5	4	5	5
		F	1	1	1	1	1	1	1	1	1	1	1
		P	2	2	3	3	3	3	3	3	2	3	3
E916	Caused by fire and explosion of combustible material	M	10	12	11	11	10	12	10	13	14	14	14
		F	19	19	19	17	17	18	17	16	21	23	19
		P	15	16	15	14	14	15	14	15	17	19	16
E917	Caused by hot substance, corrosive liquid, and steam	M	3	3	3	2	3	2	2	3	2	2	2
		F	3	3	3	2	3	3	2	2	2	2	2
		P	3	3	3	2	3	3	2	2	2	2	2
E921-E925	Accidental mechanical obstruction or suffocation	M	23	22	21	18	19	17	18	19	21	21	21
		F	13	12	13	11	10	11	11	11	13	13	14
		P	18	17	17	14	14	14	14	15	17	17	18
E921	Inhalation and ingestion of food causing obstruction or suffocation	M	12	12	12	11	10	10	10	12	12	11	13
		F	8	7	8	7	6	7	8	8	9	9	10
		P	10	10	10	9	8	8	9	10	10	10	11
E924	Accidental mechanical suffocation in bed and cradle	M	6	6	5	4	5	4	3	3	4	4	4
		F	4	3	4	3	3	3	2	2	3	2	3
		P	5	4	5	4	4	3	3	3	4	3	4
E929	Accidental drowning and submersion	M	30	35	30	32	32	33	31	30	26	23	28
		F	8	10	8	10	9	9	8	8	8	7	8
		P	19	22	18	21	20	21	19	19	17	15	18
E960-E965	Late effects of injury and poisoning	M	7	9	7	7	7	7	6	6	6	6	4
		F	1	1	1	2	1	1	1	1	1	1	1
		P	4	5	4	4	4	4	4	4	3	3	2
E970-E979	Suicide and self-inflicted injury	M	149	143	149	146	146	142	139	135	144	145	138
		F	81	84	90	92	91	89	87	91	97	99	98
		P	114	113	118	118	117	115	112	113	120	122	117
E970	Poisoning by analgesic and soporific substances	M	10	11	15	14	15	15	15	17	24	31	32
		F	14	15	17	17	19	19	21	27	32	40	43
		P	12	13	16	15	17	17	18	22	28	36	38
E971	Poisoning by other solid and liquid substances	M	4	4	5	4	3	3	3	3	3	4	3
		F	2	2	2	2	1	2	2	2	2	3	2
		P	3	3	4	3	2	3	2	2	3	3	3
E972	Poisoning by gases in domestic use	M	64	59	63	65	67	65	64	59	62	60	52
		F	47	47	51	52	51	50	46	44	45	41	37
		P	55	53	57	58	58	57	55	51	53	50	44
E974	Hanging and strangulation	M	29	27	26	26	22	20	19	20	21	19	20
		F	6	5	5	6	5	5	5	6	6	4	5
		P	17	16	15	15	14	12	12	13	13	12	12
E975	Submersion (drowning)	M	14	13	13	12	12	11	12	10	10	9	8
		F	8	9	9	9	9	8	8	7	7	6	6
		P	11	11	11	11	10	10	10	9	8	7	7
E976	Firearms and explosives	M	9	10	10	9	9	10	8	8	8	7	7
		F	0	0	0	1	0	0	0	1	0	0	0
		P	5	5	5	5	4	5	4	4	4	3	3
E977	Cutting and piercing instruments	M	8	8	6	6	6	5	5	4	3	3	3
		F	1	1	2	1	1	1	1	1	1	1	1
		P	4	4	4	4	4	3	3	3	2	2	2
E978	Jumping from high place	M	4	3	3	3	3	3	3	3	3	2	2
		F	2	2	2	2	2	2	2	2	1	1	2
		P	3	3	2	3	2	3	2	2	2	2	2
E979	Other and unspecified means	M	7	6	7	5	6	7	7	5	6	6	6
		F	2	2	1	2	2	1	2	2	2	2	1
		P	4	4	4	3	4	4	4	3	4	4	3
E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	M	5	5	4	5	5	5	6	7	5	6	6
		F	5	4	4	5	4	6	5	4	6	5	6
		P	5	4	4	5	5	5	5	6	6	5	6
N800-N999	**XVII ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, AND VIOLENCE (NATURE OF INJURY)**	**M**	**593**	**605**	**604**	**594**	**614**	**615**	**612**	**611**	**610**	**616**	**618**
		F	**358**	**370**	**383**	**374**	**390**	**399**	**406**	**405**	**419**	**436**	**424**
		P	**471**	**483**	**490**	**480**	**498**	**503**	**505**	**505**	**512**	**524**	**518**
N800-N804	Fracture of skull	M	144	148	145	142	148	148	150	145	135	130	142
		F	38	39	42	39	41	43	48	46	44	42	46
		P	89	92	92	88	92	94	97	94	88	84	93
N805-N809	Fracture of spine and trunk	M	36	36	37	36	39	39	40	39	38	42	39
		F	16	17	18	17	19	20	23	23	21	23	22
		P	26	26	27	26	29	29	32	31	29	32	30
N810-N829	Fracture of limbs	M	56	53	58	56	54	53	52	51	51	51	49
		F	109	113	120	112	121	121	122	118	118	120	116
		P	84	84	90	85	88	88	88	86	86	86	84
N830-N839	Dislocation without fracture	M	2	3	2	2	2	2	2	2	2	2	1
		F	1	1	1	1	1	1	1	1	1	1	1
		P	1	2	1	2	2	1	1	2	1	1	1

TABLE 8 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
N840-N848	Sprains and strains of joints and adjacent muscles	M	0	0	0	0	0	0	0	0	0	1	0
		F	0	0	-	0	0	0	0	0	0	0	0
		P	0	0	0	0	0	0	0	0	0	0	0
N850-N856	Head injury (excluding skull fracture)	M	44	45	43	41	44	49	46	47	47	44	43
		F	19	19	19	19	17	21	21	22	22	22	21
		P	31	32	30	30	30	34	33	34	34	33	32
N860-N869	Internal injury of chest, abdomen and pelvis	M	42	44	43	43	49	53	52	55	53	60	66
		F	8	8	8	8	10	13	13	14	14	14	17
		P	24	25	25	25	29	32	32	34	33	37	40
N870-N908	Laceration and open wounds	M	20	21	18	18	20	18	17	16	15	14	15
		F	5	5	4	4	4	4	5	6	4	5	5
		P	12	13	11	11	12	11	11	10	10	9	10
N910-N929	Superficial injury, contusion and crushing with intact skin surface	M	2	3	3	2	2	2	2	1	2	2	1
		F	4	4	2	2	2	2	3	2	2	2	2
		P	3	3	2	2	2	2	2	1	2	2	2
N930-N936	Effects of foreign body entering through orifice	M	14	14	13	12	13	11	12	13	14	13	15
		F	9	8	9	8	7	8	8	8	9	10	11
		P	11	11	11	10	10	10	10	11	12	11	13
N940-N949	Burns	M	12	14	12	13	13	12	10	12	12	12	11
		F	21	21	20	17	19	19	17	15	20	22	17
		P	17	17	16	15	16	16	14	14	16	17	14
N960-N979	Effects of poisons	M	107	107	114	116	120	119	121	121	136	146	133
		F	89	94	102	103	105	107	107	111	125	137	128
		P	98	100	108	109	112	113	113	115	130	141	130
N950-N959, N980-N999	All other and unspecified effects of external causes	M	117	118	115	113	111	108	107	108	103	100	103
		F	40	42	38	44	43	40	38	39	39	40	37
		P	77	78	75	77	76	73	71	72	70	69	69

TABLE 9. Standardised Mortality Ratios (base years 1950-1952) by sex for certain causes of death, 1954 to 1964

England and Wales

Note. 1 The S.M.R. shows the number of deaths registered in each of the years to which the table refers as a percentage of the numbers which would have been expected in those years had the sex/age mortality of a standard period (1950-1952) been experienced in those years. For years to 1957 inclusive causes of death were classified according to the sixth (1948) revision of the International Statistical Classification; from 1958 the seventh (1955) revision has been used, necessary adjustments being made for the standard period to make the figures comparable with those for other years.

2 Footnotes to Table 7 for individual causes apply also to this table.

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
	ALL CAUSES	**M**	**95**	**97**	**96**	**94**	**95**	**94**	**92**	**96**	**96**	**98**	**91**
		F	**91**	**93**	**92**	**88**	**90**	**89**	**87**	**90**	**89**	**91**	**83**
		P	**93**	**95**	**94**	**91**	**92**	**91**	**89**	**93**	**92**	**94**	**87**
001-138	Infective and parasitic diseases	M	64	56	48	44	40	36	33	32	29	28	24
		F	57	49	42	39	36	31	28	30	26	25	22
001-019	Tuberculosis, all forms	M	62	52	43	38	36	31	27	26	24	23	19
		F	52	41	33	28	26	21	19	19	16	15	12
001-008	Tuberculosis, respiratory	M	63	53	44	39	36	32	28	27	25	24	20
		F	52	41	32	27	26	21	19	18	16	14	12
010-019	Tuberculosis, other forms	M	52	42	31	30	29	21	18	18	19	18	15
		F	50	38	33	34	29	24	21	20	16	22	16
020-029	Syphilis and its sequelae	M	79	77	74	70	62	58	57	51	46	43	44
		F	87	80	82	73	82	69	66	70	63	67	58
053	Septicaemia and pyaemia	M	86	58	88	58	68	57	69	91	91	86	104
		F	109	64	65	63	58	51	46	61	69	61	87
057	Meningococcal infections	M	94	72	74	63	47	63	29	40	53	52	31
		F	95	79	63	70	57	47	37	47	36	40	31
080, 081	Acute poliomyelitis, including late effects	M	35	68	32	69	34	22	13	23	10	10	7
		F	27	60	33	50	40	19	8	12	10	6	6
082, 083	Acute infectious encephalitis, including late effects	M	83	82	87	71	76	73	70	62	63	60	62
		F	79	68	68	58	60	56	70	58	56	41	43
092	Infectious hepatitis	M	83	88	87	89	81	87	101	88	80	75	57
		F	107	111	108	119	92	98	112	114	110	80	73
140-239	Neoplasms	M	103	104	104	105	105	106	107	108	109	110	111
		F	98	97	97	96	97	96	96	96	96	96	97
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	M	103	104	105	106	106	107	108	108	110	111	111
		F	98	98	97	96	97	97	97	96	96	96	98
140-148	Buccal cavity and pharynx	M	95	89	76	77	77	75	66	63	62	57	59
		F	97	97	96	97	94	87	92	88	86	81	87
150-159	Digestive organs and peritoneum	M	94	92	90	90	88	87	85	85	84	84	83
		F	94	93	90	88	88	88	86	84	84	83	81
150	Oesophagus	M	85	88	88	82	81	85	79	82	84	83	80
		F	104	106	104	103	104	99	102	106	104	105	115
151	Stomach	M	95	95	91	93	92	91	88	87	86	86	82
		F	92	90	89	84	85	83	81	79	76	76	71
153	Large intestine, except rectum	M	93	89	86	84	81	79	78	79	79	76	76
		F	92	91	89	86	85	85	82	81	81	79	79
154	Rectum	M	91	86	84	82	82	79	77	74	74	74	73
		F	96	91	90	84	91	93	86	84	84	86	87
157	Pancreas	M	105	108	107	108	113	117	115	114	115	122	126
		F	100	105	98	107	107	111	111	111	116	113	113
160-165	Respiratory system	M	119	124	129	133	136	143	146	149	153	156	159
		F	105	108	111	113	115	118	125	131	135	140	146
162, 163	Lung, bronchus and trachea	M	122	128	133	138	142	149	153	156	161	164	168
		F	107	111	115	118	121	124	132	141	146	152	159
170-181	Breast and genito-urinary organs	M	104	105	109	106	108	106	108	108	114	112	112
		F	98	99	99	98	100	98	99	99	99	98	101

TABLE 9 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
170	Breast	M	125	119	105	105	109	92	92	118	114	101	120
		F	100	100	100	99	101	97	100	102	102	102	106
171	Cervix uteri	F	90	92	91	89	96	90	90	87	86	84	87
172	Corpus uteri	F	95	91	92	93	90	91	92	91	91	85	78
175	Ovary, Fallopian tube, and broad ligament	F	101	106	106	107	106	107	107	109	109	108	111
177	Prostate	M	107	105	111	107	111	109	110	110	114	113	109
180	Kidney	M	108	112	110	109	117	107	106	111	123	120	124
		F	104	95	103	95	109	98	109	107	103	106	110
181	Bladder and other urinary organs	M	101	106	108	108	105	104	109	109	117	113	117
		F	107	106	105	104	101	110	106	104	107	100	107
190-199	Other and unspecified sites	M	101	104	108	104	103	99	102	106	106	104	108
		F	108	105	114	115	107	108	104	109	107	114	120
190	Malignant melanoma of skin	M	133	150	150	130	112	143	147	135	148	159	164
		F	122	139	117	157	130	138	139	143	153	143	166
193	Brain and other parts of nervous system	M	109	117	114	114	136	131	136	139	138	135	140
		F	120	117	125	126	149	153	146	156	143	155	148
194	Thyroid gland	M	107	101	119	93	95	102	103	97	109	99	96
		F	101	100	100	95	87	98	94	95	93	100	92
196	Bone, including jaw bone	M	81	78	86	77	77	71	72	74	67	58	53
		F	95	79	89	83	86	75	71	72	70	65	68
200-205	Neoplasms of lymphatic and haematopoietic tissues	M	112	114	116	123	121	124	133	129	129	135	139
		F	115	117	123	125	126	135	138	140	142	141	146
201	Hodgkin's disease	M	107	106	108	124	100	114	106	112	112	106	98
		F	105	104	112	104	113	118	125	108	122	105	121
204	Leukaemia and aleukaemia	M	110	117	116	122	121	121	134	127	124	133	136
		F	110	107	115	115	113	125	124	125	131	131	128
210-229	Benign neoplasm	M	87	87	80	85	82	81	90	82	70	75	82
		F	95	89	85	85	76	79	81	71	69	66	68
230-239	Neoplasm of unspecified nature	M	94	84	86	80	43	43	49	52	51	65	69
		F	85	84	85	80	37	49	51	53	49	65	70
240-289	Allergic endocrine system, metabolic and nutritional diseases	M	83	82	79	71	71	65	67	72	74	79	80
		F	82	84	82	78	79	75	80	84	84	88	84
240-245	Allergic disorders	M	75	74	67	59	50	43	41	44	47	54	61
		F	81	76	81	71	74	60	58	61	65	82	86
250-254	Diseases of thyroid gland	M	85	81	84	74	80	93	80	72	95	84	73
		F	79	81	74	72	71	74	76	77	80	90	59
252	Thyrotoxicosis, with or without goitre	M	75	72	71	82	55	75	54	56	84	41	51
		F	72	67	62	64	57	59	61	55	53	50	39
260	Diabetes mellitus	M	87	89	90	81	92	87	93	103	103	105	107
		F	78	86	82	80	80	77	85	90	87	84	86
270-277	Diseases of other endocrine glands	M	93	79	85	76	91	65	79	77	85	89	75
		F	97	75	70	74	62	66	70	66	69	73	64
290-299	Diseases of the blood and blood-forming organs	M	95	92	81	84	85	86	87	85	86	81	84
		F	88	85	86	82	80	79	74	79	76	79	71
290	Pernicious and other hyperchromic anaemias	M	73	73	67	66	62	57	62	53	50	52	45
		F	79	76	77	72	66	65	57	59	55	52	47
300-326	Mental, psychoneurotic and personality disorders	M	92	87	74	67	66	70	76	74	86	79	85
		F	89	87	92	83	66	74	72	76	78	78	69
330-398	Diseases of the nervous system and sense organs	M	102	104	102	99	101	99	98	98	99	100	92
		F	99	101	99	96	99	96	96	96	96	98	89
330-334	Vascular lesions affecting central nervous system	M	104	105	104	100	102	100	99	99	100	102	93
		F	100	101	100	97	99	96	96	96	97	99	89
340-345	Inflammatory diseases of central nervous system	M	94	101	92	103	92	90	92	89	89	90	94
		F	93	99	101	99	100	97	98	101	98	99	102
345	Multiple sclerosis	M	94	102	92	90	95	98	99	95	87	94	92
		F	97	100	97	98	105	107	103	106	99	95	102
350-357	Other diseases of central nervous system	M	83	95	89	87	86	88	86	89	88	89	86
		F	85	93	87	85	86	88	85	92	87	87	87

TABLE 9 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
350	Paralysis agitans	M	87	112	96	96	96	101	95	95	94	94	90
		F	89	100	95	87	89	96	93	97	90	87	86
353	Epilepsy	M	72	86	82	79	75	72	68	79	75	76	67
		F	81	86	79	73	78	64	70	72	73	73	59
356	Motor neurone disease and muscular atrophy	M	97	92	92	96	90	92	91	89	89	83	98
		F	105	103	93	102	105	117	100	101	99	98	110
390-398	Diseases of ear and mastoid process	M	70	68	60	49	40	54	36	35	46	33	34
		F	75	68	55	47	39	38	41	47	33	53	49
400-468	Diseases of circulatory system	M	97	98	99	95	98	94	96	98	100	103	96
		F	90	92	91	86	89	85	86	88	87	88	79
400-402	Rheumatic fever	M	78	53	52	39	35	31	30	27	30	25	14
		F	61	47	43	39	25	25	25	19	17	18	12
410-416	Chronic rheumatic heart disease	M	78	74	75	72	62	59	58	60	59	55	49
		F	82	79	76	75	70	65	65	68	66	62	55
420-422	Arteriosclerotic and degenerative heart disease	M	97	99	99	95	100	96	99	101	104	107	101
		F	89	90	88	82	86	82	83	84	84	85	77
420	Arteriosclerotic heart disease, including coronary disease	M	112	116	121	122	129	128	137	141	150	156	153
		F	108	115	119	119	129	130	138	144	151	158	152
421	Chronic endocarditis not specified as rheumatic	M	113	105	104	112	105	93	103	97	102	95	84
		F	112	102	100	116	107	105	107	111	109	106	84
422	Other myocardial degeneration	M	80	79	75	65	65	57	53	53	49	48	39
		F	79	78	74	64	66	60	57	56	53	51	42
430-434	Other diseases of heart	M	128	131	133	145	143	137	144	153	151	155	140
		F	110	117	124	131	144	141	145	158	155	157	141
440-443	Hypertension with mention of heart disease	M	79	80	79	74	69	61	61	58	55	52	43
		F	79	85	83	79	78	73	70	70	64	63	52
444-447	Hypertension without mention of heart	M	143	140	131	121	121	112	105	97	87	85	71
		F	148	147	136	125	122	111	104	102	90	86	69
450-456	Diseases of arteries	M	95	96	95	88	99	95	97	101	104	111	98
		F	93	100	96	90	97	98	101	106	107	110	101
460-468	Diseases of veins and other diseases of circulatory system	M	115	124	133	134	129	152	164	180	184	211	207
		F	113	121	135	130	139	147	160	182	182	211	212
470-527	Diseases of the respiratory system	M	83	94	95	98	96	104	88	109	107	116	94
		F	71	81	83	80	79	91	71	94	93	102	78
480-483	Influenza	M	25	42	36	99	34	107	15	94	40	38	13
		F	23	37	33	74	27	90	12	79	39	38	12
490-493, 763	Pneumonia (including newborn)	M	90	102	107	109	110	121	107	125	127	147	118
		F	90	104	110	107	112	123	113	134	143	163	131
490	Lobar pneumonia	M	81	86	84	79	73	73	66	76	76	80	64
		F	89	88	85	78	77	79	75	80	84	88	71
491	Bronchopneumonia	M	93	109	115	120	125	141	122	146	150	178	142
		F	90	109	118	115	124	136	124	150	161	187	150
500-502	Bronchitis	M	86	96	98	92	98	96	89	104	108	114	94
		F	68	76	77	61	68	65	54	65	69	72	54
510-527	Other diseases of respiratory system	M	103	108	101	100	96	90	88	91	90	91	84
		F	96	99	102	85	88	86	84	93	89	93	83
530-587	Diseases of the digestive system	M	94	93	88	84	83	77	78	77	77	74	76
		F	96	96	94	90	88	89	91	91	90	91	87
540-545	Diseases of stomach and duodenum	M	96	94	88	81	78	70	71	66	68	62	57
		F	106	109	107	97	97	96	98	91	98	96	88
540	Ulcer of stomach	M	90	89	85	77	74	66	67	62	62	59	56
		F	97	101	103	97	94	94	95	89	92	92	77
541	Ulcer of duodenum	M	102	100	93	88	83	74	75	70	75	64	58
		F	128	131	127	111	115	111	117	108	128	114	105
550-553	Appendicitis	M	80	70	75	71	65	60	51	49	47	40	36
		F	82	69	63	57	61	50	49	51	46	45	36
560-561	Hernia of abdominal cavity	M	90	98	90	88	81	80	78	83	81	75	76
		F	88	86	92	84	76	85	76	81	82	74	76

TABLE 9 - *continued*

ICD No.	Causes of death		1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
570-578	Other diseases of intestines and peritoneum	M	87	88	82	82	84	81	85	87	84	86	83
		F	90	93	91	92	91	92	99	101	99	103	102
580-587	Diseases of liver, gallbladder and pancreas	M	105	104	100	100	105	100	105	108	104	105	104
		F	101	102	95	94	89	93	93	92	89	90	90
581	Cirrhosis of liver	M	101	98	97	103	99	94	103	110	103	103	95
		F	109	110	107	106	104	113	112	120	113	116	120
584	Cholelithiasis	M	114	115	113	99	111	109	92	83	92	88	82
		F	95	96	89	88	79	80	75	71	65	60	64
585	Cholecystitis without mention of calculi	M	106	102	103	97	99	90	82	88	76	77	83
		F	94	88	82	76	74	70	73	69	61	57	55
587	Diseases of pancreas	M	112	126	109	111	133	129	142	145	146	144	155
		F	114	133	121	121	118	127	129	119	138	145	134
590-637	Diseases of the genito-urinary system	M	90	84	82	76	72	70	68	65	62	59	55
		F	85	83	80	76	74	73	73	74	75	76	75
590-594	Nephritis and nephrosis	M	83	76	79	69	66	58	60	55	52	50	44
		F	76	70	64	58	57	51	49	46	46	41	39
600-609	Other diseases of urinary system	M	106	103	102	106	100	107	112	117	119	129	129
		F	114	126	129	134	135	148	155	170	172	193	197
610-617	Diseases of male genital organs	M	90	84	78	73	71	70	64	60	56	48	45
610	Hyperplasia of prostate	M	92	86	80	74	73	71	65	61	58	49	46
640-689	Deliveries and complications of pregnancy, childbirth and the puerperium	F	87	80	74	67	66	59	63	55	60	48	45
690-716	Diseases of the skin and cellular tissue	M	83	67	65	68	71	59	57	66	53	45	57
		F	89	87	78	65	73	72	73	77	60	59	58
720-749	Diseases of the bones and organs of movement	M	113	111	112	103	108	107	113	114	113	109	104
		F	111	127	114	111	116	117	115	116	116	116	113
720-727	Arthritis and rheumatism except rheumatic fever	M	123	116	120	104	118	117	126	114	115	117	109
		F	111	131	114	110	117	116	118	115	114	110	108
722	Rheumatoid arthritis and allied conditions	M	129	123	117	102	123	122	137	133	123	118	117
		F	115	134	118	111	118	116	120	114	117	108	104
723	Osteo-arthritis (arthrosis and allied conditions)	M	131	125	141	121	116	124	132	92	121	117	102
		F	104	134	117	112	124	124	114	128	113	120	117
730-738	Osteomyelitis and other diseases of bone and joint	M	97	99	92	91	79	82	83	93	88	73	75
		F	112	111	115	112	116	120	111	116	113	139	134
750-759	Congenital malformations	M	103	107	107	112	111	106	111	108	111	107	103
		F	104	104	104	113	110	113	112	114	113	106	101
00-E999	Accidents, poisonings and violence	M	103	105	105	103	106	106	105	105	105	106	106
		F	112	115	118	113	117	119	120	119	122	127	122
10-E835	Motor vehicle accidents	M	105	111	113	111	121	131	140	138	129	129	146
		F	109	117	119	111	126	143	165	162	152	149	170
90-E895	Accidental poisoning by gases and vapours	M	136	156	148	150	173	173	184	174	218	233	180
		F	129	155	144	145	162	168	167	168	203	230	159
00-E904	Accidental falls	M	122	115	120	111	112	116	104	103	108	112	100
		F	118	118	120	111	115	115	113	108	107	109	102
10-E936	Other accidents	M	89	98	90	89	92	86	83	87	83	83	84
		F	100	98	98	92	92	91	86	84	94	106	91
70-E979	Suicide and self-inflicted injury	M	110	105	109	107	106	104	101	99	105	106	101
		F	115	119	126	129	127	124	121	127	135	140	138

TABLE 10. Death rates per 100,000 population at all ages and at ages over one year and infant mortality rates (deaths under 1 year per 1,000 live births) from certain causes, by sex, in each year 1960 to 1964

Age	Males					Females				
	1960	1961	1962	1963	1964	1960	1961	1962	1963	1964
All causes										
All ages	1,220	1,256	1,258	1,281	1,192	1,085	1,136	1,133	1,159	1,067
1-4	95	104	94	98	87	78	81	77	83	74
5-14	45	43	43	44	43	30	28	28	28	29
15-24	103	101	100	99	103	40	45	41	39	43
25-44	179	180	175	180	181	125	127	129	129	127
45-64	1,337	1,385	1,404	1,444	1,398	723	742	745	758	728
65-74	5,246	5,474	5,526	5,604	5,201	2,947	3,087	3,020	3,069	2,820
75 and over	13,496	14,227	14,381	14,920	13,251	10,446	10,896	10,848	11,121	9,837
Infant mortality	24·52	23·91	24·50	23·72	22·19	18·92	18·81	18·70	18·39	17·50
All diseases (ICD Nos: 001-795)										
All ages	1,158	1,195	1,197	1,219	1,131	1,045	1,096	1,091	1,116	1,025
1-4	71	79	69	74	62	64	63	61	66	57
5-14	27	26	26	26	25	22	23	21	21	21
15-24	37	37	39	37	35	28	31	30	27	27
25-44	133	132	129	133	133	111	112	113	111	110
45-64	1,268	1,318	1,337	1,374	1,330	688	708	709	721	693
65-74	5,139	5,362	5,410	5,492	5,097	2,869	3,007	2,942	2,986	2,741
75 and over	13,190	13,918	14,057	14,602	12,950	10,138	10,596	10,534	10,799	9,541
Infant mortality	23·85	23·20	23·74	22·94	21·34	18·41	18·31	18·08	17·76	16·82
Tuberculosis, all forms (ICD Nos: 001-019)										
All ages	11	11	10	9·6	8·0	3·9	3·9	3·4	3·2	2·6
1-4	0·56	0·47	0·66	0·63	0·43	0·51	0·50	0·55	0·80	0·58
5-14	0·08	0·08	0·29	0·12	0·12	0·24	0·18	0·09	0·18	0·09
15-24	0·40	0·58	0·68	0·54	0·32	0·54	0·72	0·47	0·39	0·15
25-44	4·4	4·1	3·4	3·6	2·6	3·8	3·4	2·8	2·7	2·0
45-64	21	20	18	18	14	5·1	5·6	5·1	4·7	3·6
65-74	52	50	51	43	38	9·5	8·6	7·5	6·6	5·8
75 and over	45	44	43	46	43	12	12	10	11	11
Infant mortality	0·01	0·01	0·01	0·01	0·00	0·02	0·02	0·01	0·00	0·00
All malignant neoplasms (ICD Nos: 140-205)										
All ages	239	239	242	242	244	194	195	195	195	199
1-4	10	12	10	12	10	10	9·0	9·5	8·2	8·2
5-14	8·0	6·7	6·4	7·6	7·5	5·9	6·0	5·7	5·7	5·5
15-24	9·9	10	11	10	9·2	6·2	6·2	6·6	6·3	6·4
25-44	37	36	34	35	38	45	43	47	45	47
45-64	376	379	387	388	391	261	269	269	270	277
65-74	1,166	1,180	1,209	1,228	1,238	620	614	611	602	615
75 and over	1,762	1,787	1,837	1,836	1,863	1,077	1,060	1,052	1,077	1,069
Infant mortality	0·07	0·09	0·06	0·09	0·06	0·07	0·04	0·07	0·06	0·08
Malignant neoplasm of stomach (ICD No: 151)										
All ages	36	35	34	34	33	26	25	24	25	23
1-4	-	-	-	-	-	-	-	-	-	-
5-14	0·03	-	-	-	-	-	-	-	-	-
15-24	0·20	0·10	0·12	0·09	0·06	0·07	0·07	0·13	0·09	0·06
25-44	3·8	3·9	3·3	3·9	3·4	2·4	2·5	2·5	2·0	1·9
45-64	54	53	53	52	50	23	22	22	22	21
65-74	185	182	178	182	173	95	93	85	83	79
75 and over	285	286	283	279	277	202	194	193	199	180
Infant mortality	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of trachea, bronchus and lung (ICD Nos: 162, 163)										
All ages	86	87	89	91	93	13	14	15	15	16
1-4	-	-	0·07	0·06	-	-	0·07	0·07	-	0·06
5-14	-	0·06	-	0·06	-	0·03	-	-	0·06	0·03
15-24	0·20	0·36	0·34	0·18	0·32	0·10	0·10	0·09	0·03	0·15
25-44	9·5	9·5	9·3	8·6	9·3	3·1	3·1	3·0	2·7	3·1
45-64	176	178	183	184	187	22	24	25	27	29
65-74	432	453	478	495	504	46	48	48	53	54
75 and over	333	346	360	388	420	50	53	55	55	57
Infant mortality	-	-	-	-	-	-	-	-	-	-

TABLE 10 - *continued*

Age	Males					Females				
	1960	1961	1962	1963	1964	1960	1961	1962	1963	1964
Malignant neoplasm of breast (ICD No: 170)										
All ages	0·29	0·36	0·35	0·31	0·36	38	39	39	39	40
1-4	-	-	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	0·20	0·03	0·09	0·09	0·18
25-44	0·03	0·03	0·08	0·05	0·03	12	11	13	13	14
45-64	0·32	0·57	0·55	0·51	0·74	66	69	69	70	72
65-74	1·6	2·0	1·1	1·2	1·6	105	104	105	102	110
75 and over	2·9	2·6	3·9	3·1	2·5	161	165	158	164	161
Infant mortality	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm of uterus (ICD Nos: 171-174)										
All ages						17	17	17	16	16
1-4						-	0·14	-	-	0·06
5-14						0·03	-	-	-	-
15-24						0·17	0·13	90·0	0·15	0·12
25-44						7·4	6·3	7·0	6·7	6·7
45-64						29	29	28	28	28
65-74						50	48	50	46	49
75 and over						65	62	59	62	59
Infant mortality						-	-	-	-	-
Leukaemia and aleukaemia (ICD No: 204)										
All ages	6·7	6·3	6·1	6·6	6·8	5·1	5·2	5·5	5·5	5·3
1-4	4·9	6·0	5·0	5·0	3·9	4·6	3·9	4·0	4·0	3·8
5-14	3·6	3·0	2·7	3·4	3·2	2·4	2·4	2·3	2·7	2·3
15-24	2·5	2·7	2·6	2·6	2·2	1·6	1·5	1·8	1·5	1·5
25-44	3·3	2·7	2·5	2·9	3·0	2·0	2·2	2·7	2·3	2·2
45-64	7·6	7·8	7·6	7·9	8·3	6·0	6·1	6·1	6·5	5·8
65-74	23	21	21	24	24	14	13	15	13	14
75 and over	35	30	35	36	42	19	20	20	22	23
Infant mortality	0·03	0·04	0·01	0·02	0·02	0·02	0·02	0·03	0·03	0·03
Diabetes mellitus (ICD No: 260)										
All ages	5·4	6·0	5·9	6·0	6·1	10	11	10	10	10
1-4	0·14	0·41	-	0·44	0·43	0·51	0·07	0·28	0·07	0·13
5-14	0·17	0·28	0·23	0·38	0·26	0·21	0·38	0·15	0·24	0·15
15-24	0·37	0·32	0·37	0·24	0·29	0·44	0·43	0·28	0·12	0·24
25-44	1·2	1·4	1·3	1·1	1·4	1·0	0·78	1·2	0·79	0·67
45-64	5·3	5·4	5·6	6·3	6·3	7·0	7·3	7·1	6·9	6·6
65-74	27	29	30	29	29	39	43	42	41	41
75 and over	61	73	70	73	75	81	85	80	79	85
Infant mortality	0·01	0·00	0·01	0·01	0·00	0·00	0·01	0·01	-	0·00
Vascular lesions of central nervous system (ICD Nos: 330-334)										
All ages	140	139	140	141	129	191	192	194	199	181
1-4	69·0	0·27	0·39	0·44	0·37	0·51	0·21	0·14	0·13	0·32
5-14	0·65	0·76	0·66	0·46	0·40	0·44	0·24	0·69	0·40	0·49
15-24	1·3	1·8	1·7	1·6	1·7	1·3	1·1	1·4	1·2	1·3
25-44	7·9	7·9	7·6	8·0	7·8	8·3	7·5	8·0	7·7	7·4
45-64	109	107	105	107	107	96	92	93	92	87
65-74	671	662	672	670	612	559	558	549	551	501
75 and over	2,146	2,205	2,259	2,337	2,057	2,127	2,148	2,166	2,239	1,988
Infant mortality	0·04	0·04	0·04	0·03	0·04	0·03	0·01	0·01	0·02	0·03
Arteriosclerotic heart disease (ICD No: 420)										
All ages	256	261	277	288	282	150	157	165	174	169
1-4	-	-	-	-	-	0·07	-	-	0·07	-
5-14	0·03	0·05	-	-	-	-	-	0·03	-	-
15-24	0·27	0·42	0·40	0·42	0·26	0·14	0·07	0·13	0·09	0·06
25-44	28	27	31	32	34	3·4	3·8	4·2	4·7	5·0
45-64	367	383	407	433	436	92	94	101	105	104
65-74	1,307	1,333	1,419	1,472	1,413	578	594	615	640	614
75 and over	2,274	2,352	2,529	2,649	2,542	1,374	1,447	1,530	1,607	1,537
Infant mortality	-	0·00	0·01	-	0·00	-	0·00	0·00	0·00	-
All cardiovascular diseases (ICD Nos: 401-468)										
All ages	454	458	465	475	442	415	429	428	434	395
1-4	0·56	0·54	0·66	0·76	0·68	1·0	0·64	0·97	0·87	0·58
5-14	1·2	0·90	0·60	0·87	0·72	0·89	0·65	0·63	0·46	0·82
15-24	4·1	3·9	4·3	4·3	3·5	2·7	3·3	3·5	3·0	2·4
25-44	44	44	46	49	50	20	20	20	19	19
45-64	494	508	531	558	551	191	196	199	200	190
65-74	2,067	2,087	2,149	2,184	2,026	1,155	1,186	1,175	1,194	1,081
75 and over	5,853	5,999	6,040	6,179	5,467	4,800	4,921	4,859	4,910	4,347
Infant mortality	0·05	0·04	0·04	0·05	0·04	0·04	0·03	0·05	0·03	0·05

TABLE 10 - *continued*

Age	Males					Females				
	1960	1961	1962	1963	1964	1960	1961	1962	1963	1964
All diseases of respiratory system (ICD Nos: 470-527)										
All ages	**158**	**194**	**189**	**205**	**167**	**93**	**125**	**124**	**137**	**106**
1-4	23	24·6	19	23	15	17	18	18	21	15
5-14	4·0	3·5	4·8	3·8	2·9	2·5	3·4	3·7	3·3	2·9
15-24	4·2	4·7	4·9	4·1	4·8	2·5	4·1	3·2	2·6	2·9
25-44	11	12	12	11	9·3	6·3	9·7	7·8	8·6	6·5
45-64	155	191	185	194	160	44	57	53	60	47
65-74	745	953	905	962	797	222	317	297	318	244
75 and over	1,902	2,404	2,437	2,796	2,220	1,030	1,350	1,387	1,526	1,155
Infant mortality	3·05	2·81	3·26	3·72	2·97	2·43	2·27	2·42	2·86	2·27
Influenza (ICD Nos: 480-483)										
All ages	**2·5**	**16**	**6·7**	**6·3**	**2·1**	**2·3**	**15**	**7·5**	**7·3**	**2·3**
1-4	0·76	1·2	0·46	0·51	0·18	0·59	0·86	0·90	0·54	0·13
5-14	0·11	0·51	0·57	0·20	0·09	0·18	0·41	0·36	0·18	0·15
15-24	0·47	1·2	0·92	0·27	0·26	0·17	1·0	0·78	0·24	0·15
25-44	0·78	2·3	1·1	0·85	0·48	0·39	2·0	1·0	0·67	0·28
45-64	2·9	15	6·3	5·7	2·3	1·5	7·5	3·5	3·1	1·0
65-74	9·3	73	27	25	6·8	6·1	43	18	16	5·8
75 and over	24	196	91	97	30	21	158	81	86	24
Infant mortality	0·03	0·05	0·05	0·05	0·03	0·03	0·03	0·04	0·04	0·01
Pneumonia (ICD Nos: 490-493, 763)										
All ages	**56**	**65**	**66**	**76**	**62**	**54**	**65**	**70**	**80**	**65**
1-4	15	15	13	15	10	12	12	12	15	9·7
5-14	2·6	2·0	2·8	2·6	1·9	1·7	2·0	2·1	1·9	2·1
15-24	2·4	2·2	2·7	2·4	2·8	1·5	2·0	1·8	1·3	1·7
25-44	4·4	4·6	4·9	4·3	3·7	3·1	4·0	3·4	4·2	2·9
45-64	32	40	37	44	35	19	23	21	25	20
65-74	191	238	225	260	212	109	138	139	159	127
75 and over	831	1,005	1,075	1,285	1,036	621	743	823	944	763
Infant mortality	3·46	3·19	3·57	3·81	3·09	2·65	2·49	2·61	2·87	2·31
Bronchitis (ICD Nos: 500-502)										
All ages	**86**	**99**	**103**	**109**	**90**	**32**	**38**	**41**	**43**	**33**
1-4	4·4	5·6	3·5	4·4	2·9	2·8	3·4	3·5	3·8	4·2
5-14	0·56	0·53	0·63	0·58	0·49	0·33	0·50	0·54	0·82	0·33
15-24	0·47	0·52	0·55	0·71	0·73	0·24	0·49	0·34	0·27	0·57
25-44	3·5	3·2	3·5	3·5	3·1	1·5	2·0	1·9	2·3	1·8
45-64	99	113	119	123	103	18	21	23	25	20
65-74	466	559	575	598	503	92	119	123	125	97
75 and over	916	1,075	1,138	1,264	1,019	328	384	420	434	311
Infant mortality	0·52	0·44	0·57	0·59	0·49	0·40	0·34	0·41	0·48	0·34
Ulcer of stomach and duodenum (ICD Nos: 540-541)										
All ages	**14**	**13**	**14**	**12**	**11**	**6·5**	**6·1**	**6·6**	**6·4**	**5·6**
1-4	0·07	-	0·07	0·06	0·06	0·07	-	-	-	0·06
5-14	-	-	-	0·03	0·09	0·03	0·03	-	-	-
15-24	0·20	0·19	0·31	0·18	0·17	0·10	-	0·03	0·09	0·03
25-44	2·3	1·6	1·8	1·6	1·7	0·57	0·46	0·48	0·67	0·56
45-64	17	17	16	15	14	4·2	4·4	4·5	4·3	3·7
65-74	71	65	71	58	53	19	18	21	19	18
75 and over	149	143	149	148	129	66	60	64	61	52
Infant mortality	0·00	0·01	0·01	0·00	0·01	0·01	-	0·01	0·01	0·00
Appendicitis (ICD Nos: 550-553)										
All ages	**1·7**	**1·6**	**1·5**	**1·3**	**1·2**	**1·1**	**1·2**	**1·1**	**1·1**	**0·92**
1-4	0·76	0·61	1·0	0·63	0·43	0·81	0·43	0·21	0·27	0·39
5-14	0·90	0·53	0·46	0·43	0·55	0·47	0·35	0·42	0·24	0·36
15-24	0·57	0·65	0·58	0·48	0·29	0·37	0·26	0·41	0·21	0·21
25-44	0·50	0·64	0·55	0·40	0·29	0·34	0·36	0·30	0·31	0·23
45-64	2·2	2·0	2·0	1·4	1·2	0·91	1·2	0·83	1·0	0·64
65-74	4·8	5·1	6·4	5·5	5·1	2·8	3·3	2·9	3·1	2·3
75 and over	12	12·4	10	11	11	7·7	6·8	7·5	6·8	6·8
Infant mortality	0·01	0·01	0·01	0·00	0·01	-	0·00	-	-	0·00
Nephritis and nephrosis (ICD Nos: 590-594)										
All ages	**9·1**	**8·3**	**7·8**	**7·4**	**6·6**	**7·2**	**6·8**	**6·9**	**6·1**	**5·8**
1-4	0·76	0·61	0·39	0·63	0·43	0·73	0·36	0·41	0·47	0·45
5-14	1·2	0·59	0·57	0·72	0·66	0·80	0·77	0·60	0·58	0·52
15-24	2·9	2·1	2·3	2·0	1·9	1·8	1·8	1·7	1·9	1·4
25-44	5·0	4·3	4·1	4·0	3·5	2·6	2·3	2·8	2·1	1·9
45-64	12	12	11	9·9	9·4	8·1	6·9	7·4	6·4	5·8
65-74	28	27	26	26	22	19	20	17	17	16
75 and over	69	67	59	60	49	44	43	44	37	37
Infant mortality	0·02	0·02	0·02	0·01	0·02	0·02	0·01	0·01	0·02	0·01

TABLE 10 - *continued*

Age	Males					Females				
	1960	1961	1962	1963	1964	1960	1961	1962	1963	1964
All violent causes (ICD Nos: E800-E999)										
All ages	**61**	**61**	**61**	**62**	**62**	**41**	**40**	**42**	**44**	**42**
1-4	23	26	25	24	25	14	18	16	17	17
5-14	18	18	18	18	19	7·9	5·6	7·1	6·8	8·0
15-24	67	64	62	62	68	12	14	12	12	15
25-44	40	48	45	47	48	15	15	16	18	17
45-64	69	67	68	70	69	35	34	36	37	35
65-74	107	112	116	112	104	78	80	79	83	78
75 and over	306	309	324	317	300	308	300	314	322	296
Infant mortality	0·67	0·71	0·75	0·78	0·85	0·51	0·51	0·62	0·63	0·68
Motor vehicle traffic accidents (ICD Nos: E810-E825)										
All ages	**21**	**21**	**20**	**20**	**22**	**7·9**	**7·9**	**7·4**	**7·2**	**8·3**
1-4	7·6	8·9	8·0	8·8	8·9	4·9	7·6	5·6	5·7	5·6
5-14	8·2	7·9	8·3	9·2	8·9	4·1	2·9	4·1	3·7	4·8
15-24	44	42	39	38	46	7·0	7·8	6·1	5·3	8·7
25-44	17	17	15	16	17	3·7	3·9	3·3	3·4	4·0
45-64	19	17	17	18	19	7·9	6·8	6·8	7·4	6·9
65-74	30	32	29	27	30	17	18	16	16	18
75 and over	67	75	64	60	74	31	30	30	27	32
Infant mortality	0·01	0·02	0·02	0·01	0·02	0·01	0·03	0·01	0·01	0·02
Accidents in the home and residential institutions (ICD Nos: E870·0 and 7 - E936·0 and 7)										
All ages	**11**	**11**	**12**	**13**	**12**	**19**	**18**	**20**	**21**	**19**
1-4	8·3	9·1	10	9·8	11	6·1	6·9	7·6	8·5	8·8
5-14	1·6	1·6	1·7	1·5	1·7	1·8	1·0	1·3	1·5	1·5
15-24	2·4	2·0	2·3	3·3	2·6	1·3	1·7	1·5	1·5	1·5
25-44	3·6	3·2	3·8	3·9	4·0	1·9	2·0	2·5	3·0	2·6
45-64	7·7	7·5	8·0	9·4	8·1	8·0	6·2	7·6	8·2	7·8
65-74	23	24	30	32	24	33	34	34	37	31
75 and over	154	147	166	166	148	229	218	231	233	208
Infant mortality	0·56	0·58	0·63	0·67	0·73	0·42	0·40	0·52	0·50	0·54
Suicide and self-inflicted injury (ICD Nos: E970-E979)										
All ages	**14**	**14**	**14**	**14**	**14**	**8·7**	**9·1**	**9·7**	**9·9**	**9·8**
1-4	-	-	-	-	-	-	-	-	-	-
5-14	0·11	0·06	0·17	0·12	0·06	0·09	0·06	0·09	0·06	0·06
15-24	5·7	5·1	6·5	6·9	6·3	2·6	2·2	2·3	3·1	2·7
25-44	13	13	14	14	13	7·1	7·5	8·2	9·6	8·7
45-64	25	24	25	26	25	16	17	18	17	18
65-74	33	33	36	34	31	19	19	21	20	21
75 and over	38	39	44	39	37	12	13	15	18	17
Infant mortality	-	-	-	-	-	-	-	-	-	-

TABLE 11. Deaths of infants under 1 year from certain causes, 1954 to 1964 England and Wales

ICD No.	Causes of death	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
	ALL CAUSES	17,160	16,613	16,554	16,720	16,685	16,629	17,118	17,393	18,187	18,042	17,445
010	Tuberculosis of meninges and central nervous system	10	11	5	3	3	4	3	7	5	2	1
001-008, 011-019	Other tuberculosis	26	17	8	10	9	11	7	5	1	2	1
056	Whooping cough	95	60	63	68	18	16	26	19	18	29	32
057	Meningococcal infections	105	77	71	76	72	62	47	57	60	59	35
085	Measles	14	38	4	20	15	23	6	29	4	24	13
Rem of 001-138	Other infective and parasitic diseases	91	62	79	63	74	76	78	68	86	74	90
140-199	Malignant neoplasms	20	34	26	26	33	32	29	25	31	42	27
200-205	Neoplasms of lymphatic and haematopoietic tissues	29	12	17	29	28	19	26	28	26	22	33
250-277	Diseases of the endocrine glands	53	47	47	40	45	37	32	38	55	48	46
295,296,771	Haemorrhagic conditions	233	222	234	192	256	225	214	196	247	226	195
340-343	Inflammatory diseases of central nervous system	142	149	149	166	175	131	140	187	195	170	212
390-398	Diseases of ear and mastoid process	73	68	61	43	36	49	41	34	56	60	68
480-483	Influenza	31	48	30	77	33	71	26	33	38	36	19
490-493	Pneumonia	1,629	1,532	1,495	1,464	1,461	1,472	1,676	1,606	1,842	2,183	1,792
500-502	Bronchitis	335	357	311	291	348	389	364	319	412	459	365
470-475, 510-527	Other respiratory diseases	99	94	90	86	103	92	89	108	97	141	128
571, 764	Gastro-enteritis	461	439	319	318	270	301	343	387	450	397	420
750	Monstrosity	123	117	130	152	165	165	186	184	204	192	218
751	Spina bifida and meningocele	759	758	758	733	737	666	654	613	572	711	626
752	Congenital hydrocephalus	342	342	351	342	351	414	451	455	448	141	137
754·0-754·5	Congenital malformations of heart	1,069	984	1,108	1,151	1,117	1,130	1,173	1,236	1,368	1,352	1,325
757	Congenital malformations of genito-urinary system	107	128	116	145	135	115	161	142	180	177	185
Rem· of 750-759	Other congenital malformations	766	764	752	825	884	908	924	974	1,066	1,010	1,144
760, 761	Injury at birth	1,818	1,786	1,845	1,830	1,805	1,851	1,825	2,043	1,862	1,943	1,940
762	Postnatal asphyxia and atelectasis	2,392	2,306	2,381	2,694	2,645	2,709	2,676	2,647	2,673	2,513	2,639
763	Pneumonia of newborn	761	783	806	714	837	750	732	704	763	679	583
766-768	Pemphigus and sepsis of newborn	76	57	68	80	70	53	63	78	59	80	74
770	Haemolytic disease of newborn	461	363	349	371	377	360	372	334	353	342	317
774, 776	Immaturity	3,208	3,171	3,181	3,108	2,960	2,884	3,068	3,024	2,987	2,849	2,604
E900-E904	Accidental falls	8	14	11	17	13	23	19	21	22	31	21
E916, E917	Accident by fire or hot substance	23	17	10	9	13	20	19	15	22	27	38
E921, E922	Obstruction by inhalation or ingestion	251	238	249	200	200	186	186	223	252	248	315
E924, E925	Accidental mechanical suffocation	183	179	192	162	175	140	134	118	160	145	161
Rem· of E800-E965	Other accidents	84	100	77	96	97	94	80	98	90	126	101
	All other causes	1,283	1,239	1,161	1,119	1,125	1,151	1,248	1,338	1,483	1,502	1,540

TABLE 12. Infant mortality rates (deaths under 1 year per 1,000 live births*) from certain causes, 1954 to 1964 — England and Wales

ICD No.	Causes of death	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
	ALL CAUSES	**25·42**	**24·91**	**23·75**	**23·11**	**22·53**	**22·22**	**21·81**	**21·44**	**21·68**	**21·13**	**19·92**
010	Tuberculosis of meninges and central nervous system	*0·01*	*0·02*	*0·01*	*0·00*	*0·00*	*0·01*	*0·00*	*0·01*	*0·01*	*0·00*	*0·00*
001-008, 011-019	Other tuberculosis	0·04	*0·02*	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*	*0·01*	*0·00*	*0·00*	*0·00*
056	Whooping cough	0·14	0·09	0·09	0·09	*0·02*	*0·02*	0·03	*0·02*	*0·02*	0·03	0·04
057	Meningococcal infections	0·15	0·11	0·10	0·11	0·10	0·08	0·06	0·07	0·07	0·07	0·04
085	Measles	*0·02*	0·06	*0·00*	0·03	*0·02*	0·03	*0·01*	0·04	*0·00*	0·03	*0·01*
Rem of 001-138	Other infective and parasitic diseases	0·14	0·09	0·11	0·09	0·10	0·10	0·10	0·08	0·10	0·09	0·10
140-199	Malignant neoplasms	0·03	0·05	0·04	0·04	0·04	0·04	0·04	0·03	0·04	0·05	0·03
200-205	Neoplasms of lymphatic and haematopoietic tissues	0·04	0·02	0·02	0·04	0·04	*0·03*	0·03	0·03	0·03	0·03	0·04
250-277	Diseases of the endocrine glands	0·08	0·07	0·06	0·06	0·06	0·05	0·04	0·05	0·07	0·06	0·05
95,296,771	Haemorrhagic conditions	0·34	0·33	0·33	0·27	0·35	0·30	0·27	0·24	0·29	0·26	0·22
340-343	Inflammatory diseases of central nervous system	0·21	0·22	0·21	0·23	0·24	0·18	0·18	0·23	0·23	0·20	0·24
390-398	Diseases of ear and mastoid process	0·10	0·10	0·09	0·06	0·05	0·07	0·05	0·04	0·07	0·07	0·08
480-483	Influenza	0·04	0·07	0·04	0·11	0·04	0·09	0·03	0·04	0·05	0·04	*0·02*
490-493	Pneumonia	2·42	2·29	2·14	2·02	1·97	1·97	2·14	1·98	2·20	2·56	2·05
500-502	Bronchitis	0·49	0·53	0·45	0·40	0·47	0·52	0·46	0·39	0·49	0·54	0·42
470-475, 510-527	Other respiratory diseases	0·14	0·14	0·13	0·12	0·14	0·12	0·11	0·13	0·12	0·17	0·15
571, 764	Gastro-enteritis	0·68	0·66	0·46	0·44	0·36	0·40	0·44	0·48	0·54	0·46	0·48
750	Monstrosity	0·18	0·18	0·19	0·21	0·22	0·22	0·24	0·23	0·24	0·22	0·25
751	Spina bifida and meningocele	1·12	1·13	1·09	1·01	0·99	0·89	0·83	0·76	0·68	0·83	0·71
752	Congenital hydrocephalus	0·50	0·51	0·50	0·47	0·47	0·55	0·57	0·56	0·53	0·17	0·16
754·0-754·5	Congenital malformations of heart	1·58	1·47	1·59	1·59	1·51	1·51	1·49	1·52	1·63	1·58	1·51
757	Congenital malformations of genito-urinary system	0·16	0·19	0·16	0·20	0·18	0·15	0·21	0·18	0·21	0·21	0·21
Rem· of 750-759	Other congenital malformations	1·14	1·14	1·08	1·14	1·19	1·21	1·18	1·20	1·27	1·18	1·31
760, 761	Injury at birth	2·70	2·68	2·64	2·53	2·44	2·47	2·32	2·52	2·22	2·28	2·21
762	Postnatal asphyxia and atelectasis	3·55	3·45	3·40	3·72	3·57	3·62	3·41	3·26	3·19	2·94	3·01
763	Pneumonia of newborn	1·13	1·17	1·16	0·99	1·13	1·00	0·93	0·87	0·91	0·80	0·67
766-768	Pemphigus and sepsis of newborn	0·11	0·08	0·10	0·11	0·09	0·07	0·08	0·10	0·07	0·09	0·08
770	Haemolytic disease of newborn	0·68	0·54	0·50	0·51	0·51	0·48	0·47	0·41	0·42	0·40	0·36
774, 776	Immaturity	4·76	4·75	4·55	4·30	4·00	3·85	3·91	3·73	3·56	3·34	2·97
E900-E904	Accidental falls	*0·01*	*0·02*	*0·01*	*0·02*	*0·02*	0·03	*0·02*	0·03	0·03	0·04	0·02
916, E917	Accident by fire or hot substance	0·03	*0·02*	*0·01*	*0·01*	*0·02*	0·03	*0·02*	*0·02*	0·03	0·03	0·04
921, E922	Obstruction by inhalation or ingestion	0·37	0·36	0·36	0·28	0·27	0·25	0·24	0·27	0·30	0·29	0·36
924, E925	Accidental mechanical suffocation	0·27	0·27	0·27	0·22	0·24	0·19	0·17	0·15	0·19	0·17	0·18
Rem· of E800-E965	Other accidents	0·12	0·15	0·11	0·13	0·13	0·13	0·10	0·12	0·11	0·15	0·12
	All other causes	1·90	1·86	1·67	1·55	1·52	1·54	1·59	1·65	1·77	1·76	1·76

*Based on related live births prior to 1957

TABLE 13. Home population, births, deaths, infant mortality and perinatal mortality, 1964

England and Wales, standard regions, Wales, conurbations, hospital regions, counties, boroughs, urban and rural districts

Note. The perinatal mortality rate is the number of deaths under one week plus stillbirths per 1,000 total live and still births.

*See explanatory notes. For explanation of symbols * † ‡ used in this table see note 10.*

Area	Estimated home population as at 30th June 1964	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
ENGLAND AND WALES	**47,401,300**	**418,345**	**394,287**	**32,727**	**30,613**	**875,972**	**18·5**	**1·00**	**1·00**	**274,773**	**259,964**	**534,737**	**11·3**	**1·00**	**1·00**	**17,445**	**20**	**12,106**	**10,537**	**14,546**	**28**
Standard regions and conurbations:																					
Northern	**3,300,970**	**29,536**	**27,638**	**1,691**	**1,575**	**60,440**	**18·3**	**0·99**	**0·98**	**20,135**	**17,389**	**37,524**	**11·4**	**1·14**	**1·15**	**1,341**	**22**	**914**	**792**	**1,168**	**32**
Tyneside Conurbation	853,300	7,411	6,983	492	486	15,372	18·0	0·98	0·95	5,175	4,410	9,585	11·2	1·17	1·16	350	23	240	207	304	33
Remainder of Northern	2,447,670	22,125	20,655	1,199	1,089	45,068	18·4	1·00	0·99	14,960	12,979	27,939	11·4	1·14	1·15	991	22	674	585	864	32
East and West Ridings	**4,241,390**	**37,560**	**35,109**	**2,960**	**2,834**	**78,463**	**18·5**	**1·01**	**1·01**	**25,987**	**24,169**	**50,156**	**11·8**	**1·09**	**1·14**	**1,785**	**23**	**1,175**	**1,007**	**1,421**	**30**
West Yorkshire Conurbation	1,721,360	15,148	14,107	1,485	1,420	32,160	18·7	1·03	1·04	10,932	10,779	21,711	12·6	1·06	1·18	768	24	490	427	593	31
Remainder of East and West Ridings	2,520,030	22,412	21,002	1,475	1,414	46,303	18·4	1·00	0·99	15,055	13,390	28,445	11·3	1·11	1·11	1,017	22	685	580	828	30
North Western	**6,665,460**	**60,979**	**57,520**	**4,719**	**4,243**	**127,461**	**19·1**	**1·02**	**1·05**	**41,418**	**39,869**	**81,287**	**12·2**	**1·09**	**1·18**	**2,873**	**23**	**1,948**	**1,695**	**2,366**	**31**
South East Lancashire Conurbation	2,448,960	22,091	21,146	2,157	1,961	47,355	19·3	1·02	1·06	15,116	14,608	29,724	12·1	1·13	1·21	1,169	25	793	696	870	32
Merseyside Conurbation	1,384,740	13,954	13,137	1,012	885	28,988	20·9	0·96	1·08	7,610	7,451	15,061	10·9	1·20	1·16	618	21	402	341	543	30
Remainder of North Western	2,831,760	24,934	23,237	1,550	1,397	51,118	18·1	1·05	1·03	18,692	17,810	36,502	12·9	1·02	1·16	1,086	21	753	658	953	31
North Midland	**3,759,930**	**33,906**	**32,044**	**2,407**	**2,366**	**70,723**	**18·8**	**1·00**	**1·02**	**21,273**	**19,363**	**40,636**	**10·8**	**1·08**	**1·03**	**1,349**	**19**	**926**	**790**	**1,216**	**28**
Midland	**4,925,690**	**45,749**	**43,256**	**3,392**	**3,163**	**95,560**	**19·4**	**0·97**	**1·02**	**26,845**	**23,833**	**50,678**	**10·3**	**1·19**	**1·08**	**1,907**	**20**	**1,309**	**1,138**	**1,658**	**29**
West Midlands Conurbation	2,385,190	22,379	20,850	1,975	1,860	47,064	19·7	0·96	1·02	12,941	11,270	24,211	10·2	1·24	1·12	971	21	650	564	847	29
Remainder of Midland	2,540,500	23,370	22,406	1,417	1,303	48,496	19·1	0·98	1·01	13,904	12,563	26,467	10·4	1·15	1·06	936	19	659	574	811	28
Eastern	**3,969,260**	**36,071**	**34,176**	**2,192**	**1,976**	**74,415**	**18·7**	**0·99**	**1·00**	**20,699**	**19,850**	**40,549**	**10·2**	**1·04**	**0·94**	**1,183**	**16**	**844**	**726**	**1,082**	**24**
London and South Eastern	**11,272,640**	**93,767**	**88,056**	**9,878**	**9,319**	**201,020**	**17·8**	**0·97**	**0·93**	**63,385**	**63,901**	**127,286**	**11·3**	**0·98**	**0·98**	**3,741**	**19**	**2,673**	**2,387**	**2,925**	**26**
Greater London	8,186,830	68,797	65,160	8,149	7,652	149,758	18·3	0·94	0·93	44,410	43,409	87,819	10·7	1·04	0·98	2,802	19	2,005	1,793	2,151	26
Remainder of South Eastern	3,085,810	24,970	22,896	1,729	1,667	51,262	16·6	1·09	0·98	18,975	20,492	39,467	12·8	0·81	0·92	939	18	668	594	774	26
Southern	**3,042,690**	**27,912**	**26,529**	**2,042**	**1,977**	**58,460**	**19·2**	**1·00**	**1·04**	**15,985**	**15,448**	**31,433**	**10·3**	**1·00**	**0·91**	**1,025**	**18**	**742**	**656**	**863**	**26**
South Western	**3,546,880**	**29,944**	**27,951**	**2,086**	**1,947**	**61,928**	**17·5**	**1·07**	**1·01**	**21,439**	**21,003**	**42,442**	**12·0**	**0·91**	**0·97**	**1,087**	**18**	**760**	**650**	**988**	**26**
Wales	**2,676,390**	**22,921**	**22,008**	**1,360**	**1,213**	**47,502**	**17·7**	**1·05**	**1·00**	**17,607**	**15,139**	**32,746**	**12·2**	**1·06**	**1·14**	**1,154**	**24**	**815**	**696**	**859**	**32**
Wales I (South East)	1,921,440	16,668	16,032	987	879	34,566	18·0	1·02	0·99	12,503	10,329	22,832	11·9	1·13	1·19	892	26	618	524	664	34
Wales II (remainder)	754,950	6,253	5,976	373	334	12,936	17·1	1·11	1·03	5,104	4,810	9,914	13·1	0·92	1·07	262	20	197	172	195	28
Urban/Rural aggregates:																					
Conurbations	16,980,380	149,780	141,383	15,270	14,264	320,697	18·9	0·96	0·98	96,184	91,927	188,111	11·1	1·10	1·08	6,678	21	4,580	4,028	5,308	29
Areas outside conurbations:																					
Urban areas with populations of 100,000 and over	6,285,480	53,798	50,621	5,017	4,723	114,159	18·2	1·02	1·00	37,637	35,158	72,795	11·6	1·06	1·09	2,301	20	1,569	1,354	1,999	29
Urban areas with populations of 50,000 and under 100,000	4,417,450	39,423	37,111	2,998	2,845	82,377	18·6	1·00	1·01	25,359	24,739	50,098	11·3	1·04	1·04	1,717	21	1,194	1,030	1,386	29
Urban areas with populations under 50,000	9,903,110	87,793	82,439	5,146	4,802	180,180	18·2	1·03	1·01	60,708	58,330	119,038	12·0	0·99	1·05	3,536	20	2,487	2,150	3,069	28
Rural districts	9,814,880	87,551	82,733	4,296	3,979	178,559	18·2	1·03	1·01	54,885	49,810	104,695	10·7	1·02	0·97	3,213	18	2,276	1,975	2,784	26
Hospital regions																					
Newcastle	3,058,500	27,526	25,868	1,565	1,465	56,424	18·4	0·99	0·98	18,514	15,757	34,271	11·2	1·17	1·16	1,265	22	862	745	1,106	32
Leeds	3,160,400	27,719	25,681	2,319	2,220	57,939	18·3	1·03	1·02	19,534	19,065	38,599	12·2	1·04	1·12	1,318	23	849	729	1,034	30
Sheffield	4,499,900	40,498	38,248	2,787	2,761	84,294	18·7	0·99	1·00	26,099	22,882	48,981	10·9	1·11	1·07	1,667	20	1,149	975	1,494	29

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
East Anglia	1,604,700	13,653	13,027	916	861	28,457	17·7	1·03	0·99	9,171	8,780	17,951	11·2	0·94	0·93	490	17	360	311	422	25
North West Metropolitan	4,171,900	37,225	35,199	3,853	3,575	79,852	19·1	0·90	0·93	20,688	19,941	40,629	9·7	1·10	0·94	1,358	17	989	875	1,089	24
North East Metropolitan	3,296,400	28,923	27,785	2,333	2,137	61,178	18·6	0·98	0·99	17,577	16,701	34,278	10·4	1·08	0·99	1,077	18	751	668	933	26
South East Metropolitan	3,534,200	29,964	27,602	2,805	2,694	63,065	17·8	1·05	1·01	21,429	21,816	43,245	12·2	0·89	0·96	1,214	19	829	740	963	27
South West Metropolitan	3,164,900	25,213	23,659	2,458	2,350	53,680	17·0	0·97	0·89	17,549	18,737	36,286	11·5	0·92	0·94	987	18	741	655	752	26
Wessex	1,865,400	15,685	14,965	1,284	1,227	33,161	17·8	1·05	1·01	10,994	10,623	21,617	11·6	0·91	0·93	599	18	422	370	521	26
Oxford	1,751,300	17,179	15,987	1,121	1,020	35,307	20·2	0·99	1·08	8,708	8,415	17,123	9·8	1·06	0·92	637	18	451	397	530	26
South Western	2,976,500	24,739	23,114	1,788	1,661	51,302	17·2	1·07	0·99	18,290	18,055	36,345	12·2	0·90	0·97	879	17	617	530	801	26
Welsh	2,676,300	22,921	22,008	1,360	1,213	47,502	17·7	1·05	1·00	17,607	15,139	32,746	12·2	1·06	1·14	1,154	24	815	696	859	32
Birmingham	4,925,700	45,749	43,256	3,392	3,163	95,560	19·4	0·97	1·02	26,845	23,833	50,678	10·3	1·19	1·08	1,907	20	1,309	1,138	1,658	29
Manchester	4,500,400	39,301	37,307	3,324	3,010	82,942	18·4	1·05	1·04	29,383	28,337	57,720	12·8	1·05	1·19	1,902	23	1,294	1,137	1,540	32
Liverpool	2,214,800	22,050	20,581	1,422	1,256	45,309	20·5	0·97	1·07	12,385	11,883	24,268	11·0	1·18	1·15	991	22	668	571	844	31
ENGLAND																					
BEDFORDSHIRE	**410,430**	**4,564**	**4,241**	**304**	**265**	**9,374**	**22·8**	**0·93**	**1·15**	**1,956**	**1,695**	**3,651**	**8·9**	**1·17**	**0·92**	**137**	**15**	**90**	**81**	**124**	**22**
†Luton C.B.	145,270	1,717	1,616	122	116	3,571	24·6	0·92	1·22	624	547	1,171	8·1	1·31	0·94	51	14	37	31	47	22
*** Administrative county**	**265,160**	**2,847**	**2,625**	**182**	**149**	**5,803**	**21·9**	**0·94**	**1·11**	**1,332**	**1,148**	**2,480**	**9·4**	**1·11**	**0·92**	**86**	**15**	**53**	**50**	**77**	**22**
*** Municipal boroughs and urban districts**	**133,420**	**1,404**	**1,405**	**115**	**91**	**3,015**	**22·6**	**0·92**	**1·12**	**702**	**607**	**1,309**	**9·8**	**1·12**	**0·97**	**56**	**19**	**34**	**32**	**48**	**26**
Ampthill	4,270	36	57	3	-	96	22·5	0·97	1·18	25	31	56	13·1	0·58	0·67	1	*10*	1	1	1	*21*
Bedford M.B.	66,430	696	659	83	61	1,499	22·6	0·92	1·12	357	302	659	9·9	1·12	0·98	37	25	21	19	25	29
Biggleswade	8,410	74	79	4	4	161	19·1	1·04	1·07	64	52	116	13·8	0·69	0·84	5	*31*	3	3	1	*25*
*Dunstable M.B.	27,440	346	356	14	18	734	26·7	0·86	1·24	129	94	223	8·1	1·39	1·00	6	*8*	3	3	13	*21*
Kempston	9,820	70	87	4	2	163	16·6	1·05	0·94	56	60	116	11·8	1·04	1·09	2	*12*	2	2	-	*12*
Leighton Buzzard	12,880	147	143	5	5	300	23·3	0·88	1·11	47	47	94	7·3	1·24	0·80	5	*17*	4	4	6	*33*
Sandy	4,170	35	24	2	1	62	14·9	1·04	0·84	24	21	45	10·8	1·00	0·96	-	-	-	-	2	*31*
*** Rural districts**	**131,740**	**1,443**	**1,220**	**67**	**58**	**2,788**	**21·2**	**0·96**	**1·10**	**630**	**541**	**1,171**	**8·9**	**1·08**	**0·85**	**30**	**11**	**19**	**18**	**29**	**17**
Ampthill	28,550	314	275	13	8	610	21·4	1·03	1·19	133	113	246	8·6	0·99	0·75	5	*8*	2	2	8	*16*
Bedford	36,500	377	317	20	16	730	20·0	0·98	1·06	202	151	353	9·7	0·98	0·84	8	*11*	5	5	7	*16*
Biggleswade	30,780	306	230	13	11	560	18·2	1·04	1·02	165	171	336	10·9	0·91	0·88	7	*13*	4	3	8	*19*
*Luton	35,910	446	398	21	23	888	24·7	0·83	1·11	130	106	236	6·6	1·50	0·88	10	*11*	8	8	6	*16*
BERKSHIRE	**556,000**	**5,567**	**5,247**	**346**	**336**	**11,496**	**20·7**	**0·95**	**1·06**	**2,537**	**2,584**	**5,121**	**9·2**	**1·08**	**0·88**	**198**	**17**	**142**	**125**	**163**	**25**
Reading C.B.	123,310	1,204	1,106	123	98	2,531	20·5	1·01	1·12	632	646	1,278	10·4	0·99	0·91	55	22	44	40	44	33
Administrative county	**432,690**	**4,363**	**4,141**	**223**	**238**	**8,965**	**20·7**	**0·94**	**1·05**	**1,905**	**1,938**	**3,843**	**8·9**	**1·09**	**0·86**	**143**	**16**	**98**	**85**	**119**	**22**
Municipal boroughs and urban districts	**132,540**	**1,265**	**1,230**	**66**	**75**	**2,636**	**19·9**	**0·94**	**1·01**	**664**	**709**	**1,373**	**10·4**	**0·95**	**0·87**	**40**	**15**	**32**	**26**	**31**	**21**
Abingdon M.B.	15,680	148	127	9	6	290	18·5	0·96	0·96	71	51	122	7·8	1·34	0·92	3	*10*	1	1	1	*7*
Maidenhead M.B.	39,560	405	388	15	23	831	21·0	0·93	1·06	184	223	407	10·3	0·88	0·80	15	*18*	13	10	6	*19*
Newbury M.B.	21,380	174	174	15	17	380	17·8	1·02	0·98	135	135	270	12·6	0·85	0·95	10	*26*	9	7	6	*34*
New Windsor M.B.	29,030	254	244	14	19	531	18·3	0·86	0·85	127	126	253	8·7	1·17	0·90	5	*9*	5	5	8	*24*
Wallingford M.B.	5,300	69	63	3	2	137	25·8	0·94	1·31	47	53	100	18·9	0·53	0·89	-	-	-	-	1	*7*
Wantage	6,970	70	82	2	1	155	22·2	1·04	1·25	31	37	68	9·8	0·77	0·67	2	*13*	1	1	4	*31*
Wokingham M.B.	14,620	145	152	8	7	312	21·3	1·03	1·19	69	84	153	10·5	0·79	0·73	5	*16*	3	2	5	*22*
Rural districts	**300,150**	**3,098**	**2,911**	**157**	**163**	**6,329**	**21·1**	**0·93**	**1·06**	**1,241**	**1,229**	**2,470**	**8·2**	**1·17**	**0·85**	**103**	**16**	**66**	**59**	**88**	**23**
Abingdon	34,010	347	300	18	21	686	20·2	0·93	1·02	117	131	248	7·3	1·26	0·81	11	*16*	6	5	13	*26*
Bradfield	33,550	349	313	20	23	705	21·0	0·91	1·03	120	116	236	7·0	1·27	0·79	10	*14*	7	7	15	31
Cookham	17,750	150	160	10	11	331	18·6	0·93	0·94	84	60	144	8·1	1·14	0·82	6	*18*	6	6	-	*18*
Easthampstead	51,210	539	519	22	28	1,108	21·6	0·83	0·97	181	182	363	7·1	1·37	0·86	15	*14*	9	9	14	20

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1964	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BERKSHIRE - *continued*																					
Rural districts - *continued*																					
Faringdon	15,300	154	146	10	9	319	20·8	1·02	1·15	51	71	122	8·0	1·16	0·82	2	*6*	1	-	7	*21*
Hungerford	10,130	99	72	4	7	182	18·0	1·09	1·06	60	47	107	10·6	0·80	0·75	3	*16*	-	-	-	-
Newbury	21,170	220	194	17	14	445	21·0	0·98	1·11	87	103	190	9·0	1·11	0·88	4	*9*	2	2	5	*16*
Wallingford	19,880	243	200	14	10	467	23·5	1·04	1·32	108	122	230	11·6	0·86	0·88	13	*28*	8	8	6	*30*
Wantage	18,290	193	206	7	8	414	22·6	0·97	1·18	76	72	148	8·1	1·19	0·85	8	*19*	4	3	5	*19*
Windsor	16,970	138	112	10	8	268	15·8	0·94	0·80	95	90	185	10·9	0·85	0·82	5	*19*	4	3	3	*22*
Wokingham	61,890	666	689	25	24	1,404	22·7	0·94	1·15	262	235	497	8·0	1·24	0·88	26	19	19	16	20	*25*
BUCKINGHAMSHIRE	**528,010**	**5,190**	**4,894**	**282**	**293**	**10,659**	**20·2**	**0·97**	**1·06**	**2,399**	**2,218**	**4,617**	**8·7**	**1·15**	**0·89**	**178**	**17**	**139**	**120**	**170**	**27**
Municipal boroughs and urban districts	**264,610**	**2,779**	**2,633**	**179**	**192**	**5,783**	**21·9**	**0·94**	**1·11**	**1,180**	**1,036**	**2,216**	**8·4**	**1·26**	**0·94**	**95**	**16**	**72**	**64**	**96**	**27**
Aylesbury M.B.	32,510	393	343	25	24	785	24·1	0·85	1·11	142	105	247	7·6	1·38	0·93	9	*11*	8	6	15	*26*
Beaconsfield	11,000	74	96	1	3	174	15·8	0·99	0·85	43	51	94	8·5	1·12	0·84	1	*6*	1	1	3	*23*
Bletchley	20,610	245	237	6	12	500	24·3	0·85	1·12	77	68	145	7·0	1·61	1·00	3	*6*	2	2	8	*20*
Buckingham M.B.	4,740	30	49	1	1	81	17·1	1·07	0·99	22	16	38	8·0	1·03	0·73	1	*12*	-	-	2	*24*
Chesham	19,100	247	214	14	10	485	25·4	0·84	1·15	93	84	177	9·3	1·23	1·01	8	*16*	6	5	8	*26*
Eton	5,290	30	34	1	4	69	13·0	1·13	0·79	15	11	26	4·9	1·52	0·66	1	*14*	1	1	1	*29*
High Wycombe M.B.	54,060	605	524	49	48	1,226	22·7	0·94	1·15	252	190	442	8·2	1·23	0·89	21	17	17	15	23	*30*
Linslade	4,470	63	45	2	2	112	25·1	1·02	1·38	21	37	58	13·0	0·82	0·94	1	*9*	1	1	3	*35*
Marlow	9,630	89	108	6	1	204	21·2	0·95	1·09	41	47	88	9·1	1·15	0·93	9	*44*	5	5	6	*52*
Newport Pagnell	5,260	53	51	2	1	107	20·3	1·25	1·37	40	63	103	19·6	0·51	0·88	2	*19*	2	1	3	*36*
Slough M.B.	84,900	850	835	61	78	1,824	21·5	0·94	1·09	356	289	645	7·6	1·42	0·96	35	19	26	24	21	24
Wolverton	13,040	100	97	11	8	216	16·6	1·19	1·07	78	75	153	11·7	0·86	0·89	4	*19*	3	3	3	*27*
Rural districts	**263,400**	**2,411**	**2,261**	**103**	**101**	**4,876**	**18·5**	**1·00**	**1·00**	**1,219**	**1,182**	**2,401**	**9·1**	**1·05**	**0·85**	**83**	**17**	**67**	**56**	**74**	**26**
Amersham	60,150	568	543	23	27	1,161	19·3	0·98	1·02	255	274	529	8·8	1·03	0·80	15	*13*	13	9	16	*21*
Aylesbury	34,680	332	315	14	20	681	19·6	1·03	1·09	175	172	347	10·0	0·99	0·88	11	*16*	9	8	6	*20*
Buckingham	9,530	71	71	4	6	152	15·9	1·27	1·09	32	47	79	8·3	1·10	0·81	-	-	-	-	4	*26*
Eton	70,110	583	527	29	22	1,161	16·6	0·93	0·83	284	255	539	7·7	1·26	0·86	20	17	18	15	19	*29*
Newport Pagnell	14,380	119	112	7	1	239	16·6	1·18	1·06	103	104	207	14·4	0·84	1·07	7	*29*	4	4	5	*37*
Wing	9,380	94	74	3	5	176	18·8	1·06	1·08	60	41	101	10·8	0·95	0·91	5	*28*	3	3	3	*34*
Winslow	8,360	76	57	3	2	138	16·5	1·17	1·04	57	64	121	14·5	0·71	0·91	6	*43*	6	5	3	*57*
Wycombe	56,810	568	562	20	18	1,168	20·6	0·98	1·09	253	225	478	8·4	1·12	0·83	19	*16*	14	12	18	*25*
CAMBRIDGESHIRE	**200,010**	**1,758**	**1,573**	**105**	**88**	**3,524**	**17·6**	**0·97**	**0·92**	**1,012**	**994**	**2,006**	**10·0**	**0·98**	**0·87**	**36**	**10**	**32**	**27**	**46**	**20**
Cambridge M.B.	98,390	770	700	56	49	1,575	16·0	0·96	0·83	467	483	950	9·7	1·06	0·91	18	*11*	16	14	17	*19*
Rural districts	**101,620**	**988**	**873**	**49**	**39**	**1,949**	**19·2**	**0·98**	**1·02**	**545**	**511**	**1,056**	**10·4**	**0·91**	**0·84**	**18**	*9*	**16**	**13**	**29**	**21**
Chesterton	49,000	464	407	19	19	909	18·6	0·94	0·95	260	238	498	10·2	0·91	0·82	11	*12*	10	9	15	*26*
Newmarket	21,360	184	184	14	7	389	18·2	1·02	1·00	117	109	226	10·6	0·93	0·87	2	*5*	2	1	6	*18*
South Cambridgeshire	31,260	340	282	16	13	651	20·8	1·02	1·15	168	164	332	10·6	0·85	0·80	5	*8*	4	3	8	*17*
CHESHIRE	**1,430,220**	**13,073**	**12,549**	**727**	**678**	**27,027**	**18·9**	**1·01**	**1·03**	**8,274**	**8,109**	**16,383**	**11·5**	**1·07**	**1·09**	**527**	**19**	**376**	**328**	**439**	**28**
County boroughs	**449,090**	**4,120**	**4,056**	**317**	**283**	**8,776**	**19·5**	**1·01**	**1·06**	**2,651**	**2,671**	**5,322**	**11·9**	**1·08**	**1·14**	**197**	**22**	**147**	**127**	**164**	**33**
Birkenhead	143,470	1,404	1,349	110	80	2,943	20·5	0·99	1·10	793	786	1,579	11·0	1·14	1·11	61	*21*	42	36	64	*33*
Chester	59,800	514	541	41	55	1,151	19·2	1·02	1·06	370	308	678	11·3	1·11	1·11	37	*32*	26	24	19	*37*
Stockport	142,500	1,244	1,244	99	88	2,675	18·8	1·02	1·04	854	891	1,745	12·2	1·07	1·16	59	*22*	45	39	50	*33*
Wallasey	103,320	958	922	67	60	2,007	19·4	1·03	1·08	634	686	1,320	12·8	1·01	1·14	40	20	34	28	31	29
Administrative county	**981,130**	**8,953**	**8,493**	**410**	**395**	**18,251**	**18·6**	**1·00**	**1·01**	**5,623**	**5,438**	**11,061**	**11·3**	**1·08**	**1·08**	**330**	**18**	**229**	**201**	**275**	**26**

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Municipal boroughs and urban districts	**757,350**	**7,109**	**6,695**	**326**	**327**	**14,457**	**19·1**	**0·99**	**1·02**	**4,306**	**4,244**	**8,550**	**11·3**	**1·09**	**1·09**	**267**	**18**	**186**	**164**	**221**	**26**
Alderley Edge	3,710	26	15	3	3	47	12·7	1·19	0·82	31	38	69	18·6	0·77	1·27	-	-	-	-	-	-
Alsager	9,130	96	91	3	4	194	21·2	0·84	0·96	41	33	74	8·1	1·45	1·04	2	*10*	1	1	6	*35*
Altrincham M.B.	41,250	367	349	10	16	742	18·0	1·00	0·97	214	224	438	10·6	1·09	1·02	14	*19*	10	10	9	*25*
Bebington M.B.	54,070	477	432	20	19	948	17·5	1·02	0·96	329	303	632	11·7	1·10	1·14	15	*16*	11	11	19	31
Bollington	5,700	61	42	2	5	110	19·3	1·07	1·12	53	45	98	17·2	0·98	1·49	5	*45*	3	2	1	*27*
Bowdon	4,660	40	38	3	1	82	17·6	1·06	1·01	27	37	64	13·7	0·73	0·89	1	*12*	-	-	-	-
Bredbury and Romiley	24,290	241	226	10	7	484	19·9	1·01	1·09	120	121	241	9·9	1·19	1·04	12	*25*	9	6	4	*20*
Cheadle and Gatley	51,630	577	507	12	9	1,105	21·4	0·87	1·01	225	241	466	9·0	1·22	0·97	22	*20*	15	13	18	*28*
Congleton M.B.	17,400	169	166	4	4	343	19·7	1·00	1·06	93	88	181	10·4	1·03	0·95	4	*12*	2	2	4	*17*
Crewe M.B.	52,950	507	427	40	52	1,026	19·4	1·01	1·06	374	242	616	11·6	1·17	1·20	24	*23*	14	12	24	*34*
Dukinfield M.B.	17,320	150	128	10	10	298	17·2	1·09	1·01	122	138	260	15·0	1·09	1·45	10	*34*	5	5	3	*27*
Ellesmere Port M.B.	48,200	571	506	25	33	1,135	23·5	0·88	1·12	206	174	380	7·9	1·62	1·13	23	*20*	16	13	25	*33*
Hale	16,060	108	111	3	10	232	14·4	1·06	0·83	91	79	170	10·6	0·94	0·88	2	*9*	1	1	2	*13*
Hazel Grove and Bramhall	32,310	304	301	11	5	621	19·2	0·99	1·03	154	158	312	9·7	1·19	1·02	8	*13*	8	8	7	*24*
Hoylake	32,630	263	234	7	9	513	15·7	1·10	0·93	176	242	418	12·8	0·86	0·97	10	*19*	10	9	6	*29*
Hyde M.B.	35,380	325	322	19	14	680	19·2	1·10	1·14	238	279	517	14·6	0·97	1·25	19	*28*	16	14	5	*28*
Knutsford	10,010	75	88	4	6	173	17·3	1·03	0·96	88	119	207	20·7	0·47	0·86	1	*6*	1	1	3	*23*
Longdendale	4,870	42	35	3	1	81	16·6	1·19	1·07	37	29	66	13·6	0·88	1·06	-	-	-	-	1	*12*
Lymm	7,960	82	80	4	5	171	21·5	0·98	1·14	31	43	74	9·3	1·06	0·87	-	-	-	-	2	*12*
Macclesfield M.B.	38,540	299	313	31	22	665	17·3	1·09	1·02	280	288	568	14·7	0·83	1·08	8	*12*	4	3	9	*18*
Marple	19,920	184	202	8	5	399	20·0	0·95	1·03	101	109	210	10·5	1·16	1·08	7	*18*	6	6	5	*27*
Middlewich	7,480	94	59	1	1	155	20·7	1·05	1·17	46	56	102	13·6	1·17	1·41	3	*19*	2	2	2	*25*
Nantwich	10,980	111	90	3	5	209	19·0	0·95	0·98	63	65	128	11·7	0·85	0·88	-	-	-	-	2	*9*
Neston	13,980	141	155	5	6	307	22·0	1·00	1·19	60	67	127	9·1	1·12	0·90	6	*20*	4	4	1	*16*
Northwich	19,460	153	143	13	2	311	16·0	1·06	0·92	131	137	268	13·8	1·00	1·22	3	*10*	1	1	9	*31*
Runcorn	27,170	260	246	15	9	530	19·5	0·98	1·03	156	122	278	10·2	1·29	1·16	10	*19*	7	5	8	*24*
Sale M.B.	53,400	491	525	20	24	1,060	19·9	0·95	1·02	247	245	492	9·2	1·19	0·97	17	*16*	11	11	16	*25*
Sandbach	10,350	101	80	4	4	189	18·3	1·06	1·05	77	62	139	13·4	1·09	1·29	9	*48*	6	6	5	*57*
Stalybridge M.B.	21,660	177	161	16	14	368	17·0	1·11	1·02	145	149	294	13·6	1·07	1·29	8	*22*	4	4	8	*32*
Wilmslow	26,700	251	255	9	11	526	19·7	0·89	0·95	123	112	235	8·8	1·27	0·99	10	*19*	8	6	7	*24*
Winsford	14,120	126	152	7	4	289	20·5	1·01	1·12	90	73	163	11·5	1·18	1·20	8	*28*	6	5	5	*34*
Wirral	24,060	240	216	1	7	464	19·3	1·00	1·04	137	126	263	10·9	0·97	0·94	6	*13*	5	3	5	*17*
Rural districts	**223,780**	**1,844**	**1,798**	**84**	**68**	**3,794**	**17·0**	**1·03**	**0·95**	**1,317**	**1,194**	**2,511**	**11·2**	**1·01**	**1·00**	**63**	**17**	**43**	**37**	**54**	**24**
Bucklow	20,500	171	193	13	6	383	18·7	0·95	0·96	77	58	135	6·6	1·47	0·86	7	*18*	2	2	7	*23*
Chester	31,130	277	272	10	14	573	18·4	1·04	1·03	211	218	429	13·8	0·70	0·85	9	*16*	6	4	8	*21*
Congleton	15,170	124	109	3	4	240	15·8	1·02	0·87	114	115	229	15·1	0·66	0·88	5	*21*	3	3	3	*25*
Disley	3,790	37	23	3	-	63	16·6	1·08	0·97	22	23	45	11·9	1·04	1·10	3	*48*	2	2	4	*90*
Macclesfield	25,140	179	220	7	6	412	16·4	1·04	0·92	123	116	239	9·5	1·00	0·84	6	*15*	3	3	7	*24*
Nantwich	29,180	226	195	10	10	441	15·1	1·09	0·89	199	159	358	12·3	1·02	1·11	8	*18*	5	3	6	*20*
Northwich	40,170	301	284	15	17	617	15·4	1·06	0·88	214	182	396	9·9	1·20	1·05	7	*11*	6	5	7	*19*
Runcorn	41,860	400	353	18	8	779	18·6	1·00	1·01	235	233	468	11·2	1·03	1·02	15	*19*	14	13	9	*28*
Tarvin	15,370	121	131	5	3	260	16·9	1·06	0·97	108	85	193	12·6	1·02	1·14	3	*12*	2	2	3	*19*
Tintwistle	1,470	8	18	-	-	26	17·7	0·98	0·94	14	5	19	*72·9*	0·98	1·12	-	-	-	-	-	-
CORNWALL	**346,770**	**2,673**	**2,486**	**147**	**173**	**5,479**	**15·8**	**1·13**	**0·97**	**2,398**	**2,367**	**4,765**	**13·7**	**0·84**	**1·02**	**112**	**20**	**80**	**67**	**113**	**32**
Municipal boroughs and urban districts	**195,130**	**1,498**	**1,404**	**82**	**100**	**3,084**	**15·8**	**1·11**	**0·95**	**1,421**	**1,459**	**2,880**	**14·8**	**0·80**	**1·05**	**71**	**23**	**47**	**36**	**72**	**34**
Bodmin M.B.	6,630	47	40	1	5	93	14·0	1·14	0·86	80	104	184	27·8	0·35	0·86	4	*43*	4	4	4	*82*
Bude-Stratton	5,110	28	33	-	2	63	12·3	1·25	0·83	36	36	72	14·1	0·66	0·82	1	*16*	-	-	2	*31*
Camborne-Redruth	36,700	312	306	16	19	653	17·8	1·06	1·02	251	278	529	14·4	0·94	1·20	15	*23*	9	8	19	*40*
Falmouth M.B.	17,320	130	123	12	9	274	15·8	1·15	0·98	117	104	221	12·8	0·87	0·99	4	*15*	4	3	5	*29*
Fowey M.B.	2,290	16	10	-	3	29	12·7	1·28	0·88	15	19	34	14·8	0·73	0·96	-	-	-	-	-	-
Helston M.B.	7,840	106	106	2	2	216	27·6	0·85	1·27	64	51	115	14·7	0·81	1·05	4	*19*	-	-	6	*27*
Launceston M.B.	4,550	32	28	2	2	64	14·1	1·09	0·83	42	28	70	15·4	0·60	0·82	1	*16*	-	-	1	*15*
Liskeard M.B.	4,530	39	26	1	3	69	15·2	1·20	0·99	29	50	79	17·4	0·48	0·74	1	*14*	-	-	1	*14*
Looe	3,940	23	21	5	2	51	12·9	1·26	0·88	33	20	53	13·5	0·68	0·81	-	-	-	-	1	*19*
Lostwithiel M.B.	1,900	7	8	-	-	15	7·9	1·18	0·50	13	17	30	15·8	0·74	1·03	-	-	-	-	-	-
Newquay	11,530	76	88	9	5	178	15·4	1·13	0·94	71	96	167	14·5	0·76	0·98	6	*34*	5	4	9	*70*
Padstow	2,590	18	21	1	1	41	15·8	1·09	0·93	22	18	40	15·4	0·85	1·16	-	-	-	-	-	-
Penryn M.B.	4,830	50	34	1	3	88	18·2	1·02	1·00	25	18	43	8·9	1·14	0·90	6	*68*	5	3	3	*66*
Penzance M.B.	18,950	131	122	10	11	274	14·5	1·14	0·89	151	160	311	16·4	0·82	1·19	8	*29*	6	4	5	*32*

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1964	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
CORNWALL - *continued*																					
Municipal boroughs and urban districts - *continued*																					
St. Austell	25,500	197	182	13	11	403	15·8	1·12	0·96	194	201	395	15·5	0·80	1·10	5	*12*	2	2	7	*22*
St. Ives M.B.	8,680	53	47	1	3	104	12·0	1·20	0·78	67	93	160	18·4	0·70	1·14	5	*48*	5	3	2	*47*
St. Just	3,570	30	19	1	2	52	14·6	1·11	0·88	24	34	58	16·2	0·84	1·20	2	*38*	1	1	1	*38*
Saltash M.B.	7,720	62	58	3	8	131	17·0	1·10	1·01	61	47	108	14·0	0·90	1·12	5	*38*	3	2	2	*30*
Torpoint	6,710	40	42	-	3	85	12·7	1·59	1·09	39	24	63	9·4	1·43	1·19	1	*12*	1	-	-	-
Truro M.B.	14,240	101	90	4	6	201	14·1	1·03	0·79	87	61	148	10·4	0·90	0·83	3	*15*	2	2	4	*29*
Rural districts	**151,640**	**1,175**	**1,082**	**65**	**73**	**2,395**	**15·8**	**1·14**	**0·97**	**977**	**908**	**1,885**	**12·4**	**0·88**	**0·97**	**41**	**17**	**33**	**31**	**41**	**30**
Camelford	6,960	46	47	1	2	96	13·8	1·24	0·92	47	42	89	12·8	0·78	0·88	-	-	-	-	1	*10*
Kerrier	22,520	162	167	5	5	339	15·1	1·09	0·89	145	115	260	11·5	0·94	0·96	9	*27*	9	9	4	*38*
Launceston	5,960	53	43	1	1	98	16·4	1·11	0·98	46	37	83	13·9	0·90	1·11	1	*10*	1	-	1	*10*
Liskeard	13,430	111	81	6	8	206	15·3	1·20	0·99	108	78	186	13·8	0·86	1·05	8	*39*	6	5	2	*34*
St. Austell	21,870	177	176	10	15	378	17·3	1·07	1·00	106	116	222	10·2	1·00	0·90	4	*11*	3	3	8	*28*
St. Germans	14,490	101	108	13	10	232	16·0	1·25	1·08	102	83	185	12·8	0·83	0·94	-	-	-	-	5	*21*
Scilly, Isles of	1,890	14	13	-	1	28	14·8	0·92	0·74	9	6	15	7·9	1·10	0·77	1	*36*	-	-	1	*34*
Stratton	4,790	28	31	4	5	68	14·2	1·25	0·96	33	25	58	12·1	0·90	0·96	1	*15*	1	1	2	*43*
Truro	27,880	219	199	14	16	448	16·1	1·18	1·03	185	191	376	13·5	0·82	0·98	5	*11*	3	3	10	*28*
Wadebridge	14,600	129	104	5	5	243	16·6	1·11	1·00	90	90	180	12·3	0·93	1·01	6	*25*	5	5	3	*33*
West Penwith	17,250	135	113	6	5	259	15·0	1·15	0·93	106	125	231	13·4	0·88	1·04	6	*23*	5	5	4	*34*
CUMBERLAND	**296,980**	**2,680**	**2,508**	**138**	**139**	**5,465**	**18·4**	**1·01**	**1·00**	**1,883**	**1,717**	**3,600**	**12·1**	**1·11**	**1·19**	**104**	**19**	**79**	**67**	**108**	**31**
Carlisle C.B.	71,290	636	604	45	35	1,320	18·5	0·98	0·98	489	441	930	13·0	1·13	1·30	28	21	23	20	32	38
Administrative county	**225,690**	**2,044**	**1,904**	**93**	**104**	**4,145**	**18·4**	**1·02**	**1·01**	**1,394**	**1,276**	**2,670**	**11·8**	**1·10**	**1·15**	**76**	**18**	**56**	**47**	**76**	**29**
Municipal boroughs and urban districts	**90,800**	**839**	**764**	**52**	**56**	**1,711**	**18·8**	**0·98**	**1·00**	**554**	**494**	**1,048**	**11·5**	**1·14**	**1·16**	**35**	**20**	**28**	**24**	**40**	**37**
Cockermouth	6,030	38	49	8	1	96	15·9	1·00	0·86	38	39	77	12·8	1·09	1·23	2	*21*	2	2	2	*41*
Keswick	4,410	30	21	1	7	59	13·4	1·12	0·81	45	40	85	19·3	0·83	1·42	2	*34*	2	1	1	*33*
Maryport	12,220	132	102	6	4	244	20·0	0·96	1·04	72	61	133	10·9	1·18	1·14	4	*16*	3	3	7	*40*
Penrith	10,870	102	82	8	10	202	18·6	1·00	1·01	74	73	147	13·5	0·96	1·15	3	*15*	3	2	5	*34*
Whitehaven M.B.	27,500	263	268	14	12	557	20·3	0·93	1·02	162	108	270	9·8	1·25	1·08	11	*20*	8	6	16	*38*
Workington M.B.	29,770	274	242	15	22	553	18·6	1·00	1·01	163	173	336	11·3	1·18	1·18	13	*24*	10	10	9	*34*
Rural districts	**134,890**	**1,205**	**1,140**	**41**	**48**	**2,434**	**18·0**	**1·05**	**1·02**	**840**	**782**	**1,622**	**12·0**	**1·08**	**1·15**	**41**	**17**	**28**	**23**	**36**	**24**
Alston with Garrigill	2,060	13	21	1	2	37	18·0	1·25	1·22	21	14	35	17·0	0·86	1·29	1	*27*	-	-	-	-
Border	31,240	260	245	7	11	523	16·7	1·12	1·01	207	179	386	12·4	0·98	1·08	9	*17*	9	6	10	*30*
Cockermouth	21,150	143	142	4	4	293	13·9	1·02	0·77	140	123	263	12·4	1·10	1·21	5	*17*	2	1	10	*36*
Ennerdale	31,980	343	310	10	16	679	21·2	0·99	1·13	175	169	344	10·8	1·25	1·19	11	*16*	8	7	6	*19*
Millom	15,200	126	124	5	5	260	17·1	1·08	1·00	84	76	160	10·5	1·26	1·17	5	*19*	3	3	4	*27*
Penrith	11,490	123	99	4	2	228	19·8	1·07	1·15	66	68	134	11·7	1·03	1·07	4	*18*	3	3	1	*17*
Wigton	21,770	197	199	10	8	414	19·0	1·05	1·08	147	153	300	13·8	0·97	1·18	6	*14*	3	3	5	*19*
DERBYSHIRE	**901,440**	**7,690**	**7,336**	**432**	**446**	**15,904**	**17·6**	**1·01**	**0·96**	**5,383**	**4,658**	**10,041**	**11·1**	**1·10**	**1·08**	**295**	**19**	**193**	**165**	**274**	**27**
Derby C.B.	130,030	1,098	1,013	121	137	2,369	18·2	1·09	1·07	906	836	1,742	13·4	0·98	1·16	56	24	33	29	41	29
Administrative county	**771,410**	**6,592**	**6,323**	**311**	**309**	**13,535**	**17·5**	**0·99**	**0·94**	**4,477**	**3,822**	**8,299**	**10·8**	**1·13**	**1·08**	**239**	**18**	**160**	**136**	**233**	**27**

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Municipal boroughs and urban districts	**374,980**	**3,113**	**3,030**	**161**	**162**	**6,466**	**17·2**	**1·02**	**0·95**	**2,302**	**2,052**	**4,354**	**11·6**	**1·07**	**1·10**	**127**	**20**	**88**	**78**	**122**	**30**
Alfreton	22,830	170	174	2	8	354	15·5	1·06	0·89	135	119	254	11·1	1·14	1·12	10	28	7	5	4	25
Ashbourne	5,700	47	44	6	1	98	17·2	1·10	1·02	36	48	84	14·7	0·85	1·11	1	10	1	1	2	30
Bakewell	3,980	29	27	2	2	60	15·1	1·12	0·91	33	39	72	18·1	0·44	0·70	-	-	-	-	-	-
Belper	15,760	110	119	2	4	235	14·9	1·06	0·85	108	121	229	14·5	0·73	0·94	3	13	3	3	5	33
Bolsover	11,800	94	99	6	7	206	17·5	0·95	0·90	59	52	111	9·4	1·38	1·15	3	15	2	2	6	38
Buxton M.B.	19,390	156	171	12	11	350	18·1	1·05	1·03	125	140	265	13·7	0·94	1·14	8	23	6	6	9	42
Chesterfield M.B.	69,590	542	549	37	25	1,153	16·6	1·02	0·92	464	381	845	12·1	1·01	1·08	18	16	13	10	17	23
Clay Cross	9,230	75	61	2	5	143	15·5	1·05	0·88	54	50	104	11·3	1·18	1·18	3	21	2	2	3	34
Dronfield	13,170	197	147	1	3	348	26·4	0·77	1·10	49	43	92	7·0	1·36	0·84	3	9	2	1	4	14
Glossop M.B.	18,690	177	163	8	9	357	19·1	1·12	1·16	149	131	280	15·0	0·92	1·22	11	31	8	8	4	33
Heanor	24,190	207	182	10	12	411	17·0	1·05	0·96	143	119	262	10·8	1·16	1·11	6	15	5	4	10	33
Ilkeston M.B.	34,990	291	252	20	20	583	16·7	1·01	0·91	195	145	340	9·7	1·23	1·06	8	14	6	5	7	20
Long Eaton	31,440	257	307	14	19	597	19·0	0·99	1·02	179	169	348	11·1	1·12	1·10	13	22	7	7	18	41
Matlock	19,390	158	129	5	4	296	15·3	1·01	0·84	117	97	214	11·0	1·05	1·02	4	14	3	3	6	30
New Mills	8,670	90	72	5	7	174	20·1	1·07	1·16	57	52	109	12·6	1·01	1·13	6	34	3	3	2	28
Ripley	17,720	103	122	1	10	236	13·3	1·07	0·77	105	91	196	11·1	1·06	1·04	11	47	8	7	6	54
Staveley	18,450	159	161	13	9	342	18·5	1·01	1·01	105	76	181	9·8	1·24	1·08	10	29	4	3	6	26
Swadlincote	19,640	151	174	8	6	339	17·3	1·07	1·00	115	109	224	11·4	1·13	1·14	6	18	6	6	10	46
Whaley Bridge	5,290	39	44	4	-	87	16·4	1·16	1·03	40	36	76	14·4	0·99	1·26	2	23	2	2	3	56
Wirksworth	5,060	61	33	3	-	97	19·2	0·99	1·03	34	34	68	13·4	1·17	1·39	1	10	-	-	-	-
Rural districts	**396,430**	**3,479**	**3,293**	**150**	**147**	**7,069**	**17·8**	**0·96**	**0·92**	**2,175**	**1,770**	**3,945**	**10·0**	**1·19**	**1·05**	**112**	**16**	**72**	**58**	**111**	**24**
Ashbourne	11,450	95	78	3	5	181	15·8	1·12	0·96	58	50	108	9·4	1·05	0·87	2	11	2	2	2	22
Bakewell	18,690	124	136	7	5	272	14·6	1·09	0·86	137	104	241	12·9	0·93	1·06	7	26	7	7	4	40
Belper	36,980	331	290	8	11	640	17·3	0·99	0·93	190	179	369	10·0	1·06	0·94	8	13	5	4	9	20
Blackwell	44,040	375	411	19	17	822	18·7	1·00	1·01	266	186	452	10·3	1·25	1·14	17	21	8	7	14	25
Chapel en le Frith	18,160	141	163	4	5	313	17·2	1·11	1·03	126	98	224	12·3	0·91	0·99	4	13	2	2	2	13
Chesterfield	104,240	872	785	46	44	1,747	16·8	0·96	0·87	495	409	904	8·7	1·38	1·06	34	19	20	18	32	28
Clowne	19,850	163	158	16	13	350	17·6	1·02	0·97	139	84	223	11·2	1·19	1·18	6	17	3	2	3	14
Repton	40,550	368	327	15	12	722	17·8	0·97	0·93	221	217	438	10·8	1·07	1·02	13	18	10	7	14	29
South East Derbyshire	102,470	1,010	945	32	35	2,022	19·7	0·87	0·93	543	443	986	9·6	1·26	1·07	21	10	15	9	31	19
DEVON	**851,120**	**6,511**	**6,135**	**490**	**467**	**13,603**	**16·0**	**1·13**	**0·98**	**5,660**	**5,627**	**11,287**	**13·3**	**0·81**	**0·95**	**202**	**15**	**146**	**123**	**236**	**26**
County boroughs	**295,610**	**2,478**	**2,260**	**196**	**201**	**5,135**	**17·4**	**1·01**	**0·95**	**1,786**	**1,603**	**3,389**	**11·5**	**1·00**	**1·02**	**76**	**15**	**55**	**44**	**86**	**25**
Exeter	81,810	596	568	48	65	1,277	15·6	0·99	0·83	501	507	1,008	12·3	0·85	0·93	16	13	15	12	22	26
Plymouth	213,800	1,882	1,692	148	136	3,858	18·0	1·02	0·99	1,285	1,096	2,381	11·1	1·06	1·04	60	16	40	32	64	24
Administrative county	**555,510**	**4,033**	**3,875**	**294**	**266**	**8,468**	**15·2**	**1·20**	**0·99**	**3,874**	**4,024**	**7,898**	**14·2**	**0·73**	**0·92**	**126**	**15**	**91**	**79**	**150**	**27**
***Municipal boroughs and urban districts**	**281,660**	**1,921**	**1,867**	**180**	**169**	**4,137**	**14·7**	**1·24**	**0·99**	**2,151**	**2,414**	**4,565**	**16·2**	**0·67**	**0·96**	**51**	**12**	**36**	**32**	**74**	**25**
Ashburton	2,740	22	19	-	2	43	15·7	1·15	0·98	22	29	51	18·6	0·67	1·10	-	-	-	-	1	23
Barnstaple M.B.	16,280	151	148	12	13	324	19·9	1·05	1·13	120	132	252	15·5	0·84	1·15	1	3	1	1	9	30
Bideford M.B.	10,820	79	71	4	3	157	14·5	1·13	0·89	78	90	168	15·5	0·83	1·14	3	19	3	2	5	43
Brixham	11,390	76	112	8	9	205	18·0	1·25	1·22	84	92	176	15·5	0·66	0·91	4	20	3	3	3	29
Buckfastleigh	2,550	21	15	2	2	40	15·7	1·33	1·13	23	17	40	15·7	0·73	1·01	-	-	-	-	1	24
Budleigh Salterton	3,810	14	18	-	2	34	8·9	1·80	0·87	27	42	69	18·1	0·49	0·78	2	59	2	2	-	59
Crediton	4,660	21	26	1	2	50	10·7	1·06	0·61	27	32	59	12·7	0·90	1·01	-	-	-	-	-	-
Dartmouth M.B.	6,720	33	45	2	2	82	12·2	1·18	0·78	47	29	76	11·3	0·85	0·85	1	12	-	-	2	24
Dawlish	7,800	28	39	4	6	77	9·9	1·35	0·72	63	62	125	16·0	0·70	0·99	-	-	-	-	1	13
Exmouth	20,810	145	148	18	22	333	16·0	1·28	1·11	180	217	397	19·1	0·62	1·05	4	12	3	3	4	21
Great Torrington M.B.	2,880	21	15	-	1	37	12·8	1·19	0·82	23	40	63	21·9	0·62	1·20	1	27	1	1	2	77
(a) ‡Holsworthy																					
Honiton M.B.	4,210	36	37	1	-	74	17·6	1·24	1·18	34	38	72	17·1	0·67	1·01	1	14	1	-	-	-
Ilfracombe	8,200	50	65	10	4	129	15·7	1·28	1·09	66	77	143	17·4	0·68	1·05	2	16	-	-	4	30
Kingsbridge	3,270	22	19	1	-	42	12·8	1·17	0·81	15	21	36	11·0	0·89	0·87	2	48	1	1	-	24
Lynton	1,680	13	10	-	1	24	14·3	1·14	0·88	15	16	31	18·5	0·62	1·02	2	83	2	2	-	83
Newton Abbot	18,650	149	124	15	10	298	16·0	1·11	0·96	167	143	310	16·6	0·60	0·88	4	13	3	3	5	26
Northam	6,880	50	41	7	2	100	14·5	1·27	1·00	57	52	109	15·8	0·69	0·96	1	10	-	-	1	10
Okehampton M.B.	3,840	35	28	1	1	65	16·9	1·13	1·03	41	40	81	21·1	0·70	1·31	-	-	-	-	1	15
Ottery St. Mary	4,460	31	34	2	3	70	15·7	1·20	1·02	26	40	66	14·8	0·80	1·05	1	14	1	1	-	14
Paignton	31,000	204	191	22	25	442	14·3	1·33	1·03	232	278	510	16·5	0·61	0·89	6	14	4	4	4	18
Salcombe	2,380	10	8	3	-	21	8·8	1·33	0·63	11	13	24	10·1	0·68	0·61	-	-	-	-	2	87
Seaton	3,600	22	19	2	1	44	12·2	1·43	0·94	34	46	80	22·2	0·48	0·95	1	23	-	-	1	22
Sidmouth	10,680	49	36	6	4	95	8·9	1·60	0·77	87	122	209	19·6	0·47	0·82	-	-	-	-	-	-

(a) Holsworthy U.D. abolished 1st April 1964. Events included in figures for Holsworthy R.D. from 1st January 1964.

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1964	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate												
		M	F	M	F					M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
DEVON - *continued*																					
Municipal boroughs and urban districts - *continued*																					
South Molton M.B.	2,950	23	25	3	2	53	18·0	1·23	1·20	23	25	48	16·3	0·59	0·85	1	*19*	1	1	1	*37*
Tavistock	6,510	49	54	3	2	108	16·6	1·18	1·06	62	67	129	19·8	0·63	1·10	-	-	-	-	3	*27*
Teignmouth	11,840	81	73	6	9	169	14·5	1·41	1·11	90	101	191	16·4	0·58	0·84	1	*6*	1	-	2	*12*
Tiverton M.B.	13,450	118	113	4	9	244	18·1	1·06	1·04	55	81	136	10·1	0·88	0·79	2	*8*	-	-	8	*32*
Torquay M.B.	52,220	337	313	41	32	723	13·8	1·27	0·95	401	414	815	15·6	0·66	0·91	10	*14*	8	8	11	*26*
Totnes M.B.	5,580	31	21	2	-	54	9·7	1·19	0·62	41	58	99	17·7	0·50	0·78	1	*19*	1	-	3	*53*
***Rural districts**	**273,850**	**2,112**	**2,008**	**114**	**97**	**4,331**	**15·8**	**1·17**	**1·00**	**1,723**	**1,610**	**3,333**	**12·2**	**0·83**	**0·90**	**75**	**17**	**55**	**47**	**76**	**28**
Axminster	14,930	78	89	6	3	176	11·8	1·30	0·83	101	78	179	12·0	0·76	0·81	3	*17*	3	3	1	*23*
Barnstaple	26,670	211	198	13	12	434	16·3	1·22	1·07	170	155	325	12·2	0·83	0·90	6	*14*	4	3	6	*20*
Bideford	5,070	50	49	2	2	103	20·3	1·16	1·27	23	19	42	8·3	0·94	0·69	2	*19*	1	1	2	*29*
Broadwoodwidger	2,040	18	9	2	-	29	14·2	1·13	0·87	13	9	22	10·8	1·18	1·13	1	*34*	1	-	-	-
Crediton	9,800	69	82	5	4	160	16·3	1·12	0·99	65	66	131	13·4	0·94	1·11	4	*25*	1	1	4	*30*
(a) *Holsworthy	7,390	61	47	2	4	114	15·4	1·15	0·96	52	64	116	15·7	0·83	1·15	1	*9*	1	1	3	*34*
Honiton	7,120	56	49	3	2	110	15·4	1·17	0·97	47	35	82	11·5	0·93	0·95	2	*18*	2	2	3	*44*
Kingsbridge	11,590	84	81	3	-	168	14·5	1·22	0·96	83	68	151	13·0	0·82	0·94	1	*6*	1	1	5	*35*
Newton Abbot	27,730	184	195	18	12	409	14·7	1·20	0·95	190	164	354	12·8	0·75	0·85	8	*20*	6	5	12	*40*
Okehampton	11,470	86	83	8	4	181	15·8	1·28	1·09	81	63	144	12·6	0·82	0·91	-	-	-	-	1	*5*
Plympton St. Mary	44,580	425	400	13	20	858	19·2	1·04	1·08	213	232	445	10·0	0·96	0·85	13	*15*	9	9	11	*23*
St. Thomas	37,680	311	271	14	10	606	16·1	1·12	0·97	257	241	498	13·2	0·77	0·90	17	*28*	12	9	9	*29*
South Molton	8,430	57	62	3	3	125	14·8	1·19	0·95	45	49	94	11·2	0·90	0·89	4	*32*	4	3	3	*47*
Tavistock	15,670	130	100	7	9	246	15·7	1·24	1·05	101	110	211	13·5	0·84	1·00	5	*20*	4	4	3	*28*
Tiverton	20,750	129	160	8	7	304	14·7	1·13	0·90	117	95	212	10·2	0·90	0·81	5	*16*	4	3	6	*29*
Torrington	7,280	60	41	2	1	104	14·3	1·19	0·92	38	47	85	11·7	0·88	0·91	1	*10*	1	1	3	*37*
Totnes	15,650	103	92	5	4	204	13·0	1·27	0·89	127	115	242	15·5	0·71	0·97	2	*10*	1	1	4	*24*
DORSET	**327,250**	**2,514**	**2,370**	**167**	**153**	**5,204**	**15·9**	**1·14**	**0·98**	**1,978**	**2,004**	**3,982**	**12·2**	**0·86**	**0·93**	**85**	**16**	**57**	**48**	**89**	**26**
Municipal boroughs and urban districts	**201,160**	**1,563**	**1,409**	**108**	**105**	**3,185**	**15·8**	**1·14**	**0·97**	**1,224**	**1,295**	**2,519**	**12·5**	**0·85**	**0·94**	**52**	**16**	**36**	**31**	**54**	**26**
Blandford Forum M.B.	3,630	40	29	1	3	73	20·1	1·18	1·28	22	29	51	14·0	0·75	0·93	-	-	-	-	1	*14*
Bridport M.B.	6,510	35	33	2	1	71	10·9	1·20	0·71	49	66	115	17·7	0·72	1·13	1	*14*	1	-	4	*53*
Dorchester M.B.	13,200	105	87	5	6	203	15·4	1·07	0·89	85	87	172	13·0	0·78	0·90	2	*10*	-	-	1	*5*
Lyme Regis M.B.	3,330	20	15	1	1	37	11·1	1·41	0·85	23	30	53	15·9	0·73	1·03	-	-	-	-	2	*51*
Poole M.B.	94,770	732	655	60	56	1,503	15·9	1·12	0·96	577	609	1,186	12·5	0·86	0·95	21	14	13	11	27	25
Portland	11,800	101	83	2	5	191	16·2	1·30	1·14	53	50	103	8·7	1·30	1·00	3	*16*	2	1	2	*16*
Shaftesbury M.B.	3,440	46	16	1	1	64	18·6	1·25	1·26	14	23	37	10·8	0·78	0·75	2	*31*	2	2	-	*31*
Sherborne	7,440	40	37	3	5	85	11·4	1·43	0·88	39	41	80	10·8	0·81	0·77	2	*24*	2	2	2	*46*
Swanage	7,530	36	49	6	5	96	12·7	1·32	0·91	67	64	131	17·4	0·71	1·09	2	*21*	2	2	1	*31*
Wareham M.B.	3,250	32	20	3	-	55	16·9	1·21	1·11	35	28	63	19·4	0·56	0·96	2	*36*	1	1	-	*18*
Weymouth and Melcombe Regis M.B.	42,130	327	344	22	18	711	16·9	1·07	0·98	231	241	472	11·2	0·92	0·91	15	*21*	11	10	13	32
Wimborne Minster	4,130	49	41	2	4	96	23·2	1·18	1·48	29	27	56	13·6	0·85	1·02	2	*21*	2	2	1	*31*
Rural districts	**126,090**	**951**	**961**	**59**	**48**	**2,019**	**16·0**	**1·15**	**0·99**	**754**	**709**	**1,463**	**11·6**	**0·86**	**0·88**	**33**	**16**	**21**	**17**	**35**	**25**
Beaminster	8,370	63	56	2	5	126	15·1	1·18	0·96	64	49	113	13·5	0·75	0·90	2	*16*	1	1	7	*60*
Blandford	11,820	78	97	5	4	184	15·6	1·22	1·03	60	45	105	8·9	1·17	0·92	1	*5*	-	-	1	*5*
Bridport	7,820	41	32	1	2	76	9·7	1·36	0·71	52	53	105	13·4	0·75	0·89	2	*26*	2	2	2	*51*
Dorchester	18,280	130	124	6	4	264	14·4	1·18	0·92	120	168	288	15·8	0·69	0·96	-	-	-	-	3	*11*

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Shaftesbury	9,830	73	73	4	3	153	15·6	1·15	0·97	53	58	111	11·3	0·83	0·83	1	7	1	1	-	7
Sherborne	6,350	64	56	3	-	123	19·4	1·14	1·20	33	39	72	11·3	0·98	0·98	3	24	3	1	1	16
Sturminster	10,070	60	67	2	5	134	13·3	1·28	0·92	58	56	114	11·3	0·71	0·71	3	22	3	3	3	44
Wareham and Purbeck	22,780	200	199	14	12	425	18·7	1·00	1·01	111	86	197	8·6	1·16	0·88	9	21	4	3	8	25
Wimborne and Cranborne	30,770	242	257	22	13	534	17·4	1·12	1·05	203	155	358	11·6	0·84	0·86	12	22	7	6	10	29
DURHAM	**1,533,030**	**13,965**	**13,136**	**708**	**695**	**28,504**	**18·6**	**0·97**	**0·98**	**9,191**	**7,688**	**16,879**	**11·0**	**1·20**	**1·17**	**653**	**23**	**439**	**390**	**581**	**33**
County boroughs	**562,840**	**5,174**	**4,893**	**333**	**312**	**10,712**	**19·0**	**0·96**	**0·99**	**3,355**	**2,961**	**6,316**	**11·2**	**1·19**	**1·18**	**247**	**23**	**160**	**145**	**224**	**34**
Darlington	84,320	680	678	58	53	1,469	17·4	1·02	0·96	555	531	1,086	12·9	1·03	1·18	32	22	21	19	25	29
Gateshead	101,760	945	908	63	58	1,974	19·4	0·97	1·02	598	529	1,127	11·1	1·19	1·17	42	21	27	23	45	34
South Shields	108,770	956	903	55	62	1,976	18·2	0·98	0·96	655	545	1,200	11·0	1·18	1·15	44	22	31	29	45	37
Sunderland	189,630	1,797	1,681	105	98	3,681	19·4	0·94	0·99	1,093	983	2,076	10·9	1·25	1·21	90	24	59	55	79	36
West Hartlepool	78,360	796	723	52	41	1,612	20·6	0·93	1·04	454	373	827	10·6	1·26	1·18	39	24	22	19	30	30
Administrative county	**970,190**	**8,791**	**8,243**	**375**	**383**	**17,792**	**18·3**	**0·98**	**0·97**	**5,836**	**4,727**	**10,563**	**10·9**	**1·22**	**1·18**	**406**	**23**	**279**	**245**	**357**	**33**
Municipal boroughs and urban districts	**661,540**	**5,910**	**5,585**	**269**	**269**	**12,033**	**18·2**	**0·99**	**0·97**	**3,891**	**3,187**	**7,078**	**10·7**	**1·24**	**1·17**	**269**	**22**	**195**	**170**	**235**	**33**
Barnard Castle	5,420	55	52	1	3	111	20·5	1·08	1·20	47	49	96	17·7	0·72	1·13	2	18	1	1	1	18
Billingham	33,490	367	330	17	22	736	22·0	0·89	1·06	164	115	279	8·3	1·67	1·23	21	29	17	15	12	36
Bishop Auckland	34,960	307	323	16	19	665	19·0	1·01	1·04	233	188	421	12·0	1·17	1·24	20	30	15	13	7	30
Blaydon	30,970	270	290	11	13	584	18·9	0·98	1·00	194	136	330	10·7	1·18	1·12	5	9	5	4	10	24
Boldon	25,460	242	230	5	10	487	19·1	0·92	0·95	134	134	268	10·5	1·17	1·09	11	23	8	8	14	44
Brandon and Byshottles	19,530	160	154	6	5	325	16·6	0·99	0·89	128	113	241	12·3	1·20	1·31	7	22	3	3	10	39
Chester-le-Street	19,380	159	147	8	5	319	16·5	1·03	0·92	125	102	227	11·7	1·01	1·05	5	16	4	2	3	16
Consett	38,000	300	293	12	17	622	16·4	1·00	0·89	227	170	397	10·4	1·20	1·10	14	23	11	11	11	35
Crook and Willington	24,450	181	188	14	7	390	16·0	1·06	0·92	166	148	314	12·8	1·00	1·13	10	26	8	6	7	33
Durham M.B.	23,050	156	139	4	8	307	13·3	1·21	0·87	131	132	263	11·4	1·00	1·01	8	26	7	6	3	29
Felling	38,660	347	360	9	13	729	18·9	0·93	0·95	219	160	379	9·8	1·50	1·30	15	21	11	9	12	28
Hartlepool M.B.	18,100	183	145	4	15	347	19·2	0·98	1·02	91	78	169	9·3	1·41	1·16	10	29	5	5	4	26
Hebburn	25,110	261	248	12	12	533	21·2	0·93	1·07	136	129	265	10·6	1·36	1·28	15	28	10	10	12	40
Hetton	17,230	135	123	4	2	264	15·3	1·02	0·84	108	68	176	10·2	1·23	1·11	7	27	3	3	4	26
Houghton-le-Spring	31,080	279	265	21	7	572	18·4	0·97	0·96	185	153	338	10·9	1·18	1·14	9	16	6	5	8	22
Jarrow M.B.	26,770	218	199	21	8	446	16·7	1·03	0·93	167	134	301	11·2	1·23	1·22	10	22	7	7	19	56
Ryton	13,990	111	117	5	4	237	16·9	1·04	0·95	101	67	168	12·0	1·09	1·16	10	42	7	7	2	38
Seaham	25,470	223	218	10	6	457	17·9	0·99	0·96	150	104	254	10·0	1·29	1·14	7	15	5	5	8	28
Shildon	13,940	127	98	5	3	233	16·7	1·03	0·93	75	82	157	11·3	1·23	1·23	7	30	2	2	1	13
Spennymoor	18,820	150	136	10	6	302	16·0	1·01	0·87	124	96	220	11·7	1·22	1·26	3	10	2	1	9	32
Stanley	45,610	371	318	14	10	713	15·6	1·02	0·86	288	225	513	11·2	1·18	1·17	16	22	13	12	16	38
Stockton-on-Tees M.B.	83,330	800	799	50	56	1,705	20·5	0·95	1·05	452	357	809	9·7	1·33	1·14	43	25	32	25	38	36
Tow Law	2,890	29	22	1	1	53	18·3	1·06	1·05	26	17	43	14·9	1·04	1·37	1	19	1	1	4	88
Washington	19,610	212	176	1	9	398	20·3	0·95	1·04	84	97	181	9·2	1·36	1·11	7	18	6	4	9	32
Whickham	26,220	267	215	8	8	498	19·0	0·97	1·00	136	133	269	10·3	1·22	1·11	6	12	6	5	11	31
Rural districts	**308,650**	**2,881**	**2,658**	**106**	**114**	**5,759**	**18·7**	**0·96**	**0·97**	**1,945**	**1,540**	**3,485**	**11·3**	**1·17**	**1·17**	**137**	**24**	**84**	**75**	**122**	**33**
Barnard Castle	17,210	134	124	7	9	274	15·9	1·05	0·90	112	87	199	11·6	1·08	1·11	6	22	4	3	9	42
Chester-le-Street	43,590	424	346	15	20	805	18·5	0·98	0·98	257	180	437	10·0	1·23	1·09	23	29	17	17	17	41
Darlington	26,490	290	272	10	7	579	21·9	0·83	0·98	126	91	217	8·2	1·58	1·15	16	28	8	8	18	44
Durham	36,470	314	321	12	14	661	18·1	0·94	0·92	215	179	394	10·8	1·21	1·16	16	24	9	8	10	27
Easington	85,600	828	757	25	41	1,651	19·3	0·94	0·98	512	378	890	10·4	1·33	1·22	40	24	23	19	36	33
Lanchester	14,440	122	120	8	5	255	17·7	1·03	0·99	116	105	221	15·3	0·82	1·11	5	20	3	2	5	27
Sedgefield	35,420	307	284	11	9	611	17·3	1·03	0·96	273	252	525	14·8	0·87	1·14	12	20	7	5	12	27
Stockton	12,000	115	99	3	4	221	18·4	1·00	0·99	45	50	95	7·9	1·38	0·96	6	27	4	4	3	31
Sunderland	29,300	294	291	11	5	601	20·5	0·93	1·03	212	168	380	13·0	1·11	1·28	11	18	9	9	11	33
Weardale	8,130	53	44	4	-	101	12·4	1·16	0·78	77	50	127	15·6	0·83	1·15	2	20	-	-	1	10
ELY, ISLE OF	**90,380**	**743**	**740**	**44**	**56**	**1,583**	**17·5**	**1·03**	**0·97**	**569**	**455**	**1,024**	**11·3**	**0·97**	**0·97**	**29**	**18**	**19**	**17**	**25**	**26**
Municipal borough and urban districts	**55,870**	**463**	**437**	**26**	**35**	**961**	**17·2**	**1·02**	**0·95**	**373**	**309**	**682**	**12·2**	**0·87**	**0·94**	**19**	**20**	**10**	**9**	**13**	**23**
Chatteris	5,470	41	37	1	5	84	15·4	1·06	0·88	23	28	51	9·3	1·02	0·84	1	12	-	-	2	23
Ely	10,010	79	72	4	1	156	15·6	0·97	0·82	76	73	149	14·9	0·60	0·79	1	6	1	1	2	19
March	13,240	107	96	5	8	216	16·3	1·05	0·93	81	57	138	10·4	1·01	0·93	3	14	3	3	3	27
Whittlesey	9,630	88	82	5	5	180	18·7	1·01	1·02	54	47	101	10·5	1·15	1·07	6	33	3	3	1	22
Wisbech M.B.	17,520	148	150	11	16	325	18·6	1·03	1·04	139	104	243	13·9	0·73	0·90	8	25	3	2	5	21
Rural districts	**34,510**	**280**	**303**	**18**	**21**	**622**	**18·0**	**1·04**	**1·01**	**196**	**146**	**342**	**9·9**	**1·06**	**0·93**	**10**	**16**	**9**	**8**	**12**	**32**
Ely	14,540	118	128	4	8	258	17·7	1·07	1·02	91	54	145	10·0	1·02	0·90	4	16	4	3	4	27
North Witchford	4,620	28	33	3	3	67	14·5	1·02	0·80	31	23	54	11·7	1·04	1·08	-	-	-	-	3	43
Thorney	2,520	22	25	1	4	52	20·6	1·04	1·16	10	5	15	6·0	1·35	0·72	-	-	-	-	-	-
Wisbech	12,830	112	117	10	6	245	19·1	1·01	1·04	64	64	128	10·0	1·09	0·96	6	24	5	5	5	40

(a) Holsworthy U.D. abolished 1st April 1964. Events included in figures for Holsworthy R.D. from 1st January 1964.

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1964	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
ESSEX	2,368,750	20,379	19,590	1,299	1,165	42,433	17·9	1·00	0·97	12,415	12,139	24,554	10·4	1·07	0·98	726	17	508	447	640	25
County boroughs	425,970	3,513	3,346	354	347	7,560	17·7	1·05	1·00	2,537	2,595	5,132	12·0	0·97	1·03	156	21	114	101	122	29
East Ham	104,070	878	868	72	64	1,882	18·1	1·03	1·01	567	568	1,135	10·9	1·06	1·02	29	15	21	18	36	28
Southend-on-Sea	165,780	1,151	1,049	107	122	2,429	14·7	1·18	0·94	1,116	1,277	2,393	14·4	0·78	0·99	53	22	37	31	33	26
West Ham	156,120	1,484	1,429	175	161	3,249	20·8	0·95	1·07	854	750	1,604	10·3	1·24	1·13	74	23	56	52	53	32
Administrative county	1,942,780	16,866	16,244	945	818	34,873	18·0	0·98	0·95	9,878	9,544	19,422	10·0	1·10	0·97	570	16	394	346	518	24
Municipal boroughs and urban districts	1,665,180	14,225	13,723	795	715	29,458	17·7	0·98	0·94	8,301	8,044	16,345	9·8	1·13	0·98	487	17	335	293	430	24
Barking M.B.	71,510	496	515	33	22	1,066	14·9	1·05	0·85	389	352	741	10·4	1·23	1·13	20	19	11	10	17	25
Basildon	103,110	1,167	1,105	44	40	2,356	22·8	0·79	0·97	394	346	740	7·2	1·50	0·96	55	23	37	28	30	24
Benfleet	38,740	470	419	10	17	916	23·6	0·95	1·21	202	189	391	10·1	1·02	0·91	10	11	8	8	11	20
Braintree and Bocking	21,060	214	191	16	8	429	20·4	0·99	1·09	117	135	252	12·0	0·78	0·83	9	21	3	3	8	25
Brentwood	54,230	487	485	20	16	1,008	18·6	0·93	0·94	257	296	553	10·2	0·85	0·77	25	25	20	18	14	31
Brightlingsea	5,110	50	41	3	1	95	18·6	1·23	1·24	44	32	76	14·9	0·71	0·94	3	32	3	3	-	32
Burnham-on-Crouch	4,310	25	35	5	-	65	15·1	1·25	1·02	38	32	70	16·2	0·76	1·09	-	-	-	-	3	44
Canvey Island	19,350	197	183	10	13	403	20·8	1·09	1·23	126	95	221	11·4	0·97	0·98	3	7	3	3	5	20
Chelmsford M.B.	52,920	538	536	41	32	1,147	21·7	0·91	1·07	241	234	475	9·0	1·20	0·96	6	5	5	5	12	15
Chigwell	62,650	373	376	26	24	799	12·8	1·12	0·77	245	225	470	7·5	1·38	0·92	12	15	8	8	19	33
Chingford M.B.	46,320	304	280	9	15	608	13·1	1·10	0·78	215	207	422	9·1	1·14	0·92	12	20	8	6	9	24
Clacton	30,780	181	214	15	25	435	14·1	1·31	1·00	287	261	548	17·8	0·62	0·98	7	16	3	2	6	18
Colchester M.B.	68,290	596	594	43	44	1,277	18·7	1·01	1·02	405	413	818	12·0	0·88	0·93	29	23	23	21	24	35
Dagenham M.B.	107,060	707	698	45	51	1,501	14·0	1·03	0·78	517	418	935	8·7	1·44	1·11	34	23	25	24	26	33
Epping	10,370	102	62	9	3	176	17·0	0·88	0·81	33	56	89	8·6	1·02	0·78	5	28	4	4	5	50
Frinton and Walton	10,770	60	63	7	4	134	12·4	1·39	0·93	90	105	195	18·1	0·59	0·95	3	22	1	1	3	29
Halstead	6,650	60	64	2	3	129	19·4	1·06	1·11	35	39	74	11·1	0·86	0·84	1	8	1	1	1	15
Harlow	63,540	807	703	29	27	1,566	24·6	0·74	0·98	133	118	251	4·0	2·64	0·93	21	13	17	15	16	20
Harwich M.B.	14,150	119	131	4	4	258	18·2	1·06	1·04	83	70	153	10·8	1·10	1·05	2	8	2	2	3	19
Hornchurch	134,140	1,265	1,144	39	37	2,485	18·5	0·89	0·89	595	577	1,172	8·7	1·25	0·96	38	15	25	21	43	25
Ilford M.B.	175,490	1,441	1,380	80	81	2,982	17·0	1·01	0·93	950	987	1,937	11·0	0·96	0·93	37	12	23	21	30	17
Leyton M.B.	91,420	739	743	61	48	1,591	17·4	1·02	0·96	615	732	1,347	14·7	0·79	1·03	29	18	21	21	16	23
Maldon M.B.	11,330	114	113	6	6	239	21·1	1·06	1·21	82	85	167	14·7	0·64	0·83	3	13	1	1	1	8
Rayleigh	21,800	196	188	10	6	400	18·3	0·90	0·89	109	96	205	9·4	1·19	0·99	5	13	3	2	4	15
Romford M.B.	115,610	899	911	51	38	1,899	16·4	0·96	0·85	450	416	866	7·5	1·56	1·04	30	16	21	16	34	26
Saffron Walden M.B.	8,650	71	77	5	-	153	17·7	1·10	1·05	62	54	116	13·4	0·65	0·77	6	39	6	5	2	45
Thurrock	118,390	997	988	58	57	2,100	17·7	0·99	0·95	479	423	902	7·6	1·46	0·98	29	14	17	13	40	25
Waltham Holy Cross	12,390	130	111	8	4	253	20·4	0·83	0·92	56	37	93	7·5	1·46	0·97	6	24	4	4	5	35
Walthamstow M.B.	106,100	859	802	67	55	1,783	16·8	1·06	0·96	614	581	1,195	11·3	1·01	1·01	27	15	18	15	18	18
Wanstead and Woodford M.B.	61,870	412	418	32	24	886	14·3	1·06	0·82	336	349	685	11·1	0·93	0·91	15	17	11	11	10	23
West Mersea	3,250	20	23	2	-	45	13·8	1·32	0·98	27	16	43	13·2	0·67	0·78	1	22	1	-	1	22
Witham	10,190	84	81	2	5	172	16·9	1·08	0·99	56	52	108	10·6	0·95	0·89	2	12	-	-	10	55
Wivenhoe	3,630	45	49	3	5	102	28·1	1·03	1·56	19	16	35	9·6	1·06	0·90	2	20	2	1	4	47
Rural districts	277,600	2,641	2,521	150	103	5,415	19·5	1·03	1·09	1,577	1,500	3,077	11·1	0·91	0·89	83	15	59	53	88	26
Braintree	23,910	203	208	18	7	436	18·2	1·04	1·02	118	100	218	9·1	0·93	0·75	10	23	6	5	7	27
Chelmsford	53,830	556	528	29	25	1,138	21·1	0·97	1·11	292	296	588	10·9	0·94	0·91	17	15	12	11	15	23
Dunmow	21,900	192	202	10	7	411	18·8	1·03	1·05	95	106	201	9·2	0·98	0·80	7	17	5	4	5	22
Epping and Ongar	39,500	396	375	19	15	805	20·4	0·93	1·03	181	160	341	8·6	1·18	0·90	6	7	5	5	18	28

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Halstead	16,620	147	131	5	4	287	17·3	1·19	1·11	124	101	225	13·5	0·80	0·96	5	17	3	3	3	21
Lexden and Winstree	25,380	235	227	15	3	480	18·9	1·18	1·21	156	154	310	12·2	0·71	0·77	8	17	5	4	4	17
-- Maldon	17,090	167	143	10	9	329	19·3	1·19	1·24	90	93	183	10·7	0·85	0·80	5	15	4	4	10	41
Rochford	35,140	381	352	13	13	759	21·6	0·91	1·06	214	225	439	12·5	0·85	0·94	13	17	8	8	16	31
Saffron Walden	18,440	147	149	9	9	314	17·0	1·12	1·03	117	94	211	11·4	0·90	0·91	5	16	5	4	4	25
Tendring	25,790	217	206	22	11	456	17·7	1·16	1·11	190	171	361	14·0	0·76	0·94	7	15	6	5	6	24
GLOUCESTERSHIRE	**1,033,670**	**9,349**	**8,742**	**739**	**664**	**19,494**	**18·9**	**1·00**	**1·02**	**5,760**	**5,575**	**11,335**	**11·0**	**1·03**	**1·00**	**353**	**18**	**244**	**211**	**237**	**23**
County boroughs	**503,720**	**4,263**	**4,018**	**443**	**392**	**9,116**	**18·1**	**1·02**	**1·00**	**2,998**	**2,944**	**5,942**	**11·8**	**0·99**	**1·03**	**177**	**19**	**121**	**106**	**114**	**24**
Bristol	432,070	3,586	3,319	354	313	7,572	17·5	1·03	0·97	2,593	2,548	5,141	11·9	0·97	1·02	138	18	89	78	93	22
Gloucester	71,650	677	699	89	79	1,544	21·5	0·99	1·15	405	396	801	11·2	1·09	1·08	39	25	32	28	21	31
Administrative county	**529,950**	**5,086**	**4,724**	**296**	**272**	**10,378**	**19·6**	**0·98**	**1·04**	**2,762**	**2,631**	**5,393**	**10·2**	**1·07**	**0·97**	**176**	**17**	**123**	**105**	**123**	**22**
Municipal boroughs and urban districts	**175,780**	**1,623**	**1,488**	**108**	**125**	**3,344**	**19·0**	**0·97**	**1·00**	**900**	**1,013**	**1,913**	**10·9**	**1·00**	**0·96**	**54**	**16**	**34**	**32**	**41**	**22**
Charlton Kings	8,210	58	46	1	1	106	12·9	1·09	0·76	39	46	85	10·4	0·97	0·89	-	-	-	-	1	9
Cheltenham M.B.	74,910	653	597	61	76	1,387	18·5	0·98	0·98	394	486	880	11·7	0·95	0·98	27	19	13	12	26	27
Cirencester	12,640	99	106	8	14	227	18·0	1·07	1·04	77	88	165	13·1	0·79	0·92	3	13	3	3	1	18
Kingswood	27,640	348	332	11	9	700	25·3	0·81	1·11	105	118	223	8·1	1·31	0·94	8	11	6	6	5	16
Mangotsfield	24,530	224	184	10	10	428	17·4	0·99	0·93	116	116	232	9·5	1·21	1·02	6	14	5	4	4	19
Nailsworth	3,760	26	28	-	2	56	14·9	1·18	0·95	20	25	45	12·0	0·96	1·02	-	-	-	-	1	18
Stroud	18,030	153	141	11	10	315	17·5	1·04	0·98	107	101	208	11·5	0·94	0·96	8	25	6	6	3	28
Tewkesbury M.B.	6,060	62	54	6	3	125	20·6	1·03	1·15	42	33	75	12·4	0·92	1·01	2	16	1	1	-	8
Rural districts	**354,170**	**3,463**	**3,236**	**188**	**147**	**7,034**	**19·9**	**0·99**	**1·06**	**1,862**	**1,618**	**3,480**	**9·8**	**1·10**	**0·95**	**122**	**17**	**89**	**73**	**82**	**22**
Cheltenham	35,900	358	357	26	11	752	20·9	0·94	1·06	171	140	311	8·7	1·24	0·95	13	17	8	6	5	15
Cirencester	14,490	147	131	6	3	287	19·8	1·07	1·15	72	65	137	9·5	1·11	0·93	7	24	5	3	3	21
Dursley	19,260	176	137	8	8	329	17·1	1·10	1·02	102	83	185	9·6	1·08	0·92	9	27	5	3	5	24
East Dean	20,990	172	174	13	13	372	17·7	1·05	1·00	146	130	276	13·1	1·07	1·24	12	32	11	10	6	42
Gloucester	51,040	482	494	29	26	1,031	20·2	0·98	1·07	278	234	512	10·0	0·96	0·85	18	17	13	10	15	24
Lydney	13,650	126	127	4	5	262	19·2	1·14	1·18	88	67	155	11·4	1·13	1·14	3	11	2	2	1	11
Newent	8,980	89	68	1	2	160	17·8	1·10	1·06	47	44	91	10·1	0·99	0·88	-	-	-	-	1	6
North Cotswold	20,430	160	134	8	10	312	15·3	1·10	0·91	113	93	206	10·1	0·93	0·83	2	6	2	2	4	19
Northleach	7,850	49	63	6	4	122	15·5	1·09	0·91	37	39	76	9·7	0·87	0·75	3	25	3	2	2	32
Sodbury	51,670	636	515	22	27	1,200	23·2	0·88	1·10	201	193	394	7·6	1·34	0·90	16	13	13	12	23	29
Stroud	28,620	233	228	14	7	482	16·8	1·10	1·00	163	132	295	10·3	0·93	0·85	8	17	5	4	5	18
Tetbury	6,840	48	48	5	3	104	15·2	1·07	0·88	44	37	81	11·8	0·85	0·89	5	48	5	5	-	48
Thornbury	33,940	417	377	27	21	842	24·8	0·99	1·33	190	151	341	10·0	1·08	0·96	9	11	8	7	5	14
Warmley	22,810	216	237	10	3	466	20·4	0·78	0·86	87	95	182	8·0	1·43	1·01	9	19	3	2	5	15
West Dean	17,700	154	146	9	4	313	17·7	1·04	1·00	123	115	238	13·4	1·04	1·23	8	26	6	5	2	22
HAMPSHIRE	**1,436,060**	**12,659**	**12,215**	**1,042**	**1,008**	**26,924**	**18·7**	**1·02**	**1·03**	**8,135**	**7,784**	**15,919**	**11·1**	**0·94**	**0·92**	**498**	**18**	**358**	**314**	**399**	**26**
County boroughs	**581,270**	**4,442**	**4,228**	**543**	**510**	**9,723**	**16·7**	**1·06**	**0·96**	**3,661**	**3,568**	**7,229**	**12·4**	**0·86**	**0·94**	**171**	**18**	**126**	**114**	**163**	**28**
Bournemouth	151,090	893	833	134	109	1,969	13·0	1·23	0·86	1,152	1,286	2,438	16·1	0·63	0·90	29	15	24	22	22	22
Portsmouth	221,470	1,768	1,631	203	207	3,809	17·2	1·04	0·97	1,389	1,344	2,733	12·3	0·89	0·97	79	21	51	45	70	30
Southampton	208,710	1,781	1,764	206	194	3,945	18·9	0·99	1·01	1,120	938	2,058	9·9	1·13	0·99	63	16	51	47	71	29
Administrative county	**854,790**	**8,217**	**7,987**	**499**	**498**	**17,201**	**20·1**	**0·98**	**1·06**	**4,474**	**4,216**	**8,690**	**10·2**	**1·01**	**0·91**	**327**	**19**	**232**	**200**	**236**	**25**
***Municipal boroughs and urban districts**	**516,830**	**5,127**	**5,033**	**318**	**309**	**10,787**	**20·9**	**0·95**	**1·07**	**2,700**	**2,419**	**5,119**	**9·9**	**1·07**	**0·94**	**221**	**20**	**156**	**134**	**150**	**26**
Aldershot M.B.	33,690	429	425	32	19	905	26·9	0·92	1·34	143	130	273	8·1	1·36	0·97	13	14	8	7	14	23
Alton	9,600	93	69	8	7	177	18·4	0·97	0·96	48	55	103	10·7	0·96	0·91	3	17	3	3	2	28
Andover M.B.	18,900	193	179	7	17	396	21·0	0·97	1·10	122	103	225	11·9	0·88	0·93	11	28	9	8	4	30
Basingstoke M.B.	30,360	372	356	13	11	752	24·8	0·85	1·14	148	115	263	8·7	1·28	0·99	10	13	6	6	10	21
Christchurch M.B.	28,000	187	171	17	17	392	14·0	1·22	0·92	203	174	377	13·5	0·72	0·86	3	8	1	1	3	10
Eastleigh M.B.	39,970	349	348	19	16	732	18·3	1·00	0·99	208	152	360	9·0	1·10	0·88	12	16	9	9	10	26
Fareham	68,690	619	641	47	42	1,349	19·6	0·92	0·97	348	272	620	9·0	1·08	0·86	32	24	28	23	23	34
Farnborough	37,190	429	405	10	30	874	23·5	0·97	1·23	151	141	292	7·9	1·44	1·01	15	17	13	12	11	26
Fleet	16,580	230	217	4	5	456	27·5	0·81	1·20	85	77	162	9·8	1·22	1·06	13	29	10	7	6	28
Gosport M.B.	72,240	740	756	48	43	1,587	22·0	0·94	1·12	340	325	665	9·2	1·25	1·02	44	28	23	19	22	25
* Havant and Waterloo	86,040	935	948	68	63	2,014	23·4	0·84	1·06	408	350	758	8·8	1·33	1·04	39	19	26	22	32	26
Lymington M.B.	30,610	217	210	15	16	458	15·0	1·34	1·09	235	240	475	15·5	0·63	0·86	10	22	7	6	6	26
Petersfield	8,140	65	56	7	6	134	16·5	1·12	1·00	60	59	119	14·6	0·79	1·02	4	30	2	2	-	15
Romsey M.B.	6,510	49	41	3	1	94	14·4	1·14	0·89	53	41	94	14·4	0·68	0·87	3	32	3	2	1	32
Winchester M.B.	30,310	220	211	20	16	467	15·4	1·04	0·87	148	185	333	11·0	0·82	0·80	9	19	8	7	6	27

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1964	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
HAMPSHIRE - *continued*																					
*** Rural districts**	**337,960**	**3,090**	**2,954**	**181**	**189**	**6,414**	**19·0**	**1·04**	**1·07**	**1,774**	**1,797**	**3,571**	**10·6**	**0·92**	**0·86**	**106**	**17**	**76**	**66**	**86**	**23**
Alton	26,260	276	269	16	17	578	22·0	1·08	1·28	152	128	280	10·7	1·00	0·95	15	*26*	9	8	10	*31*
Andover	20,020	194	186	8	9	397	19·8	1·06	1·13	78	54	132	6·6	1·32	0·77	11	*28*	10	9	11	*49*
Basingstoke	20,380	154	149	12	14	329	16·1	1·10	0·96	157	159	316	15·5	0·54	0·74	4	*12*	4	4	4	*24*
*Droxford	24,140	199	205	15	17	436	18·1	1·09	1·07	166	191	357	14·8	0·72	0·94	6	*14*	2	2	5	*16*
Hartley Wintney	29,210	312	294	23	10	639	21·9	0·98	1·16	121	155	276	9·4	1·02	0·85	11	*17*	7	7	7	*22*
Kingsclere and Whitchurch	25,230	227	250	11	14	502	19·9	0·98	1·05	116	106	222	8·8	1·15	0·90	11	*22*	6	6	6	*24*
New Forest	63,770	643	598	39	44	1,324	20·8	0·98	1·10	308	272	580	9·1	1·09	0·88	18	*14*	15	12	12	*18*
Petersfield	26,080	232	220	14	9	475	18·2	1·02	1·00	136	118	254	9·7	0·97	0·83	8	*17*	6	4	2	*13*
Ringwood and Fordingbridge	28,850	191	187	11	17	406	14·1	1·21	0·92	160	233	393	13·6	0·63	0·76	6	*15*	4	4	6	*24*
Romsey and Stockbridge	23,130	208	165	6	14	393	17·0	1·06	0·97	107	102	209	9·0	1·04	0·83	4	*10*	3	3	8	*27*
Winchester	50,890	454	431	26	24	935	18·4	1·02	1·01	273	279	552	10·8	1·02	0·97	12	*13*	10	7	15	*23*
HEREFORDSHIRE	**136,370**	**1,182**	**1,110**	**73**	**61**	**2,426**	**17·8**	**1·07**	**1·03**	**821**	**724**	**1,545**	**11·3**	**0·95**	**0·95**	**55**	**23**	**41**	**32**	**50**	**33**
Municipal boroughs and urban districts	**63,990**	**610**	**598**	**36**	**27**	**1,271**	**19·9**	**0·98**	**1·05**	**373**	**325**	**698**	**10·9**	**1·01**	**0·97**	**26**	**20**	**21**	**16**	**25**	**32**
Bromyard	1,680	15	14	3	-	32	19·0	1·12	1·15	11	8	19	*11·3*	1·01	1·01	2	*63*	2	2	-	*63*
Hereford M.B.	43,950	441	415	21	20	897	20·4	0·94	1·04	235	206	441	10·0	1·13	1·00	16	*18*	13	11	22	*36*
Kington	1,910	11	18	1	3	33	17·3	1·13	1·06	12	15	27	14·1	0·64	0·80	2	*61*	-	-	-	-
Ledbury	3,650	30	32	1	-	63	17·3	1·09	1·02	31	24	55	15·1	0·83	1·11	1	*16*	1	-	-	-
Leominster M.B.	6,830	69	68	8	2	147	21·5	1·07	1·24	41	41	82	12·0	0·79	0·84	3	*20*	3	2	2	*27*
Ross-on-Wye	5,970	44	51	2	2	99	16·6	1·11	1·00	43	31	74	12·4	0·71	0·78	2	*20*	2	1	1	*20*
Rural districts	**72,380**	**572**	**512**	**37**	**34**	**1,155**	**16·0**	**1·15**	**0·99**	**448**	**399**	**847**	**11·7**	**0·91**	**0·94**	**29**	**25**	**20**	**16**	**25**	**35**
Bromyard	6,850	49	40	2	1	92	13·4	1·15	0·83	45	41	86	12·6	0·74	0·83	2	*22*	1	1	2	*32*
Dore and Bredwardine	7,750	66	59	4	5	134	17·3	1·13	1·06	45	47	92	11·9	1·02	1·07	7	*52*	4	3	2	*37*
Hereford	18,610	138	125	11	9	283	15·2	1·13	0·93	121	123	244	13·1	0·83	0·96	4	*14*	3	2	8	*34*
Kington	4,380	41	29	1	-	71	16·2	1·19	1·04	26	25	51	11·6	0·87	0·89	2	*28*	2	2	2	*55*
Ledbury	8,000	67	69	6	8	150	18·8	1·13	1·15	59	39	98	12·3	0·92	1·00	6	*40*	3	2	3	*33*
Leominster and Wigmore	9,560	80	72	5	6	163	17·1	1·16	1·07	52	50	102	10·7	0·89	0·84	3	*18*	3	3	5	*48*
Ross and Whitchurch	11,640	88	76	4	4	172	14·8	1·17	0·94	73	46	119	10·2	0·92	0·83	1	*6*	1	1	2	*17*
Weobley	5,590	43	42	4	1	90	16·1	1·17	1·02	27	28	55	9·8	0·98	0·85	4	*44*	3	2	1	*33*
HERTFORDSHIRE	**892,390**	**7,941**	**7,612**	**455**	**370**	**16,378**	**18·4**	**0·95**	**0·94**	**4,005**	**3,925**	**7,930**	**8·9**	**1·17**	**0·92**	**236**	**14**	**172**	**149**	**227**	**23**
Municipal boroughs and urban districts	**633,260**	**5,977**	**5,724**	**329**	**255**	**12,285**	**19·4**	**0·93**	**0·98**	**2,847**	**2,702**	**5,549**	**8·8**	**1·20**	**0·93**	**167**	**14**	**122**	**108**	**174**	**23**
Baldock	6,750	46	44	9	-	99	14·7	1·06	0·84	29	27	56	8·3	1·31	0·96	-	-	-	-	1	*10*
Barnet	27,800	205	224	13	10	452	16·3	0·98	0·86	154	152	306	11·0	0·99	0·96	3	*7*	-	-	7	*15*
Berkhamsted	14,640	133	118	6	5	262	17·9	1·03	1·00	60	76	136	9·3	1·09	0·90	1	*4*	-	-	2	*8*
Bishop's Stortford	20,490	223	201	9	5	438	21·4	0·85	0·98	99	84	183	8·9	0·94	0·74	8	*18*	6	4	8	*27*
Bushey	23,450	219	188	10	4	421	18·0	0·96	0·93	107	98	205	8·7	1·20	0·92	5	*12*	4	3	4	*16*
Cheshunt	39,040	421	388	13	10	832	21·3	0·84	0·97	147	107	254	6·5	1·54	0·89	7	*8*	5	5	14	*22*
Chorleywood	7,420	57	46	2	3	108	14·6	1·05	0·83	23	22	45	6·1	1·13	0·61	3	*28*	2	2	1	*28*
East Barnet	41,090	302	290	14	12	618	15·0	1·07	0·87	184	194	378	9·2	1·07	0·87	15	24	14	13	8	34
Harpenden	20,390	185	191	6	8	390	19·1	1·02	1·05	86	86	172	8·4	1·09	0·81	2	*5*	2	2	5	*18*
Hemel Hempstead M.B.	61,890	604	581	30	30	1,245	20·1	0·85	0·92	238	209	447	7·2	1·56	0·99	13	*10*	9	8	24	25
Hertford M.B.	17,970	175	170	6	4	355	19·8	0·97	1·04	76	62	138	7·7	1·12	0·76	3	*8*	2	2	4	*17*
Hitchin	24,990	259	265	15	20	559	22·4	0·95	1·15	159	198	357	14·3	0·87	1·10	9	*16*	7	7	4	*20*
Hoddesdon	19,190	208	207	4	7	426	22·2	0·90	1·08	86	65	151	7·9	1·16	0·81	4	*9*	3	2	5	*16*
Letchworth	26,560	219	201	20	4	444	16·7	0·97	0·88	129	119	248	9·3	1·17	0·96	7	*16*	5	4	10	*31*

	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Rickmansworth	30,130	219	234	14	5	472	15·7	1·07	0·91	135	116	251	8·3	1·19	0·87	9	19	8	7	6	27
Royston	6,690	62	71	2	3	138	20·6	0·95	1·06	32	39	71	10·6	1·01	0·95	3	22	2	2	5	49
St. Albans M.B.	51,520	429	402	36	30	897	17·4	0·99	0·93	255	270	525	10·2	1·04	0·94	15	17	8	6	18	26
Sawbridgeworth	4,950	35	35	2	1	73	14·7	1·14	0·91	24	21	45	9·1	1·08	0·87	1	14	1	1	-	14
Stevenage	52,440	646	636	32	22	1,336	25·5	0·73	1·01	130	98	228	4·3	2·39	0·91	13	10	11	10	15	19
Tring	7,500	93	82	3	2	180	24·0	0·99	1·28	36	34	70	9·3	1·14	0·94	1	6	1	1	1	11
Ware	12,460	166	147	5	3	321	25·8	0·95	1·32	108	96	204	16·4	0·57	0·83	8	25	5	5	5	31
Watford M.B.	76,340	694	658	56	52	1,460	19·1	0·98	1·01	433	412	845	11·1	0·98	0·96	29	20	23	20	20	27
Welwyn Garden City	39,560	377	345	22	15	759	19·2	0·87	0·90	117	117	234	5·9	1·86	0·97	8	11	4	4	7	14
Rural districts	**259,130**	**1,964**	**1,888**	**126**	**115**	**4,093**	**15·8**	**1·00**	**0·85**	**1,158**	**1,223**	**2,381**	**9·2**	**1·07**	**0·87**	**69**	**17**	**50**	**41**	**53**	**23**
Berkhamsted	6,480	75	49	3	3	130	20·1	1·08	1·17	35	44	79	12·2	0·99	1·07	2	15	-	-	1	8
Braughing	10,290	80	82	3	8	173	16·8	1·14	1·04	69	65	134	13·0	0·98	1·13	6	35	6	6	1	40
Elstree	30,040	187	209	22	16	434	14·4	1·05	0·82	105	156	261	8·7	1·06	0·82	9	21	5	4	2	14
Hatfield	42,720	341	338	12	11	702	16·4	0·91	0·81	149	168	317	7·4	1·32	0·86	16	23	15	13	18	43
Hemel Hempstead	13,950	92	116	4	8	220	15·8	1·04	0·89	58	79	137	9·8	1·06	0·92	4	18	3	3	7	44
*Hertford	10,730	101	93	7	3	204	19·0	1·06	1·09	38	40	78	7·3	1·23	0·79	4	20	3	2	1	15
Hitchin	23,190	190	165	10	11	376	16·2	1·09	0·95	130	120	250	10·8	1·04	0·99	6	16	5	4	2	16
St. Albans	41,260	382	323	23	18	746	18·1	0·91	0·89	210	231	441	10·7	0·73	0·69	7	9	4	3	5	11
Ware	12,420	79	82	4	2	167	13·4	1·18	0·85	74	63	137	11·0	1·01	0·98	3	18	2	2	7	52
Watford	60,810	375	360	35	33	803	13·2	0·98	0·70	252	234	486	8·0	1·20	0·85	11	14	7	4	8	15
*Welwyn	7,240	62	71	3	2	138	19·1	0·93	0·96	38	23	61	8·4	1·21	0·90	1	7	-	-	1	7
HUNTINGDONSHIRE	**90,500**	**903**	**953**	**55**	**46**	**1,957**	**21·6**	**0·97**	**1·13**	**415**	**397**	**812**	**9·0**	**1·21**	**0·96**	**35**	**18**	**22**	**19**	**17**	**18**
Municipal boroughs and urban districts	**41,390**	**459**	**480**	**25**	**23**	**987**	**23·8**	**0·88**	**1·13**	**200**	**196**	**396**	**9·6**	**1·12**	**0·95**	**9**	**9**	**5**	**5**	**11**	**16**
Huntingdon and Godmanchester M.B.	11,480	142	147	11	8	308	26·8	0·84	1·22	70	72	142	12·4	0·92	1·01	3	10	3	3	2	16
Old Fletton	12,290	113	143	2	3	261	21·2	0·87	1·00	50	46	96	7·8	1·34	0·92	3	11	1	1	4	19
Ramsey	5,770	57	53	6	4	120	20·8	0·99	1·11	43	21	64	11·1	1·10	1·08	-	-	-	-	2	16
St. Ives M.B.	4,700	69	47	2	5	123	26·2	0·93	1·32	15	20	35	7·4	1·06	0·69	1	8	-	-	-	-
St. Neots	7,150	78	90	4	3	175	24·5	0·85	1·13	22	37	59	8·3	1·18	0·87	2	11	1	1	3	22
Rural districts	**49,110**	**444**	**473**	**30**	**23**	**970**	**19·8**	**1·05**	**1·12**	**215**	**201**	**416**	**8·5**	**1·29**	**0·97**	**26**	**27**	**17**	**14**	**6**	**20**
Huntingdon	15,050	137	157	13	9	316	21·0	1·21	1·37	52	50	102	6·8	1·61	0·97	7	22	5	5	1	19
Norman Cross	9,550	94	95	7	1	197	20·6	0·99	1·10	50	41	91	9·5	1·21	1·02	7	36	3	2	2	20
St. Ives	16,380	147	144	5	8	304	18·6	0·96	0·97	79	74	153	9·3	1·20	0·99	7	23	5	4	2	20
St. Neots	8,130	66	77	5	5	153	18·8	1·07	1·09	34	36	70	8·6	1·03	0·78	5	33	4	3	1	26
KENT	**1,782,520**	**15,742**	**14,169**	**999**	**999**	**31,909**	**17·9**	**1·04**	**1·01**	**10,422**	**10,111**	**20,533**	**11·5**	**0·94**	**0·96**	**618**	**19**	**428**	**386**	**509**	**28**
Canterbury C.B.	32,010	285	221	20	23	549	17·2	1·07	0·99	203	224	427	13·3	0·76	0·89	12	22	9	7	8	27
Administrative county	**1,750,510**	**15,457**	**13,948**	**979**	**976**	**31,360**	**17·9**	**1·04**	**1·01**	**10,219**	**9,887**	**20,106**	**11·5**	**0·94**	**0·96**	**606**	**19**	**419**	**379**	**501**	**28**
Municipal boroughs and urban districts	**1,352,660**	**11,719**	**10,441**	**781**	**778**	**23,719**	**17·5**	**1·04**	**0·98**	**7,857**	**7,795**	**15,652**	**11·6**	**0·95**	**0·98**	**457**	**19**	**315**	**285**	**360**	**27**
Ashford	29,470	279	215	32	11	537	18·2	1·05	1·03	189	133	322	10·9	0·97	0·94	15	28	9	9	3	22
Beckenham M.B.	78,230	625	498	36	38	1,197	15·3	1·05	0·87	406	448	854	10·9	0·93	0·90	10	8	9	8	12	17
Bexley M.B.	90,160	739	676	43	31	1,489	16·5	1·03	0·92	479	410	889	9·9	1·15	1·01	19	13	15	13	26	26
Broadstairs and St. Peter's	18,970	93	102	14	9	218	11·5	1·42	0·88	151	165	316	16·7	0·60	0·89	3	14	3	3	2	23
Bromley M.B.	69,910	541	484	30	25	1,080	15·4	1·04	0·87	382	441	823	11·8	0·92	0·96	21	19	13	11	14	23
Chatham M.B.	51,220	594	529	34	39	1,196	23·4	0·92	1·16	275	241	516	10·1	1·23	1·10	20	17	13	12	20	26
Chislehurst and Sidcup	89,290	752	608	38	41	1,439	16·1	1·02	0·89	471	418	889	10·0	1·18	1·04	28	19	20	14	20	23
Crayford	33,600	361	328	8	13	710	21·1	0·92	1·05	146	123	269	8·0	1·37	0·97	12	17	10	9	13	30
Dartford M.B.	46,420	427	393	26	20	866	18·7	0·92	0·93	274	314	588	12·7	0·92	1·03	15	17	12	11	13	27
Deal M.B.	25,740	220	189	15	19	443	17·2	1·13	1·05	152	174	326	12·7	0·86	0·97	11	25	7	6	12	40
Dover M.B.	36,080	290	252	19	15	576	16·0	1·10	0·95	206	193	399	11·1	0·98	0·96	15	26	13	12	11	39
Erith M.B.	45,970	391	354	27	23	795	17·3	1·05	0·98	252	202	454	9·9	1·12	0·98	17	21	12	12	18	37
Faversham M.B.	13,500	112	97	15	3	227	16·8	1·10	1·00	96	92	188	13·9	0·67	0·82	4	18	3	2	2	17
Folkestone M.B.	43,470	347	279	32	48	706	16·2	1·21	1·06	288	339	627	14·4	0·74	0·94	13	18	10	7	12	26
Gillingham M.B.	77,070	709	672	46	61	1,488	19·3	1·02	1·06	395	420	815	10·6	1·07	1·00	26	17	16	15	19	23
Gravesend M.B.	53,590	560	511	36	33	1,140	21·3	0·92	1·06	260	271	531	9·9	1·19	1·04	27	24	19	17	13	26
Herne Bay	22,930	127	117	10	9	263	11·5	1·46	0·91	230	238	468	20·4	0·55	0·99	4	15	1	1	1	8
Hythe M.B.	10,590	57	65	1	7	130	12·3	1·32	0·88	80	69	149	14·1	0·63	0·79	3	23	2	2	2	30
Lydd M.B.	3,560	28	23	4	1	56	15·7	1·35	1·15	22	13	35	9·8	1·09	0·95	1	18	1	1	-	18

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1964	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
KENT - *continued*																					
Municipal boroughs and urban districts - *continued*																					
Maidstone M.B.	62,300	560	511	40	49	1,160	18·6	1·02	1·03	322	350	672	10·8	1·00	0·96	22	19	14	13	20	28
Margate M.B.	47,260	291	262	37	42	632	13·4	1·30	0·94	444	382	826	17·5	0·60	0·93	17	27	11	11	7	28
New Romney M.B.	3,330	35	31	1	3	70	21·0	1·07	1·21	25	18	43	12·9	1·02	1·16	3	43	1	1	2	42
Northfleet	23,780	245	235	10	14	504	21·2	0·93	1·07	117	96	213	9·0	1·27	1·01	14	28	8	7	15	42
Orpington	82,520	688	637	26	30	1,381	16·7	0·97	0·88	354	323	677	8·2	1·13	0·82	19	14	13	13	21	24
Penge	26,230	311	293	34	38	676	25·8	0·87	1·21	184	135	319	12·2	1·09	1·18	12	18	10	10	4	21
Queensborough M.B.	3,100	31	31	2	4	68	21·9	1·09	1·29	21	13	34	11·0	1·10	1·07	-	-	-	-	3	42
Ramsgate M.B.	38,200	269	265	35	33	602	15·8	1·19	1·02	281	261	542	14·2	0·77	0·97	22	37	9	8	13	34
Rochester M.B.	52,360	537	429	37	33	1,036	19·8	0·97	1·04	280	249	529	10·1	1·10	0·98	17	16	9	8	18	25
Royal Tunbridge Wells M.B.	41,280	310	280	22	23	635	15·4	1·10	0·92	270	396	666	16·1	0·63	0·90	14	22	11	11	9	31
Sandwich M.B.	4,620	35	29	3	2	69	14·9	1·18	0·95	30	32	62	13·4	0·70	0·83	2	29	2	1	-	14
Sevenoaks	18,100	136	109	10	7	262	14·5	1·13	0·89	87	83	170	9·4	0·84	0·70	5	19	4	4	4	30
Sheerness	13,770	125	104	13	13	255	18·5	1·13	1·13	102	78	180	13·1	0·90	1·04	4	16	4	4	9	49
Sittingbourne and Milton	25,480	268	215	12	12	507	19·9	1·02	1·10	158	179	337	13·2	0·79	0·92	11	22	5	5	2	14
Southborough	9,740	69	64	6	1	140	14·4	1·14	0·89	60	83	143	14·7	0·83	1·08	9	64	8	7	1	57
Swanscombe	9,200	91	80	4	5	180	19·6	0·97	1·03	41	35	76	8·3	1·22	0·90	3	17	2	1	2	16
Tenterden M.B.	5,250	32	29	3	1	65	12·4	1·25	0·84	37	37	74	14·1	0·54	0·67	1	15	1	1	1	30
Tonbridge	26,030	273	297	11	10	591	22·7	0·97	1·19	123	134	257	9·9	1·05	0·92	16	27	14	14	12	43
Whitstable	20,340	161	148	9	12	330	16·2	1·39	1·22	167	207	374	18·4	0·61	0·99	2	6	1	1	4	15
Rural districts	**397,850**	**3,738**	**3,507**	**198**	**198**	**7,641**	**19·2**	**1·05**	**1·09**	**2,362**	**2,092**	**4,454**	**11·2**	**0·91**	**0·90**	**149**	**20**	**104**	**94**	**141**	**30**
Bridge-Blean	21,960	190	196	11	12	409	18·6	1·18	1·19	195	137	332	15·1	0·52	0·69	7	17	6	6	5	27
Cranbrook	16,210	110	100	13	5	228	14·1	1·26	0·96	89	111	200	12·3	0·87	0·95	6	26	4	3	8	47
Dartford	57,530	603	569	16	30	1,218	21·2	0·88	1·01	314	254	568	9·9	1·10	0·96	19	16	16	12	26	31
Dover	12,820	87	94	9	5	195	15·2	1·24	1·02	73	70	143	11·2	0·80	0·79	5	26	5	5	4	46
East Ashford	11,240	89	93	2	4	188	16·7	1·18	1·07	69	53	122	10·9	0·79	0·76	4	21	2	2	3	26
Eastry	23,330	211	194	8	10	423	18·1	1·13	1·11	165	188	353	15·1	0·71	0·95	11	26	5	5	4	21
Elham	10,310	60	83	3	5	151	14·6	1·14	0·90	79	89	168	16·3	0·51	0·74	3	20	3	3	3	39
Hollingbourn	18,140	190	140	13	11	354	19·5	1·10	1·16	100	110	210	11·6	0·97	1·00	5	14	1	1	5	17
Maidstone	22,790	226	249	16	11	502	22·0	1·06	1·26	162	130	292	12·8	0·84	0·95	10	20	7	7	6	26
Malling	44,830	521	454	25	30	1,030	23·0	0·96	1·19	225	162	387	8·6	1·12	0·85	18	17	14	13	21	32
Romney Marsh	4,880	44	45	5	2	96	19·7	1·20	1·28	26	24	50	10·2	0·87	0·79	2	21	1	1	-	10
Sevenoaks	42,160	355	309	12	16	692	16·4	1·07	0·95	182	174	356	8·4	1·04	0·77	10	14	8	6	8	20
Sheppey	10,750	99	76	9	6	190	17·7	1·27	1·22	58	54	112	10·4	0·93	0·86	5	26	4	4	8	61
Strood	33,480	359	335	21	13	728	21·7	0·95	1·11	168	124	292	8·7	1·32	1·02	13	18	9	8	15	31
Swale	21,620	179	184	10	7	380	17·6	1·06	1·01	131	98	229	10·6	1·02	0·96	6	16	3	3	6	23
Tenterden	7,760	55	60	4	9	128	16·5	1·18	1·05	52	50	102	13·1	0·87	1·01	4	31	3	3	3	46
Tonbridge	26,820	274	251	12	14	551	20·5	1·03	1·14	172	165	337	12·6	0·87	0·97	16	29	11	10	11	37
West Ashford	11,220	86	75	9	8	178	15·9	1·20	1·03	102	99	201	17·9	0·67	1·06	5	28	2	2	5	38
LANCASHIRE	**5,165,040**	**47,303**	**44,358**	**3,959**	**3,533**	**99,153**	**19·2**	**1·02**	**1·06**	**32,647**	**31,303**	**63,950**	**12·4**	**1·10**	**1·21**	**2,315**	**23**	**1,551**	**1,346**	**1,907**	**32**
County boroughs	**2,873,360**	**26,243**	**24,612**	**2,763**	**2,491**	**56,109**	**19·5**	**1·02**	**1·08**	**18,535**	**17,706**	**36,241**	**12·6**	**1·10**	**1·23**	**1,399**	**25**	**891**	**771**	**1,137**	**33**
Barrow-in-Furness	65,180	572	558	37	39	1,206	18·5	1·05	1·05	441	381	822	12·6	1·03	1·15	20	17	16	14	26	32
Blackburn	103,610	867	796	80	62	1,805	17·4	1·11	1·04	796	813	1,609	15·5	0·93	1·28	51	28	38	37	43	43
Blackpool	150,030	916	911	124	116	2,067	13·8	1·20	0·90	1,315	1,305	2,620	17·5	0·80	1·24	48	23	31	29	38	32
Bolton	159,190	1,335	1,220	112	103	2,770	17·4	1·08	1·02	1,056	1,016	2,072	13·0	1·07	1·23	53	19	30	27	42	25

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Bootle	83,040	970	856	55	36	1,917	23·1	0·91	1·14	416	351	767	9·2	1·61	1·31	52	27	29	19	47	34
Burnley	79,250	633	622	76	62	1,393	17·6	1·12	1·07	585	599	1,184	14·9	0·98	1·29	28	20	20	18	32	35
Bury	62,080	581	576	55	33	1,245	20·1	1·03	1·12	386	430	816	13·1	1·02	1·18	28	22	16	12	25	29
Liverpool	729,140	7,408	7,027	645	560	15,640	21·4	0·94	1·09	4,164	4,017	8,181	11·2	1·22	1·21	342	22	203	175	287	29
Manchester	644,500	5,860	5,675	916	864	13,315	20·7	1·00	1·12	4,039	3,676	7,715	12·0	1·18	1·25	382	29	244	207	274	35
Oldham	112,670	1,014	962	103	121	2,200	19·5	1·07	1·13	824	775	1,599	14·2	1·06	1·33	76	35	52	48	35	37
Preston	110,390	1,055	882	120	97	2,154	19·5	1·08	1·14	693	677	1,370	12·4	1·13	1·24	53	25	33	25	39	29
Rochdale	86,180	760	668	82	75	1,585	18·4	1·08	1·07	610	608	1,218	14·1	1·04	1·30	36	23	23	20	34	33
St. Helens	105,310	937	792	43	48	1,820	17·3	1·00	0·94	599	487	1,086	10·3	1·23	1·12	38	21	27	26	52	42
Salford	150,350	1,379	1,343	191	166	3,079	20·5	1·01	1·12	956	888	1,844	12·3	1·17	1·27	93	30	60	52	80	42
Southport	80,080	573	483	37	38	1,131	14·1	1·20	0·91	641	819	1,460	18·2	0·70	1·13	21	19	13	12	24	31
Warrington	75,110	745	659	55	45	1,504	20·0	1·05	1·14	498	416	914	12·2	1·18	1·27	48	32	35	32	29	40
Wigan	77,250	638	582	32	26	1,278	16·5	1·05	0·94	516	448	964	12·5	1·13	1·25	30	23	21	18	30	37
Administrative county	**2,291,680**	**21,060**	**19,746**	**1,196**	**1,042**	**43,044**	**18·8**	**1·02**	**1·04**	**14,112**	**13,597**	**27,709**	**12·1**	**1·09**	**1·17**	**916**	**21**	**660**	**575**	**770**	**31**
Municipal boroughs and urban districts	**1,935,430**	**17,692**	**16,568**	**1,075**	**936**	**36,271**	**18·7**	**1·03**	**1·04**	**11,920**	**11,555**	**23,475**	**12·1**	**1·10**	**1·18**	**766**	**21**	**547**	**477**	**661**	**31**
Abram	6,140	62	53	2	-	117	19·1	1·00	1·03	38	28	66	10·7	1·39	1·32	1	*9*	1	1	2	*25*
Accrington M.B.	38,510	304	282	32	19	637	16·5	1·13	1·01	285	283	568	14·7	0·97	1·26	9	*14*	7	7	13	*31*
Adlington	4,510	52	37	2	-	91	20·2	1·00	1·09	17	28	45	10·0	1·06	0·94	2	*22*	2	2	2	*43*
Ashton-in-Makerfield	21,330	226	235	7	3	471	22·1	1·00	1·19	149	114	263	12·3	1·20	1·31	8	*17*	5	5	10	*31*
Ashton-under-Lyne M.B.	49,380	430	393	39	36	898	18·2	1·08	1·06	368	357	725	14·7	1·01	1·31	28	31	22	21	16	40
Aspull	6,890	55	64	3	2	124	18·0	0·98	0·95	34	41	75	10·9	1·39	1·34	-	-	-	-	1	*8*
Atherton	19,520	175	169	7	3	354	18·1	1·04	1·02	148	119	267	13·7	1·03	1·25	12	34	9	9	11	55
Audenshaw	11,890	93	71	4	7	175	14·7	1·03	0·82	64	61	125	10·5	1·11	1·03	4	*23*	4	4	4	*45*
Bacup M.B.	16,890	151	134	17	16	318	18·8	1·06	1·08	100	102	202	12·0	1·09	1·16	7	*22*	5	2	4	*19*
Barrowford	4,660	30	32	1	4	67	14·4	1·25	0·97	44	34	78	16·7	0·83	1·23	1	*15*	-	-	2	*29*
Billinge-and-Winstanley	8,350	98	100	5	3	206	24·7	0·84	1·12	44	50	94	11·3	1·02	1·02	1	*5*	-	-	3	*14*
Blackrod	4,060	45	48	3	4	100	24·6	0·91	1·21	37	18	55	13·5	1·21	1·45	1	*10*	1	1	2	*29*
Brierfield	7,280	48	54	3	4	109	15·0	1·11	0·90	49	63	112	15·4	1·02	1·39	2	*18*	2	2	1	*27*
Carnforth	4,210	32	31	2	2	67	15·9	1·04	0·89	24	13	37	8·8	1·15	0·90	-	-	-	-	-	-
Chadderton	32,580	281	231	15	13	540	16·6	0·99	0·89	226	183	409	12·6	1·14	1·27	8	*15*	6	6	6	*22*
Chorley M.B.	31,060	254	218	17	18	507	16·3	1·07	0·94	174	189	363	11·7	1·04	1·08	18	*36*	8	8	9	*33*
Church	5,850	57	55	7	4	123	21·0	1·05	1·19	41	46	87	14·9	1·23	1·62	3	*24*	3	3	1	*32*
Clayton-le-Moors	6,400	51	54	4	4	113	17·7	1·07	1·02	58	40	98	15·3	1·09	1·48	2	*18*	1	1	1	*18*
Clitheroe M.B.	12,550	114	87	1	4	206	16·4	1·17	1·04	95	117	212	16·9	0·83	1·24	4	*19*	2	2	2	*19*
Colne M.B.	19,030	140	131	17	12	300	15·8	1·21	1·03	139	152	291	15·3	0·96	1·30	3	*10*	3	3	6	*29*
Crompton	13,970	131	130	11	5	277	19·8	1·05	1·12	88	112	200	14·3	1·08	1·37	8	*29*	6	6	6	*42*
Crosby M.B.	59,930	549	495	31	31	1,106	18·5	1·03	1·03	338	354	692	11·5	0·98	1·00	28	25	21	19	22	36
Dalton-in-Furness	10,360	99	90	3	3	195	18·8	1·05	1·07	55	55	110	10·6	1·06	0·99	3	*15*	2	1	6	*35*
Darwen M.B.	29,110	254	236	15	20	525	18·0	1·11	1·08	182	195	377	13·0	1·00	1·15	12	*23*	8	7	10	*32*
Denton	32,800	313	367	9	11	700	21·3	0·88	1·01	185	145	330	10·1	1·30	1·16	11	*16*	10	9	14	*32*
Droylsden	25,540	197	225	17	11	450	17·6	1·02	0·97	154	149	303	11·9	1·26	1·33	13	*29*	10	7	9	*35*
Eccles M.B.	42,530	334	326	23	23	706	16·6	1·04	0·93	280	272	552	13·0	0·99	1·14	19	*27*	13	11	19	*41*
Failsworth	21,490	233	225	17	6	481	22·4	0·95	1·15	122	102	224	10·4	1·23	1·13	6	*12*	5	4	8	*25*
Farnworth M.B.	26,850	223	223	19	10	475	17·7	1·10	1·05	199	201	400	14·9	0·91	1·20	9	*19*	5	5	8	*27*
Fleetwood M.B.	28,440	260	249	21	13	543	19·1	1·05	1·08	190	173	363	12·8	1·05	1·19	19	*35*	13	9	8	*31*
Formby	14,370	180	157	3	2	342	23·8	1·05	1·35	85	75	160	11·1	1·01	0·99	4	*12*	3	2	5	*20*
Fulwood	17,640	168	143	2	1	314	17·8	1·01	0·97	121	168	289	16·4	0·59	0·86	5	*16*	3	3	3	*19*
Golborne	23,440	259	241	9	10	519	22·1	0·86	1·03	124	103	227	9·7	1·37	1·18	9	*17*	5	4	11	*28*
Grange	2,930	11	12	1	1	25	8·5	1·77	0·81	30	35	65	22·2	0·49	0·96	1	*40*	1	1	1	*77*
Great Harwood	10,750	96	78	6	6	186	17·3	1·09	1·02	78	73	151	14·0	0·97	1·20	3	*16*	2	2	4	*32*
Haslingden M.B.	14,210	113	117	9	15	254	17·9	1·12	1·08	104	99	203	14·3	0·98	1·24	5	*20*	4	3	4	*27*
Haydock	12,390	102	112	5	-	219	17·7	0·95	0·91	73	63	136	11·0	1·15	1·12	4	*18*	3	2	6	*36*
Heywood M.B.	27,890	248	217	28	22	515	18·5	1·03	1·03	149	179	328	11·8	1·22	1·27	9	*17*	7	7	9	*31*
Hindley	20,740	200	163	6	2	371	17·9	1·02	0·99	111	105	216	10·4	1·18	1·09	4	*11*	3	1	13	*36*
Horwich	16,080	137	101	11	2	251	15·6	1·08	0·91	90	96	186	11·6	1·07	1·10	8	*32*	5	5	3	*31*
Huyton-with-roby	67,730	726	697	33	31	1,487	22·0	0·91	1·08	240	237	477	7·0	1·74	1·08	25	*17*	19	18	25	*28*
Ince-in-Makerfield	17,740	164	131	2	3	300	16·9	1·03	0·94	107	96	203	11·4	1·27	1·28	7	*23*	7	6	6	*39*
Irlam	16,330	197	150	13	6	366	22·4	1·02	1·24	111	76	187	11·5	1·19	1·21	11	*30*	10	10	7	*46*
Kearsley	10,500	110	96	9	6	221	21·0	1·09	1·24	73	66	139	13·2	1·16	1·36	10	*45*	9	9	6	*66*
Kirkby	57,360	637	543	38	29	1,247	21·7	0·97	1·14	143	104	247	4·3	3·14	1·19	37	*30*	22	20	27	*37*
Kirkham	6,020	59	46	-	3	108	17·9	1·06	1·03	36	43	79	13·1	1·33	1·54	2	*19*	2	2	2	*36*
Lancaster M.B.	47,860	426	347	47	31	851	17·8	1·11	1·07	338	410	748	15·6	0·73	1·01	18	*21*	12	[illegible]	17	29
Lees	3,680	32	38	-	2	72	19·6	1·23	1·30	30	44	74	20·1	0·88	1·57	1	*14*	1	1	1	*27*

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1964	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
LANCASHIRE - *continued*																					
Municipal boroughs and urban districts - *continued*																					
Leigh M.B.	46,360	423	399	23	16	861	18·6	1·10	1·11	300	271	571	12·3	1·14	1·24	14	16	9	7	18	28
Leyland	20,670	209	221	12	19	461	22·3	0·97	1·17	111	91	202	9·8	1·40	1·21	13	28	5	5	6	24
Litherland	25,170	247	248	13	13	521	20·7	0·97	1·09	117	108	225	8·9	1·46	1·15	10	19	8	6	11	32
Littleborough	10,800	94	91	9	5	199	18·4	1·07	1·06	77	76	153	14·2	1·09	1·37	5	25	3	2	3	25
Little Lever	5,590	78	50	5	1	134	24·0	0·97	1·26	35	30	65	11·6	1·17	1·20	3	22	3	3	-	22
Longridge	5,120	57	54	1	1	113	22·1	1·06	1·27	23	21	44	8·6	1·19	0·91	1	9	-	-	2	17
Lytham St. Anne's M.B.	36,510	221	206	18	15	460	12·6	1·25	0·85	271	361	632	17·3	0·70	1·07	4	9	4	3	7	21
Middleton M.B.	58,360	533	473	44	33	1,083	18·6	0·97	0·98	270	262	532	9·1	1·54	1·24	27	25	17	14	20	31
Milnrow	8,420	86	76	2	4	168	20·0	1·13	1·22	60	70	130	15·4	0·98	1·34	-	-	-	-	-	-
Morecambe and Heysham M.B.	40,570	257	237	24	24	542	13·4	1·26	0·91	373	342	715	17·6	0·72	1·12	10	18	6	4	8	22
Mossley M.B.	9,730	87	67	3	12	169	17·4	1·15	1·08	55	59	114	11·7	1·08	1·12	1	6	1	-	2	12
Nelson M.B.	31,540	241	252	20	16	529	16·8	1·14	1·04	227	237	464	14·7	0·91	1·18	11	21	10	8	3	21
Newton-le-Willows	21,910	207	198	16	8	429	19·6	1·01	1·07	150	101	251	11·5	1·15	1·17	10	23	7	7	5	28
Ormskirk	24,350	235	231	8	9	483	19·8	1·01	1·08	140	112	252	10·3	1·00	0·91	5	10	4	2	3	10
Orrell	11,400	96	94	4	2	196	17·2	0·97	0·90	64	72	136	11·9	1·24	1·31	2	10	2	2	4	30
Oswaldtwistle	12,490	119	121	6	8	254	20·3	1·10	1·21	104	78	182	14·6	0·99	1·28	4	16	3	3	5	31
Padiham	10,130	78	89	5	5	177	17·5	1·11	1·05	69	65	134	13·2	1·01	1·18	6	34	5	5	7	65
Poulton-le-Fylde	14,670	119	122	3	6	250	17·0	1·02	0·94	89	84	173	11·8	1·01	1·05	6	24	4	4	7	43
Preesall	3,000	17	13	-	1	31	10·3	1·22	0·68	25	21	46	15·3	0·81	1·10	-	-	-	-	1	31
Prescot	13,350	145	110	10	6	271	20·3	0·95	1·04	69	86	155	11·6	1·26	1·29	2	7	2	2	-	7
Prestwich M.B.	34,010	240	223	15	10	488	14·3	1·07	0·83	224	268	492	14·5	0·78	1·00	9	18	8	8	13	42
Radcliffe M.B.	26,920	275	211	15	15	516	19·2	1·07	1·11	187	197	384	14·3	1·09	1·38	19	37	13	11	7	34
Rainford M.B.	5,940	52	74	-	-	126	21·2	0·87	1·00	26	28	54	9·1	1·30	1·05	1	8	-	-	3	23
Ramsbottom	13,970	127	100	7	6	240	17·2	1·12	1·04	95	81	176	12·6	0·98	1·09	9	38	8	8	8	65
Rawtenstall M.B.	23,510	160	160	13	13	346	14·7	1·10	0·87	188	169	357	15·2	0·93	1·25	10	29	7	6	6	34
Rishton	5,370	53	27	1	3	84	15·6	1·13	0·95	34	49	83	15·5	0·94	1·29	2	24	1	-	5	56
Royton	15,550	138	170	10	5	323	20·8	1·04	1·17	109	89	198	12·7	1·10	1·24	7	22	3	3	3	18
Skelmersdale	6,410	55	59	2	1	117	18·3	1·04	1·03	47	33	80	12·5	1·25	1·38	1	9	1	-	5	41
Standish-with-Langtree	10,150	89	86	2	2	179	17·6	0·98	0·93	84	58	142	14·0	1·22	1·51	4	22	2	2	4	33
Stretford M.B.	60,270	570	583	69	51	1,273	21·1	1·02	1·16	337	317	654	10·9	1·22	1·18	33	26	27	23	17	31
Swinton-and Pendlebury M.B.	41,140	336	336	20	14	706	17·2	1·02	0·95	231	244	475	11·5	1·17	1·19	14	20	10	10	7	24
Thornton Cleveleys	22,020	193	147	11	4	355	16·1	1·20	1·04	194	198	392	17·8	0·76	1·20	4	11	4	3	5	22
Tottington	6,100	52	54	1	2	109	17·9	1·12	1·08	42	56	98	16·1	0·84	1·20	3	28	3	2	3	45
Trawden	1,900	15	17	-	-	32	16·8	1·26	1·14	12	12	24	12·6	0·94	1·05	1	31	1	1	-	31
Turton	16,400	189	195	6	1	391	23·8	0·89	1·14	85	88	173	10·5	1·18	1·10	10	26	8	7	6	33
Tyldesley	17,540	152	159	3	9	323	18·4	1·10	1·09	113	87	200	11·4	1·15	1·16	6	19	4	3	11	42
Ulverston	10,370	82	67	3	6	158	15·2	1·09	0·90	82	100	182	17·6	0·85	1·32	3	19	1	1	3	25
Up Holland	8,900	106	98	2	7	213	23·9	0·92	1·19	48	46	94	10·6	1·44	1·35	2	9	2	1	3	19
Urmston	43,050	398	409	21	20	848	19·7	0·95	1·01	244	208	452	10·5	1·26	1·17	16	19	12	11	20	36
Walton-le-Dale	21,570	260	247	8	8	523	24·2	0·89	1·16	115	93	208	9·6	1·31	1·11	14	27	11	10	8	34
Wardle	4,210	32	28	3	6	69	16·4	0·96	0·85	36	32	68	16·2	0·85	1·22	-	-	-	-	1	14
Westhoughton	17,210	159	141	3	5	308	17·9	0·99	0·96	117	102	219	12·7	1·08	1·21	4	13	-	-	3	10
Whitefield	15,480	193	159	3	10	365	23·6	0·95	1·21	86	80	166	10·7	1·19	1·13	4	11	3	3	10	35
Whitworth	7,000	65	70	12	7	154	22·0	1·01	1·20	45	40	85	12·1	1·15	1·23	3	19	3	2	2	26
Widnes M.B.	53,670	628	580	31	41	1,280	23·8	0·94	1·21	286	256	542	10·1	1·41	1·26	32	25	21	18	25	33
Withnell	2,800	23	21	-	1	45	16·1	1·23	1·07	17	11	28	10·0	0·83	0·73	-	-	-	-	-	-
Worsley	44,060	345	361	12	22	740	16·8	1·03	0·94	237	198	435	9·9	1·35	1·18	16	22	9	8	15	30

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Rural districts	**356,250**	**3,368**	**3,178**	**121**	**106**	**6,773**	**19·0**	**0·99**	**1·02**	**2,192**	**2,042**	**4,234**	**11·9**	**1·04**	**1·10**	**150**	**22**	**113**	**98**	**109**	**30**
Blackburn	17,050	124	127	1	4	256	15·0	0·94	0·76	109	110	219	12·8	1·02	1·16	9	35	7	6	5	42
Burnley	16,020	129	96	3	8	236	14·7	1·14	0·91	124	136	260	16·2	0·89	1·28	7	30	7	7	3	42
Chorley	29,590	273	272	12	7	564	19·1	1·07	1·10	207	158	365	12·3	1·08	1·18	15	27	11	10	9	33
Clitheroe	9,570	64	44	4	-	112	11·7	1·26	0·80	75	51	126	13·2	0·94	1·10	1	9	1	1	1	18
Fylde	18,100	170	170	6	12	358	19·8	1·04	1·11	118	136	254	14·0	0·79	0·98	4	11	2	2	7	25
Garstang	15,430	133	120	3	6	262	17·0	1·08	0·99	98	90	188	12·2	0·99	1·07	3	11	2	2	6	30
Lancaster	15,420	96	111	6	4	217	14·1	1·18	0·90	120	82	202	13·1	0·82	0·95	2	9	2	2	4	27
Lunesdale	9,200	88	92	1	5	186	20·2	1·00	1·09	63	55	118	12·8	0·94	1·06	3	16	2	2	2	21
North Lonsdale	15,820	109	95	5	4	213	13·5	1·17	0·85	132	102	234	14·8	0·63	0·83	1	5	1	1	3	19
Preston	45,970	384	375	17	11	787	17·1	1·08	1·00	310	323	633	13·8	1·08	1·32	15	19	8	8	9	21
Warrington	36,150	441	410	12	9	872	24·1	0·88	1·15	226	232	458	12·7	1·08	1·21	30	34	24	18	19	42
West Lancashire	61,870	659	620	24	15	1,318	21·3	0·90	1·04	315	264	579	9·4	1·23	1·02	32	24	27	23	23	34
Whiston	55,060	587	552	24	16	1,179	21·4	0·89	1·03	242	244	486	8·8	1·25	0·97	25	21	17	14	15	24
Wigan	11,000	111	94	3	5	213	19·4	0·94	0·99	53	59	112	10·2	1·25	1·13	3	14	2	2	3	23
LEICESTERSHIRE	**701,570**	**6,379**	**6,094**	**446**	**437**	**13,356**	**19·0**	**1·00**	**1·03**	**3,919**	**3,654**	**7,573**	**10·8**	**1·06**	**1·01**	**219**	**16**	**157**	**137**	**227**	**27**
Leicester C.B.	267,050	2,321	2,218	272	287	5,098	19·1	1·07	1·10	1,676	1,662	3,338	12·5	0·99	1·10	116	23	82	70	96	32
Administrative county	**434,520**	**4,058**	**3,876**	**174**	**150**	**8,258**	**19·0**	**0·97**	**1·00**	**2,243**	**1,992**	**4,235**	**9·7**	**1·10**	**0·94**	**103**	**12**	**75**	**87**	**131**	**24**
Municipal borough and urban districts	**195,090**	**1,821**	**1,705**	**69**	**69**	**3,664**	**18·8**	**0·97**	**0·99**	**1,016**	**871**	**1,887**	**9·7**	**1·12**	**0·96**	**45**	**12**	**32**	**32**	**55**	**23**
Ashby de la Zouch	7,510	68	56	3	2	129	17·2	1·00	0·93	49	27	76	10·1	1·00	0·89	2	16	1	1	2	23
Ashby Woulds	3,370	17	20	1	1	39	11·6	1·07	0·67	25	14	39	11·6	1·18	1·21	1	26	1	1	2	73
Coalville	27,070	220	192	7	7	426	15·7	1·02	0·87	125	111	236	8·7	1·14	0·88	7	16	4	4	3	16
Hinckley	42,270	358	382	9	14	763	18·1	0·99	0·97	216	166	382	9·0	1·21	0·96	6	8	5	5	8	17
Loughborough M.B.	39,270	346	332	18	18	714	18·2	1·03	1·01	219	188	407	10·4	1·10	1·01	10	14	7	7	6	18
Market Harborough	12,300	105	104	4	3	216	17·6	1·03	0·98	91	88	179	14·6	0·81	1·05	2	9	2	2	2	18
Melton Mowbray	16,850	193	178	10	8	389	23·1	0·98	1·22	108	107	215	12·8	0·84	0·95	4	10	1	1	4	13
Oadby	14,710	130	143	4	4	281	19·1	0·83	0·86	51	48	99	6·7	1·27	0·75	6	21	6	6	8	48
Shepshed	7,500	69	61	2	5	137	18·3	0·95	0·94	36	33	69	9·2	1·15	0·94	1	7	1	1	6	49
Wigston	24,240	315	237	11	7	570	23·5	0·83	1·05	96	89	185	7·6	1·39	0·93	6	11	4	4	14	31
Rural districts	**239,430**	**2,237**	**2,171**	**105**	**81**	**4,594**	**19·2**	**0·96**	**1·00**	**1,227**	**1,121**	**2,348**	**9·8**	**1·09**	**0·95**	**58**	**13**	**43**	**35**	**76**	**24**
Ashby de la Zouch	13,650	123	107	5	6	241	17·7	1·03	0·99	89	82	171	12·5	1·09	1·21	2	8	2	2	5	28
Barrow upon Soar	61,490	585	535	19	18	1,157	18·8	0·96	0·98	288	275	563	9·2	1·15	0·94	11	10	10	8	21	25
Billesden	21,140	173	185	9	11	378	17·9	0·83	0·80	73	74	147	7·0	1·61	1·00	7	19	5	4	6	26
Blaby	62,980	726	693	23	19	1,461	23·2	0·86	1·08	281	265	546	8·7	1·00	0·77	22	15	15	11	20	21
Castle Donington	10,130	82	82	6	2	172	17·0	1·08	0·99	59	60	119	11·7	1·11	1·15	1	6	1	1	2	17
Lutterworth	13,300	112	98	8	5	223	16·8	1·10	1·00	70	55	125	9·4	1·09	0·91	3	13	1	-	2	9
Market Bosworth	28,460	220	254	18	9	501	17·6	1·04	0·99	185	158	343	12·1	0·89	0·95	6	12	3	3	7	20
Market Harborough	9,540	81	81	8	3	173	18·1	1·15	1·13	58	57	115	12·1	0·93	1·00	2	12	2	2	4	34
Melton and Belvoir	18,740	135	136	9	8	288	15·4	1·10	0·92	124	95	219	11·7	1·02	1·06	4	14	4	4	9	44
LINCOLNSHIRE (PARTS OF HOLLAND)	**104,530**	**837**	**777**	**58**	**62**	**1,734**	**16·6**	**1·00**	**0·90**	**565**	**572**	**1,137**	**10·9**	**1·02**	**0·98**	**34**	**20**	**29**	**27**	**37**	**36**
Municipal borough and urban districts	**40,240**	**370**	**310**	**26**	**38**	**744**	**18·5**	**1·01**	**1·01**	**221**	**238**	**459**	**11·4**	**0·97**	**0·98**	**15**	**20**	**14**	**12**	**16**	**37**
Boston M.B.	25,060	223	207	19	26	475	19·0	1·01	1·04	132	147	279	11·1	1·08	1·06	12	25	11	9	11	41
Spalding	15,180	147	103	7	12	269	17·7	1·00	0·96	89	91	180	11·9	0·77	0·81	3	11	3	3	5	29
Rural districts	**64,290**	**467**	**467**	**32**	**24**	**990**	**15·4**	**1·00**	**0·83**	**344**	**334**	**678**	**10·5**	**1·06**	**0·98**	**19**	**19**	**15**	**15**	**21**	**36**
Boston	22,730	158	174	8	8	348	15·3	0·99	0·82	104	116	220	9·7	1·06	0·91	4	11	4	4	4	23
East Elloe	21,860	148	143	13	6	310	14·2	1·02	0·78	147	132	279	12·8	0·98	1·11	10	32	7	7	7	44
Spalding	19,700	161	150	11	10	332	16·9	0·98	0·90	93	86	179	9·1	1·14	0·92	5	15	4	4	10	41
LINCOLNSHIRE (PARTS OF KESTEVEN)	**143,920**	**1,260**	**1,209**	**61**	**40**	**2,570**	**17·9**	**1·00**	**0·97**	**815**	**782**	**1,597**	**11·1**	**0·95**	**0·93**	**55**	**21**	**37**	**29**	**40**	**26**
Municipal boroughs and urban districts	**51,740**	**417**	**439**	**17**	**16**	**889**	**17·2**	**1·06**	**0·99**	**337**	**330**	**667**	**12·9**	**0·87**	**0·99**	**18**	**20**	**13**	**12**	**13**	**28**
Bourne	5,510	52	53	-	-	105	19·1	1·00	1·03	26	37	63	11·4	1·00	1·01	1	10	1	1	-	10
Grantham M.B.	25,670	206	224	9	8	447	17·4	1·07	1·01	167	134	301	11·7	1·00	1·04	9	20	5	5	10	33
Sleaford	7,910	49	52	3	2	106	13·4	1·07	0·78	70	78	148	18·7	0·60	0·99	3	28	3	3	1	37
Stamford M.B.	12,650	110	110	5	6	231	18·3	1·05	1·04	74	81	155	12·3	0·85	0·93	5	22	4	3	2	21
Rural districts	**92,180**	**843**	**770**	**44**	**24**	**1,681**	**18·2**	**0·98**	**0·96**	**478**	**452**	**930**	**10·1**	**1·01**	**0·90**	**37**	**22**	**24**	**17**	**27**	**26**
East Kesteven	21,590	219	191	7	4	421	19·5	1·04	1·10	99	84	183	8·5	1·16	0·87	8	19	5	2	4	14
North Kesteven	37,010	359	318	14	13	704	19·0	0·95	0·98	212	226	438	11·8	0·85	0·89	16	23	12	10	10	28
South Kesteven	15,330	118	124	15	3	260	17·0	1·03	0·95	77	71	148	9·7	1·04	0·89	6	23	3	2	7	34
West Kesteven	18,250	147	137	8	4	296	16·2	0·92	0·81	90	71	161	8·8	1·11	0·86	7	24	4	3	6	30

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1964	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate				Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
		M	F	M	F					M	F	Total									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
LINCOLNSHIRE (PARTS OF LINDSEY)	**520,990**	**4,899**	**4,589**	**366**	**368**	**10,222**	**19·6**	**1·03**	**1·09**	**3,043**	**2,625**	**5,668**	**10·9**	**1·05**	**1·01**	**198**	**19**	**133**	**105**	**186**	**28**
County boroughs	**172,480**	**1,608**	**1,478**	**143**	**152**	**3,381**	**19·6**	**1·02**	**1·08**	**1,005**	**951**	**1,956**	**11·3**	**1·07**	**1·07**	**53**	**16**	**32**	**28**	**64**	**27**
Grimsby	95,300	906	876	92	94	1,968	20·7	1·02	1·14	551	548	1,099	11·5	1·12	1·14	30	15	19	15	30	23
Lincoln	77,180	702	602	51	58	1,413	18·3	1·02	1·01	454	403	857	11·1	1·01	0·99	23	16	13	13	34	32
Administrative county	**348,510**	**3,291**	**3,111**	**223**	**216**	**6,841**	**19·6**	**1·03**	**1·09**	**2,038**	**1,674**	**3,712**	**10·7**	**1·03**	**0·98**	**145**	**21**	**101**	**77**	**122**	**29**
Municipal boroughs and urban districts	**171,900**	**1,564**	**1,456**	**135**	**136**	**3,291**	**19·1**	**1·03**	**1·06**	**1,059**	**869**	**1,928**	**11·2**	**1·05**	**1·04**	**86**	**26**	**61**	**42**	**58**	**30**
Alford	2,220	24	15	-	5	44	19·8	1·26	1·35	19	12	31	14·0	0·67	0·83	-	-	-	-	-	-
Barton-upon-Humber	6,550	51	44	4	4	103	15·7	1·07	0·91	49	38	87	13·3	0·89	1·05	6	58	6	4	2	57
Brigg	5,000	37	38	1	1	77	15·4	1·06	0·88	43	36	79	15·8	0·96	1·34	3	39	3	2	3	63
Cleethorpes M.B.	33,430	316	290	25	24	655	19·6	1·01	1·07	173	204	377	11·3	1·06	1·06	16	24	11	7	14	31
Gainsborough	17,210	154	137	13	16	320	18·6	1·05	1·06	142	102	244	14·2	0·90	1·13	11	34	5	4	3	22
Horncastle	3,900	39	44	1	1	85	21·8	1·02	1·20	23	26	49	12·6	0·97	1·08	2	24	2	2	1	35
Louth M.B.	11,390	102	86	5	6	199	17·5	1·09	1·03	79	62	141	12·4	0·81	0·89	5	25	5	5	5	49
Mablethorpe and Sutton	5,400	42	38	3	2	85	15·7	1·29	1·09	46	34	80	14·8	0·72	0·94	2	24	2	2	2	46
Market Rasen	2,360	14	30	1	1	46	19·5	1·21	1·28	28	18	46	19·5	0·79	1·36	1	22	1	1	-	22
Scunthorpe M.B.	69,600	693	641	65	57	1,456	20·9	0·97	1·10	328	243	571	8·2	1·51	1·10	33	23	21	12	24	24
Skegness	12,560	76	76	17	19	188	15·0	1·20	0·97	108	81	189	15·0	0·78	1·04	7	37	5	3	4	36
Woodhall Spa	2,280	16	17	-	-	33	14·5	1·39	1·09	21	13	34	14·9	0·52	0·69	-	-	-	-	-	-
Rural districts	**176,610**	**1,727**	**1,655**	**88**	**80**	**3,550**	**20·1**	**1·03**	**1·12**	**979**	**805**	**1,784**	**10·1**	**1·01**	**0·90**						
Caistor	14,600	121	128	4	4	257	17·6	1·04	0·99	84	59	143	9·8	0·92	0·80	6	23	4	4	2	23
Gainsborough	12,670	122	113	7	5	247	19·5	1·04	1·10	65	57	122	9·6	1·09	0·93	3	12	2	1	2	12
Glanford Brigg	37,040	421	370	27	24	842	22·7	0·99	1·21	227	178	405	10·9	1·08	1·04	16	19	12	12	20	37
Grimsby	21,460	282	249	13	9	553	25·8	0·90	1·26	96	88	184	8·6	1·03	0·78	9	16	6	5	9	25
Horncastle	14,570	113	131	6	4	254	17·4	1·08	1·02	69	52	121	8·3	1·06	0·78	6	24	3	2	5	27
Isle of Axholme	14,300	127	110	9	11	257	18·0	1·05	1·02	84	71	155	10·8	1·13	1·08	5	19	5	5	4	34
Louth	18,650	180	175	9	5	369	19·8	1·11	1·19	113	82	195	10·5	0·98	0·91	6	16	4	3	7	27
Spilsby	22,480	157	155	6	14	332	14·8	1·14	0·91	147	136	283	12·6	0·80	0·89	4	12	2	2	5	21
Welton	20,840	204	224	7	4	439	21·1	1·01	1·15	94	82	176	8·4	1·15	0·85	4	9	2	1	10	24
LONDON A.C.	**3,184,600**	**27,885**	**26,535**	**4,644**	**4,436**	**63,500**	**19·9**	**0·86**	**0·93**	**17,827**	**17,229**	**35,056**	**11·0**	**1·06**	**1·03**	**1,354**	**21**	**945**	**849**	**964**	**28**
City of London	4,580	13	16	1	2	32	7·0	0·82	0·31	22	16	38	8·3	1·00	0·73	-	-	-	-	-	-
Metropolitan boroughs:																					
Battersea	102,820	991	941	151	169	2,252	21·9	0·91	1·08	553	599	1,152	11·2	1·02	1·01	51	23	38	33	42	33
Bermondsey	50,340	450	419	30	28	927	18·4	0·98	0·97	292	259	551	10·9	1·11	1·07	21	23	14	13	19	34
Bethnal Green	46,420	366	374	41	41	822	17·7	0·94	0·90	261	226	487	10·5	1·09	1·01	14	17	8	5	17	26
Camberwell	175,740	1,611	1,560	241	239	3,651	20·8	0·92	1·03	906	912	1,818	10·3	1·08	0·98	73	20	54	51	54	28
Chelsea	46,200	263	262	51	39	615	13·3	0·73	0·52	323	381	704	15·2	0·89	1·20	16	26	12	10	10	32
Deptford	68,500	706	739	130	97	1,672	24·4	0·93	1·23	407	347	754	11·0	1·08	1·05	48	29	31	28	25	31
Finsbury	32,070	260	247	26	21	554	17·3	0·88	0·82	151	151	302	9·4	1·15	0·96	13	23	8	8	9	30
Fulham	109,410	907	878	155	130	2,070	18·9	0·89	0·91	637	578	1,215	11·1	1·02	1·00	39	19	29	25	33	28
Greenwich	83,630	664	648	71	63	1,446	17·3	0·96	0·90	460	442	902	10·8	1·07	1·02	28	19	23	20	29	33
Hackney	164,350	1,741	1,642	326	311	4,020	24·5	0·90	1·19	914	908	1,822	11·1	1·13	1·11	69	17	47	45	57	25
Hammersmith	107,530	1,030	964	186	219	2,399	22·3	0·86	1·04	613	539	1,152	10·7	1·12	1·06	63	26	44	41	34	31
Hampstead	101,060	766	768	146	127	1,807	17·9	0·64	0·62	433	489	922	9·1	1·11	0·89	29	16	21	20	18	21
Holborn	20,430	75	69	14	8	166	8·1	0·66	0·29	116	98	214	10·5	1·10	1·02	9	54	3	2	2	24
Islington	227,090	2,538	2,362	439	436	5,775	25·4	0·82	1·13	1,182	1,256	2,438	10·7	1·12	1·06	113	20	86	82	87	29

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Kensington	172,990	1,296	1,234	331	338	3,199	18·5	0·58	0·58	705	787	1,492	8·6	1·18	0·90	79	25	54	49	50	30
Lambeth	223,140	2,462	2,190	481	457	5,580	25·0	0·88	1·19	1,274	1,143	2,417	10·8	1·12	1·07	120	22	75	65	82	26
Lewisham	223,170	1,839	1,847	235	247	4,168	18·7	0·97	0·98	1,343	1,220	2,563	11·5	0·97	0·99	85	20	58	48	45	22
Paddington	117,050	972	938	311	265	2,489	21·3	0·73	0·84	583	507	1,090	9·3	1·20	0·99	35	14	27	24	31	22
Poplar	68,530	642	576	98	61	1,377	20·1	0·95	1·03	416	298	714	10·4	1·22	1·12	33	24	22	20	21	29
St. Marylebone	67,250	324	318	50	43	735	10·9	0·76	0·45	449	440	889	13·2	0·74	0·86	17	23	16	16	10	35
St. Pancras	121,870	965	963	162	170	2,260	18·5	0·81	0·81	645	602	1,247	10·2	1·10	0·99	58	26	38	34	45	34
Shoreditch	37,040	256	248	36	24	564	15·2	0·98	0·81	246	216	462	12·5	1·04	1·15	13	23	11	10	11	37
Southwark	84,830	728	687	84	68	1,567	18·5	0·93	0·93	590	505	1,095	12·9	0·97	1·11	33	21	20	17	27	28
Stepney	91,130	798	775	111	128	1,812	19·9	0·91	0·98	587	468	1,055	11·6	1·14	1·17	45	25	27	25	35	32
Stoke Newington	53,330	594	599	115	119	1,427	26·8	0·86	1·25	273	276	549	10·3	1·24	1·13	34	24	23	22	16	26
Wandsworth	348,450	3,023	2,722	456	431	6,632	19·0	0·96	0·99	2,127	2,398	4,525	13·0	0·79	0·91	151	23	113	96	97	29
Westminster	85,840	430	424	80	71	1,005	11·7	0·83	0·52	498	406	904	10·5	1·00	0·93	23	23	15	15	22	36
Woolwich	149,810	1,175	1,135	86	81	2,477	16·5	1·08	0·96	821	762	1,583	10·6	1·08	1·01	42	17	28	25	36	24
MIDDLESEX	**2,244,880**	**19,181**	**18,064**	**1,919**	**1,750**	**40,914**	**18·2**	**0·97**	**0·95**	**11,840**	**11,293**	**23,133**	**10·3**	**1·05**	**0·96**	**702**	**17**	**519**	**449**	**574**	**25**
Municipal boroughs and urban districts:																					
Acton M.B.	64,900	585	544	87	70	1,286	19·8	0·94	1·01	352	386	738	11·4	1·03	1·04	33	26	28	24	16	31
Brentford and Chiswick M.B.	54,850	484	412	66	63	1,025	18·7	0·92	0·93	291	303	594	10·8	1·00	0·96	12	12	10	8	13	20
Ealing M.B.	182,620	1,447	1,403	127	100	3,077	16·8	0·97	0·88	1,059	950	2,009	11·0	0·99	0·96	54	18	41	39	42	26
Edmonton M.B.	89,500	656	636	44	55	1,391	15·5	1·03	0·86	520	438	958	10·7	1·04	0·98	29	21	23	19	24	30
Enfield M.B.	109,060	879	867	39	49	1,834	16·8	1·02	0·93	577	516	1,093	10·0	1·07	0·95	26	14	21	18	24	23
Feltham	52,410	510	483	35	31	1,059	20·2	0·91	0·99	215	170	385	7·3	1·48	0·96	16	15	14	11	13	22
Finchley M.B.	70,390	543	509	53	29	1,134	16·1	0·96	0·84	378	435	813	11·5	0·90	0·92	9	8	7	3	10	11
Friern Barnet	28,280	197	192	14	20	423	15·0	1·09	0·88	177	287	464	16·4	0·65	0·94	5	12	4	4	4	19
Harrow M.B.	210,250	1,653	1,506	109	86	3,354	16·0	1·02	0·88	1,012	934	1,946	9·3	1·08	0·89	41	12	27	26	41	20
Hayes and Harlington	68,870	679	628	35	31	1,373	19·9	0·93	1·00	321	224	545	7·9	1·48	1·03	25	18	18	16	16	23
Hendon M.B.	150,350	1,130	1,029	108	88	2,355	15·7	0·97	0·82	802	779	1,581	10·5	1·01	0·94	42	18	28	25	27	22
Heston and Isleworth M.B.	100,910	711	655	61	44	1,471	14·6	1·02	0·80	616	494	1,110	11·0	1·01	0·98	28	19	24	19	13	22
Hornsey M.B.	99,970	1,150	1,016	155	176	2,497	25·0	0·83	1·12	509	593	1,102	11·0	0·97	0·94	52	21	38	35	35	28
Potters Bar	24,120	229	206	11	10	456	18·9	1·00	1·02	98	111	209	8·7	1·20	0·92	9	20	9	8	5	28
Ruislip-Northwood	74,480	502	488	27	27	1,044	14·0	1·02	0·77	319	312	631	8·5	1·17	0·88	15	14	10	9	15	23
Southall M.B.	57,220	537	539	60	54	1,190	20·8	1·03	1·16	333	363	696	12·2	0·84	0·91	23	19	19	14	23	31
Southgate M.B.	71,580	451	450	31	27	959	13·4	1·10	0·80	401	458	859	12·0	0·81	0·86	15	16	8	5	12	18
Staines	53,240	491	487	25	21	1,024	19·2	0·89	0·92	228	216	444	8·3	1·28	0·94	19	19	16	14	19	32
Sunbury-on-Thames	37,040	395	367	12	21	795	21·5	0·84	0·98	132	149	281	7·6	1·23	0·83	7	9	7	7	4	14
Tottenham M.B.	111,150	1,069	1,036	158	127	2,390	21·5	0·98	1·14	653	594	1,247	11·2	1·02	1·01	42	18	31	29	40	28
Twickenham M.B.	101,970	850	739	65	57	1,711	16·8	1·02	0·93	583	553	1,136	11·1	0·91	0·89	24	14	17	14	31	26
Uxbridge M.B.	64,620	523	499	39	34	1,095	16·9	0·94	0·86	284	301	585	9·1	1·21	0·97	18	16	15	13	14	24
Wembley M.B.	123,780	920	833	62	71	1,886	15·2	1·05	0·86	645	579	1,224	9·9	1·10	0·96	25	13	16	15	25	21
Willesden M.B.	172,250	1,932	1,927	419	390	4,668	27·1	0·83	1·22	910	774	1,684	9·8	1·17	1·01	103	22	71	60	87	31
Wood Green M.B	46,520	417	387	62	60	926	19·9	1·03	1·11	305	275	580	12·5	0·97	1·07	21	23	11	8	12	21
Yiewsley and West Drayton	24,550	241	226	15	9	491	20·0	0·95	1·03	120	99	219	8·9	1·43	1·13	9	18	6	6	9	30
NORFOLK	**572,360**	**4,566**	**4,314**	**333**	**292**	**9,505**	**16·6**	**1·05**	**0·94**	**3,530**	**3,368**	**6,898**	**12·1**	**0·89**	**0·95**	**155**	**16**	**115**	**95**	**154**	**26**
County boroughs	**171,870**	**1,253**	**1,195**	**148**	**113**	**2,709**	**15·8**	**1·06**	**0·91**	**1,082**	**1,009**	**2,091**	**12·2**	**0·92**	**0·99**	**49**	**18**	**33**	**23**	**45**	**25**
Great Yarmouth	52,720	377	350	36	33	796	15·1	1·08	0·88	365	333	698	13·2	0·84	0·98	18	23	11	8	15	28
Norwich	119,150	876	845	112	80	1,913	16·1	1·05	0·91	717	676	1,393	11·7	0·95	0·98	31	16	22	15	30	23
Administrative county	**400,490**	**3,313**	**3,119**	**185**	**179**	**6,796**	**17·0**	**1·05**	**0·96**	**2,448**	**2,359**	**4,807**	**12·0**	**0·88**	**0·93**	**106**	**16**	**82**	**72**	**109**	**26**
Municipal boroughs and urban districts	**80,090**	**692**	**615**	**45**	**59**	**1,411**	**17·6**	**1·03**	**0·98**	**574**	**562**	**1,136**	**14·2**	**0·84**	**1·06**	**27**	**19**	**17**	**16**	**23**	**27**
Cromer	4,860	28	32	1	7	68	14·0	1·15	0·87	52	46	98	20·2	0·57	1·02	-	-	-	-	2	29
Diss	3,880	32	28	3	3	66	17·0	1·09	1·00	33	25	58	14·9	0·87	1·15	-	-	-	-	-	-
Downham Market	3,000	24	20	2	-	46	15·3	1·13	0·93	24	33	57	19·0	0·54	0·91	-	-	-	-	1	21
East Dereham	7,490	61	52	1	5	119	15·9	1·08	0·93	45	44	89	11·9	0·85	0·90	2	17	1	1	-	8
Hunstanton	3,940	31	34	4	3	72	18·3	1·06	1·05	32	39	71	18·0	0·68	1·08	-	-	-	-	-	-
King's Lynn M.B.	27,830	263	236	21	18	538	19·3	0·99	1·03	179	150	329	11·8	0·98	1·02	17	32	10	9	10	35
North Walsham	5,140	37	33	4	4	78	15·2	1·15	0·94	36	34	70	13·6	0·78	0·94	1	13	1	1	2	38
Sheringham	4,800	31	19	1	3	54	11·3	1·25	0·76	41	43	84	17·5	0·65	1·01	2	37	1	1	1	36
Swaffham	3,290	33	21	-	3	57	17·3	0·96	0·90	27	36	63	19·1	0·87	1·47	-	-	-	-	1	17
Thetford M.B.	7,380	88	82	3	8	181	24·5	0·84	1·11	39	52	91	12·3	0·90	0·98	2	11	2	2	5	38
Wells-next-the-Sea	2,450	13	11	3	1	28	11·4	1·14	0·70	20	15	35	14·3	0·85	1·08	-	-	-	-	-	-
Wymondham	6,030	51	47	2	4	104	17·2	1·04	0·97	46	45	91	15·1	0·93	1·24	3	29	2	2	1	29

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1964	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
		M	F	M	F																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
NORFOLK - *continued*																					
Rural districts	**320,400**	**2,621**	**2,504**	**140**	**120**	**5,385**	**16·8**	**1·05**	**0·95**	**1,874**	**1,797**	**3,671**	**11·5**	**0·89**	**0·91**	**79**	**15**	**55**	**56**	**86**	**26**
Blofield and Flegg	36,540	249	249	11	11	520	14·2	1·11	0·85	235	284	519	14·2	0·68	0·85	3	6	3	3	10	25
Depwade	17,460	126	133	11	5	275	15·8	1·19	1·02	115	122	237	13·6	0·78	0·94	7	25	5	4	1	18
Docking	18,110	121	119	9	7	256	14·1	1·06	0·81	115	119	234	12·9	0·90	1·03	4	16	3	3	5	31
Downham	25,420	245	226	7	6	484	19·0	1·04	1·07	116	88	204	8·0	1·20	0·85	10	21	8	6	15	42
Erpingham	18,640	107	98	13	8	226	12·1	1·18	0·77	124	127	251	13·5	0·73	0·87	6	27	4	4	4	35
Forehoe and Henstead	28,550	266	233	13	13	525	18·4	1·02	1·01	188	188	376	13·2	0·70	0·82	10	19	7	6	6	23
Freebridge Lynn	12,510	141	117	9	4	271	21·7	0·99	1·16	82	72	154	12·3	0·91	0·99	7	26	7	5	6	40
Loddon	12,420	75	69	1	2	147	11·8	1·03	0·66	66	60	126	10·1	0·90	0·80	2	14	1	-	2	13
Marshland	17,410	139	142	8	4	293	16·8	1·02	0·93	84	79	163	9·4	1·13	0·94	4	14	3	3	2	17
Mitford and Launditch	17,610	110	124	4	11	249	14·1	1·11	0·85	131	97	228	12·9	0·79	0·90	5	20	3	2	3	20
St. Faith's and Aylsham	49,310	487	474	31	22	1,014	20·6	0·90	1·00	241	263	504	10·2	0·98	0·88	10	10	10	9	15	23
Smallburgh	17,320	134	124	3	4	265	15·3	1·15	0·95	110	74	184	10·6	0·87	0·82	2	8	2	2	8	37
Swaffham	9,500	103	77	-	3	183	19·3	1·05	1·10	53	41	94	9·9	1·08	0·95	2	11	2	2	1	16
Walsingham	19,550	154	153	11	8	326	16·7	1·09	0·98	109	89	198	10·1	1·87	1·67	2	6	2	2	2	12
Wayland	20,050	164	166	9	12	351	17·5	1·11	1·05	105	94	199	9·9	0·97	0·85	5	14	5	5	6	31
NORTHAMPTONSHIRE	**416,960**	**3,858**	**3,548**	**274**	**234**	**7,914**	**19·0**	**1·04**	**1·07**	**2,316**	**2,277**	**4,593**	**11·0**	**0·99**	**0·96**	**147**	**19**	**102**	**91**	**107**	**25**
Northampton C.B.	106,120	953	883	102	87	2,025	19·1	1·06	1·09	656	655	1,311	12·4	0·91	1·00	38	19	25	21	25	22
Administrative county	**310,840**	**2,905**	**2,665**	**172**	**147**	**5,889**	**18·9**	**1·04**	**1·06**	**1,660**	**1,622**	**3,282**	**10·6**	**1·02**	**0·96**	**109**	**19**	**77**	**70**	**82**	**25**
Municipal boroughs and urban districts	**171,670**	**1,677**	**1,489**	**100**	**100**	**3,366**	**19·6**	**1·02**	**1·08**	**963**	**850**	**1,813**	**10·6**	**1·07**	**1·00**	**68**	**20**	**49**	**45**	**52**	**28**
Brackley M.B.	3,630	36	24	2	1	63	17·4	1·11	1·04	18	26	44	12·1	0·95	1·02	-	-	-	-	-	-
Burton Latimer	4,430	33	36	2	2	73	16·5	1·13	1·01	19	24	43	9·7	1·03	0·88	-	-	-	-	-	-
Corby	42,770	567	505	24	32	1,128	26·4	0·83	1·18	121	93	214	5·0	2·54	1·12	26	23	17	17	19	31
Daventry M.B.	6,130	52	47	2	-	101	16·5	0·91	0·81	38	53	91	14·8	0·65	0·85	1	10	1	1	3	38
Desborough	4,530	37	27	1	-	65	14·3	1·29	1·00	30	25	55	12·1	0·89	0·95	2	31	1	1	2	45
Higham Ferrers M.B.	3,900	36	21	1	2	60	15·4	1·20	1·00	20	18	38	9·7	1·03	0·88	-	-	-	-	2	32
Irthlingborough	5,160	40	42	1	1	84	16·3	1·03	0·91	21	20	41	7·9	1·05	0·73	-	-	-	-	1	12
Kettering M.B.	38,840	324	318	31	22	695	17·9	1·10	1·06	302	228	530	13·6	0·86	1·04	16	23	13	12	7	27
Oundle	3,450	29	24	1	-	54	15·7	1·31	1·11	22	20	42	12·2	0·61	0·66	1	19	-	-	-	-
Raunds	4,680	32	31	-	3	66	14·1	1·20	0·91	28	34	62	13·2	0·84	0·98	1	15	1	-	-	-
Rothwell	4,750	36	25	2	1	64	13·5	1·24	0·90	31	22	53	11·2	0·89	0·88	1	16	-	-	1	15
Rushden	17,490	182	115	9	8	314	18·0	1·08	1·05	112	87	199	11·4	0·96	0·97	6	19	5	4	7	34
Wellingborough	31,910	273	274	24	28	599	18·8	1·05	1·07	201	200	401	12·6	0·89	0·99	14	23	11	10	10	33
Rural districts	**139,170**	**1,228**	**1,176**	**72**	**47**	**2,523**	**18·1**	**1·07**	**1·05**	**697**	**772**	**1,469**	**10·6**	**0·96**	**0·90**	**41**	**16**	**28**	**25**	**30**	**22**
Brackley	12,120	119	109	6	6	240	19·8	1·12	1·20	59	65	124	10·2	1·05	0·95	7	29	5	5	2	29
Brixworth	18,920	151	135	9	5	300	15·9	1·07	0·92	97	150	247	13·1	0·79	0·92	6	20	3	3	1	13
Daventry	17,050	145	135	6	7	293	17·2	1·15	1·07	95	86	181	10·6	0·94	0·88	5	17	3	3	5	27
Kettering	11,770	85	90	10	5	190	16·1	1·13	0·98	61	49	110	9·3	1·02	0·84	4	21	3	3	2	26
Northampton	30,770	329	303	9	9	650	21·1	0·95	1·08	144	163	307	10·0	0·86	0·76	6	9	5	4	7	17
Oundle and Thrapston	18,450	142	141	12	7	302	16·4	1·11	0·98	90	87	177	9·6	1·03	0·88	4	13	2	1	7	26
Towcester	16,140	141	149	11	4	305	18·9	1·09	1·11	90	94	184	11·4	0·96	0·97	6	20	5	4	4	26
Wellingborough	13,950	116	114	9	4	243	17·4	1·10	1·03	61	78	139	10·0	0·96	0·85	3	12	2	2	2	16

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
NORTHUMBERLAND	**827,080**	**6,911**	**6,545**	**425**	**408**	**14,289**	**17·3**	**1·01**	**0·94**	**5,206**	**4,544**	**9,750**	**11·8**	**1·10**	**1·15**	**320**	**22**	**221**	**189**	**248**	**30**
County boroughs	**332,640**	**2,799**	**2,630**	**257**	**252**	**5,938**	**17·9**	**1·00**	**0·97**	**2,134**	**1,800**	**3,934**	**11·8**	**1·12**	**1·17**	**153**	**26**	**97**	**83**	**111**	**32**
Newcastle upon Tyne	260,750	2,109	1,983	221	217	4,530	17·4	1·00	0·94	1,721	1,455	3,176	12·2	1·11	1·20	113	25	73	65	83	32
Tynemouth	71,890	690	647	36	35	1,408	19·6	0·98	1·04	413	345	758	10·5	1·16	1·08	40	28	24	18	28	32
Administrative county	**494,440**	**4,112**	**3,915**	**168**	**156**	**8,351**	**16·9**	**1·01**	**0·92**	**3,072**	**2,744**	**5,816**	**11·8**	**1·07**	**1·12**	**167**	**20**	**124**	**106**	**137**	**29**
Municipal boroughs and urban districts	**381,450**	**3,254**	**3,070**	**136**	**127**	**6,587**	**17·3**	**0·99**	**0·93**	**2,283**	**2,008**	**4,291**	**11·2**	**1·15**	**1·14**	**139**	**21**	**104**	**87**	**112**	**30**
Alnwick	7,630	63	61	4	-	128	16·8	1·12	1·02	58	46	104	13·6	1·11	1·34	2	*16*	-	-	2	*15*
Amble	5,010	65	61	2	2	130	25·9	1·03	1·44	40	28	68	13·6	1·03	1·24	4	*31*	3	3	3	*45*
Ashington	26,600	222	213	3	5	443	16·7	1·04	0·94	151	138	289	10·9	1·21	1·17	14	*32*	11	10	8	*40*
Bedlingtonshire	30,670	271	298	12	7	588	19·2	0·98	1·02	185	149	334	10·9	1·28	1·23	11	*19*	6	5	10	*25*
Berwick-upon-Tweed M.B.	11,840	123	119	9	4	255	21·5	1·04	1·21	96	99	195	16·5	0·97	1·42	4	*16*	4	4	3	*27*
Blyth M.B.	36,320	303	307	14	10	634	17·5	0·98	0·93	205	179	384	10·6	1·27	1·19	14	*22*	10	7	15	*34*
Gosforth	27,410	229	181	7	14	431	15·7	0·97	0·82	178	196	374	13·6	0·85	1·02	8	*19*	6	6	8	*32*
Hexham	9,690	80	54	4	3	141	14·6	1·06	0·84	60	69	129	13·3	0·88	1·04	3	*21*	3	3	-	*21*
Longbenton	47,770	367	377	12	18	774	16·2	0·87	0·76	226	147	373	7·8	1·52	1·05	16	*21*	14	9	10	*24*
Morpeth M.B.	13,630	133	112	2	1	248	18·2	0·99	0·97	82	83	165	12·1	0·80	0·86	6	*24*	4	2	8	*39*
Newbiggin-by-the-Sea	9,940	97	65	5	4	171	17·2	1·01	0·94	48	43	91	9·2	1·26	1·03	3	*18*	2	2	4	*34*
Newburn	30,730	283	264	14	12	573	18·6	0·97	0·98	155	154	309	10·1	1·26	1·13	13	*23*	9	8	9	*29*
Prudhoe	10,470	81	75	4	6	166	15·9	0·94	0·81	71	70	141	13·5	1·16	1·39	5	*30*	5	5	2	*42*
Seaton Valley	26,280	198	185	10	12	405	15·4	1·04	0·87	157	124	281	10·7	1·10	1·04	8	*20*	5	5	8	*31*
Wallsend M.B.	49,320	447	432	22	21	922	18·7	0·99	1·00	331	213	544	11·0	1·32	1·28	21	*23*	16	14	13	*29*
Whitley Bay M.B.	38,140	292	266	12	8	578	15·2	1·06	0·87	240	270	510	13·4	0·91	1·08	7	*12*	6	4	9	*22*
Rural districts	**112,990**	**858**	**845**	**32**	**29**	**1,764**	**15·6**	**1·08**	**0·91**	**789**	**736**	**1,525**	**13·5**	**0·88**	**1·05**	**28**	**16**	**20**	**19**	**25**	**25**
Alnwick	12,350	92	94	1	2	189	15·3	1·14	0·94	85	84	169	13·7	0·90	1·09	2	*11*	2	2	4	*31*
Belford	4,780	23	30	-	1	54	11·3	1·21	0·74	28	31	59	12·3	0·84	0·91	1	*19*	1	1	1	*36*
Bellingham	5,250	42	37	2	5	86	16·4	1·20	1·06	30	16	46	8·8	1·12	0·87	1	*12*	1	1	2	*34*
Castle Ward	29,310	212	222	6	4	444	15·1	0·97	0·79	273	238	511	17·4	0·67	1·03	7	*16*	4	4	4	*18*
Glendale	6,890	43	46	4	1	94	13·6	1·13	0·83	49	40	89	12·9	0·97	1·11	6	*64*	5	5	1	*63*
Haltwhistle	6,860	59	34	2	3	98	14·3	1·15	0·89	48	47	95	13·8	0·94	1·15	4	*41*	3	3	2	*50*
Hexham	20,460	166	159	4	6	335	16·4	1·09	0·97	120	135	255	12·5	0·92	1·02	3	*9*	1	1	1	*6*
Morpeth	17,840	146	155	9	4	314	17·6	1·08	1·03	101	87	188	10·5	1·13	1·05	4	*13*	3	2	7	*28*
Norham and Islandshires	3,880	25	29	2	2	58	14·9	1·26	1·01	20	27	47	12·1	0·92	0·99	-	-	-	-	2	*33*
Rothbury	5,370	50	39	2	1	92	17·1	1·18	1·09	35	31	66	12·3	0·83	0·90	-	-	-	-	1	*11*
NOTTINGHAMSHIRE	**935,040**	**8,618**	**8,092**	**725**	**742**	**18,177**	**19·4**	**0·98**	**1·03**	**5,205**	**4,733**	**9,938**	**10·6**	**1·15**	**1·08**	**379**	**21**	**261**	**223**	**323**	**30**
Nottingham C.B.	311,850	2,737	2,643	403	453	6,236	20·0	0·99	1·07	1,826	1,778	3,604	11·6	1·12	1·15	144	23	98	86	128	34
Administrative county	**623,190**	**5,881**	**5,449**	**322**	**289**	**11,941**	**19·2**	**0·98**	**1·02**	**3,379**	**2,955**	**6,334**	**10·2**	**1·17**	**1·06**	**235**	**20**	**163**	**137**	**195**	**27**
Municipal boroughs and urban districts	**421,520**	**3,900**	**3,755**	**236**	**217**	**8,108**	**19·2**	**0·98**	**1·02**	**2,311**	**2,119**	**4,430**	**10·5**	**1·18**	**1·10**	**161**	**20**	**116**	**97**	**121**	**26**
Arnold	29,380	265	262	12	9	548	18·7	0·94	0·95	107	129	236	8·0	1·23	0·87	6	*11*	5	5	5	*18*
Beeston and Stapleford	58,410	533	517	26	18	1,094	18·7	0·94	0·95	257	262	519	8·9	1·29	1·02	15	*14*	13	12	11	*21*
Carlton	40,240	372	368	16	8	764	19·0	1·00	1·03	214	204	418	10·4	1·18	1·09	17	*22*	11	10	9	*25*
East Retford M.B.	18,290	175	160	10	8	353	19·3	0·99	1·03	120	103	223	12·2	0·98	1·06	8	*23*	7	6	9	*41*
Eastwood	10,960	112	104	7	2	225	20·5	0·97	1·07	57	34	91	8·3	1·29	0·95	1	*4*	1	1	3	*18*
Hucknall	24,670	205	256	14	16	491	19·9	1·01	1·09	135	139	274	11·1	1·26	1·24	11	*22*	9	6	8	*28*
Kirkby in Ashfield	22,120	237	206	5	13	461	20·8	0·96	1·08	140	98	238	10·8	1·22	1·17	11	*24*	7	4	6	*21*
Mansfield M.B.	54,670	497	471	42	44	1,054	19·3	1·02	1·06	334	308	642	11·7	1·08	1·12	30	*28*	19	14	17	*29*
Mansfield Woodhouse	22,470	283	239	15	14	551	24·5	0·91	1·21	122	93	215	9·6	1·46	1·24	14	*25*	10	9	11	*36*
Newark M.B.	24,780	196	220	14	15	445	18·0	1·01	0·98	145	142	287	11·6	1·10	1·13	10	*22*	7	6	6	*27*
Sutton in Ashfield	40,500	336	309	24	21	690	17·0	1·02	0·94	247	206	453	11·2	1·22	1·21	10	*14*	8	7	13	*28*
Warsop	11,960	107	94	13	7	221	18·5	1·00	1·00	57	53	110	9·2	1·37	1·12	7	*32*	4	4	9	*57*
West Bridgford	27,670	235	234	18	25	512	18·5	0·97	0·97	180	172	352	12·7	0·91	1·02	5	*10*	4	4	7	*21*
Worksop M.B.	35,400	347	315	20	17	699	19·7	0·98	1·04	196	176	372	10·5	1·25	1·16	16	*23*	11	9	7	*23*
Rural districts	**201,670**	**1,981**	**1,694**	**86**	**72**	**3,833**	**19·0**	**0·98**	**1·01**	**1,068**	**836**	**1,904**	**9·4**	**1·17**	**0·97**	**74**	**19**	**47**	**40**	**74**	**29**
Basford	64,260	622	513	28	20	1,183	18·4	0·97	0·96	333	278	611	9·5	1·26	1·06	19	*16*	10	9	19	*23*
Bingham	30,580	364	300	14	10	688	22·5	0·96	1·17	166	144	310	10·1	0·90	0·80	7	*10*	5	4	9	*19*
East Retford	23,340	191	168	9	7	375	16·1	1·02	0·89	124	100	224	9·6	1·06	0·90	8	*21*	7	6	6	*31*
Newark	15,470	177	129	5	4	315	20·4	0·96	1·06	75	64	139	9·0	1·22	0·97	2	*6*	-	-	12	*37*
Southwell	49,540	446	409	22	19	896	18·1	0·99	0·97	257	183	440	8·9	1·20	0·95	24	*27*	15	12	21	*36*
Worksop	18,480	181	175	8	12	376	20·3	0·95	1·04	113	67	180	9·7	1·31	1·12	14	*37*	10	9	7	*42*

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1964	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
OXFORDSHIRE	**332,470**	**3,098**	**2,914**	**245**	**219**	**6,476**	**19·5**	**0·96**	**1·01**	**1,604**	**1,534**	**3,138**	**9·4**	**1·08**	**0·90**	**110**	**17**	**74**	**70**	**76**	**22**
Oxford C.B.	108,880	895	771	120	99	1,885	17·3	0·93	0·87	529	562	1,091	10·0	1·04	0·92	34	18	26	25	28	28
Administrative county	**223,590**	**2,203**	**2,143**	**125**	**120**	**4,591**	**20·5**	**0·97**	**1·07**	**1,075**	**972**	**2,047**	**9·2**	**1·11**	**0·90**	**76**	**17**	**48**	**45**	**48**	**20**
Municipal boroughs and urban districts	**60,930**	**633**	**575**	**30**	**42**	**1,280**	**21·0**	**0·95**	**1·08**	**314**	**343**	**657**	**10·8**	**1·01**	**0·97**	**25**	**20**	**17**	**16**	**14**	**23**
Banbury M.B.	23,080	235	219	15	22	491	21·3	0·94	1·08	125	126	251	10·9	1·03	0·99	8	*16*	7	7	4	*22*
Bicester	7,180	105	81	2	2	190	26·5	0·91	1·30	27	27	54	7·5	1·51	1·00	5	*26*	2	2	4	*31*
Chipping Norton M.B.	4,270	36	27	-	3	66	15·5	1·02	0·85	27	27	54	12·6	0·98	1·09	-	-	-	-	1	*15*
Henley-on-Thames M.B.	9,870	78	89	8	8	183	18·5	0·98	0·98	51	73	124	12·6	0·80	0·89	8	*44*	5	5	3	*43*
Thame	5,070	68	58	1	1	128	25·2	0·97	1·32	24	22	46	9·1	1·11	0·89	1	*8*	1	1	1	*16*
Witney	9,560	96	85	3	5	189	19·8	0·93	1·00	39	40	79	8·3	1·26	0·93	3	*16*	2	1	1	*11*
Woodstock M.B.	1,900	15	16	1	1	33	17·4	1·03	0·97	21	28	49	25·8	0·36	0·82	-	-	-	-	-	-
Rural districts	**162,660**	**1,570**	**1,568**	**95**	**78**	**3,311**	**20·4**	**0·98**	**1·08**	**761**	**629**	**1,390**	**8·5**	**1·13**	**0·85**	**51**	**15**	**31**	**29**	**34**	**19**
Banbury	16,900	136	136	2	6	280	16·6	1·09	0·98	100	95	195	11·5	0·88	0·90	5	*18*	2	2	3	*18*
Bullingdon	45,500	497	480	37	26	1,040	22·9	0·93	1·15	201	181	382	8·4	1·14	0·85	16	*15*	8	7	9	*15*
Chipping Norton	16,840	139	138	5	7	289	17·2	1·07	0·99	85	64	149	8·8	1·02	0·79	5	*17*	3	3	4	*24*
Henley	24,310	179	200	6	13	398	16·4	1·03	0·91	117	91	208	8·6	0·99	0·75	6	*15*	4	4	2	*15*
Ploughley	31,710	354	329	22	10	715	22·5	0·90	1·09	124	90	214	6·7	1·50	0·89	11	*15*	8	7	9	*22*
Witney	27,400	265	285	23	16	589	21·5	1·00	1·16	134	108	242	8·8	1·14	0·89	8	*14*	6	6	7	*22*
PETERBOROUGH, SOKE OF	**79,680**	**724**	**751**	**66**	**63**	**1,604**	**20·1**	**0·98**	**1·06**	**388**	**379**	**767**	**9·6**	**1·09**	**0·93**	**44**	**27**	**30**	**29**	**35**	**39**
Peterborough M.B.	64,770	587	605	52	55	1,299	20·1	0·95	1·03	342	321	663	10·2	1·07	0·97	36	28	24	23	25	36
Rural districts	**14,910**	**137**	**146**	**14**	**8**	**305**	**20·5**	**1·14**	**1·26**	**46**	**58**	**104**	**7·0**	**1·38**	**0·85**	**8**	*26*	**6**	**6**	**10**	*51*
Barnack	6,150	60	53	6	3	122	19·8	1·38	1·48	15	17	32	5·2	2·03	0·93	6	*49*	5	5	7	*93*
Peterborough	8,760	77	93	8	5	183	20·9	1·01	1·14	31	41	72	8·2	1·13	0·82	2	*11*	1	1	3	*22*
RUTLAND	**26,000**	**244**	**261**	**12**	**6**	**523**	**20·1**	**1·06**	**1·15**	**136**	**140**	**276**	**10·6**	**1·03**	**0·97**	**9**	*17*	**5**	**5**	**7**	*23*
Oakham U.D.	4,660	38	53	2	1	94	20·2	1·04	1·14	36	29	65	13·9	0·63	0·77	1	*11*	-	-	1	*11*
Rural districts	**21,340**	**206**	**208**	**10**	**5**	**429**	**20·1**	**1·06**	**1·15**	**100**	**111**	**211**	**9·9**	**1·15**	**1·01**	**8**	*19*	**5**	**5**	**6**	*25*
Ketton	3,630	25	40	-	-	65	17·9	1·02	0·99	17	21	38	10·5	1·13	1·05	2	*31*	1	1	2	*45*
Oakham	11,540	126	114	7	2	249	21·6	1·01	1·18	49	53	102	8·8	1·29	1·00	5	*20*	3	3	4	*28*
Uppingham	6,170	55	54	3	3	115	18·6	1·19	1·20	34	37	71	11·5	0·94	0·96	1	*9*	1	1	-	*9*
SHROPSHIRE	**311,880**	**2,774**	**2,730**	**157**	**158**	**5,819**	**18·7**	**1·02**	**1·03**	**1,818**	**1,600**	**3,418**	**11·0**	**1·06**	**1·03**	**108**	**19**	**74**	**63**	**104**	**28**
Municipal boroughs and urban districts	**161,150**	**1,454**	**1,426**	**95**	**77**	**3,052**	**18·9**	**0·99**	**1·01**	**1,008**	**904**	**1,912**	**11·9**	**1·01**	**1·06**	**58**	**19**	**40**	**33**	**44**	**25**
Bishop's Castle M.B.	1,230	7	8	-	-	15	*12·2*	1·26	0·83	12	8	20	16·3	0·48	0·69	1	*67*	1	1	-	*67*
Bridgnorth M.B.	8,530	82	89	7	7	185	21·7	0·94	1·10	36	50	86	10·1	0·96	0·86	3	*16*	3	1	-	*5*
Church Stretton	2,850	16	22	1	1	40	14·0	1·22	0·92	20	29	49	17·2	0·55	0·84	-	-	-	-	-	-
Dawley	10,480	102	109	9	5	225	21·5	0·91	1·06	59	41	100	9·5	1·28	1·08	7	*31*	4	4	4	*35*
Ellesmere	2,360	15	24	2	-	41	17·4	1·11	1·04	20	13	33	14·0	0·88	1·09	1	*24*	1	1	1	*48*
Ludlow M.B.	6,910	48	54	2	5	109	15·8	1·04	0·89	45	65	110	15·9	0·73	1·03	1	*9*	-	-	1	*9*
Market Drayton	6,160	75	76	6	2	159	25·8	1·08	1·51	44	38	82	13·3	0·95	1·12	-	-	-	-	4	*25*
Newport	5,080	57	50	9	2	118	23·2	0·92	1·15	34	26	60	11·8	0·96	1·00	1	*8*	1	1	3	*33*
Oakengates	13,930	143	140	7	5	295	21·2	0·96	1·10	74	58	132	9·5	1·23	1·03	7	*24*	4	4	5	*30*

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Oswestry M.B.	11,940	91	118	2	8	219	18·3	0·97	0·96	77	68	145	12·1	1·06	1·14	3	14	2	1	4	22
Shrewsbury M.B.	51,130	465	429	32	27	953	18·6	0·96	0·97	303	276	579	11·3	1·04	1·04	17	18	14	11	12	24
Wellington	15,580	136	139	10	3	288	18·5	1·02	1·02	94	78	172	11·0	1·03	1·00	9	31	3	3	4	24
Wem	2,750	27	20	1	1	49	17·8	1·11	1·07	17	15	32	11·6	0·98	1·01	1	20	1	1	-	20
Wenlock M.B.	15,050	124	107	5	6	242	16·1	1·04	0·91	120	94	214	14·2	0·91	1·14	6	25	6	5	4	37
Whitchurch	7,170	66	41	2	5	114	15·9	1·09	0·94	53	45	98	13·7	0·68	0·82	1	9	-	-	2	17
Rural districts	**150,730**	**1,320**	**1,304**	**62**	**81**	**2,767**	**18·4**	**1·06**	**1·05**	**810**	**696**	**1,506**	**10·0**	**1·13**	**1·00**	**50**	**18**	**34**	**30**	**60**	**32**
Atcham	23,750	233	229	4	19	485	20·4	1·03	1·14	143	111	254	10·7	1·06	1·00	5	10	4	4	12	32
Bridgnorth	13,810	120	110	4	5	239	17·3	1·11	1·04	72	56	128	9·3	1·27	1·05	7	29	5	3	5	33
Clun	8,890	71	65	3	6	145	16·3	1·14	1·00	53	36	89	10·0	0·99	0·88	4	28	4	4	1	34
Drayton	10,010	83	78	6	3	170	17·0	0·93	0·85	47	46	93	9·3	1·24	1·02	2	12	1	1	6	40
Ellesmere	7,380	49	53	6	-	108	14·6	1·05	0·83	40	28	68	9·2	1·10	0·90	4	37	2	1	2	27
Ludlow	13,430	90	104	2	10	206	15·3	1·14	0·94	73	87	160	11·9	0·96	1·01	6	29	6	6	3	43
Oswestry	19,460	161	142	6	6	315	16·2	1·10	0·96	115	118	233	12·0	0·78	0·83	2	6	2	2	6	25
Shifnal	15,250	152	138	4	9	303	19·9	1·08	1·16	62	48	110	7·2	1·41	0·90	6	20	3	3	3	20
Wellington	26,880	267	263	20	16	566	21·1	1·01	1·15	135	100	235	8·7	1·37	1·05	12	21	6	6	16	38
Wem	11,870	94	122	7	7	230	19·4	1·04	1·09	70	66	136	11·5	1·10	1·12	2	9	1	-	6	25
SOMERSET	**625,740**	**5,087**	**4,713**	**351**	**297**	**10,448**	**16·7**	**1·08**	**0·97**	**3,816**	**3,849**	**7,665**	**12·2**	**0·86**	**0·93**	**151**	**14**	**106**	**90**	**168**	**24**
Bath C.B.	82,750	605	540	66	54	1,265	15·3	1·04	0·86	495	541	1,036	12·5	0·77	0·85	32	25	24	22	25	36
Administrative county	**542,990**	**4,482**	**4,173**	**285**	**243**	**9,183**	**16·9**	**1·09**	**1·00**	**3,321**	**3,308**	**6,629**	**12·2**	**0·87**	**0·94**	**119**	**13**	**82**	**68**	**143**	**23**
Municipal boroughs and urban districts	**260,110**	**2,158**	**1,976**	**145**	**129**	**4,408**	**16·9**	**1·08**	**0·99**	**1,640**	**1,749**	**3,389**	**13·0**	**0·85**	**0·98**	**57**	**13**	**38**	**31**	**61**	**21**
Bridgwater M.B.	26,300	228	226	14	24	492	18·7	0·98	0·99	146	137	283	10·8	0·97	0·93	1	2	-	-	6	12
Burnham-on-Sea	10,480	69	86	12	9	176	16·8	1·20	1·09	75	96	171	16·3	0·74	1·07	3	17	2	2	4	33
Chard M.B.	6,210	61	50	-	3	114	18·4	1·13	1·12	45	35	80	12·9	0·70	0·80	-	-	-	-	1	9
Clevedon	11,670	89	94	7	1	191	16·4	1·26	1·12	86	112	198	17·0	0·63	0·95	1	5	1	1	3	21
Crewkerne	4,530	35	30	2	2	69	15·2	1·21	0·99	28	15	43	9·5	0·91	0·77	-	-	-	-	1	14
Frome	11,700	130	115	9	3	257	22·0	1·09	1·30	90	88	178	15·2	0·76	1·02	4	16	2	2	3	19
Glastonbury M.B.	6,110	64	36	4	3	107	17·5	1·09	1·03	35	37	72	11·8	0·99	1·03	1	9	1	-	1	9
Ilminster	2,820	17	18	2	1	38	13·5	0·98	0·72	10	21	31	11·0	0·98	0·95	1	26	1	1	1	51
Keynsham	16,460	132	142	4	4	282	17·1	0·98	0·91	64	77	141	8·6	0·96	0·73	2	7	1	1	-	4
Minehead	7,420	45	42	5	6	98	13·2	1·35	0·96	65	71	136	18·3	0·56	0·91	2	20	1	1	-	10
Norton-Radstock	13,180	128	127	1	4	260	19·7	1·03	1·10	91	65	156	11·8	1·04	1·09	6	23	3	2	10	44
Portishead	7,130	59	67	4	2	132	18·5	1·10	1·10	42	33	75	10·5	1·14	1·06	1	8	1	1	1	15
Shepton Mallet	5,600	40	41	3	2	86	15·4	1·05	0·87	26	45	71	12·7	0·83	0·93	-	-	-	-	1	11
Street	7,120	80	52	1	1	134	18·8	0·97	0·99	35	35	70	9·8	1·09	0·95	2	15	1	1	-	7
Taunton M.B.	36,840	275	263	19	26	583	15·8	1·02	0·87	212	224	436	11·8	0·95	0·99	12	21	9	7	8	25
Watchet	2,620	23	17	1	1	42	16·0	1·15	0·99	18	18	36	13·7	0·91	1·10	-	-	-	-	-	-
Wellington	7,900	58	57	9	2	126	15·9	1·14	0·98	53	65	118	14·9	0·74	0·98	-	-	-	-	1	8
Wells M.B.	7,260	61	58	1	3	123	16·9	1·06	0·97	61	76	137	18·9	0·63	1·05	3	24	2	1	2	24
Weston-super-Mare M.B.	43,620	356	292	34	21	703	16·1	1·19	1·04	287	355	642	14·7	0·69	0·90	15	21	12	10	12	31
Yeovil M.B.	25,140	208	163	13	11	395	15·7	1·06	0·90	171	144	315	12·5	0·93	1·03	3	8	1	1	6	17
Rural districts	**282,880**	**2,324**	**2,197**	**140**	**114**	**4,775**	**16·9**	**1·10**	**1·00**	**1,681**	**1,559**	**3,240**	**11·5**	**0·90**	**0·92**	**62**	**13**	**44**	**37**	**82**	**25**
Axbridge	32,570	240	245	14	13	512	15·7	1·20	1·02	188	192	380	11·7	0·92	0·95	8	16	6	5	8	25
Bathavon	21,280	135	155	12	10	312	14·7	1·06	0·84	115	107	222	10·4	0·94	0·87	6	19	3	3	8	34
Bridgwater	23,770	259	201	8	10	478	20·1	1·05	1·14	146	126	272	11·4	0·99	1·00	4	8	4	4	8	25
Chard	12,400	87	94	5	2	188	15·2	1·22	1·00	71	62	133	10·7	0·85	0·80	2	11	2	2	2	21
Clutton	18,520	172	146	11	5	334	18·0	1·08	1·05	122	96	218	11·8	0·92	0·96	2	6	1	-	6	18
Dulverton	4,140	32	19	1	-	52	12·6	1·24	0·84	22	28	50	12·1	0·90	0·96	1	19	1	1	-	19
Frome	11,140	84	83	8	4	179	16·1	1·13	0·98	63	44	107	9·6	0·99	0·84	3	17	2	2	9	59
Langport	13,490	84	86	12	10	192	14·2	1·14	0·88	86	73	159	11·8	0·88	0·92	5	26	3	2	4	31
Long Ashton	32,660	365	335	20	13	733	22·4	1·02	1·24	173	158	331	10·1	0·93	0·83	4	5	3	3	6	12
Shepton Mallet	10,590	66	70	6	4	146	13·8	1·10	0·82	62	49	111	10·5	0·89	0·83	2	14	-	-	3	20
Taunton	23,760	194	168	9	10	381	16·0	1·10	0·95	137	184	321	13·5	0·76	0·91	8	21	5	5	4	23
Wellington	8,310	60	71	4	3	138	16·6	1·14	1·02	48	44	92	11·1	0·85	0·83	5	36	3	2	3	35
Wells	10,840	80	89	4	5	178	16·4	1·05	0·93	78	74	152	14·0	0·58	0·72	2	11	2	2	6	43
Williton	14,050	81	95	9	8	193	13·7	1·29	0·96	103	95	198	14·1	0·71	0·89	2	10	1	1	-	5
Wincanton	16,810	126	119	4	6	255	15·2	1·17	0·96	129	106	235	14·0	0·78	0·97	1	4	1	-	3	12
Yeovil	28,550	259	221	13	11	504	17·7	0·95	0·91	138	121	259	9·1	1·12	0·90	7	14	7	5	12	33

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1964	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
STAFFORDSHIRE	**1,798,510**	**16,719**	**16,148**	**981**	**891**	**34,739**	**19·3**	**0·95**	**0·99**	**9,869**	**8,475**	**18,344**	**10·2**	**1·25**	**1·13**	**702**	**20**	**475**	**404**	**643**	**30**
County boroughs	**749,910**	**6,777**	**6,569**	**543**	**532**	**14,421**	**19·2**	**0·99**	**1·03**	**4,471**	**3,856**	**8,327**	**11·1**	**1·21**	**1·19**	**304**	**21**	**195**	**166**	**296**	**31**
Burton upon Trent	50,540	460	489	41	52	1,042	20·6	1·01	1·12	312	292	604	12·0	1·03	1·09	20	19	15	10	15	24
Smethwick	67,750	660	628	48	57	1,393	20·6	1·05	1·17	407	343	750	11·1	1·09	1·07	37	27	23	18	34	36
Stoke-on-Trent	263,910	2,139	2,046	124	131	4,440	16·8	1·00	0·91	1,524	1,426	2,950	11·2	1·28	1·27	74	17	46	40	92	29
Walsall	119,910	1,119	1,088	82	67	2,356	19·6	0·97	1·03	709	549	1,258	10·5	1·24	1·15	56	24	34	30	65	39
West Bromwich	97,600	880	862	69	58	1,869	19·1	0·92	0·95	573	428	1,001	10·3	1·44	1·31	36	19	22	20	34	28
Wolverhampton	150,200	1,519	1,456	179	167	3,321	22·1	1·03	1·23	946	818	1,764	11·7	1·12	1·16	81	24	55	48	56	31
Administrative county	**1,048,600**	**9,942**	**9,579**	**438**	**359**	**20,318**	**19·4**	**0·91**	**0·95**	**5,398**	**4,619**	**10,017**	**9·6**	**1·29**	**1·10**	**398**	**20**	**280**	**238**	**347**	**28**
Municipal boroughs and urban districts	**779,150**	**7,514**	**7,104**	**329**	**266**	**15,213**	**19·5**	**0·91**	**0·96**	**4,059**	**3,412**	**7,471**	**9·6**	**1·32**	**1·12**	**309**	**20**	**214**	**177**	**260**	**28**
Aldridge	58,890	743	659	19	14	1,435	24·4	0·72	0·95	194	149	343	5·8	1·86	0·95	22	15	11	9	24	23
Amblecote	3,000	33	24	-	-	57	19·0	1·06	1·09	18	10	28	9·3	1·00	0·82	-	-	-	-	-	-
Biddulph	15,110	125	129	9	3	266	17·6	0·92	0·88	74	54	128	8·5	1·38	1·04	7	26	5	5	5	37
Bilston M.B.	32,690	248	262	19	15	544	16·6	0·95	0·85	178	127	305	9·3	1·42	1·17	13	24	9	7	16	41
Brierley Hill	59,510	630	545	21	25	1,221	20·5	0·89	0·99	317	223	540	9·1	1·30	1·05	24	20	14	13	17	24
Brownhills	28,700	336	356	12	14	718	25·0	0·84	1·14	163	88	251	8·7	1·51	1·16	17	24	11	10	15	34
Cannock	45,060	412	387	22	12	833	18·5	0·99	0·99	266	209	475	10·5	1·15	1·07	17	20	13	10	16	31
Coseley	41,320	398	377	14	12	801	19·4	0·81	0·85	157	137	294	7·1	1·63	1·02	5	6	4	2	19	26
Darlaston	21,540	159	147	7	3	316	14·7	0·97	0·77	135	96	231	10·7	1·44	1·36	6	19	5	4	5	28
Kidsgrove	20,830	215	221	11	9	456	21·9	0·90	1·07	99	100	199	9·6	1·54	1·31	12	26	8	7	9	34
Leek	19,100	128	148	5	2	283	14·8	1·10	0·88	134	136	270	14·1	0·90	1·12	7	25	5	4	5	31
Lichfield M.B.	18,130	227	197	9	8	441	24·3	0·90	1·18	77	103	180	9·9	1·01	0·88	12	27	5	4	7	25
Newcastle-under-Lyme M.B.	77,000	730	595	43	30	1,398	18·2	0·95	0·93	407	379	786	10·2	1·29	1·16	26	19	18	16	20	25
Rowley Regis M.B.	49,130	355	358	26	16	755	15·4	0·97	0·81	295	223	518	10·5	1·31	1·22	15	20	14	11	11	29
Rugeley	15,140	229	179	8	4	420	27·7	0·90	1·35	59	47	106	7·0	1·52	0·94	9	21	8	5	5	24
Sedgley	31,600	329	299	6	8	642	20·3	0·85	0·93	221	159	380	12·0	1·01	1·07	13	20	12	10	10	31
Stafford M.B.	49,480	467	481	29	22	999	20·2	0·98	1·07	292	285	577	11·7	0·96	0·99	21	21	15	12	15	27
Stone	9,940	99	76	3	4	182	18·3	1·02	1·01	62	76	138	13·9	0·69	0·85	4	22	2	2	1	16
Tamworth M.B.	16,120	165	160	8	2	335	20·8	1·01	1·14	100	91	191	11·8	0·92	0·96	3	9	3	3	6	26
Tettenhall	15,620	79	93	6	3	181	11·6	1·04	0·65	66	71	137	8·8	1·24	0·97	6	33	4	3	2	27
Tipton M.B.	37,990	351	335	13	14	713	18·8	0·95	0·97	188	197	385	10·1	1·46	1·30	18	25	11	10	13	32
Uttoxeter	8,260	57	60	4	8	129	15·6	1·00	0·84	45	48	93	11·3	1·12	1·12	4	31	4	3	3	45
Wednesbury M.B.	34,760	266	317	7	12	602	17·3	0·98	0·92	174	153	327	9·4	1·38	1·15	12	20	11	10	13	37
Wednesfield	35,070	394	332	12	17	755	21·5	0·75	0·87	142	99	241	6·9	1·96	1·20	18	24	11	9	10	25
Willenhall	35,160	339	367	16	9	731	20·8	0·89	1·00	196	152	348	9·9	1·46	1·28	18	25	11	8	13	28
Rural districts	**269,450**	**2,428**	**2,475**	**109**	**93**	**5,105**	**18·9**	**0·94**	**0·96**	**1,339**	**1,207**	**2,546**	**9·4**	**1·18**	**0·98**	**89**	**17**	**66**	**61**	**87**	**29**
Cannock	34,790	411	429	28	18	886	25·5	0·83	1·14	161	135	296	8·5	1·35	1·02	14	16	11	10	15	28
Cheadle	41,680	351	366	9	8	734	17·6	0·97	0·92	229	241	470	11·3	0·96	0·96	17	23	14	13	11	32
Leek	20,770	174	183	7	4	368	17·7	0·93	0·89	98	102	200	9·6	1·29	1·10	3	8	2	2	8	27
Lichfield	42,880	436	427	14	18	895	20·9	0·98	1·11	236	205	441	10·3	0·97	0·88	12	13	10	10	18	31
Newcastle-under-Lyme	18,520	123	110	4	2	239	12·9	0·96	0·67	116	99	215	11·6	1·09	1·12	8	33	7	7	3	41
Seisdon	40,690	338	363	15	12	728	17·9	0·83	0·80	154	140	294	7·2	1·41	0·90	10	14	7	6	10	22
Stafford	19,990	179	177	13	6	375	18·8	1·00	1·02	103	75	178	8·9	1·21	0·95	11	29	6	6	8	37
Stone	18,950	160	141	11	7	319	16·8	0·95	0·86	98	92	190	10·0	1·12	0·99	5	16	4	3	2	16
Tutbury	19,270	162	185	5	8	360	18·7	1·00	1·01	90	71	161	8·4	1·16	0·86	7	19	5	4	7	30
Uttoxeter	11,910	94	94	3	10	201	16·9	1·21	1·11	54	47	101	8·5	1·15	0·87	2	10	-	-	5	24

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
SUFFOLK, EAST	**361,410**	**3,075**	**2,846**	**207**	**219**	**6,347**	**17·6**	**1·08**	**1.03**	**2,065**	**2,087**	**4,152**	**11·5**	**0·88**	**0·90**	**109**	**17**	**81**	**71**	**81**	**24**
Ipswich C.B.	120,120	1,067	1,034	114	105	2,320	19·3	1·01	1·05	608	645	1,253	10·4	0·98	0·90	46	20	30	27	28	23
Administrative county	**241,290**	**2,008**	**1,812**	**93**	**114**	**4,027**	**16·7**	**1·11**	**1.00**	**1,457**	**1,442**	**2,899**	**12·0**	**0·84**	**0·89**	**63**	**16**	**51**	**44**	**53**	**24**
Municipal boroughs and urban districts	**106,540**	**887**	**842**	**43**	**55**	**1,827**	**17·1**	**1·10**	**1.02**	**661**	**711**	**1,372**	**12·9**	**0·83**	**0·95**	**29**	**16**	**21**	**18**	**27**	**24**
Aldeburgh M.B.	2,970	15	19	1	3	38	12·8	1·10	0·76	20	39	59	19·9	0·65	1·14	1	*26*	-	-	-	-
Beccles M.B.	7,520	75	45	1	4	125	16·6	1·08	0·97	48	42	90	12·0	0·88	0·93	4	*32*	4	3	3	*47*
Bungay	3,690	37	26	1	2	66	17·9	1·03	1·00	28	36	64	17·3	0·70	1·07	1	*15*	-	-	-	-
Eye M.B.	1,530	5	9	2	-	16	*10·5*	1·32	0·75	15	28	43	28·1	0·29	0·72	-	-	-	-	-	-
Felixstowe	17,750	162	170	9	8	349	19·7	1·07	1·14	119	119	238	13·4	0·73	0·87	2	*6*	2	2	5	*20*
Halesworth	2,440	18	19	-	-	37	15·2	1·20	0·99	8	20	28	11·5	0·89	0·91	1	*27*	1	1	2	*77*
Leiston-cum-Sizewell	5,140	38	39	3	5	85	16·5	1·44	1·28	27	30	57	11·1	0·89	0·87	1	*12*	1	-	1	*12*
Lowestoft M.B.	47,540	419	368	21	26	834	17·5	1·05	0·99	276	294	570	12·0	0·92	0·98	17	*20*	11	11	12	27
Saxmundham	1,530	10	17	3	2	32	20·9	1·17	1·32	11	8	19	*12·4*	0·86	0·94	-	-	-	-	-	-
Southwold M.B.	2,180	4	7	-	-	11	*5·0*	1·75	0·47	15	16	31	14·2	0·48	0·60	-	-	-	-	1	*83*
Stowmarket	7,990	53	68	1	-	122	15·3	1·07	0·88	48	46	94	11·8	1·03	1·08	1	*8*	1	1	2	*24*
Woodbridge	6,260	51	55	1	5	112	17·9	1·16	1·12	46	33	79	12·6	0·84	0·94	1	*9*	1	-	1	*9*
Rural districts	**134,750**	**1,121**	**970**	**50**	**59**	**2,200**	**16·3**	**1·12**	**0·99**	**796**	**731**	**1,527**	**11·3**	**0·84**	**0·84**	**34**	**15**	**30**	**26**	**26**	**23**
Blyth	19,230	155	133	9	11	308	16·0	1·15	0·99	121	113	234	12·2	0·70	0·76	7	*23*	6	6	3	*29*
Deben	35,690	316	253	13	14	596	16·7	1·07	0·97	174	206	380	10·6	0·85	0·80	5	*8*	4	4	4	*13*
Gipping	20,800	189	157	9	7	362	17·4	1·08	1·02	114	102	216	10·4	0·84	0·77	6	*17*	6	4	6	*27*
Hartismere	16,100	131	107	5	9	252	15·7	1·14	0·97	92	78	170	10·6	0·87	0·82	4	*16*	4	3	4	*27*
Lothingland	17,900	141	146	6	8	301	16·8	1·06	0·96	94	87	181	10·1	0·90	0·80	3	*10*	3	3	7	*32*
Samford	18,580	136	130	6	8	280	15·1	1·34	1·09	168	114	282	15·2	0·75	1·01	8	*29*	7	6	1	*25*
Wainford	6,450	53	44	2	2	101	15·7	1·09	0·93	33	31	64	9·9	1·02	0·89	1	*10*	-	-	1	*10*
SUFFOLK, WEST	**139,450**	**1,299**	**1,226**	**70**	**76**	**2,671**	**19·2**	**1·02**	**1·06**	**787**	**703**	**1,490**	**10·7**	**0·96**	**0·91**	**54**	**20**	**39**	**35**	**42**	**28**
Municipal boroughs and urban districts	**51,350**	**466**	**469**	**35**	**33**	**1,003**	**19·5**	**0·97**	**1·02**	**287**	**315**	**602**	**11·7**	**0·85**	**0·88**	**21**	**21**	**17**	**16**	**13**	**29**
Bury St. Edmunds M.B.	22,270	204	210	15	12	441	19·8	0·98	1·05	109	123	232	10·4	0·84	0·77	8	*18*	6	6	6	*27*
Hadleigh	3,530	35	29	-	2	66	18·7	1·07	1·08	16	23	39	11·0	0·94	0·92	1	*15*	1	-	1	*15*
Haverhill	7,380	86	93	6	7	192	26·0	0·82	1·15	43	27	70	9·5	1·32	1·11	4	*21*	2	2	3	*26*
Newmarket	11,460	89	97	9	7	202	17·6	0·96	0·91	62	64	126	11·0	0·95	0·92	8	*40*	8	8	1	*44*
Sudbury M.B.	6,710	52	40	5	5	102	15·2	1·16	0·95	57	78	135	20·1	0·50	0·89	-	-	-	-	2	*19*
Rural districts	**88,100**	**833**	**757**	**35**	**43**	**1,668**	**18·9**	**1·06**	**1·08**	**500**	**388**	**888**	**10·1**	**1·03**	**0·92**	**33**	**20**	**22**	**19**	**29**	**28**
Clare	9,600	69	69	2	2	142	14·8	1·13	0·90	65	44	109	11·4	0·92	0·93	3	*21*	3	3	6	*61*
Cosford	9,140	68	69	4	3	144	15·8	1·17	1·00	73	68	141	15·4	0·82	1·12	2	*14*	1	1	4	*34*
Melford	14,450	134	115	4	10	263	18·2	1·11	1·09	87	86	173	12·0	0·87	0·92	1	*4*	1	1	5	*22*
Mildenhall	23,230	267	222	10	12	511	22·0	0·94	1·12	105	77	182	7·8	1·42	0·98	10	*20*	5	4	6	*19*
Thedwastre	9,620	94	80	6	3	183	19·0	1·08	1·11	55	39	94	9·8	0·87	0·75	4	*22*	3	2	2	*22*
Thingoe	22,060	201	202	9	13	425	19·3	1·06	1·11	115	74	189	8·6	1·14	0·87	13	*31*	9	8	6	*32*
SURREY	**1,774,940**	**14,030**	**13,234**	**981**	**912**	**29,157**	**16·4**	**1·02**	**0·90**	**9,538**	**10,053**	**19,591**	**11·0**	**0·94**	**0·92**	**479**	**16**	**366**	**333**	**377**	**24**
Croydon C.B.	253,430	2,165	2,107	239	232	4,743	18·7	1·00	1·01	1,382	1,489	2,871	11·3	0·94	0·94	72	15	55	52	57	23
Administrative county	**1,521,510**	**11,865**	**11,127**	**742**	**680**	**24,414**	**16·0**	**1·02**	**0·88**	**8,156**	**8,564**	**16,720**	**11·0**	**0·93**	**0·91**	**407**	**17**	**311**	**281**	**320**	**24**
Municipal boroughs and urban districts	**1,330,350**	**10,231**	**9,539**	**661**	**605**	**21,036**	**15·8**	**1·02**	**0·87**	**7,185**	**7,588**	**14,773**	**11·1**	**0·93**	**0·91**	**366**	**17**	**278**	**252**	**279**	**25**
Banstead	41,870	239	235	18	10	502	12·0	1·13	0·73	241	251	492	11·8	0·80	0·84	11	*22*	8	7	4	*22*
Barnes M.B.	38,820	243	275	18	16	552	14·2	1·01	0·78	219	251	470	12·1	0·82	0·88	7	*13*	7	6	7	*23*
Beddington and Wallington M.B.	32,590	201	235	16	10	462	14·2	1·09	0·84	175	160	335	10·3	0·95	0·87	8	*17*	7	6	5	*24*
Carshalton	55,730	403	309	28	30	770	13·8	1·03	0·77	292	268	560	10·0	1·08	0·96	11	*14*	8	7	11	*23*
Caterham and Warlingham	36,350	283	222	9	9	523	14·4	0·98	0·76	181	170	351	9·7	0·98	0·84	15	*29*	11	7	8	*28*
Chertsey	42,870	422	405	30	20	877	20·5	0·85	0·94	202	167	369	8·6	1·20	0·91	15	*17*	11	9	12	24
Coulsdon and Purley	75,460	570	505	25	29	1,129	15·0	1·09	0·88	391	475	866	11·5	0·77	0·78	16	*14*	14	14	14	24
Dorking	23,020	211	175	11	9	406	17·6	0·97	0·92	127	130	257	11·2	0·91	0·90	8	*20*	8	7	6	*32*
Egham	31,470	231	209	14	12	466	14·8	0·91	0·73	183	164	347	11·0	1·01	0·98	4	*9*	4	4	11	*31*

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1964	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate												
		M	F	M	F					M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
SURREY - *continued*																					
Municipal boroughs and urban districts - *continued*																					
Epsom and Ewell M.B.	71,700	447	422	20	35	924	12·9	1·13	0·79	464	590	1,054	14·7	0·63	0·82	17	*18*	14	13	8	23
Esher	62,140	406	403	17	17	843	13·6	1·09	0·80	285	348	633	10·2	1·03	0·93	14	*17*	9	8	14	26
Farnham	28,970	241	227	16	10	494	17·1	1·08	1·00	152	217	369	12·7	0·72	0·81	11	*22*	8	8	6	*28*
Frimley and Camberley	36,140	470	435	22	22	949	26·3	0·88	1·25	114	128	242	6·7	1·26	0·75	19	*20*	13	13	10	24
Godalming M.B.	17,590	141	139	4	9	293	16·7	0·99	0·89	97	81	178	10·1	0·98	0·88	4	*14*	4	4	6	*33*
Guildford M.B.	54,090	406	394	33	30	863	16·0	0·95	0·82	305	313	618	11·4	0·96	0·97	14	*16*	10	7	17	27
Haslemere	13,210	81	73	10	5	169	12·8	1·16	0·80	85	73	158	12·0	0·75	0·80	5	*30*	3	2	2	*23*
Kingston-upon-Thames M.B.	36,230	335	306	44	21	706	19·5	1·00	1·05	213	230	443	12·2	0·89	0·96	12	*17*	11	11	7	*25*
Leatherhead	37,270	257	251	11	14	533	14·3	1·08	0·83	192	178	370	9·9	1·08	0·95	10	*19*	9	9	11	*37*
Malden and Coombe M.B.	46,460	325	269	20	17	631	13·6	1·04	0·76	227	289	516	11·1	0·97	0·95	6	*10*	4	4	4	*13*
Merton and Morden	66,700	427	408	35	23	893	13·4	1·14	0·83	416	351	767	11·5	0·99	1·01	14	*16*	8	6	14	22
Mitcham M.B.	62,580	460	456	36	35	987	15·8	1·03	0·88	339	283	622	9·9	1·15	1·01	18	*18*	11	8	16	24
Reigate M.B.	55,150	429	376	26	28	859	15·6	1·04	0·88	318	325	643	11·7	0·83	0·86	24	28	17	15	6	24
Richmond M.B.	41,290	326	297	42	37	702	17·0	0·98	0·90	277	295	572	13·9	0·74	0·91	13	*19*	10	10	9	27
Surbiton M.B.	63,760	504	512	28	32	1,076	16·9	1·00	0·91	329	328	657	10·3	1·05	0·96	14	*13*	10	10	12	20
Sutton and Cheam M.B.	79,500	600	582	38	28	1,248	15·7	1·00	0·85	436	501	937	11·8	0·87	0·91	21	17	17	17	14	25
Walton and Weybridge	48,400	377	329	18	21	745	15·4	1·06	0·88	205	273	478	9·9	0·92	0·81	10	*13*	7	7	13	26
Wimbledon M.B.	56,760	515	443	40	54	1,052	18·5	0·95	0·95	328	365	693	12·2	0·88	0·95	20	19	12	11	15	24
Woking	74,230	681	647	32	22	1,382	18·6	0·99	1·00	392	384	776	10·5	0·90	0·84	25	18	23	22	17	28
Rural districts	**191,160**	**1,634**	**1,588**	**81**	**75**	**3,378**	**17·7**	**1·02**	**0·98**	**971**	**976**	**1,947**	**10·2**	**0·99**	**0·89**	**41**	**12**	**33**	**29**	**41**	**20**
Bagshot	17,490	148	139	4	7	298	17·0	0·97	0·89	103	84	187	10·7	1·00	0·95	4	*13*	2	1	6	*23*
Dorking and Horley	33,600	320	305	15	16	656	19·5	1·00	1·05	157	157	314	9·3	1·10	0·91	3	*5*	3	3	4	*11*
Godstone	43,510	344	302	15	14	675	15·5	1·02	0·85	221	242	463	10·6	0·85	0·80	9	*13*	8	8	9	25
Guildford	60,530	564	554	27	25	1,170	19·3	1·02	1·06	293	295	588	9·7	1·10	0·94	20	17	15	13	14	23
Hambledon	36,030	258	288	20	13	579	16·1	1·08	0·94	197	198	395	11·0	0·88	0·86	5	*9*	5	4	8	*20*
SUSSEX, EAST	**692,510**	**4,587**	**4,218**	**448**	**415**	**9,668**	**14·0**	**1·21**	**0·92**	**4,914**	**6,115**	**11,029**	**15·9**	**0·66**	**0·93**	**146**	**15**	**98**	**87**	**137**	**23**
County boroughs	**292,870**	**1,836**	**1,785**	**235**	**231**	**4,087**	**14·0**	**1·18**	**0·89**	**2,166**	**2,777**	**4,943**	**16·9**	**0·65**	**0·97**	**67**	**16**	**45**	**41**	**55**	**23**
Brighton	162,650	1,115	1,076	156	147	2,494	15·3	1·11	0·92	1,132	1,338	2,470	15·2	0·74	1·00	44	18	29	28	30	23
Eastbourne	63,530	301	337	30	33	701	11·0	1·28	0·76	486	648	1,134	17·8	0·56	0·88	10	*14*	7	6	12	*25*
Hastings	66,690	420	372	49	51	892	13·4	1·27	0·92	548	791	1,339	20·1	0·55	0·98	13	*15*	9	7	13	22
Administrative county	**399,640**	**2,751**	**2,433**	**213**	**184**	**5,581**	**14·0**	**1·24**	**0·94**	**2,748**	**3,338**	**6,086**	**15·2**	**0·66**	**0·89**	**79**	**14**	**53**	**46**	**82**	**23**
Municipal boroughs and urban districts	**216,850**	**1,483**	**1,249**	**137**	**115**	**2,984**	**13·8**	**1·25**	**0·93**	**1,521**	**1,902**	**3,423**	**15·8**	**0·64**	**0·89**	**45**	**15**	**32**	**29**	**49**	**26**
Bexhill M.B.	31,300	124	122	11	7	264	8·4	1·57	0·71	268	323	591	18·9	0·49	0·82	4	*15*	4	4	4	*30*
Burgess Hill	15,490	161	157	4	9	331	21·4	1·01	1·17	88	90	178	11·5	1·04	1·06	3	*9*	2	2	5	*21*
Cuckfield	22,070	178	132	10	6	326	14·8	1·13	0·90	120	186	306	13·9	0·62	0·76	2	*6*	2	2	7	*27*
East Grinstead	16,390	143	120	10	6	279	17·0	1·01	0·93	89	114	203	12·4	0·72	0·79	6	*22*	3	3	3	*21*
Hove M.B.	72,780	388	324	77	61	850	11·7	1·36	0·86	606	800	1,406	19·3	0·55	0·94	12	*14*	9	7	15	25
Lewes M.B.	13,890	114	79	6	5	204	14·7	1·14	0·91	72	98	170	12·2	0·92	0·99	6	*29*	4	4	7	*52*
Newhaven	9,010	82	77	6	1	166	18·4	1·13	1·12	53	64	117	13·0	0·81	0·93	1	*6*	1	1	3	24
Portslade-by-Sea	17,520	195	150	8	8	361	20·6	0·97	1·08	110	91	201	11·5	1·02	1·04	8	*22*	6	5	3	*22*
Rye M.B.	4,370	27	24	1	2	54	12·4	1·18	0·79	28	33	61	14·0	0·84	1·04	2	*37*	1	1	-	*19*
Seaford	14,030	71	64	4	10	149	10·6	1·94	1·11	87	103	190	13·5	0·55	0·66	1	*7*	-	-	2	*13*

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Rural districts	**182,790**	**1,268**	**1,184**	**76**	**69**	**2,597**	**14·2**	**1·23**	**0·94**	**1,227**	**1,436**	**2,663**	**14·6**	**0·68**	**0·88**	**34**	**13**	**21**	**17**	**33**	**19**
Battle	31,410	185	179	23	14	401	12·8	1·32	0·91	264	251	515	16·4	0·66	0·96	5	*12*	3	3	1	*10*
Chailey	25,120	186	165	8	14	373	14·8	1·25	1·00	175	255	430	17·1	0·60	0·91	3	*8*	2	-	4	*11*
Cuckfield	33,590	277	253	13	9	552	16·4	1·10	0·98	164	166	330	9·8	0·84	0·73	6	*11*	5	5	9	*25*
Hailsham	46,670	289	278	11	13	591	12·7	1·25	0·86	358	446	804	17·2	0·59	0·90	9	*15*	4	4	11	*25*
Uckfield	46,000	331	309	21	19	680	14·8	1·22	0·98	266	318	584	12·7	0·75	0·84	11	*16*	7	5	8	*19*
SUSSEX, WEST	**436,770**	**3,185**	**2,917**	**207**	**206**	**6,515**	**14·9**	**1·14**	**0·92**	**2,789**	**3,187**	**5,976**	**13·7**	**0·73**	**0·89**	**108**	**17**	**83**	**68**	**90**	**24**
Municipal boroughs and urban districts	**262,480**	**1,904**	**1,768**	**123**	**131**	**3,926**	**15·0**	**1·11**	**0·90**	**1,639**	**2,015**	**3,654**	**13·9**	**0·72**	**0·89**	**57**	**15**	**44**	**35**	**51**	**22**
Arundel M.B.	2,670	22	15	-	2	39	14·6	1·27	1·00	18	18	36	13·5	0·69	0·82	-	-	-	-	-	-
Bognor Regis	29,620	177	167	18	31	393	13·3	1·32	0·95	216	273	489	16·5	0·62	0·91	2	*5*	2	2	8	*25*
Chichester M.B.	20,280	149	115	6	10	280	13·8	1·04	0·78	128	150	278	13·7	0·59	0·72	11	*39*	8	7	6	*45*
Crawley	59,000	577	575	24	30	1,206	20·4	0·79	0·87	157	144	301	5·1	2·04	0·92	19	*16*	15	13	10	19
Horsham	23,250	210	181	12	6	409	17·6	1·06	1·01	117	121	238	10·2	0·91	0·82	5	*12*	4	3	7	*24*
Littlehampton	17,060	139	136	9	6	290	17·0	1·13	1·04	99	126	225	13·2	0·78	0·91	3	*10*	2	1	6	*24*
Shoreham-by-Sea	18,050	108	102	8	7	225	12·5	1·04	0·70	83	95	178	9·9	0·89	0·78	3	*13*	2	1	5	*26*
Southwick	11,970	78	64	10	8	160	13·4	1·14	0·83	73	64	137	11·4	0·82	0·83	1	*6*	1	1	-	*6*
Worthing M.B.	80,580	444	413	36	31	924	11·5	1·52	0·94	748	1,024	1,772	22·0	0·47	0·92	13	*14*	10	7	9	*17*
Rural districts	**174,290**	**1,281**	**1,149**	**84**	**75**	**2,589**	**14·9**	**1·19**	**0·96**	**1,150**	**1,172**	**2,322**	**13·3**	**0·74**	**0·87**	**51**	**20**	**39**	**33**	**39**	**27**
Chanctonbury	24,380	166	188	8	12	374	15·3	1·20	0·99	160	152	312	12·8	0·78	0·88	8	*21*	6	6	4	*26*
Chichester	54,890	410	352	27	35	824	15·0	1·15	0·93	292	300	592	10·8	0·91	0·87	17	*21*	13	11	12	*28*
Horsham	25,860	223	190	16	6	435	16·8	1·04	0·94	133	101	234	9·0	0·94	0·75	11	*25*	9	8	5	*30*
Midhurst	18,070	113	119	7	3	242	13·4	1·12	0·81	139	167	306	16·9	0·65	0·97	6	*25*	6	5	3	*33*
Petworth	10,100	75	71	6	4	156	15·4	1·22	1·02	75	69	144	14·3	0·77	0·97	1	*6*	-	-	3	*19*
Worthing	40,990	294	229	20	15	558	13·6	1·38	1·01	351	383	734	17·9	0·54	0·86	8	*14*	5	3	12	*26*
***WARWICKSHIRE**	**2,082,430**	**19,815**	**18,294**	**1,883**	**1,780**	**41,772**	**20·1**	**0·97**	**1·05**	**11,030**	**9,886**	**20,916**	**10·0**	**1·21**	**1·07**	**831**	**20**	**571**	**504**	**685**	**28**
***County boroughs**	**1,521,970**	**14,426**	**13,278**	**1,557**	**1,487**	**30,748**	**20·2**	**0·98**	**1·07**	**8,147**	**7,296**	**15,443**	**10·1**	**1·23**	**1·10**	**643**	**21**	**434**	**380**	**528**	**29**
*Birmingham	1,106,130	10,490	9,603	1,277	1,216	22,586	20·4	0·99	1·09	6,152	5,671	11,823	10·7	1·17	1·11	479	21	319	279	395	29
Coventry	315,670	3,051	2,872	247	237	6,407	20·3	0·96	1·05	1,585	1,244	2,829	9·0	1·38	1·10	134	21	92	79	112	29
†Solihull	100,170	885	803	33	34	1,755	17·5	0·90	0·85	410	381	791	7·9	1·38	0·96	30	17	23	22	21	24
***Administrative county**	**560,460**	**5,389**	**5,016**	**326**	**293**	**11,024**	**19·7**	**0·95**	**1·01**	**2,883**	**2,590**	**5,473**	**9·8**	**1·17**	**1·01**	**188**	**17**	**137**	**124**	**157**	**25**
***Municipal boroughs and urban districts**	**323,880**	**3,094**	**2,792**	**225**	**183**	**6,294**	**19·4**	**0·96**	**1·01**	**1,728**	**1,609**	**3,337**	**10·3**	**1·14**	**1·04**	**101**	**16**	**72**	**61**	**94**	**24**
Bedworth	34,890	341	339	19	17	716	20·5	0·90	1·00	207	194	401	11·5	1·01	1·03	15	*21*	12	8	7	*21*
Kenilworth	17,480	190	166	5	4	365	20·9	0·91	1·03	91	73	164	9·4	1·38	1·15	3	*8*	2	2	4	*16*
Nuneaton M.B.	60,010	602	526	40	33	1,201	20·0	0·98	1·06	332	266	598	10·0	1·25	1·11	16	*13*	13	12	22	28
Royal Leamington Spa M.B.	44,300	418	400	60	52	930	21·0	0·96	1·09	282	289	571	12·9	1·02	1·16	21	23	14	12	13	27
Rugby M.B.	54,950	500	444	50	35	1,029	18·7	1·05	1·06	311	272	583	10·6	1·08	1·01	20	19	15	12	22	32
Stratford-upon-Avon M.B.	17,400	134	128	11	8	281	16·1	1·02	0·89	107	120	227	13·0	0·93	1·07	5	*18*	2	2	3	*18*
Sutton Coldfield M.B.	77,980	759	654	31	22	1,466	18·8	0·88	0·89	292	305	597	7·7	1·26	0·86	16	*11*	10	9	16	17
Warwick M.B.	16,870	150	135	9	12	306	18·1	1·04	1·02	106	90	196	11·6	1·03	1·06	5	*16*	4	4	7	*35*
***Rural districts**	**236,580**	**2,295**	**2,224**	**101**	**110**	**4,730**	**20·0**	**0·94**	**1·02**	**1,155**	**981**	**2,136**	**9·0**	**1·22**	**0·97**	**87**	**18**	**65**	**63**	**63**	**26**
Alcester	18,270	193	198	12	10	413	22·6	1·00	1·22	109	98	207	11·3	0·94	0·94	7	*17*	5	5	7	*29*
Atherstone	25,710	278	238	9	6	531	20·7	0·99	1·11	164	119	283	11·0	1·22	1·19	10	*19*	8	8	8	*30*
*Meriden	64,220	615	579	20	42	1,256	19·6	0·85	0·90	242	204	446	6·9	1·52	0·93	28	*22*	21	20	17	*29*
Rugby	24,460	206	206	8	14	434	17·7	0·98	0·94	123	98	221	9·0	1·29	1·03	9	*21*	6	6	6	*27*
Shipston on Stour	9,000	85	85	2	2	174	19·3	1·12	1·17	71	56	127	14·1	0·65	0·81	2	*11*	2	2	2	*23*
Southam	17,150	160	170	11	6	347	20·2	1·06	1·16	74	74	148	8·6	1·28	0·97	5	*14*	4	4	4	*23*
*Stratford-on-Avon	26,820	238	236	21	14	509	19·0	1·04	1·07	149	104	253	9·4	1·11	0·92	7	*14*	5	5	8	*25*
Tamworth	22,150	277	266	5	8	556	25·1	0·86	1·17	87	68	155	7·0	1·41	0·87	7	*13*	5	4	8	*21*
*Warwick	28,800	243	246	13	8	510	17·7	0·92	0·88	136	160	296	10·3	0·88	0·80	12	*24*	9	9	3	*23*
WESTMORLAND	**66,600**	**511**	**526**	**33**	**27**	**1,097**	**16·5**	**1·13**	**1·01**	**466**	**446**	**912**	**13·7**	**0·89**	**1·08**	**25**	**23**	**17**	**15**	**23**	**34**
Municipal boroughs and urban districts	**32,200**	**244**	**232**	**19**	**18**	**513**	**15·9**	**1·09**	**0·94**	**237**	**230**	**467**	**14·5**	**0·85**	**1·09**	**11**	*21*	**9**	**9**	**11**	**38**
Appleby M.B.	1,760	16	13	-	-	29	16·5	1·08	0·96	8	6	14	*8·0*	1·09	0·77	-	-	-	-	1	*33*
Kendal M.B.	18,730	162	147	12	13	334	17·8	1·07	1·03	138	127	265	14·1	0·92	1·15	7	*21*	7	7	8	*44*
Lakes	5,090	23	26	6	2	57	11·2	1·04	0·63	39	30	69	13·6	0·79	0·95	1	*18*	1	1	-	*18*
Windermere	6,620	43	46	1	3	93	14·0	1·18	0·89	52	67	119	18·0	0·73	1·16	3	*32*	1	1	2	*32*
Rural districts	**34,400**	**267**	**294**	**14**	**9**	**584**	**17·0**	**1·16**	**1·07**	**229**	**216**	**445**	**12·9**	**0·93**	**1·06**	**14**	*24*	**8**	**6**	**12**	*30*
North Westmorland	15,090	123	145	6	4	278	18·4	1·10	1·09	108	89	197	13·1	0·99	1·15	5	*18*	3	2	4	*21*
South Westmorland	19,310	144	149	8	5	306	15·8	1·22	1·04	121	127	248	12·8	0·89	1·01	9	*29*	5	4	8	*38*

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1964	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
WIGHT, ISLE OF	**95,380**	**666**	**604**	**67**	**65**	**1,402**	**14·7**	**1·26**	**1·00**	**733**	**719**	**1,452**	**15·2**	**0·74**	**1·00**	**20**	**14**	**16**	**16**	**28**	**31**
Municipal boroughs and urban districts	**76,760**	**558**	**489**	**54**	**55**	**1,156**	**15·1**	**1·25**	**1·02**	**587**	**589**	**1,176**	**15·3**	**0·73**	**0·99**	**17**	*15*	**14**	**14**	**24**	**32**
Cowes	17,590	144	145	5	5	299	17·0	1·19	1·09	151	98	249	14·2	0·86	1·08	4	*13*	3	3	7	*33*
Newport M.B.	19,110	127	113	12	19	271	14·2	1·20	0·92	146	176	322	16·8	0·62	0·92	7	*26*	6	6	3	*33*
Ryde M.B.	20,350	147	130	21	20	318	15·6	1·19	1·00	139	161	300	14·7	0·74	0·96	5	*16*	4	4	8	*37*
Sandown-Shanklin	13,510	84	72	13	8	177	13·1	1·49	1·06	106	97	203	15·0	0·71	0·94	1	*6*	1	1	1	*11*
Ventnor	6,200	56	29	3	3	91	14·7	1·45	1·15	45	57	102	16·5	0·64	0·93	-	-	-	-	5	*52*
Isle of Wight R.D.	18,620	108	115	13	10	246	13·2	1·31	0·93	146	130	276	14·8	0·75	0·98	3	*12*	2	2	4	*24*
WILTSHIRE	**457,100**	**4,542**	**4,160**	**252**	**249**	**9,203**	**20·1**	**1·01**	**1·10**	**2,404**	**2,190**	**4,594**	**10·1**	**1·07**	**0·96**	**205**	**22**	**140**	**122**	**172**	**31**
Municipal boroughs and urban districts	**228,230**	**2,255**	**2,001**	**150**	**145**	**4,551**	**19·9**	**0·98**	**1·05**	**1,308**	**1,222**	**2,530**	**11·1**	**1·02**	**1·00**	**112**	**25**	**76**	**64**	**86**	**32**
Bradford-on-Avon	6,400	67	39	3	6	115	18·0	1·10	1·07	38	30	68	10·6	0·91	0·85	8	*70*	6	5	5	*83*
Calne M.B.	7,460	67	45	2	3	117	15·7	1·02	0·87	40	29	69	9·2	1·09	0·89	2	*17*	2	2	1	*25*
Chippenham M.B.	18,510	193	147	8	9	357	19·3	0·97	1·01	114	101	215	11·6	0·87	0·89	4	*11*	3	3	9	*33*
Devizes M.B.	8,780	64	68	5	3	140	15·9	1·00	0·86	67	74	141	16·1	0·66	0·94	3	*21*	1	-	3	*21*
Malmesbury M.B.	2,680	34	35	1	6	76	28·4	1·05	1·61	21	20	41	15·3	0·83	1·12	5	*66*	4	3	3	*76*
Marlborough M.B.	5,800	41	32	-	6	79	13·6	1·31	0·96	35	36	71	12·2	1·05	1·13	2	*25*	2	-	2	*25*
Melksham	8,970	91	84	7	4	186	20·7	0·97	1·09	47	43	90	10·0	1·24	1·10	6	*32*	4	3	3	*32*
Salisbury M.B.	35,800	291	259	24	27	601	16·8	1·00	0·91	263	259	522	14·6	0·65	0·84	11	*18*	8	6	10	*26*
Swindon M.B.	97,460	1,060	932	77	66	2,135	21·9	0·93	1·10	481	404	885	9·1	1·25	1·01	52	24	32	30	42	33
Trowbridge	16,490	164	176	16	9	365	22·1	1·05	1·25	83	112	195	11·8	1·00	1·04	11	*30*	9	9	3	*33*
Warminster	10,420	101	95	3	4	203	19·5	1·08	1·14	74	68	142	13·6	0·92	1·11	4	*20*	1	1	4	*24*
Westbury	5,510	48	44	3	1	96	17·4	1·14	1·07	30	34	64	11·6	1·01	1·04	2	*21*	2	1	-	*10*
Wilton M.B.	3,950	34	45	1	1	81	20·5	0·98	1·09	15	12	27	6·8	1·26	0·76	2	*25*	2	1	1	*24*
Rural districts	**228,870**	**2,287**	**2,159**	**102**	**104**	**4,652**	**20·3**	**1·05**	**1·15**	**1,096**	**968**	**2,064**	**9·0**	**1·11**	**0·88**	**93**	**20**	**64**	**58**	**86**	**30**
Amesbury	25,700	353	277	14	14	658	25·6	0·98	1·36	98	78	176	6·8	1·56	0·94	19	*29*	7	6	15	*31*
Bradford and Melksham	12,960	113	103	2	7	225	17·4	1·21	1·14	62	65	127	9·8	0·89	0·77	2	*9*	1	1	1	*9*
Calne and Chippenham	34,170	330	305	18	18	671	19·6	1·12	1·19	133	112	245	7·2	1·29	0·82	19	*28*	15	15	14	*42*
Cricklade and Wootton Bassett	21,540	207	188	5	6	406	18·8	1·14	1·16	73	66	139	6·5	1·38	0·79	7	*17*	6	3	5	*19*
Devizes	14,380	100	123	5	6	234	16·3	1·13	1·00	97	92	189	13·1	0·72	0·83	5	*21*	3	3	2	*21*
Highworth	32,610	393	373	13	12	791	24·3	0·92	1·21	179	160	339	10·4	1·06	0·98	15	*19*	14	13	23	*44*
Malmesbury	10,870	92	97	9	9	207	19·0	0·97	1·00	49	47	96	8·8	1·14	0·89	3	*14*	1	1	4	*24*
Marlborough and Ramsbury	10,190	83	95	3	4	185	18·2	1·10	1·08	62	58	120	11·8	0·99	1·03	9	*49*	8	7	2	*48*
Mere and Tisbury	11,510	91	76	6	6	179	15·6	1·19	1·00	79	61	140	12·2	0·82	0·89	2	*11*	2	2	5	*38*
Pewsey	20,680	250	245	11	9	515	24·9	0·89	1·20	92	80	172	8·3	1·30	0·95	7	*14*	2	2	5	*13*
Salisbury and Wilton	20,560	185	181	10	8	384	18·7	1·03	1·04	95	84	179	8·7	0·97	0·75	3	*8*	3	3	7	*26*
Warminster and Westbury	13,700	90	96	6	5	197	14·4	1·21	0·94	77	65	142	10·4	0·92	0·85	2	*10*	2	2	3	*25*
***WORCESTERSHIRE**	**596,500**	**5,259**	**4,974**	**298**	**273**	**10,804**	**18·1**	**0·99**	**0·97**	**3,307**	**3,148**	**6,455**	**10·8**	**1·10**	**1·05**	**211**	**20**	**148**	**135**	**176**	**28**
County boroughs	**131,470**	**1,109**	**1,082**	**77**	**70**	**2,338**	**17·8**	**0·98**	**0·94**	**792**	**663**	**1,455**	**11·1**	**1·15**	**1·13**	**41**	**18**	**25**	**21**	**45**	**28**
Dudley	63,890	534	522	40	38	1,134	17·7	0·99	0·95	386	301	687	10·8	1·26	1·20	21	*19*	12	10	28	*33*
Worcester	67,580	575	560	37	32	1,204	17·8	0·97	0·93	406	362	768	11·4	1·06	1·07	20	*17*	13	11	17	*23*

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
*** Administrative county**	**465,030**	**4,150**	**3,892**	**221**	**203**	**8,466**	**18·2**	**0·99**	**0·97**	**2,515**	**2,485**	**5,000**	**10·8**	**1·08**	**1·03**	**170**	**20**	**123**	**114**	**131**	**28**
Municipal boroughs and urban districts	**329,240**	**2,984**	**2,752**	**161**	**160**	**6,057**	**18·4**	**0·98**	**0·97**	**1,778**	**1,791**	**3,569**	**10·8**	**1·12**	**1·07**	**106**	**18**	**78**	**72**	**102**	**28**
Bewdley M.B.	5,190	50	47	3	4	104	20·0	0·98	1·06	28	28	56	10·8	1·00	0·96	-	-	-	-	-	-
Bromsgrove	36,790	360	328	14	11	713	19·4	0·90	0·94	220	212	432	11·7	1·02	1·06	8	*11*	3	3	13	*22*
Droitwich M.B.	8,160	65	68	4	6	143	17·5	1·00	0·95	32	56	88	10·8	0·79	0·76	2	*14*	2	2	2	*28*
Evesham M.B.	12,980	120	98	8	4	230	17·7	1·01	0·97	86	110	196	15·1	0·69	0·92	3	*13*	3	3	4	*30*
Halesowen M.B.	45,190	376	332	13	18	739	16·4	0·97	0·86	252	242	494	10·9	1·22	1·18	14	*19*	9	8	11	*25*
Kidderminster M.B.	43,450	398	402	24	21	845	19·4	1·00	1·05	269	263	532	12·2	1·03	1·11	20	*24*	13	12	13	*29*
Malvern	28,030	239	215	27	27	508	18·1	1·17	1·14	110	199	309	11·0	0·94	0·92	9	*18*	8	7	3	*20*
Oldbury M.B.	54,180	439	421	21	21	902	16·6	0·99	0·89	272	211	483	8·9	1·36	1·07	11	*12*	9	8	17	*27*
Redditch	35,960	373	346	24	22	765	21·3	0·97	1·12	184	180	364	10·1	1·20	1·07	16	*21*	12	11	15	*33*
Stourbridge M.B.	45,910	394	366	16	14	790	17·2	0·95	0·88	261	225	486	10·6	1·11	1·04	20	*25*	17	16	17	*41*
Stourport-on-Severn	13,400	170	129	7	12	318	23·7	0·96	1·23	64	65	129	9·6	1·31	1·11	3	*9*	2	2	7	*28*
*** Rural districts**	**135,790**	**1,166**	**1,140**	**60**	**43**	**2,409**	**17·7**	**1·02**	**0·98**	**737**	**694**	**1,431**	**10·5**	**1·01**	**0·94**	**64**	**27**	**45**	**42**	**29**	**29**
*Bromsgrove	38,840	344	404	14	8	770	19·8	0·90	0·96	179	170	349	9·0	1·22	0·97	20	*26*	13	11	9	*26*
Droitwich	14,540	119	128	10	6	263	18·1	1·05	1·03	74	68	142	9·8	1·09	0·95	4	*15*	2	2	2	*15*
Evesham	17,980	188	123	12	4	327	18·2	1·13	1·11	103	90	193	10·7	0·98	0·93	12	*37*	8	7	6	*39*
Kidderminster	12,320	104	93	5	4	206	16·7	0·92	0·83	62	51	113	9·2	1·14	0·93	2	*10*	2	2	2	*19*
Martley	12,470	118	102	9	7	236	18·9	1·05	1·07	69	65	134	10·7	1·02	0·97	6	*25*	5	5	3	*33*
Pershore	19,800	150	161	5	8	324	16·4	1·10	0·98	90	110	200	10·1	1·00	0·89	11	*34*	7	7	3	*31*
Tenbury	5,350	41	41	2	1	85	15·9	1·14	0·98	43	30	73	13·6	0·98	1·18	2	*24*	2	2	-	*24*
Upton upon Severn	14,490	102	88	3	5	198	13·7	1·16	0·86	117	110	227	15·7	0·49	0·68	7	*35*	6	6	4	*50*
YORKSHIRE, EAST RIDING	**537,620**	**4,849**	**4,442**	**345**	**336**	**9,972**	**18·5**	**1·01**	**1·01**	**3,130**	**2,930**	**6,060**	**11·3**	**1·06**	**1·06**	**201**	**20**	**127**	**107**	**172**	**28**
Kingston upon Hull C.B.	300,320	2,835	2,648	264	253	6,000	20·0	0·97	1·05	1,721	1,445	3,166	10·5	1·23	1·14	129	22	80	70	102	28
Administrative county	**237,300**	**2,014**	**1,794**	**81**	**83**	**3,972**	**16·7**	**1·06**	**0·96**	**1,409**	**1,485**	**2,894**	**12·2**	**0·89**	**0·96**	**72**	**18**	**47**	**37**	**70**	**26**
***Municipal boroughs and urban districts**	**119,920**	**976**	**910**	**44**	**38**	**1,968**	**16·4**	**1·08**	**0·96**	**767**	**898**	**1,665**	**13·9**	**0·82**	**1·01**	**35**	**18**	**19**	**15**	**38**	**26**
Beverley M.B.	16,530	162	136	9	3	310	18·8	1·01	1·03	93	91	184	11·1	1·04	1·02	3	*10*	2	2	6	*25*
Bridlington M.B.	26,250	176	182	10	9	377	14·4	1·24	0·97	213	283	496	18·9	0·65	1·09	13	*34*	6	6	6	*31*
Driffield	6,900	71	51	-	6	128	18·6	1·04	1·05	60	65	125	18·1	0·57	0·91	1	*8*	-	-	4	*30*
Filey	4,580	26	26	1	1	54	11·8	1·23	0·78	33	48	81	17·7	0·83	1·30	1	*19*	1	-	2	*36*
Haltemprice	47,180	389	360	17	13	779	16·5	0·99	0·88	238	257	495	10·5	0·95	0·88	14	*18*	8	5	13	*23*
*Hedon M.B.	2,530	14	21	-	-	35	13·8	1·14	0·85	20	21	41	16·2	0·90	1·29	-	-	-	-	1	*28*
Hornsea	6,090	55	49	1	2	107	17·6	1·22	1·16	43	51	94	15·4	0·70	0·95	-	-	-	-	1	*9*
Norton	4,970	31	29	4	2	66	13·3	1·12	0·81	35	36	71	14·3	0·99	1·25	2	*30*	2	2	4	*86*
Withernsea	4,890	52	56	2	2	112	22·9	1·20	1·49	32	46	78	16·0	0·77	1·09	1	*9*	-	-	1	*9*
***Rural districts**	**117,380**	**1,038**	**884**	**37**	**45**	**2,004**	**17·1**	**1·04**	**0·96**	**642**	**587**	**1,229**	**10·5**	**0·97**	**0·90**	**37**	**18**	**28**	**22**	**32**	**27**
Beverley	26,500	238	225	4	7	474	17·9	0·98	0·95	125	123	248	9·4	0·93	0·77	7	*15*	6	4	7	*23*
Bridlington	8,950	54	50	4	3	111	12·4	1·17	0·78	56	49	105	11·7	0·85	0·88	2	*18*	2	2	2	*35*
Derwent	14,810	124	114	3	4	245	16·5	1·02	0·91	77	87	164	11·1	0·81	0·80	5	*20*	4	3	3	*24*
Driffield	10,350	100	80	4	6	190	18·4	1·06	1·05	67	55	122	11·8	1·04	1·09	4	*21*	3	2	3	*26*
*Holderness	22,870	246	177	9	8	440	19·2	1·01	1·05	135	86	221	9·7	1·02	0·88	8	*18*	3	3	6	*20*
Howden	12,210	93	89	6	8	196	16·1	1·06	0·92	67	64	131	10·7	0·99	0·94	5	*26*	4	3	4	*35*
Norton	7,040	71	40	2	5	118	16·8	1·09	0·99	36	43	79	11·2	1·04	1·03	2	*17*	2	2	3	*41*
Pocklington	14,650	112	109	5	4	230	15·7	1·10	0·93	79	80	159	10·9	1·01	0·97	4	*17*	4	3	4	*30*
YORKSHIRE, NORTH RIDING	**577,280**	**5,469**	**4,923**	**387**	**306**	**11,085**	**19·2**	**1·01**	**1·05**	**3,389**	**2,994**	**6,383**	**11·1**	**1·11**	**1·09**	**239**	**22**	**158**	**131**	**208**	**30**
Middlesbrough C.B.	157,740	1,548	1,467	156	100	3,271	20·7	0·98	1·10	937	710	1,647	10·4	1·27	1·17	92	28	62	52	72	37
Administrative county	**419,540**	**3,921**	**3,456**	**231**	**206**	**7,814**	**18·6**	**1·02**	**1·03**	**2,452**	**2,284**	**4,736**	**11·3**	**1·05**	**1·05**	**147**	**19**	**96**	**79**	**136**	**27**
Municipal boroughs and urban districts	**228,290**	**2,194**	**1,900**	**61**	**131**	**4,386**	**19·2**	**1·03**	**1·07**	**1,426**	**1,361**	**2,787**	**12·2**	**1·02**	**1·10**	**84**	**19**	**51**	**39**	**90**	**29**
Eston	38,390	432	389	36	18	875	22·8	0·97	1·20	201	145	346	9·0	1·53	1·22	17	*19*	10	7	25	*36*
Guisborough	12,990	146	102	3	4	255	19·6	0·88	0·93	61	64	125	9·6	1·07	0·91	6	*24*	5	4	6	*38*
Loftus	8,100	72	45	2	1	120	14·8	1·07	0·86	57	39	96	11·9	1·19	1·25	5	*42*	3	3	2	*41*
Malton	4,260	28	32	-	1	61	14·3	1·09	0·84	35	29	64	15·0	0·88	1·17	1	*16*	-	-	-	-
Northallerton	6,720	56	51	3	6	116	17·3	0·96	0·90	39	29	68	10·1	1·10	0·98	5	*43*	4	4	2	*51*
Pickering	4,320	32	22	1	1	56	13·0	1·13	0·79	26	19	45	10·4	0·93	0·86	-	-	-	-	3	*51*
Redcar M.B.	34,340	341	345	27	18	731	21·3	1·03	1·19	191	182	373	10·9	1·18	1·14	14	*19*	9	6	14	*27*
Richmond M.B.	6,960	82	54	2	5	143	20·5	0·88	0·98	34	32	66	9·5	1·17	0·98	2	*14*	1	1	1	*14*
Saltburn and Marske-by-the-Sea	13,920	125	110	9	6	250	18·0	0·91	0·89	73	62	135	9·7	1·25	1·07	4	*16*	2	-	7	*27*

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1964	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
YORKSHIRE, NORTH RIDING - *continued*																					
Municipal boroughs and urban districts - *continued*																					
Scalby	7,660	62	52	3	-	117	15·3	1·16	0·96	71	52	123	16·1	0·76	1·08	1	9	1	1	2	25
Scarborough M.B.	42,190	322	261	43	31	657	15·6	1·17	0·99	330	412	742	17·6	0·71	1·11	12	18	7	5	9	21
Skelton and Brotton	13,330	134	108	10	11	263	19·7	1·08	1·15	96	75	171	12·8	1·14	1·29	5	19	3	3	8	41
Thornaby-on-Tees M.B.	22,770	238	214	15	26	493	21·7	0·96	1·13	121	101	222	9·7	1·34	1·15	8	16	3	2	9	22
Whitby	12,340	124	115	7	3	249	20·2	1·10	1·20	91	120	211	17·1	0·62	0·94	4	16	3	3	2	20
Rural districts	**191,250**	**1,727**	**1,556**	**70**	**75**	**3,428**	**17·9**	**1·02**	**0·99**	**1,026**	**923**	**1,949**	**10·2**	**1·09**	**0·98**	**63**	**18**	**45**	**40**	**46**	**25**
Aysgarth	3,260	24	19	-	-	43	13·2	1·21	0·86	22	17	39	12·0	0·81	0·86	1	23	-	-	1	23
Bedale	8,560	89	77	1	2	169	19·7	1·01	1·08	55	43	98	11·4	1·12	1·13	3	18	3	3	-	18
Croft	2,060	11	5	1	-	17	8·3	1·01	0·45	12	14	26	12·6	1·09	1·22	1	59	1	1	-	59
Easingwold	11,450	88	61	4	5	158	13·8	1·08	0·81	56	59	115	10·0	1·03	0·91	7	44	4	3	3	37
Flaxton	33,530	370	341	11	15	737	22·0	0·83	0·99	173	155	328	9·8	1·12	0·97	14	19	9	8	9	23
Helmsley	5,260	27	25	3	1	56	10·6	1·36	0·78	23	24	47	8·9	1·16	0·91	-	-	-	-	-	-
Kirkbymoorside	4,480	25	20	2	2	49	10·9	1·14	0·67	31	25	56	12·5	0·84	0·93	-	-	-	-	-	-
Leyburn	6,260	51	31	1	2	85	13·6	1·17	0·86	40	29	69	11·0	0·85	0·83	-	-	-	-	-	-
Malton	5,350	35	36	4	2	77	14·4	1·17	0·91	33	25	58	10·8	1·01	0·97	1	13	1	1	2	38
Masham	1,620	12	13	-	-	25	15·4	1·37	1·14	11	16	27	16·7	0·91	1·34	2	80	2	2	-	80
Northallerton	8,950	75	82	4	2	163	18·2	1·08	1·06	56	49	105	11·7	0·96	0·99	2	12	-	-	4	24
Pickering	4,680	39	33	3	3	78	16·7	1·21	1·09	30	36	66	14·1	0·82	1·02	-	-	-	-	-	-
Reeth	1,740	11	8	1	-	20	11·5	1·38	0·86	15	12	27	15·5	0·75	1·03	1	50	1	1	-	50
Richmond	22,490	220	225	12	14	471	20·9	1·00	1·13	73	51	124	5·5	1·85	0·90	12	25	10	7	7	29
Scarborough	8,630	79	56	5	5	145	16·8	1·19	1·08	59	60	119	13·8	0·79	0·96	2	14	2	2	3	34
Startforth	4,420	35	31	-	1	67	15·2	1·15	0·94	31	23	54	12·2	1·09	1·18	3	45	1	1	1	29
Stokesley	29,660	305	285	7	7	604	20·4	0·89	0·98	121	125	246	8·3	1·27	0·93	6	10	5	5	6	18
Thirsk	14,170	144	109	7	10	270	19·1	1·03	1·06	97	74	171	12·1	1·05	1·12	6	22	5	5	6	40
Wath	3,210	17	25	1	2	45	14·0	1·26	0·95	12	7	19	5·9	1·77	0·92	1	22	-	-	2	43
Whitby	11,470	70	74	3	2	149	13·0	1·27	0·89	76	79	155	13·5	0·83	0·99	1	7	1	1	2	20
YORKSHIRE, WEST RIDING	**3,703,770**	**32,711**	**30,667**	**2,615**	**2,498**	**68,491**	**18·5**	**1·01**	**1·01**	**22,857**	**21,239**	**44,096**	**11·9**	**1·10**	**1·16**	**1,584**	**23**	**1,048**	**900**	**1,249**	**31**
County boroughs	**1,993,380**	**17,353**	**15,984**	**1,710**	**1,661**	**36,708**	**18·4**	**1·02**	**1·01**	**12,652**	**11,715**	**24,367**	**12·2**	**1·08**	**1·17**	**880**	**24**	**561**	**501**	**685**	**32**
Barnsley	75,260	697	653	49	39	1,438	19·1	0·98	1·01	453	392	845	11·2	1·23	1·22	43	30	27	26	35	41
Bradford	298,220	2,688	2,470	341	338	5,837	19·6	1·04	1·10	1,907	1,966	3,873	13·0	1·03	1·18	157	27	88	79	104	31
Dewsbury	53,490	468	455	41	39	1,003	18·8	1·06	1·08	378	358	736	13·8	1·03	1·26	24	24	14	14	29	42
Doncaster	87,100	730	710	89	78	1,607	18·5	0·99	0·99	555	407	962	11·0	1·14	1·11	49	30	34	33	29	38
Halifax	95,450	851	742	89	63	1,745	18·3	1·08	1·07	670	709	1,379	14·4	0·94	1·20	58	33	34	33	20	30
Huddersfield	132,270	1,176	1,038	146	137	2,497	18·9	1·05	1·07	900	851	1,751	13·2	1·03	1·20	64	26	35	23	74	38
Leeds	508,790	4,540	4,116	484	493	9,633	18·9	1·00	1·02	3,009	2,822	5,831	11·5	1·14	1·16	237	25	149	137	170	31
Rotherham	86,510	816	782	44	47	1,689	19·5	0·99	1·04	486	442	928	10·7	1·19	1·13	37	22	29	27	29	33
Sheffield	490,930	4,076	3,748	313	310	8,447	17·2	1·01	0·94	3,250	2,765	6,015	12·3	1·05	1·14	147	17	106	87	140	26
Wakefield	60,130	462	449	34	38	983	16·3	1·02	0·90	409	393	802	13·3	1·00	1·18	16	16	14	14	18	32
York	105,230	849	821	80	79	1,829	17·4	1·02	0·96	635	610	1,245	11·8	1·01	1·05	48	26	31	28	37	35
Administrative county	**1,710,390**	**15,358**	**14,683**	**905**	**837**	**31,783**	**18·6**	**1·01**	**1·02**	**10,205**	**9,524**	**19,729**	**11·5**	**1·11**	**1·13**	**704**	**22**	**487**	**399**	**564**	**30**

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Municipal boroughs and urban districts	**1,217,160**	**10,723**	**10,295**	**713**	**611**	**22,342**	**18·4**	**1·02**	**1·01**	**7,520**	**7,301**	**14,821**	**12·2**	**1·07**	**1·16**	**492**	**22**	**343**	**281**	**410**	**30**
Adwick le Street	18,400	179	130	9	12	330	17·9	1·04	1·01	112	98	210	11·4	1·31	1·32	8	24	4	4	6	30
Aireborough	28,430	237	203	11	8	459	16·1	1·12	0·97	203	212	415	14·6	0·80	1·03	4	9	3	2	4	13
Baildon	12,940	94	102	6	7	209	16·2	1·03	0·90	79	64	143	11·1	1·05	1·03	4	19	3	3	3	28
Barnoldswick	10,060	74	67	7	5	153	15·2	1·13	0·93	75	73	148	14·7	1·06	1·38	3	20	2	2	4	38
Batley M.B.	40,270	353	363	34	24	774	19·2	1·05	1·09	243	256	499	12·4	1·12	1·23	16	21	10	7	16	29
Bentley with Arksey	23,440	252	214	19	14	499	21·3	0·94	1·08	138	87	225	9·6	1·40	1·19	11	22	7	6	7	26
Bingley	23,820	224	219	13	12	468	19·6	1·03	1·09	139	150	289	12·1	1·02	1·09	7	15	4	3	3	13
Brighouse M.B.	31,830	293	297	24	22	636	20·0	1·09	1·18	194	196	390	12·3	1·00	1·09	9	14	4	3	15	28
Castleford M.B.	39,930	328	312	20	19	679	17·0	1·04	0·96	265	194	459	11·5	1·26	1·28	25	37	19	16	20	52
Colne Valley	21,140	178	146	10	11	345	16·3	1·12	0·99	172	140	312	14·8	1·03	1·35	7	20	4	3	9	34
Conisbrough	17,830	185	160	7	5	357	20·0	0·99	1·07	111	93	204	11·4	1·32	1·33	13	36	11	7	7	38
Cudworth	9,140	81	71	4	2	158	17·3	0·93	0·87	57	39	96	10·5	1·40	1·30	3	19	3	2	4	37
Darfield	6,940	54	47	5	1	107	15·4	0·92	0·77	40	30	70	10·1	1·26	1·13	2	19	2	2	5	63
Darton	14,720	132	140	10	5	287	19·5	0·99	1·04	94	72	166	11·3	1·27	1·27	7	24	4	3	10	44
Dearne	26,810	271	275	17	10	573	21·4	0·98	1·13	164	121	285	10·6	1·47	1·38	10	17	8	8	10	31
Denby Dale	9,670	86	68	6	4	164	17·0	1·11	1·02	67	59	126	13·0	1·03	1·18	-	-	-	-	3	18
Denholme	2,590	27	14	1	4	46	17·8	1·20	1·15	17	12	29	11·2	1·01	1·00	2	43	2	2	-	43
Dodworth	4,070	30	34	3	-	67	16·5	0·96	0·86	25	19	44	10·8	1·31	1·25	2	30	2	2	-	30
Earby	5,110	29	34	4	-	67	13·1	1·20	0·85	23	26	49	9·6	1·09	0·93	-	-	-	-	1	15
Elland	18,440	133	152	19	10	314	17·0	1·10	1·01	126	139	265	14·4	0·99	1·26	7	22	5	5	7	37
Featherstone	14,860	121	156	8	5	290	19·5	0·95	1·00	74	74	148	10·0	1·42	1·26	7	24	2	1	11	40
Garforth	17,100	214	171	5	9	399	23·3	0·95	1·20	74	62	136	8·0	1·34	0·95	6	15	5	4	14	44
Goole M.B.	18,680	144	164	11	5	324	17·3	1·00	0·94	99	114	213	11·4	1·04	1·05	10	31	8	7	1	25
Harrogate M.B.	58,230	437	450	49	38	974	16·7	1·06	0·96	306	467	773	13·3	0·82	0·97	17	17	9	7	7	14
Hebden Royd	9,140	43	53	4	4	104	11·4	1·22	0·75	65	91	156	17·1	0·85	1·29	3	29	1	1	4	46
Heckmondwike	8,700	92	65	4	1	162	18·6	1·04	1·05	57	49	106	12·2	1·15	1·24	2	12	2	1	4	30
Hemsworth	14,550	137	129	7	16	289	19·9	0·94	1·01	80	120	200	13·7	1·03	1·25	7	24	2	2	12	47
Holmfirth	18,620	144	164	11	8	327	17·6	1·11	1·06	135	167	302	16·2	0·79	1·13	7	21	4	4	5	27
Horbury	8,820	83	79	4	7	173	19·6	0·97	1·03	40	52	92	10·4	1·12	1·03	5	29	5	3	1	23
Horsforth	15,690	131	127	8	5	271	17·3	0·97	0·91	94	77	171	10·9	1·10	1·06	4	15	3	2	2	15
Hoyland Nether	15,740	133	117	10	11	271	17·2	1·01	0·94	83	65	148	9·4	1·17	0·97	3	11	2	2	6	29
Ilkley	18,960	157	137	11	8	313	16·5	1·12	1·00	119	138	257	13·6	0·76	0·91	5	16	4	3	6	28
Keighley M.B.	56,190	444	461	52	42	999	17·8	1·00	0·96	373	422	795	14·1	0·97	1·21	27	27	21	15	16	31
Kirkburton	18,570	136	136	10	13	295	15·9	1·11	0·95	143	185	328	17·7	0·60	0·94	7	24	5	3	7	33
Knaresborough	9,870	91	99	3	2	195	19·8	1·08	1·16	76	80	156	15·8	0·57	0·80	4	21	2	2	5	35
Knottingley	13,320	150	123	7	8	288	21·6	0·90	1·05	63	55	118	8·9	1·60	1·26	7	24	4	2	4	21
Maltby	14,090	133	145	13	6	297	21·1	0·91	1·04	89	60	149	10·6	1·56	1·46	13	44	6	6	4	33
Meltham	5,600	51	42	2	5	100	17·9	1·15	1·11	32	29	61	10·9	1·09	1·05	2	20	2	2	1	30
Mexborough	16,680	149	119	7	6	281	16·8	1·03	0·94	125	77	202	12·1	1·13	1·21	8	28	4	2	5	24
Mirfield	13,450	121	109	4	2	236	17·5	1·06	1·00	93	70	163	12·1	1·10	1·18	7	30	5	5	3	33
Morley M.B.	42,590	409	402	21	26	858	20·1	1·03	1·12	252	225	477	11·2	1·17	1·16	17	20	13	11	14	29
Normanton	18,360	184	168	10	1	363	19·8	1·02	1·09	116	82	198	10·8	1·19	1·14	15	41	11	8	4	33
Ossett M.B.	15,650	176	131	5	5	317	20·3	0·96	1·05	82	91	173	11·1	1·22	1·20	10	32	7	5	8	40
Otley	11,770	91	75	6	6	178	15·1	1·09	0·89	68	91	159	13·5	0·97	1·16	7	39	5	5	3	44
Penistone	7,240	58	58	-	1	117	16·2	1·04	0·91	57	45	102	14·1	1·13	1·41	2	17	-	-	2	17
Pontefract M.B.	28,320	299	291	21	19	630	22·2	0·91	1·09	166	137	303	10·7	1·19	1·13	17	27	9	6	14	31
Pudsey M.B.	36,950	346	336	15	19	716	19·4	0·95	1·00	197	200	397	10·7	1·15	1·09	18	25	15	15	14	40
Queensbury and Shelf	9,500	87	85	10	7	189	19·9	0·96	1·03	61	50	111	11·7	1·11	1·15	2	11	2	2	2	21
Rawmarsh	19,600	163	175	14	6	358	18·3	1·00	0·99	107	93	200	10·2	1·31	1·18	7	20	4	4	13	46
Ripon M.B.	10,760	104	98	5	7	214	19·9	0·91	0·98	74	75	149	13·8	0·83	1·01	3	14	2	2	4	28
Ripponden	5,030	29	24	6	1	60	11·9	1·20	0·77	28	30	58	11·5	1·03	1·05	2	33	1	1	2	48
Rothwell	26,320	229	227	15	12	483	18·4	1·02	1·01	190	181	371	14·1	0·76	0·95	7	14	5	4	10	28
Royston	8,540	83	85	2	2	172	20·1	0·91	0·99	55	49	104	12·2	1·21	1·31	4	23	3	3	2	29
Saddleworth	17,600	140	139	6	3	288	16·4	1·10	0·98	123	101	224	12·7	0·95	1·07	7	24	5	5	5	34
Selby	10,670	109	97	6	2	214	20·1	1·04	1·13	67	67	134	12·6	0·94	1·05	2	9	1	1	3	18
Shipley	29,800	262	226	11	16	515	17·3	1·07	1·00	173	191	364	12·2	1·02	1·10	4	8	4	3	15	34
Silsden	5,290	41	34	2	3	80	15·1	1·12	0·91	43	32	75	14·2	1·00	1·26	2	25	1	1	-	13
Skipton	13,140	106	97	6	3	212	16·1	1·14	0·99	85	109	194	14·8	0·79	1·03	3	14	3	2	2	19

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1964	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
YORKSHIRE, WEST RIDING - *continued*																					
Municipal boroughs and urban districts - *continued*																					
Sowerby Bridge	17,150	137	159	15	15	326	19·0	1·07	1·10	132	112	244	14·2	1·01	1·27	8	25	5	5	1	18
Spenborough M.B.	37,520	308	333	23	23	687	18·3	1·07	1·06	239	232	471	12·6	1·05	1·17	17	25	13	10	10	29
Stanley	17,730	153	167	10	3	333	18·8	0·99	1·01	98	89	187	10·5	1·17	1·09	10	30	9	8	3	33
Stocksbridge	11,650	97	101	2	3	203	17·4	1·02	0·96	68	38	106	9·1	1·26	1·01	3	15	3	3	1	20
Swinton	14,160	150	134	4	3	291	20·6	0·92	1·02	80	66	146	10·3	1·30	1·18	9	31	7	7	1	27
Tickhill	2,730	25	22	3	5	55	20·1	1·06	1·15	14	16	30	11·0	0·99	0·96	2	36	2	2	3	86
Todmorden M.B.	16,810	131	122	16	19	288	17·1	1·20	1·11	120	133	253	15·1	0·93	1·24	3	10	3	1	4	17
Wath upon Dearne	15,290	152	141	3	6	302	19·8	0·93	1·00	71	60	131	8·6	1·24	0·94	8	26	7	5	4	29
Wombwell	19,010	168	153	9	7	337	17·7	1·02	0·98	92	94	186	9·8	1·26	1·09	7	21	6	4	7	32
Worsbrough	15,540	135	121	8	12	276	17·8	0·93	0·89	98	78	176	11·3	1·36	1·36	5	18	4	4	7	39
Rural districts	**493,230**	**4,635**	**4,388**	**192**	**226**	**9,441**	**19·1**	**0·97**	**1·00**	**2,685**	**2,223**	**4,908**	**10·0**	**1·23**	**1·09**	**212**	**22**	**144**	**118**	**154**	**28**
Bowland	4,730	31	51	3	3	88	18·6	1·15	1·16	25	31	56	11·8	1·01	1·05	1	11	1	1	-	11
Doncaster	73,760	837	817	44	31	1,729	23·4	0·88	1·11	337	256	593	8·0	1·48	1·05	35	20	25	18	22	23
Goole	8,800	79	68	6	2	155	17·6	0·98	0·93	48	51	99	11·3	1·08	1·08	2	13	2	1	2	19
Hemsworth	52,820	505	487	31	27	1,050	19·9	0·93	1·00	292	197	489	9·3	1·44	1·19	27	26	17	15	18	31
Hepton	3,660	24	21	-	4	49	13·4	1·10	0·80	27	21	48	13·1	0·94	1·09	1	20	1	1	-	20
Kiveton Park	20,980	208	207	3	4	422	20·1	1·00	1·09	139	99	238	11·3	1·16	1·16	14	33	8	7	11	42
Nidderdale	16,570	135	123	2	5	265	16·0	1·16	1·00	85	66	151	9·1	1·06	0·85	5	19	3	3	1	15
Osgoldcross	8,940	71	65	4	3	143	16·0	1·01	0·87	47	30	77	8·6	1·17	0·89	3	21	2	1	2	21
Penistone	7,390	67	51	-	4	122	16·5	0·96	0·86	40	41	81	11·0	1·16	1·13	2	16	1	1	3	32
Ripon and Pateley Bridge	13,120	100	100	5	4	209	15·9	1·11	0·95	93	63	156	11·9	1·03	1·08	4	19	3	3	3	28
Rotherham	62,570	635	647	23	28	1,333	21·3	0·86	0·99	299	258	557	8·9	1·52	1·20	33	25	21	18	33	37
Sedbergh	3,750	21	15	-	3	39	10·4	1·35	0·76	17	22	39	10·4	1·08	0·99	1	26	-	-	1	25
Selby	6,910	60	50	1	3	114	16·5	1·06	0·95	42	36	78	11·3	1·04	1·04	2	18	2	2	3	43
Settle	13,930	119	110	6	8	243	17·4	1·14	1·07	95	77	172	12·3	0·93	1·01	4	16	2	2	3	20
Skipton	24,000	175	172	7	16	370	15·4	1·11	0·92	164	151	315	13·1	0·96	1·11	12	32	11	8	3	29
Tadcaster	29,580	297	221	10	10	538	18·2	1·02	1·00	187	141	328	11·1	1·13	1·11	10	19	7	6	10	29
Thorne	36,850	381	357	16	27	781	21·2	0·94	1·08	201	143	344	9·3	1·49	1·23	22	28	15	12	14	33
Wakefield	21,610	224	196	10	16	446	20·6	0·94	1·05	122	96	218	10·1	1·30	1·16	11	25	8	6	5	24
Wetherby	25,380	212	170	11	8	401	15·8	1·11	0·95	102	111	213	8·4	1·09	0·81	8	20	5	5	9	34
Wharfedale	7,160	52	44	-	4	100	14·0	1·02	0·77	39	51	90	12·6	0·75	0·84	1	10	1	1	-	10
Wortley	50,720	402	416	10	16	844	16·6	1·03	0·92	284	282	566	11·2	1·05	1·04	14	17	9	7	11	21
WALES																					
ANGLESEY	**53,650**	**505**	**492**	**17**	**20**	**1,034**	**19·3**	**1·13**	**1·18**	**335**	**354**	**689**	**12·8**	**0·95**	**1·08**	**25**	**24**	**20**	**17**	**18**	**33**
Municipal boroughs and urban districts	**21,290**	**206**	**219**	**8**	**9**	**442**	**20·8**	**1·10**	**1·24**	**129**	**153**	**282**	**13·2**	**0·99**	**1·16**	**7**	*16*	**6**	**5**	**7**	27
Amlwch	3,270	33	27	-	1	61	18·7	1·31	1·32	22	22	44	13·5	0·90	1·08	-	-	-	-	-	-
Beaumaris M.B.	1,930	17	20	1	-	38	19·7	1·16	1·24	12	4	16	8·3	0·87	0·64	-	-	-	-	-	-
Holyhead	10,560	107	113	5	8	233	22·1	1·09	1·30	58	99	157	14·9	1·01	1·33	4	17	4	4	6	42
Llangefni	3,300	29	34	2	-	65	19·7	0·92	0·98	17	19	36	10·9	1·17	1·13	2	31	1	-	1	15
Menai Bridge	2,230	20	25	-	-	45	20·2	1·14	1·24	20	9	29	13·0	1·02	1·17	1	22	1	1	-	22

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Rural districts	**32,360**	**299**	**273**	**9**	**11**	**592**	**18·3**	**1·16**	**1·15**	**206**	**201**	**407**	**12·6**	**0·93**	**1·04**	**18**	30	**14**	**12**	**11**	38
Aethwy	10,380	87	100	5	5	197	19·0	1·16	1·19	78	68	146	14·1	0·87	1·09	4	*20*	2	2	3	*25*
Twrcelyn	8,620	74	58	3	2	137	15·9	1·21	1·04	43	58	101	11·7	0·86	0·89	6	*44*	4	3	3	*43*
Valley	13,360	138	115	1	4	258	19·3	1·12	1·17	85	75	160	12·0	1·06	1·13	8	*31*	8	7	5	*46*
BRECONSHIRE	**54,320**	**441**	**376**	**29**	**22**	**868**	**16·0**	**1·12**	**0·97**	**404**	**338**	**742**	**13·7**	**0·94**	**1·14**	**30**	**35**	**20**	**17**	**16**	**37**
Municipal borough and urban districts	**15,750**	**111**	**105**	**5**	**5**	**226**	**14·3**	**1·12**	**0·87**	**124**	**102**	**226**	**14·3**	**0·90**	**1·14**	**4**	*18*	**1**	**1**	**3**	*17*
Brecknock M.B.	5,890	47	42	1	1	91	15·4	1·16	0·97	38	39	77	13·1	0·89	1·03	1	*11*	-	-	1	*11*
Brynmawr	6,410	41	47	1	3	92	14·4	1·02	0·79	52	30	82	12·8	1·00	1·13	3	*33*	1	1	2	*32*
Builth Wells	1,600	6	8	1	1	16	10·0	1·26	0·68	12	17	29	18·1	0·77	1·23	-	-	-	-	-	-
Hay	1,320	15	8	1	-	24	18·2	1·22	1·20	17	9	26	19·7	0·70	1·22	-	-	-	-	-	-
Llanwrtyd Wells	530	2	-	1	-	3	5·7	1·48	0·46	5	7	12	22·6	0·62	1·24	-	-	-	-	-	-
Rural districts	**38,570**	**330**	**271**	**24**	**17**	**642**	**16·6**	**1·11**	**1·00**	**280**	**236**	**516**	**13·4**	**0·95**	**1·13**	**26**	**40**	**19**	**16**	**13**	**44**
Brecknock	6,970	69	37	5	1	112	16·1	1·25	1·09	64	29	93	13·3	0·88	1·04	3	*27*	2	2	1	*27*
Builth	3,140	28	20	3	1	52	16·6	1·17	1·05	14	20	34	10·8	1·01	0·97	2	*38*	2	2	1	*57*
Crickhowell	7,880	66	66	6	6	144	18·3	1·10	1·09	46	43	89	11·3	1·00	1·00	6	*42*	5	4	4	*54*
Hay	3,490	24	22	1	3	50	14·3	1·27	0·98	26	45	71	20·3	0·39	0·70	2	*40*	2	-	-	-
Vaynor and Penderyn	6,380	53	44	1	3	101	15·8	1·02	0·87	43	29	72	11·3	1·17	1·17	7	*69*	5	5	2	*68*
Ystradgynlais	10,710	90	82	8	3	183	17·1	1·05	0·97	87	70	157	14·7	1·16	1·51	6	*33*	3	3	5	*43*
CAERNARVONSHIRE	**119,820**	**864**	**835**	**75**	**67**	**1,841**	**15·4**	**1·16**	**0·97**	**937**	**862**	**1,799**	**15·0**	**0·82**	**1·09**	**41**	**22**	**24**	**22**	**32**	**29**
Municipal boroughs and urban districts	**72,370**	**512**	**501**	**46**	**46**	**1,105**	**15·3**	**1·14**	**0·94**	**537**	**521**	**1,058**	**14·6**	**0·81**	**1·05**	**21**	**19**	**13**	**12**	**24**	**32**
Bangor M.B.	14,200	96	90	13	9	208	14·6	0·95	0·75	80	69	149	10·5	1·21	1·12	1	*5*	1	1	5	*28*
Bethesda	4,160	44	22	7	2	75	18·0	1·15	1·12	38	19	57	13·7	0·98	1·19	2	*27*	2	1	1	*26*
Betws-y-Coed	770	1	7	1	-	9	11·7	1·24	0·78	3	2	5	6·5	0·97	0·56	-	-	-	-	-	-
Caernarvon M.B.	9,170	88	85	7	3	183	20·0	1·14	1·23	65	78	143	15·6	0·96	1·33	6	*33*	5	5	7	*53*
Conway M.B.	11,430	78	77	2	8	165	14·4	1·21	0·94	100	102	202	17·7	0·66	1·03	5	*30*	2	2	3	*30*
Criccieth	1,620	7	14	1	-	22	13·6	1·24	0·91	9	12	21	13·0	0·73	0·84	-	-	-	-	-	-
Llandudno	16,490	96	91	8	16	211	12·8	1·26	0·87	122	124	246	14·9	0·67	0·88	2	*9*	1	1	2	*14*
Llanfairfechan	3,010	21	23	-	1	45	15·0	1·23	1·00	17	18	35	11·6	0·76	0·78	-	-	-	-	1	*22*
Penmaenmawr	3,840	23	28	1	1	53	13·8	1·33	0·99	29	26	55	14·3	0·69	0·87	2	*38*	-	-	1	*19*
Portmadoc	3,930	36	30	4	3	73	18·6	1·14	1·15	37	35	72	18·3	0·82	1·33	1	*14*	-	-	2	*27*
Pwllheli M.B.	3,750	22	34	2	3	61	16·3	1·13	1·00	37	36	73	19·5	0·58	1·00	2	*33*	2	2	2	*63*
Rural districts	**47,450**	**352**	**334**	**29**	**21**	**736**	**15·5**	**1·19**	**1·00**	**400**	**341**	**741**	**15·6**	**0·85**	**1·17**	**20**	**27**	**11**	**10**	**8**	*24*
Gwyrfai	21,050	167	151	14	8	340	16·2	1·16	1·02	173	129	302	14·3	0·91	1·15	9	*26*	3	3	3	*17*
Lleyn	16,220	112	98	9	10	229	14·1	1·21	0·92	135	124	259	16·0	0·80	1·13	6	*26*	4	3	4	*30*
Nant Conway	5,560	45	49	2	2	98	17·6	1·20	1·14	47	34	81	14·6	0·91	1·18	4	*41*	3	3	1	*40*
Ogwen	4,620	28	36	4	1	69	14·9	1·26	1·01	45	54	99	21·4	0·71	1·34	1	*14*	1	1	-	*14*
CARDIGANSHIRE	**53,250**	**382**	**348**	**27**	**24**	**781**	**14·7**	**1·17**	**0·93**	**357**	**400**	**757**	**14·2**	**0·86**	**1·08**	**11**	*14*	**10**	**10**	**10**	**25**
Municipal boroughs and urban districts	**18,020**	**124**	**114**	**8**	**12**	**258**	**14·3**	**1·06**	**0·82**	**123**	**157**	**280**	**15·5**	**0·83**	**1·14**	**3**	*12*	**3**	**3**	**4**	*27*
Aberayron	1,220	5	14	-	-	19	15·6	1·22	1·03	6	13	19	15·6	0·68	0·94	-	-	-	-	-	-
Aberystwyth M.B.	9,920	75	58	3	6	142	14·3	0·96	0·74	67	78	145	14·6	0·91	1·18	1	*7*	1	1	2	*21*
Cardigan M.B.	3,850	29	35	3	3	70	18·2	1·12	1·10	23	32	55	14·3	0·91	1·15	2	*29*	2	2	2	*56*
Lampeter M.B.	2,080	15	6	2	1	24	11·5	1·28	0·80	17	28	45	21·6	0·65	1·24	-	-	-	-	-	-
New Quay	950	-	1	-	2	3	3·2	1·59	0·28	10	6	16	16·8	0·56	0·83	-	-	-	-	-	-
Rural districts	**35,230**	**258**	**234**	**19**	**12**	**523**	**14·8**	**1·24**	**0·99**	**234**	**243**	**477**	**13·5**	**0·86**	**1·03**	**8**	*15*	**7**	**7**	**6**	*25*
Aberaeron	8,930	74	56	3	4	137	15·3	1·24	1·03	59	58	117	13·1	0·90	1·04	3	*22*	3	3	2	*36*
Aberystwyth	11,320	84	82	7	2	175	15·5	1·22	1·02	77	73	150	13·3	0·84	0·99	3	*17*	2	2	2	*23*
Teifiside	10,300	66	67	7	6	146	14·2	1·21	0·93	68	72	140	13·6	0·91	1·10	1	*7*	1	1	1	*14*
Tregaron	4,680	34	29	2	-	65	13·9	1·36	1·02	30	40	70	15·0	0·79	1·05	1	*15*	1	1	1	*30*
CARMARTHENSHIRE	**166,600**	**1,224**	**1,123**	**60**	**63**	**2,470**	**14·8**	**1·09**	**0·87**	**1,221**	**1,017**	**2,238**	**13·4**	**1·03**	**1·22**	**70**	**28**	**53**	**47**	**43**	**36**
Municipal boroughs and urban districts	**65,980**	**468**	**440**	**24**	**25**	**957**	**14·5**	**1·11**	**0·87**	**553**	**480**	**1,033**	**15·7**	**0·89**	**1·24**	**22**	**23**	**13**	**12**	**15**	**28**
Ammanford	6,250	45	33	1	2	81	13·0	1·21	0·85	41	48	89	14·2	0·97	1·22	-	-	-	-	2	*24*
Burry Port	5,920	36	39	3	3	81	13·7	1·12	0·83	42	32	74	12·5	1·09	1·21	1	*12*	1	1	1	*24*
Carmarthen M.B.	12,820	83	93	4	4	184	14·4	1·03	0·80	139	102	241	18·8	0·64	1·06	3	*16*	2	2	-	*11*
Cwmamman	4,200	46	30	-	1	77	18·3	1·14	1·13	36	31	67	16·0	1·01	1·43	1	*13*	1	1	1	*26*

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1964	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate																	
		M	F	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
CARMARTHENSHIRE - *continued*																					
Municipal boroughs and urban districts - *continued*																					
Kidwelly M.B.	2,910	13	24	2	1	40	13·7	1·12	0·83	13	18	31	10·7	1·14	1·08	2	50	1	1	-	25
Llandeilo	1,930	18	15	-	1	34	17·6	1·16	1·10	13	16	29	15·0	0·87	1·15	1	29	1	-	1	29
Llandovery M.B.	2,020	11	11	-	-	22	10·9	1·07	0·63	15	18	33	16·3	0·88	1·27	1	45	-	-	-	-
Llanelly M.B.	29,270	212	191	13	13	429	14·7	1·12	0·89	251	213	464	15·9	0·91	1·28	13	30	7	7	9	37
Newcastle Emlyn	660	4	4	1	-	9	13·6	1·17	0·86	3	2	5	7·6	0·79	0·53	-	-	-	-	1	100
Rural districts	**100,620**	**756**	**683**	**36**	**38**	**1,513**	**15·0**	**1·08**	**0·88**	**668**	**537**	**1,205**	**12·0**	**1·12**	**1·19**	**48**	**32**	**40**	**35**	**28**	**41**
Carmarthen	28,090	213	186	8	15	422	15·0	1·10	0·89	176	147	323	11·5	1·11	1·13	14	33	11	8	9	39
Llandeilo	24,080	161	149	14	7	331	13·7	1·13	0·84	153	126	279	11·6	1·04	1·07	8	24	8	8	6	42
Llanelly	40,310	310	292	10	14	626	15·5	1·03	0·86	266	202	468	11·6	1·24	1·27	21	34	18	16	12	44
Newcastle Emlyn	8,140	72	56	4	2	134	16·5	1·19	1·06	73	62	135	16·6	0·89	1·31	5	37	3	3	1	30
DENBIGHSHIRE	**176,840**	**1,452**	**1,314**	**68**	**69**	**2,903**	**16·4**	**1·09**	**0·97**	**1,164**	**1,081**	**2,245**	**12·7**	**0·92**	**1·03**	**65**	**22**	**49**	**37**	**37**	**25**
Municipal boroughs and urban districts	**86,390**	**683**	**641**	**38**	**40**	**1,402**	**16·2**	**1·11**	**0·97**	**600**	**602**	**1,202**	**13·9**	**0·81**	**1·00**	**36**	**26**	**27**	**19**	**19**	**27**
Abergele	9,000	75	58	5	5	143	15·9	1·49	1·28	81	68	149	16·6	0·63	0·93	3	21	3	3	1	28
Colwyn Bay M.B.	23,490	139	141	10	13	303	12·9	1·32	0·92	186	231	417	17·8	0·61	0·96	6	20	5	3	2	16
Denbigh M.B.	8,370	55	57	4	8	124	14·8	1·14	0·91	75	81	156	18·6	0·50	0·82	2	16	-	-	3	24
Llangollen	3,000	20	33	2	1	56	18·7	1·16	1·17	21	13	34	11·3	0·90	0·90	2	36	2	1	3	68
Llanrwst	2,490	17	15	2	-	34	13·7	1·20	0·89	18	19	37	14·9	0·84	1·11	2	59	2	1	-	29
Ruthin M.B.	3,740	28	25	1	1	55	14·7	1·22	0·97	26	15	41	11·0	0·68	0·66	1	18	1	1	-	18
Wrexham M.B.	36,300	349	312	14	12	687	18·9	0·93	0·95	193	175	368	10·1	1·22	1·09	20	29	14	10	10	29
Rural districts	**90,450**	**769**	**673**	**30**	**29**	**1,501**	**16·6**	**1·08**	**0·97**	**564**	**479**	**1,043**	**11·5**	**1·08**	**1·10**	**29**	**19**	**22**	**18**	**18**	**24**
Aled	6,690	43	45	1	-	89	13·3	1·17	0·84	32	35	67	10·0	1·00	0·88	3	34	1	1	2	33
Ceiriog	7,240	62	47	3	2	114	15·7	1·12	0·95	38	35	73	10·1	1·01	0·90	1	9	1	1	-	9
Hiraethog	4,510	37	32	-	1	70	15·5	1·18	0·99	23	28	51	11·3	1·01	1·01	1	14	1	1	-	14
Ruthin	9,380	71	59	1	5	136	14·5	1·15	0·90	63	50	113	12·0	0·99	1·05	1	7	1	1	2	22
Wrexham	62,630	556	490	25	21	1,092	17·4	1·05	0·99	408	331	739	11·8	1·11	1·16	23	21	18	14	14	25
FLINTSHIRE	**155,150**	**1,448**	**1,375**	**85**	**79**	**2,987**	**19·3**	**1·07**	**1·12**	**988**	**869**	**1,857**	**12·0**	**0·98**	**1·04**	**60**	**20**	**49**	**46**	**46**	**30**
Municipal borough and urban districts	**80,400**	**744**	**680**	**50**	**39**	**1,513**	**18·8**	**1·08**	**1·10**	**552**	**499**	**1,051**	**13·1**	**0·91**	**1·05**	**33**	**22**	**27**	**25**	**24**	**32**
Buckley	8,020	84	76	2	4	166	20·7	1·06	1·19	49	45	94	11·7	1·13	1·17	6	36	6	5	5	58
Connah's Quay	8,790	92	92	4	1	189	21·5	0·92	1·07	41	47	88	10·0	1·55	1·37	4	21	3	3	5	41
Flint M.B.	14,040	143	107	9	3	262	18·7	1·03	1·04	84	63	147	10·5	1·28	1·19	7	27	6	5	2	27
Holywell	8,560	81	78	2	6	167	19·5	0·97	1·02	57	45	102	11·9	0·86	0·91	-	-	-	-	3	18
Mold	7,350	79	87	2	3	171	23·3	1·00	1·26	40	40	80	10·9	1·30	1·25	4	23	3	3	1	23
Prestatyn	12,070	96	88	8	4	196	16·2	1·45	1·27	98	94	192	15·9	0·57	0·80	6	31	4	4	4	40
Rhyl	21,570	169	152	23	18	362	16·8	1·11	1·01	183	165	348	16·1	0·78	1·11	6	17	5	5	4	25
Rural districts	**74,750**	**704**	**695**	**35**	**40**	**1,474**	**19·7**	**1·07**	**1·14**	**436**	**370**	**806**	**10·8**	**1·07**	**1·02**	**27**	**18**	**22**	**21**	**22**	**29**
Hawarden	37,480	389	385	23	22	819	21·9	1·02	1·21	214	182	396	10·6	1·20	1·13	21	26	19	19	15	41
Holywell	21,960	198	189	6	14	407	18·5	1·10	1·10	135	119	254	11·6	0·96	0·99	4	10	3	2	4	15
(a) Maelor	4,850	38	26	-	-	64	13·2	1·11	0·79	29	26	55	11·3	1·10	1·10	-	-	-	-	-	-
St. Asaph	10,460	79	95	6	4	184	17·6	1·15	1·09	58	43	101	9·7	0·91	0·78	2	11	-	-	3	16

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
GLAMORGAN	**1,244,290**	**10,806**	**10,547**	**684**	**580**	**22,617**	**18·2**	**1·01**	**0·99**	**8,036**	**6,728**	**14,764**	**11·9**	**1·14**	**1·20**	**570**	**25**	**407**	**337**	**421**	**33**
County boroughs	**488,810**	**4,265**	**4,184**	**342**	**297**	**9,088**	**18·6**	**1·00**	**1·01**	**3,028**	**2,652**	**5,680**	**11·6**	**1·12**	**1·15**	**211**	**23**	**154**	**127**	**171**	**32**
Cardiff	260,340	2,312	2,350	241	203	5,106	19·6	0·99	1·05	1,495	1,305	2,800	10·8	1·14	1·09	110	22	82	66	91	30
Merthyr Tydfil	58,310	534	500	18	24	1,076	18·5	1·05	1·05	420	352	772	13·2	1·10	1·28	32	30	21	17	20	34
Swansea	170,160	1,419	1,334	83	70	2,906	17·1	1·01	0·93	1,113	995	2,108	12·4	1·10	1·21	69	24	51	44	60	35
Administrative county	**755,480**	**6,541**	**6,363**	**342**	**283**	**13,529**	**17·9**	**1·02**	**0·99**	**5,008**	**4,076**	**9,084**	**12·0**	**1·15**	**1·22**	**359**	**27**	**253**	**210**	**250**	**33**
Municipal boroughs and urban districts	**526,090**	**4,528**	**4,388**	**259**	**204**	**9,379**	**17·8**	**1·03**	**0·99**	**3,546**	**2,904**	**6,450**	**12·3**	**1·16**	**1·26**	**267**	**28**	**192**	**158**	**177**	**35**
Aberdare	38,910	274	306	25	9	614	15·8	1·09	0·93	324	245	569	14·6	1·04	1·34	17	*28*	10	10	9	*30*
Barry M.B.	42,460	363	373	35	27	798	18·8	1·03	1·05	249	208	457	10·8	1·12	1·07	19	*24*	15	13	14	33
Bridgend	15,180	126	133	9	5	273	18·0	1·03	1·00	78	86	164	10·8	1·10	1·05	5	*18*	2	1	4	*18*
Caerphilly	36,890	380	370	20	15	785	21·3	0·98	1·13	204	198	402	10·9	1·30	1·25	20	25	14	10	20	37
Cowbridge M.B.	1,140	6	6	-	-	12	*10·5*	1·01	0·57	4	7	11	9·6	1·04	0·88	-	-	-	-	1	*77*
Gelligaer	35,000	332	304	27	24	687	19·6	1·00	1·06	210	188	398	11·4	1·30	1·31	23	33	17	17	10	39
Glyncorrwg	9,470	105	107	6	3	221	23·3	0·97	1·22	48	36	84	8·9	1·52	1·20	8	*36*	6	6	9	*65*
Llwchwr	25,260	193	202	10	9	414	16·4	1·07	0·95	160	141	301	11·9	1·10	1·16	10	*24*	8	7	9	*38*
Maesteg	21,590	186	179	4	11	380	17·6	1·04	0·99	126	89	215	10·0	1·24	1·10	16	42	13	12	9	54
Mountain Ash	29,510	266	247	11	7	531	18·0	1·00	0·97	205	138	343	11·6	1·21	1·24	9	*17*	7	5	13	*33*
Neath M.B.	30,520	249	231	14	8	502	16·4	1·04	0·92	239	200	439	14·4	1·07	1·36	17	*34*	13	10	9	37
Ogmore and Garw	20,890	161	178	13	7	359	17·2	1·03	0·96	147	111	258	12·4	1·24	1·36	13	*36*	9	9	4	*36*
Penarth	21,350	184	176	5	11	376	17·6	1·08	1·03	130	141	271	12·7	0·95	1·07	8	*21*	5	4	2	*16*
Pontypridd	35,160	270	275	20	12	577	16·4	1·02	0·90	303	214	517	14·7	1·01	1·31	23	40	17	13	10	39
Porthcawl	11,880	130	98	6	9	243	20·5	1·15	1·27	74	79	153	12·9	0·84	0·96	5	*21*	3	3	4	*28*
Port Talbot M.B.	51,750	499	450	24	17	990	19·1	0·99	1·02	295	228	523	10·1	1·38	1·23	25	25	21	15	16	31
Rhondda M.B.	99,130	804	753	30	30	1,617	16·3	1·03	0·91	750	595	1,345	13·6	1·15	1·38	49	30	32	23	34	35
Rural districts	**229,390**	**2,013**	**1,975**	**83**	**79**	**4,150**	**18·1**	**1·01**	**0·99**	**1,462**	**1,172**	**2,634**	**11·5**	**1·12**	**1·14**	**92**	**22**	**61**	**52**	**73**	**30**
Cardiff	52,430	438	418	14	20	890	17·0	0·97	0·89	332	265	597	11·4	0·94	0·95	22	25	14	11	10	23
Cowbridge	20,430	196	163	14	4	377	18·5	1·07	1·07	92	75	167	8·2	1·65	1·20	8	*21*	5	4	9	*34*
Gower	13,440	114	103	4	4	225	16·7	1·09	0·98	68	78	146	10·9	1·00	0·96	3	*13*	1	1	3	*18*
Llantrisant and Llantwit Fardre	27,580	245	293	6	15	559	20·3	0·95	1·04	154	141	295	10·7	1·30	1·23	15	27	9	8	11	*33*
Neath	40,830	330	295	12	10	647	15·8	1·04	0·89	286	203	489	12·0	1·23	1·31	15	*23*	10	9	15	36
Penybont	44,280	457	468	17	20	962	21·7	0·96	1·13	279	227	506	11·4	1·01	1·02	18	*19*	15	13	16	30
Pontardawe	30,400	233	235	16	6	490	16·1	1·13	0·98	251	183	434	14·3	1·06	1·34	11	*22*	7	6	9	*30*
MERIONETHSHIRE	**38,870**	**293**	**303**	**23**	**11**	**630**	**16·2**	**1·20**	**1·05**	**287**	**279**	**566**	**14·6**	**0·90**	**1·16**	**6**	*10*	**4**	**3**	**9**	*19*
Urban districts	**17,070**	**130**	**138**	**12**	**6**	**286**	**16·8**	**1·14**	**1·04**	**130**	**124**	**254**	**14·9**	**0·92**	**1·21**	**4**	*14*	**2**	**2**	**6**	*27*
Bala	1,640	12	10	1	-	23	14·0	1·23	0·93	17	13	30	18·3	0·86	1·39	-	-	-	-	-	-
Barmouth	2,270	10	21	1	1	33	14·5	1·13	0·89	17	24	41	18·1	0·69	1·11	2	*61*	2	2	-	*61*
Dolgellau	2,490	16	11	1	-	28	11·2	1·08	0·65	20	22	42	16·9	1·01	1·51	-	-	-	-	1	34
Ffestiniog	6,560	53	60	6	4	123	18·8	1·09	1·11	49	39	88	13·4	1·06	1·26	1	*8*	-	-	4	*31*
Towyn	4,110	39	36	3	1	79	19·2	1·28	1·33	27	26	53	12·9	0·83	0·95	1	*13*	-	-	1	*13*
Rural districts	**21,800**	**163**	**165**	**11**	**5**	**344**	**15·8**	**1·25**	**1·07**	**157**	**155**	**312**	**14·3**	**0·89**	**1·13**	**2**	*6*	**2**	**1**	**3**	*12*
Deudraeth	7,410	68	64	4	2	138	18·6	1·19	1·20	51	64	115	15·5	0·79	1·08	1	*7*	1	1	3	*28*
Dolgellau	7,660	37	47	3	-	87	11·4	1·35	0·83	58	54	112	14·6	0·89	1·15	-	-	-	-	-	-
Edeyrnion	3,960	37	36	3	1	77	19·4	1·22	1·28	30	28	58	14·6	0·94	1·21	-	-	-	-	-	-
Penllyn	2,770	21	18	1	2	42	15·2	1·21	0·99	18	9	27	9·7	1·00	0·86	1	*24*	1	-	-	-
MONMOUTHSHIRE	**456,230**	**4,197**	**3,986**	**214**	**214**	**8,611**	**18·9**	**1·01**	**1·03**	**2,842**	**2,246**	**5,088**	**11·2**	**1·16**	**1·15**	**222**	**26**	**138**	**123**	**184**	**35**
Newport C.B.	107,590	988	984	62	67	2,101	19·5	1·00	1·05	646	548	1,194	11·1	1·18	1·16	35	17	18	16	41	27
Administrative county	**348,640**	**3,209**	**3,002**	**152**	**147**	**6,510**	**18·7**	**1·02**	**1·03**	**2,196**	**1,698**	**3,894**	**11·2**	**1·16**	**1·15**	**187**	**29**	**120**	**107**	**143**	**38**
Municipal boroughs and urban districts	**282,670**	**2,510**	**2,389**	**126**	**121**	**5,146**	**18·2**	**1·03**	**1·01**	**1,857**	**1,443**	**3,300**	**11·7**	**1·16**	**1·20**	**165**	**32**	**108**	**97**	**128**	**43**
Abercarn	19,400	159	141	5	1	306	15·8	0·98	0·84	116	93	209	10·8	1·23	1·18	9	*29*	5	4	8	*38*
Abergavenny M.B.	9,770	80	84	6	13	183	18·7	1·10	1·11	72	64	136	13·9	0·99	1·22	11	*60*	10	9	2	*59*
Abertillery	24,760	237	187	11	9	444	17·9	1·07	1·04	167	123	290	11·7	1·16	1·20	22	50	12	11	12	50
Bedwas and Machen	10,800	116	106	3	3	228	21·1	0·97	1·11	85	44	129	11·9	1·30	1·37	9	*39*	4	4	7	*47*
Bedwellty	27,200	237	225	11	12	485	17·8	0·99	0·95	158	125	283	10·4	1·31	1·21	10	*21*	6	4	16	40
Blaenavon	8,210	60	53	1	2	116	14·1	1·16	0·88	60	42	102	12·4	1·05	1·15	3	*26*	3	3	4	*58*
Caerleon	5,390	51	57	4	2	114	21·2	1·05	1·20	45	37	82	15·2	0·70	0·94	4	*35*	3	2	1	*26*
Chepstow	7,460	77	83	13	13	186	24·9	0·98	1·32	56	52	108	14·5	0·70	0·90	1	*5*	1	1	5	*31*

(a) The figures for this area include 7 deaths (4M, 3F) in a Polish General Hospital, which could not be transferred to the area of residence.

TABLE 13 - *continued*

Area	Estimated home population as at 30th June 1964	Live births								Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate												
		M	F	M	F					M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
MONMOUTHSHIRE - *continued*																					
Municipal boroughs and urban districts - *continued*																					
Cwmbran	24,740	255	243	10	6	514	20·8	0·87	0·98	110	86	196	7·9	1·61	1·13	16	*31*	12	12	11	44
Ebbw Vale	28,100	237	233	7	9	486	17·3	1·05	0·98	184	133	317	11·3	1·23	1·23	14	29	9	9	15	48
Monmouth M.B.	5,820	41	50	2	2	95	16·3	1·09	0·96	43	40	83	14·3	0·85	1·08	2	*21*	2	2	1	*31*
Mynyddislwyn	15,450	124	119	5	6	254	16·4	1·01	0·90	90	66	156	10·1	1·34	1·20	5	*20*	3	3	3	*23*
Nantyglo and Blaina	11,000	103	93	6	7	209	19·0	1·05	1·08	76	67	143	13·0	1·14	1·31	5	*24*	4	2	8	*46*
Pontypool	39,000	308	318	18	17	661	16·9	1·11	1·01	277	224	501	12·8	1·06	1·20	16	*24*	8	8	12	*30*
Rhymney	8,760	78	61	9	6	154	17·6	1·00	0·95	51	43	94	10·7	1·19	1·13	4	*26*	3	3	6	*56*
Risca	15,200	157	158	6	6	327	21·5	1·12	1·30	115	95	210	13·8	1·01	1·23	12	*37*	8	8	4	*36*
Tredegar	19,620	179	159	8	7	353	18·0	1·00	0·97	138	97	235	12·0	1·18	1·25	21	*59*	14	12	13	*68*
Usk	1,990	11	19	1	-	31	15·6	1·07	0·90	14	12	26	13·1	1·14	1·32	1	*32*	1	-	-	-
Rural districts	**65,970**	**699**	**613**	**26**	**26**	**1,364**	**20·7**	**0·99**	**1·11**	**339**	**255**	**594**	**9·0**	**1·08**	**0·86**	**22**	**16**	**12**	**10**	**15**	**18**
Abergavenny	9,150	71	54	3	5	133	14·5	1·20	0·94	72	80	152	16·6	0·49	0·72	2	*15*	2	2	2	*30*
Chepstow	13,780	156	141	3	5	305	22·1	1·03	1·23	73	42	115	8·3	1·17	0·86	3	*10*	2	2	4	*19*
Magor and St. Mellons	21,030	244	233	13	12	502	23·9	1·02	1·32	90	64	154	7·3	1·32	0·85	9	*18*	2	1	6	*14*
Monmouth	6,000	46	37	2	1	86	14·3	1·29	1·00	31	22	53	8·8	0·92	0·72	2	*23*	1	1	-	*12*
Pontypool	16,010	182	148	5	3	338	21·1	0·78	0·89	73	47	120	7·5	1·60	1·06	6	*18*	5	4	3	*21*
MONTGOMERYSHIRE	**43,720**	**346**	**317**	**24**	**12**	**699**	**16·0**	**1·13**	**0·98**	**295**	**257**	**552**	**12·6**	**0·91**	**1·01**	**11**	*16*	**44**	**3**	**13**	*22*
Municipal boroughs and urban districts	**18,310**	**150**	**125**	**9**	**6**	**290**	**15·8**	**1·08**	**0·92**	**109**	**123**	**232**	**12·7**	**0·90**	**1·01**	**5**	*17*	**2**	**2**	**8**	*34*
Llanfyllin M.B.	1,230	10	8	-	1	19	*15·4*	1·13	0·94	6	7	13	*10·6*	0·83	0·78	-	-	-	-	-	-
Llanidloes M.B.	2,350	19	17	-	1	37	15·7	1·18	1·00	17	20	37	15·7	0·75	1·04	1	*27*	1	1	-	*27*
Machynlleth	1,810	11	15	2	-	28	15·5	0·99	0·83	15	11	26	14·4	0·76	0·97	-	-	-	-	-	-
Montgomery M.B.	970	6	7	-	-	13	*13·4*	1·05	0·76	6	8	14	*14·4*	1·16	1·48	1	*77*	-	-	-	-
Newtown and Llanllwchaiarn	5,490	43	36	2	1	82	14·9	1·15	0·93	30	41	71	12·9	0·92	1·05	1	*12*	-	-	5	*57*
Welshpool M.B.	6,460	61	42	5	3	111	17·2	1·02	0·95	35	36	71	11·0	1·06	1·03	2	*18*	1	1	3	*35*
Rural districts	**25,410**	**196**	**192**	**15**	**6**	**409**	**16·1**	**1·17**	**1·02**	**186**	**134**	**320**	**12·6**	**0·94**	**1·05**	**6**	*15*	**2**	**1**	**5**	*14*
Forden	5,100	44	43	5	1	93	18·2	1·13	1·11	38	25	63	12·4	0·93	1·02	2	*22*	1	-	-	-
Llanfyllin	9,070	73	80	3	2	158	17·4	1·19	1·12	81	51	132	14·6	0·94	1·21	1	*6*	-	-	2	*13*
Machynlleth	2,740	19	9	-	1	29	10·6	1·34	0·77	17	19	36	13·1	0·85	0·99	1	*34*	1	1	2	*97*
Newtown and Llanidloes	8,500	60	60	7	2	129	15·2	1·11	0·91	50	39	89	10·5	0·96	0·89	2	*16*	-	-	1	*8*
PEMBROKESHIRE	**95,350**	**819**	**854**	**42**	**43**	**1,758**	**18·4**	**1·06**	**1·05**	**617**	**569**	**1,186**	**12·4**	**1·07**	**1·17**	**39**	**22**	**34**	**31**	**26**	**32**
Municipal boroughs and urban districts	**47,880**	**430**	**449**	**32**	**26**	**937**	**19·6**	**1·01**	**1·07**	**317**	**304**	**621**	**13·0**	**1·13**	**1·30**	**23**	**25**	**20**	**17**	**14**	**33**
Fishguard and Goodwick	4,940	33	29	2	3	67	13·6	1·19	0·87	30	36	66	13·4	1·00	1·19	2	*30*	2	2	-	*30*
Haverfordwest M.B.	8,870	96	89	6	3	194	21·9	0·86	1·02	54	51	105	11·8	1·13	1·18	2	*10*	2	2	3	*25*
Milford Haven	12,960	106	126	10	9	251	19·4	0·96	1·01	75	57	132	10·2	1·45	1·31	5	*20*	4	3	5	*31*
Narberth	1,050	7	2	-	-	9	*8·6*	1·17	0·54	6	14	20	19·0	0·86	1·45	-	-	-	-	-	-
Neyland	2,180	29	25	2	1	57	26·1	1·05	1·48	18	16	34	15·6	1·09	1·50	1	*18*	-	-	1	*17*
Pembroke M.B.	13,410	120	144	10	6	280	20·9	1·06	1·20	99	94	193	14·4	1·12	1·43	11	*39*	10	8	3	*39*
Tenby M.B.	4,470	39	34	2	4	79	17·7	1·12	1·07	35	36	71	15·9	0·83	1·17	2	*25*	2	2	2	*49*

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Rural districts	**47,470**	**389**	**405**	**10**	**17**	**821**	**17·3**	**1·11**	**1·04**	**300**	**265**	**565**	**11·9**	**1·02**	**1·07**	**16**	*19*	**14**	**14**	**12**	**31**
Cemaes	8,560	52	53	1	2	108	12·6	1·21	0·82	71	58	129	15·1	0·89	1·19	-	-	-	-	1	*9*
Haverfordwest	22,940	190	207	5	10	412	18·0	1·07	1·04	129	96	225	9·8	1·14	0·99	8	*19*	7	7	8	*36*
Narberth	9,790	87	90	1	3	181	18·5	1·15	1·15	58	69	127	13·0	0·92	1·06	3	*17*	2	2	2	*22*
Pembroke	6,180	60	55	3	2	120	19·4	1·08	1·13	42	42	84	13·6	1·02	1·23	5	*42*	5	5	1	*50*
RADNORSHIRE	**18,300**	**144**	**138**	**12**	**9**	**303**	**16·6**	**1·18**	**1·06**	**124**	**139**	**263**	**14·4**	**0·87**	**1·11**	**4**	*13*	**3**	**3**	**4**	*23*
Urban districts	**6,180**	**51**	**51**	**6**	**6**	**114**	**18·4**	**1·12**	**1·11**	**47**	**70**	**117**	**18·9**	**0·78**	**1·30**	**2**	*18*	**1**	**1**	**1**	*17*
Knighton	1,810	11	17	2	1	31	17·1	1·11	1·03	16	28	44	24·3	0·75	1·61	-	-	-	-	-	-
Llandrindod Wells	3,160	24	24	3	4	55	17·4	1·11	1·04	23	34	57	18·0	0·75	1·19	1	*18*	-	-	1	*18*
Presteigne	1,210	16	10	1	1	28	23·1	1·17	1·46	8	8	16	*13·2*	0·89	1·04	1	*36*	1	1	-	*36*
Rural districts	**12,120**	**93**	**87**	**6**	**3**	**189**	**15·6**	**1·21**	**1·02**	**77**	**69**	**146**	**12·0**	**0·92**	**0·98**	**2**	*11*	**2**	**2**	**3**	*26*
Colwyn	1,620	15	13	1	-	29	17·9	1·14	1·10	10	9	19	*11·7*	0·89	0·92	-	-	-	-	-	-
Knighton	2,700	23	22	2	1	48	17·8	1·27	1·22	14	20	34	12·6	0·87	0·97	-	-	-	-	-	-
New Radnor	2,040	20	13	-	-	33	16·2	1·21	1·06	12	9	21	10·3	0·93	0·85	1	*30*	1	1	2	*86*
Painscastle	1,650	5	7	1	1	14	*8·5*	1·29	0·59	12	10	22	13·3	0·93	1·09	-	-	-	-	1	*67*
Rhayader	4,110	30	32	2	1	65	15·8	1·16	0·99	29	21	50	12·2	0·94	1·01	1	*15*	1	1	-	*15*

TABLE 14. Deaths by sex at each year of age (with marital condition), 1964

England and Wales

Included in this Table are 1,061 cases (416 males and 645 females) in which the age of deceased was not definitely stated; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case. The deaths of divorced men and women are included with the deaths of widowed.

Age last birthday	Persons	MALES					FEMALES				
		Total	Single	Married	Widowed	Not stated	Total	Single	Married	Widowed	Not stated
All ages	**534,737**	**274,773**	**38,914**	**170,546**	**63,052**	**2,261**	**259,964**	**48,047**	**78,602**	**133,008**	**307**
0-4	**19,997**	**11,425**	**11,425**	-	-	-	**8,572**	**8,572**	-	-	-
0	17,445	10,011	10,011	-	-	-	7,434	7,434	-	-	-
1	1,064	588	588	-	-	-	476	476	-	-	-
2	637	354	354	-	-	-	283	283	-	-	-
3	462	254	254	-	-	-	208	208	-	-	-
4	389	218	218	-	-	-	171	171	-	-	-
5-9	**1,345**	**808**	**808**	-	-	-	**537**	**537**	-	-	-
5	357	212	212	-	-	-	145	145	-	-	-
6	266	157	157	-	-	-	109	109	-	-	-
7	262	160	160	-	-	-	102	102	-	-	-
8	244	144	144	-	-	-	100	100	-	-	-
9	216	135	135	-	-	-	81	81	-	-	-
10-14	**1,089**	**687**	**687**	-	-	-	**402**	**402**	-	-	-
10	196	122	122	-	-	-	74	74	-	-	-
11	195	123	123	-	-	-	72	72	-	-	-
12	212	135	135	-	-	-	77	77	-	-	-
13	236	143	143	-	-	-	93	93	-	-	-
14	250	164	164	-	-	-	86	86	-	-	-
15-19	**2,582**	**1,859**	**1,779**	**17**	-	**63**	**723**	**662**	**52**	**2**	**7**
15	304	197	197	-	-	-	107	107	-	-	-
16	522	355	344	-	-	11	167	164	-	-	3
17	608	467	441	2	-	24	141	137	4	-	-
18	557	416	398	4	-	14	141	126	15	-	-
19	591	424	399	11	-	14	167	128	33	2	4
20-24	**2,396**	**1,691**	**1,281**	**344**	**3**	**63**	**705**	**360**	**337**	**7**	**1**
20	550	389	348	27	-	14	161	121	39	-	1
21	522	369	304	48	1	16	153	94	57	2	-
22	440	313	245	58	-	10	127	56	71	-	-
23	449	317	207	96	1	13	132	53	77	2	-
24	435	303	177	115	1	10	132	36	93	3	-
25-29	**2,375**	**1,509**	**637**	**807**	**14**	**51**	**866**	**218**	**628**	**17**	**3**
25	488	321	161	147	-	13	167	52	111	2	2
26	441	282	123	148	4	7	159	48	107	3	1
27	449	286	140	131	4	11	163	48	112	3	-
28	481	308	112	188	3	5	173	37	133	3	-
29	516	312	101	193	3	15	204	33	165	6	-
30-34	**2,974**	**1,800**	**474**	**1,235**	**40**	**51**	**1,174**	**219**	**925**	**30**	-
30	515	313	86	209	6	12	202	41	159	2	-
31	525	333	93	222	10	8	192	38	147	7	-
32	588	344	87	239	5	13	244	50	186	8	-
33	657	393	101	269	11	12	264	43	217	4	-
34	689	417	107	296	8	6	272	47	216	9	-
35-39	**4,756**	**2,859**	**656**	**2,075**	**66**	**62**	**1,897**	**302**	**1,520**	**74**	**1**
35	738	444	108	312	15	9	294	49	233	11	1
36	814	502	118	362	13	9	312	50	250	12	-
37	936	550	112	412	12	14	386	62	310	14	-
38	1,099	647	166	459	11	11	452	73	358	21	-
39	1,169	716	152	530	15	19	453	68	369	16	-
40-44	**8,984**	**5,168**	**931**	**3,976**	**180**	**81**	**3,816**	**494**	**3,081**	**235**	**6**
40	1,349	792	156	592	29	15	557	72	453	32	-
41	1,465	870	156	665	34	15	595	80	469	44	2
42	1,806	1,026	192	781	28	25	780	86	646	47	1
43	2,064	1,174	193	931	41	9	890	125	707	56	2
44	2,300	1,306	234	1,007	48	17	994	131	806	56	1
45-49	**12,484**	**7,452**	**1,032**	**6,046**	**303**	**71**	**5,032**	**634**	**3,989**	**401**	**8**
45	1,819	1,100	169	872	45	14	719	97	571	48	3
46	2,042	1,198	178	968	37	15	844	115	643	85	1
47	2,486	1,490	197	1,214	66	13	996	118	806	72	-
48	2,687	1,604	226	1,304	61	13	1,083	132	866	82	3
49	3,450	2,060	262	1,688	94	16	1,390	172	1,103	114	1
50-54	**22,868**	**14,311**	**1,717**	**11,739**	**738**	**117**	**8,557**	**1,126**	**6,349**	**1,064**	**18**
50	3,775	2,293	284	1,892	96	21	1,482	189	1,145	143	5
51	3,923	2,439	266	2,023	131	19	1,484	185	1,128	168	3
52	4,548	2,891	360	2,368	138	25	1,657	212	1,233	208	4
53	5,003	3,134	388	2,547	176	23	1,869	258	1,359	248	4
54	5,619	3,554	419	2,909	197	29	2,065	282	1,484	297	2

TABLE 14 - *continued*

Age last birthday	Persons	MALES					FEMALES				
		Total	Single	Married	Widowed	Not stated	Total	Single	Married	Widowed	Not stated
55-59	**36,064**	**23,656**	**2,447**	**19,406**	**1,602**	**201**	**12,408**	**1,836**	**8,374**	**2,186**	**12**
55	5,899	3,859	412	3,188	214	45	2,040	297	1,430	310	3
56	6,667	4,312	452	3,581	247	32	2,355	322	1,680	351	2
57	7,132	4,724	502	3,861	321	40	2,408	370	1,614	421	3
58	7,889	5,187	530	4,238	375	44	2,702	409	1,795	496	2
59	8,477	5,574	551	4,538	445	40	2,903	438	1,855	608	2
60-64	**52,055**	**33,677**	**3,131**	**26,963**	**3,316**	**267**	**18,378**	**2,615**	**10,715**	**5,016**	**32**
60	9,050	5,868	565	4,789	468	46	3,182	463	2,005	710	4
61	9,376	6,146	599	5,008	489	50	3,230	451	1,935	839	5
62	10,408	6,804	649	5,412	679	64	3,604	496	2,138	962	8
63	11,385	7,333	670	5,811	799	53	4,052	594	2,274	1,180	4
64	11,836	7,526	648	5,943	881	54	4,310	611	2,363	1,325	11
65-69	**62,183**	**36,448**	**2,883**	**27,886**	**5,417**	**262**	**25,735**	**3,815**	**11,965**	**9,917**	**38**
65	11,644	7,147	586	5,598	906	57	4,497	656	2,292	1,541	8
66	11,520	6,853	523	5,337	946	47	4,667	660	2,330	1,671	6
67	12,585	7,361	616	5,621	1,060	64	5,224	787	2,440	1,987	10
68	12,854	7,393	567	5,612	1,162	52	5,461	793	2,428	2,234	6
69	13,580	7,694	591	5,718	1,343	42	5,886	919	2,475	2,484	8
70-74	**75,590**	**39,808**	**2,862**	**27,492**	**9,152**	**302**	**35,782**	**5,367**	**12,243**	**18,130**	**42**
70	14,001	7,665	569	5,621	1,417	58	6,336	949	2,508	2,868	11
71	14,177	7,766	547	5,517	1,643	59	6,411	926	2,432	3,046	7
72	15,049	8,055	541	5,595	1,855	64	6,994	1,086	2,406	3,492	10
73	15,855	8,097	586	5,457	2,000	54	7,758	1,144	2,473	4,135	6
74	16,508	8,225	619	5,302	2,237	67	8,283	1,262	2,424	4,589	8
75-79	**82,636**	**38,597**	**2,657**	**22,620**	**13,038**	**282**	**44,039**	**6,509**	**9,903**	**27,583**	**44**
75	16,383	7,996	561	5,109	2,262	64	8,387	1,269	2,310	4,799	9
76	16,652	8,028	535	4,947	2,496	50	8,624	1,239	2,159	5,214	12
77	16,330	7,623	495	4,540	2,548	40	8,707	1,245	1,970	5,483	9
78	16,693	7,626	557	4,226	2,785	58	9,067	1,376	1,801	5,879	11
79	16,578	7,324	509	3,798	2,947	70	9,254	1,380	1,663	6,208	3
80-84	**75,636**	**30,203**	**2,079**	**13,393**	**14,485**	**246**	**45,433**	**6,798**	**6,084**	**32,512**	**39**
80	16,193	6,811	490	3,363	2,909	49	9,382	1,460	1,589	6,322	11
81	15,421	6,255	417	3,018	2,771	49	9,166	1,348	1,446	6,362	10
82	15,249	6,174	407	2,675	3,043	49	9,075	1,346	1,179	6,545	5
83	14,837	5,661	401	2,284	2,932	44	9,176	1,382	997	6,790	7
84	13,936	5,302	364	2,053	2,830	55	8,634	1,262	873	6,493	6
85-89	**47,973**	**17,026**	**1,115**	**5,371**	**10,432**	**108**	**30,947**	**4,925**	**2,082**	**23,896**	**44**
85	12,236	4,536	308	1,576	2,618	34	7,700	1,144	655	5,895	6
86	11,074	4,047	258	1,401	2,364	24	7,027	1,170	537	5,311	9
87	9,545	3,327	192	1,038	2,080	17	6,218	1,011	391	4,805	11
88	8,118	2,812	203	771	1,822	16	5,306	834	266	4,194	12
89	7,000	2,304	154	585	1,548	17	4,696	766	233	3,691	6
90-94	**17,058**	**4,986**	**275**	**1,064**	**3,616**	**31**	**12,072**	**2,100**	**322**	**9,641**	**9**
90	5,313	1,682	97	417	1,161	7	3,631	622	135	2,872	2
91	4,144	1,204	61	254	881	8	2,940	504	76	2,358	2
92	3,326	968	58	191	711	8	2,358	423	58	1,874	3
93	2,491	689	35	135	517	2	1,802	303	42	1,456	1
94	1,784	443	24	67	346	6	1,341	248	11	1,081	1
95-99	**3,347**	**761**	**37**	**108**	**614**	**2**	**2,586**	**492**	**32**	**2,060**	**2**
95	1,207	298	16	39	242	1	909	173	20	716	-
96	924	205	10	30	165	-	719	127	9	583	-
97	588	124	4	20	100	-	464	83	1	379	1
98	388	82	5	8	69	-	306	70	1	234	1
99	240	52	2	11	38	1	188	39	1	148	-
100 and over	**345**	**42**	**1**	**4**	**36**	**1**	**303**	**64**	**1**	**237**	**1**

TABLE 15. Constructed analysis of 1964 deaths by age and marital condition

England and Wales

Note. In this table the deaths of unstated marital condition in each age-group (which are shown separately in Table 14) have been distributed proportionately among those of stated condition in the age-group.

Age-groups	Persons	Males				Females			
		Total	Single	Married	Widowed	Total	Single	Married	Widowed
All ages	**534,737**	**274,773**	**39,251**	**172,000**	**63,522**	**259,964**	**48,100**	**78,706**	**133,158**
0-4	19,997	11,425	11,425	-	-	8,572	8,572	-	-
5-9	1,345	808	808	-	-	537	537	-	-
10-14	1,089	687	687	-	-	402	402	-	-
15-19	2,582	1,859	1,841	18	-	723	668	53	2
20-24	2,396	1,691	1,331	357	3	705	361	337	7
25-29	2,375	1,509	659	836	14	866	219	630	17
30-34	2,974	1,800	488	1,271	41	1,174	219	925	30
35-39	4,756	2,859	671	2,121	67	1,897	302	1,521	74
40-44	8,984	5,168	946	4,039	183	3,816	495	3,086	235
45-49	12,484	7,452	1,042	6,104	306	5,032	635	3,995	402
50-54	22,868	14,311	1,731	11,836	744	8,557	1,128	6,363	1,066
55-59	36,064	23,656	2,468	19,572	1,616	12,408	1,838	8,382	2,188
60-64	52,055	33,677	3,156	27,178	3,343	18,378	2,620	10,733	5,025
65-69	62,183	36,448	2,904	28,088	5,456	25,735	3,821	11,982	9,932
70-74	75,590	39,808	2,884	27,703	9,221	35,782	5,373	12,257	18,152
75-79	82,636	38,597	2,677	22,786	13,134	44,039	6,516	9,913	27,610
80-84	75,636	30,203	2,096	13,503	14,604	45,433	6,804	6,089	32,540
85-89	47,973	17,026	1,122	5,405	10,499	30,947	4,932	2,085	23,930
90-94	17,058	4,986	277	1,071	3,638	12,072	2,102	322	9,648
95-99	3,347	761	37	108	616	2,586	492	32	2,062
100 and over	345	42	1	4	37	303	64	1	238

BLE 16. Deaths at different ages by month of occurrence, January to December, 1964

England and Wales

See notes at head of Table 22

Age		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ll ages	M	**28,259**	**25,150**	**26,420**	**22,836**	**21,404**	**20,013**	**19,732**	**19,398**	**19,127**	**22,639**	**22,619**	**26,852**
	F	**27,496**	**23,478**	**25,093**	**22,367**	**20,257**	**18,511**	**19,102**	**18,278**	**18,063**	**20,932**	**21,574**	**24,515**
der 4 weeks	M	602	572	660	575	635	584	574	552	556	596	500	585
	F	420	433	456	452	470	430	429	405	388	434	366	420
weeks and nder 1 year	M	342	327	280	284	252	191	188	166	166	223	241	333
	F	278	237	213	209	161	151	123	144	153	162	217	272
1-	M	60	46	60	54	61	36	31	31	42	54	43	64
	F	41	48	55	34	29	35	38	26	25	34	52	58
2-	M	69	68	74	92	73	62	51	58	72	77	68	61
	F	66	73	57	51	43	50	51	42	48	63	53	66
5-	M	63	68	77	64	87	66	69	88	58	52	49	71
	F	40	49	45	44	48	45	49	37	43	54	43	35
10-	M	55	49	43	54	74	56	69	61	66	57	55	36
	F	29	34	22	34	39	40	29	36	27	33	31	39
15-	M	136	140	151	140	156	150	168	179	157	192	177	125
	F	59	52	64	54	69	61	62	63	55	53	59	69
20-	M	116	108	129	128	175	132	153	174	143	146	124	171
	F	52	61	45	51	61	57	59	61	57	55	61	70
25-	M	125	120	110	125	127	99	118	153	128	135	132	137
	F	90	61	81	83	74	65	67	72	61	67	75	59
30-	M	168	121	166	154	154	148	148	132	126	164	138	184
	F	107	92	109	107	92	89	100	99	84	94	103	86
35-	M	274	238	262	231	237	246	211	210	209	244	224	251
	F	164	158	170	171	145	148	141	173	139	161	154	163
40-	M	450	425	484	445	432	378	423	427	357	451	433	458
	F	331	327	345	306	312	282	303	284	325	317	329	349
45-	M	674	671	702	601	617	590	564	572	548	587	614	683
	F	489	460	451	404	395	381	404	373	366	449	418	439
50-	M	1,362	1,224	1,326	1,166	1,140	1,103	1,076	1,089	1,027	1,197	1,233	1,331
	F	809	706	786	693	698	645	690	656	684	681	748	755
55-	M	2,304	2,144	2,113	1,960	1,932	1,788	1,729	1,700	1,698	1,959	2,015	2,298
	F	1,227	1,088	1,125	1,052	1,025	969	941	947	869	998	1,038	1,129
60-	M	3,494	2,977	3,178	2,728	2,666	2,457	2,426	2,394	2,395	2,822	2,811	3,289
	F	1,813	1,618	1,652	1,541	1,394	1,356	1,363	1,374	1,382	1,572	1,501	1,805
65-	M	3,762	3,291	3,466	2,891	2,811	2,654	2,602	2,619	2,649	3,039	3,082	3,576
	F	2,641	2,200	2,404	2,102	2,035	1,910	1,971	1,872	1,846	2,164	2,150	2,420
70-	M	4,123	3,659	3,829	3,270	2,947	2,917	2,865	2,779	2,775	3,325	3,300	3,981
	F	3,748	3,153	3,415	3,060	2,845	2,524	2,626	2,545	2,438	2,880	3,037	3,485
75-	M	4,153	3,720	3,902	3,326	2,819	2,710	2,697	2,565	2,598	3,097	3,152	3,810
	F	4,830	4,031	4,431	3,883	3,402	2,967	3,146	2,998	3,056	3,455	3,607	4,165
80-	M	3,277	2,898	3,043	2,606	2,329	2,123	2,059	1,962	1,932	2,447	2,427	3,079
	F	5,020	4,220	4,447	4,030	3,431	3,213	3,336	3,075	2,961	3,634	3,763	4,250
and over	M	2,650	2,284	2,365	1,942	1,680	1,523	1,511	1,487	1,425	1,775	1,801	2,329
	F	5,242	4,377	4,720	4,006	3,489	3,093	3,174	2,996	3,056	3,572	3,769	4,381

TABLE 17. Causes of death at different age periods, 1964

Note 1 The sequence of causes of death followed in this table is that of the detailed International Statistical Classification of Diseases, Injuries and Causes of Death (Seventh Revision, 1955), including the alternative classifications by External Cause and Nature of Injury (E and N codes) for violent deaths. Each three digit code is separately specified, except a few which are not applicable to primary death classification and some of the N codes to which few deaths are generally assigned. Certain 4th digit splits of general interest are also shown. Tables 18A, 18C and 18D should be consulted for further details of violent deaths. Since Table 17 now includes N codes, Table 18B has been discontinued.

2 Separate columns are not shown for those causes to which, as a rule, few deaths are assigned. To make the record complete, the classification numbers of such causes (except N codes) are printed as close as possible to the places where they would occur. Any deaths from such causes are shown in footnotes in which heavy-faced figures preceding the cause show the International Classification number, and the figures following each sex indicate the age-group of the decedent. Thus **089** Mumps: Males 1,1,80; Females 1,1,60,65,80,85,85: denotes that three male deaths (two in age-group 1- and one in age-group 80-) and seven female deaths (two in age-group 1-, one in age-group 60-, one in age-group 65-, one in age-group 80- and two in age-group 85 and over) are assigned to this cause. A dash (-) indicates that no deaths are assigned.

3 Deaths are not assigned to any of the following categories as the underlying cause, where the interval between onset of the disease and death was stated to exceed one year:- 040-043, 050-052, 055, 056, 057·0, 057·1, 057·3, 058, 059, 061, 084-087, 089, 091, 094, 100-108, 480-483, 490-493, 640-689 For details of these categories see Table 7.

Causes of death	All Causes		I 001-138 Infective and parasitic diseases		TUBERCULOSIS											
					001-019 All forms		001-008 Respiratory system		001 Respiratory tuberculosis with mention of occupational disease of lung		002 Pulmonary tuberculosis		003 Pleural tuberculosis		003·0 Pleurisy specified as tuberculous	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	274,773	259,964	2,904	1,495	1,853	631	1,711	498	141	5	1,549	481	15	8	9	
0-	10,011	7,434	97	75	1	1	-	1	-	-	-	1	-	-	-	
1-	1,414	1,138	71	78	7	9	3	4	-	-	3	4	-	-	-	
5-	808	537	26	23	1	2	-	-	-	-	-	-	-	-	-	
10-	687	402	9	7	3	1	1	1	-	-	1	1	-	-	-	
15-	1,859	723	18	20	4	2	3	1	-	-	3	1	-	-	-	
20-	1,691	705	18	13	7	3	5	1	-	-	5	1	-	-	-	
25-	1,509	866	17	17	5	9	3	7	-	-	3	7	-	-	-	
30-	1,800	1,174	40	40	27	21	22	18	-	-	21	18	1	-	-	
35-	2,859	1,897	69	51	55	39	47	33	-	-	46	32	1	-	-	
40-	5,168	3,816	111	71	76	53	63	46	3	-	58	46	2	-	1	
45-	7,452	5,032	146	77	107	43	95	36	1	-	93	36	-	-	-	
50-	14,311	8,557	238	91	175	54	162	43	7	-	153	42	2	1	2	
55-	23,656	12,408	324	125	218	61	207	51	16	-	188	49	1	2	1	
60-	33,677	18,378	416	136	309	61	284	47	33	-	245	44	5	2	3	
65-	36,448	25,735	411	143	290	66	272	53	32	3	239	48	1	1	1	
70-	39,808	35,782	401	143	270	60	260	52	27	1	231	49	1	1	1	
75-	38,597	44,039	279	159	178	69	174	45	16	1	157	44	-	-	-	
80-	30,203	45,433	145	150	78	60	72	44	4	-	68	43	-	1	-	
85 and over	22,815	45,908	68	76	42	17	38	15	2	-	35	15	1	-	-	

TABLE 17 - *continued*

Causes of death	TUBERCULOSIS															
	003·1 Pleurisy with effusion without mention of cause		004-008* 010-019 Other forms		010 Meninges and central nervous system		011 Intestines, peritoneum, and mesenteric glands		012 Bones and joints, active or unspecified		012·0 Active or unspecified tuberculosis of vertebral column		012·1;2;3 Others included under 012		013, 014* 015 Lymphatic system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**6**	**5**	**142**	**133**	**26**	**18**	**9**	**14**	**23**	**27**	**18**	**22**	**5**	**5**	**3**	**6**
0-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	4	5	4	4	-	-	-	-	-	-	-	-	-	-
5-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-
10-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
20-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-
25-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-
30-	1	-	5	3	1	1	1	-	-	1	-	1	-	-	-	-
35-	1	-	8	6	1	-	1	1	1	2	1	2	-	-	-	-
40-	1	-	13	7	3	1	1	-	3	3	2	3	1	-	-	-
45-	-	-	12	7	1	2	-	-	3	2	3	2	-	-	-	-
50-	-	1	13	11	1	1	2	2	5	3	4	3	1	-	-	-
55-	-	2	11	10	4	2	-	1	-	1	-	1	-	-	-	-
60-	2	1	25	14	3	-	1	3	3	2	2	2	1	-	2	1
65-	-	1	18	13	3	2	2	-	2	4	1	3	1	1	1	-
70-	-	-	10	8	1	1	-	3	2	-	2	-	-	-	-	-
75-	-	-	4	24	1	1	-	1	-	7	-	4	-	3	-	-
80-	-	-	6	16	-	-	-	3	4	1	3	-	1	1	-	4
85 and over	1	-	4	2	-	-	1	-	-	1	-	1	-	-	-	1

Causes of death	TUBERCULOSIS										020-029 Syphilis and its sequelae		020 Congenital syphilis		021* 022 Aneurysm of aorta	
	016 Genito-urinary system		017 Adrenal glands		018 Other organs		019 Disseminated tuberculosis		019·0;1* 019·2 Other forms of disseminated tuberculosis							
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**41**	**32**	**7**	**2**	**9**	**1**	**20**	**29**	**19**	**29**	**496**	**295**	**1**	**4**	**325**	**195**
0-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
1-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1
10-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
15-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-
25-	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-
30-	2	-	-	-	-	-	1	1	-	1	3	5	-	2	2	1
35-	3	1	-	-	1	-	1	1	1	1	1	-	-	-	-	-
40-	5	2	-	-	1	-	-	1	-	1	14	4	-	-	4	-
45-	3	3	2	-	1	-	2	-	2	-	11	5	-	-	6	2
50-	2	5	2	-	-	-	1	-	1	-	32	7	-	-	13	1
55-	4	4	-	-	-	-	1	1	1	1	59	18	-	-	38	8
60-	5	4	3	2	1	-	5	2	5	2	56	29	-	-	34	12
65-	6	3	-	-	2	-	2	3	2	3	89	43	-	-	54	25
70-	3	1	-	-	1	-	3	2	3	2	103	40	-	-	79	28
75-	2	4	-	-	1	-	-	11	-	11	73	58	-	1	51	46
80-	1	2	-	-	-	1	1	5	1	5	38	57	-	-	32	47
85 and over	2	-	-	-	-	-	1	-	1	-	16	27	-	-	12	24

* **004** Primary tuberculosis complex with symptoms: Male 45; **005** Tracheobronchial glandular tuberculosis with symptoms: Female 35; **006** Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere - : **007** Other respiratory tuberculosis: Female 60; **008** Tuberculosis, unspecified site: Males 55,55,60,70,75; Females 65,70: **013** Late effects of tuberculosis of bones and joints: Males 55,55,60,60; Females 35,55,65,70: **014** Tuberculosis of skin and subcutaneous cellular tissue - : **019·0; 1** Acute miliary tuberculosis: Male 30: **021** Early syphilis - .

TABLE 17 - *continued*

Causes of death	023 Other cardio-vascular syphilis		024 Tabes dorsalis		025 General paralysis of insane		026 Other syphilis of central nervous system		027 Other forms of late syphilis		028, 029, 030-039* 030-039 Gonococcal infection and other venereal diseases		040-049 Infectious diseases commonly arising in intestinal tract		040, 041* 042 Other Salmonella infections	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**107**	**55**	**15**	**12**	**24**	**12**	**12**	**10**	**8**	**5**	**9**	**-**	**15**	**22**	**6**	
0-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
10-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
15-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
20-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
35-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
40-	6	3	-	-	3	1	1	-	-	-	-	-	1	-	-	
45-	2	2	-	-	-	-	2	1	1	-	-	-	-	-	-	
50-	13	5	1	-	2	1	1	-	1	-	-	-	-	-	-	
55-	15	6	1	1	3	1	1	2	-	-	-	-	3	1	1	
60-	13	8	4	5	2	1	2	2	1	1	-	-	1	2	1	
65-	16	8	4	3	8	3	2	1	3	3	1	-	1	2	1	
70-	16	6	3	2	2	2	2	2	1	-	1	-	3	-	1	
75-	14	7	2	-	4	-	1	1	1	1	4	-	1	6	-	
80-	6	5	-	1	-	3	-	1	-	-	3	-	1	3	-	
85 and over	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	

Causes of death	043, 044* 045 Bacillary dysentery		046-049* 050-064 Other bacterial diseases		050 Scarlet fever		051 Streptococcal sore throat		052 Erysipelas		053 Septicaemia and pyaemia		053·0 Streptococcus		053·1 Staphylococcus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**3**	**10**	**184**	**148**	**2**	**-**	**6**	**2**	**5**	**2**	**75**	**58**	**8**	**3**	**21**	
0-	-	2	63	37	-	-	3	-	1	-	16	10	1	-	4	
1-	-	1	28	24	1	-	2	-	-	-	5	3	1	-	1	
5-	-	1	8	6	-	-	-	-	-	-	3	2	1	1	1	
10-	-	-	3	3	1	-	-	-	-	-	-	-	-	-	-	
15-	1	-	3	4	-	-	-	-	-	-	1	2	-	-	1	
20-	-	-	2	1	-	-	-	-	-	-	1	1	-	-	-	
25-	-	-	3	4	-	-	-	-	-	-	2	1	-	-	1	
30-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	1	
35-	-	1	1	1	-	-	-	-	-	-	1	1	1	-	-	
40-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	
45-	-	-	7	10	-	-	-	-	-	-	3	6	1	-	1	
50-	-	-	3	3	-	-	-	-	-	-	2	2	-	-	1	
55-	1	1	10	10	-	-	-	-	1	-	3	5	-	1	1	
60-	-	1	13	6	-	-	-	-	1	-	8	3	1	-	3	
65-	-	1	12	6	-	-	-	-	-	-	10	5	-	-	2	
70-	-	-	8	10	-	-	-	1	1	-	6	6	-	-	1	
75-	1	1	10	12	-	-	-	-	1	1	6	6	1	1	2	
80-	-	1	8	5	-	-	-	-	-	-	7	4	1	-	1	
85 and over	-	-	1	2	-	-	1	-	-	1	-	-	-	-	-	

* **028** Latent syphilis - : **029** Syphilis, unqualified: Males 50,55,65,65; Females 75,75: **030** Acute or unspecified gonorrhoea: Males 75,80: **031** Chronic gonococcal infection of genito-urinary system: Male 70: **032** Gonococcal infection of joint - : **033** Gonococcal infection of eye - : **034** Gonococcal infection of other sites - : **035** Late effects of gonococcal infection: Males 65,75,75,75,80: **036** Chancroid - : **037** Lymphogranuloma venereum: Male 80: **038** Granuloma inguinale, venereal - : **039** Other and unspecified venereal diseases - : **040** Typhoid fever: Male 20; Female 20: **041** Paratyphoid fever: Male 40: **043** Cholera - : **044** Brucellosis (undulant fever) - : **046** Amoebiasis: Males 55,70: **047** Other protozoal dysentery - : **048** Unspecified forms of dysentery: Males 70,80: **049** Food poisoning (infection and intoxication): Females 35,80.

TABLE 17 - *continued*

uses of death	053·2 Pneumococcus		053·3 Other specified organism		053·4 Organism unspecified		054, 055* 056 Whooping cough		057 Meningococcal infections		058, 059, 060* 061 Tetanus		062, 063, 064* 070-074 Spirochaetal diseases except syphilis		070, 071* 072 Leptospirosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**6**	**8**	**7**	**3**	**33**	**25**	**22**	**22**	**53**	**45**	**13**	**8**	**7**	**2**	**6**	**1**
0-	2	2	3	-	6	5	18	14	24	11	1	-	-	-	-	-
1-	1	1	1	1	1	1	4	5	15	15	-	-	-	-	-	-
5-	1	-	-	-	-	1	-	-	2	4	3	-	-	-	-	-
10-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-
20-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
25-	-	-	-	-	1	1	-	-	1	1	-	1	-	-	-	-
30-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-
40-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
45-	-	2	-	1	1	2	-	-	4	1	-	-	-	-	-	-
50-	-	-	-	-	1	1	-	-	-	-	1	1	3	-	3	-
55-	-	1	-	-	2	-	-	-	3	2	2	2	2	-	1	-
60-	-	-	-	-	4	3	-	-	1	2	1	1	-	-	-	-
65-	1	-	2	-	5	2	-	-	-	1	1	-	-	1	-	1
70-	-	-	1	1	4	1	-	-	-	1	1	1	1	1	1	-
75-	-	1	-	-	3	3	-	2	-	1	-	-	-	-	-	-
80-	1	-	-	-	4	3	-	-	1	1	-	-	-	-	-	-
85 and over	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

ses of death	073, 074* 080-096 Diseases attributable to viruses		080 Acute poliomyelitis		080·0 Specified as bulbar or polio-encephalitis		080·1 With other paralysis		080·2* 080·3 Unspecified		081 Late effects of acute poliomyelitis		082 Acute infectious encephalitis		083 Late effects of acute infectious encephalitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**281**	**322**	**2**	**2**	**1**	-	-	**1**	**1**	**1**	**16**	**9**	**55**	**43**	**51**	**34**
0-	25	30	-	-	-	-	-	-	-	-	-	-	11	9	-	-
1-	36	40	-	1	-	-	-	1	-	-	-	-	7	10	1	-
5-	17	13	1	-	1	-	-	-	-	-	-	-	2	1	-	-
10-	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
15-	10	13	-	-	-	-	-	-	-	-	3	1	4	4	-	-
20-	7	8	-	-	-	-	-	-	-	-	2	1	2	4	-	-
25-	6	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-
30-	7	11	-	-	-	-	-	-	-	-	2	1	3	2	-	1
35-	8	3	-	-	-	-	-	-	-	-	2	1	2	2	1	-
40-	15	9	1	-	-	-	-	-	1	-	2	1	3	-	2	1
45-	18	15	-	1	-	-	-	-	-	1	-	-	1	1	11	4
50-	23	21	-	-	-	-	-	-	-	-	1	1	6	-	6	4
55-	24	26	-	-	-	-	-	-	-	-	1	2	6	2	8	11
60-	25	25	-	-	-	-	-	-	-	-	2	-	2	3	11	7
65-	16	18	-	-	-	-	-	-	-	-	-	-	1	1	5	3
70-	8	21	-	-	-	-	-	-	-	-	-	-	-	3	2	2
75-	10	12	-	-	-	-	-	-	-	-	-	-	2	-	3	1
80-	15	24	-	-	-	-	-	-	-	-	-	1	-	-	-	-
85 and over	9	28	-	-	-	-	-	-	-	-	-	-	-	1	1	-

* **054** Bacterial toxaemia - : **055** Diphtheria - : **058** Plague - : **059** Tularaemia - : **060** Leprosy: Female 45: **062** Anthrax - : **063** Gas gangrene: Males 55,60,60,65,75,75; Females 25,45,55,75,75: **064** Other bacterial diseases: Males 1,75; Females 0,0,1,45,70: **070** Vincent's infection: Female 70: **071** Relapsing fever - : **073** Yaws - : **074** Other spirochaetal infections: Male 55: **080·2** Acute poliomyelitis specified as non-paralytic - .

TABLE 17 - *continued*

Causes of death	084*		086*				089, 090, 091*		093, 094, 095*		100-108*				110-117*	
	085		087		088		092		096		100-108		110-117		120-138	
	Measles		Chickenpox		Herpes zoster		Infectious hepatitis		Other diseases attributable to viruses		Typhus and other rickettsial diseases		Malaria		Other infective an parasitic diseases	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**30**	**43**	**15**	**14**	**12**	**35**	**82**	**114**	**13**	**18**	-	-	**2**	-	**57**	
0-	5	8	3	6	-	-	2	1	4	6	-	-	-	-	7	
1-	17	21	3	3	-	-	2	2	2	1	-	-	-	-	-	
5-	7	7	3	2	-	-	3	3	1	-	-	-	-	-	-	
10-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
15-	-	4	-	-	-	-	3	1	-	1	-	-	-	-	-	
20-	-	-	-	-	-	-	2	3	1	-	-	-	-	-	1	
25-	-	1	1	-	-	-	2	2	1	-	-	-	-	-	2	
30-	-	-	-	-	-	1	2	6	-	-	-	-	-	-	2	
35-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	3	
40-	-	-	1	-	-	-	5	7	1	-	-	-	-	-	5	
45-	-	-	1	-	-	-	4	9	1	-	-	-	1	-	2	
50-	1	-	1	-	-	-	8	16	-	-	-	-	1	-	1	
55-	-	-	-	-	-	-	9	11	-	-	-	-	-	-	8	
60-	-	-	-	1	-	-	9	13	1	-	-	-	-	-	12	
65-	-	1	-	1	2	1	8	9	-	1	-	-	-	-	2	
70-	-	-	-	-	-	3	6	11	-	2	-	-	-	-	7	
75-	-	-	1	-	1	5	3	4	-	2	-	-	-	-	3	
80-	-	-	-	1	5	8	9	11	-	2	-	-	-	-	2	
85 and over	-	-	1	-	4	17	3	4	-	3	-	-	-	-	-	

Causes of death	120-124*		126-133*		135, 136, 137*		NEOPLASMS									
	125		134		138		II		140-205		140-148		140		140.0 -	
	Hydatid disease		Other fungus infections		Other infective and parasitic diseases		140-239 NEOPLASMS		Malignant neoplasms including neoplasms of lymphatic and haemato-poietic tissues		Malignant neoplasm of buccal cavity and pharynx		Lip		Upper lip	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**6**	**2**	**19**	**11**	**25**	**57**	**56,959**	**49,235**	**56,247**	**48,451**	**1,020**	**656**	**58**	**8**	**8**	
0-	-	-	5	3	-	-	**38**	**43**	26	34	-	-	-	-	-	
1-	-	-	-	1	-	-	**179**	**138**	165	126	-	2	-	1	-	
5-	-	-	-	-	-	-	**174**	**112**	158	103	3	1	-	-	-	
10-	-	-	-	-	-	-	**111**	**86**	101	78	1	-	-	-	-	
15-	-	-	-	-	-	-	**165**	**115**	156	107	-	3	-	-	-	
20-	-	-	-	-	-	-	**176**	**124**	161	107	3	-	-	-	-	
25-	-	-	-	-	2	1	**250**	**194**	239	184	7	3	-	-	-	
30-	-	-	1	-	1	2	**343**	**346**	319	325	1	4	-	-	-	
35-	2	-	1	-	-	6	**598**	**750**	570	727	2	10	-	-	-	
40-	-	-	-	1	4	1	**1,270**	**1,707**	1,230	1,661	17	22	-	-	-	
45-	-	-	2	1	-	3	**1,888**	**2,309**	1,852	2,243	23	23	-	-	-	
50-	-	1	-	1	1	4	**4,133**	**3,908**	4,059	3,840	63	42	-	-	-	
55-	-	-	2	-	5	9	**6,946**	**4,910**	6,850	4,834	79	58	3	-	-	
60-	2	1	3	-	6	12	**9,424**	**6,042**	9,328	5,955	134	83	6	1	1	
65-	1	-	-	1	1	6	**9,509**	**6,696**	9,440	6,607	150	70	7	-	-	
70-	-	-	3	1	4	10	**8,777**	**6,889**	8,713	6,802	164	103	7	2	-	
75-	1	-	1	-	1	2	**6,797**	**6,512**	6,751	6,455	150	103	14	2	3	
80-	-	-	1	1	-	-	**4,153**	**5,025**	4,124	4,974	130	65	9	-	2	
85 and over	-	-	-	1	-	1	**2,028**	**3,329**	2,005	3,289	93	64	12	2	2	

* **084** Smallpox - : **086** Rubella (German measles): Males 1,1; Female 85: **089** Mumps: Males 1,1,80; Females 1,1,60,65,80,85,85: **090** Dengue - : **091** Yellow fever - : **093** Glandular fever (infectious mononucleosis): Females 15,15: **094** Rabies - : **095** Trachoma - : **100** Louse-borne epidemic typhus - : **101** Flea-borne endemic typhus (murine) - : **102** Brill's disease, not specified as louse- or flea-borne - : **103** Tarbardillo (Mexican typhus), not specified as louse- or flea-borne - : **104** Tick-borne typhus - : **105** Mite-borne typhus - : **106** Volhynian fever (trench fever) - : **107** Typhus, unspecified - : **108** Other rickettsial diseases - : **110** Vivax malaria (benign tertian) - : **111** Malariae malaria (quartan) - : **112** Falciparum malaria (malignant tertian): Male 45: **113** Ovale malaria - : **114** Mixed malarial infections - : **115** Blackwater fever - : **116** Other and unspecified forms of malaria: Male 50: **117** Recurrent induced malaria - : **120** Leishmaniasis: Male 40: **121** Trypanosomiasis - : **122** Other protozoal diseases: Males 0,0; Females 0,1,1: **123** Schistosomiasis: Males 20,55; Female 10: **124** Other trematode infestation - : **126** Other cestode infestation: Males 60,80: **127** Filariasis -: **128** Trichiniasis - : **129** Ankylostomiasis - : **130** Infestation with worms of other, mixed and unspecified type - : **131** Dermatophytosis: Female 15: **132** Actinomycosis - : **133** Coccidioidomycosis - : **135** Scabies - : **136** Pediculosis - : **137** Other arthropod infestation - .

TABLE 17 - *continued*

Causes of death	NEOPLASMS															
	140·1 Lower lip		140·8;9 Others included under 140		141 Tongue		141·0 Base of tongue		141·7 Other specified parts of tongue		141·8;9 Others included under 141		142 Salivary gland		142·0 Parotid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	43	5	7	1	294	134	90	35	133	71	71	28	68	62	55	50
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-	-	-	-	-	3	1	1	1	2	-	-	-	-	-	-	-
30-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
35-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
40-	-	-	-	-	1	2	-	1	1	1	-	-	2	3	1	3
45-	-	-	-	-	8	5	-	2	5	3	3	-	4	2	2	2
50-	-	-	-	-	21	7	3	2	10	5	8	-	4	3	3	1
55-	3	-	-	-	18	5	7	-	6	3	5	2	2	5	2	3
60-	4	1	1	-	31	17	12	6	11	8	8	3	9	8	6	7
65-	5	-	2	-	35	14	12	2	13	10	10	2	15	6	14	2
70-	7	1	-	1	40	15	12	3	20	8	8	4	13	10	9	8
75-	9	1	2	-	57	31	16	9	31	15	10	7	9	13	8	13
80-	7	-	-	-	51	18	17	4	21	10	13	4	5	6	5	5
85 and over	8	2	2	-	29	16	10	5	13	7	6	4	5	5	5	5

Causes of death	NEOPLASMS															
	142·7 Other salivary gland		142;8;9 Others included under 142		143 Floor of mouth		144 Other parts of mouth and mouth unspecified		145 Oral mesopharynx		145·0 Tonsil (excluding pillars)		145·7-9 Others included under 145		146 Nasopharynx	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	8	9	5	3	84	35	119	94	135	44	98	38	37	6	94	49
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
15-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
25-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1
30-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
35-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-
40-	-	-	1	-	-	1	3	3	2	2	2	2	-	-	5	4
45-	-	-	2	-	-	1	1	1	2	1	2	1	-	-	8	2
50-	1	-	-	2	5	3	6	4	10	4	10	3	-	1	7	6
55-	-	2	-	-	8	2	6	6	11	3	7	3	4	-	15	8
60-	2	1	1	-	12	3	12	10	19	4	13	4	6	-	17	9
65-	1	4	-	-	10	4	25	8	17	6	12	6	5	-	15	2
70-	3	1	1	1	17	5	20	15	27	8	17	7	10	1	9	7
75-	1	-	-	-	11	5	16	16	19	4	15	2	4	2	4	3
80-	-	1	-	-	12	2	16	12	18	6	12	6	6	-	3	4
85 and over	-	-	-	-	8	7	12	17	9	6	8	4	1	2	5	2

TABLE 17 - *continued*

Causes of death	NEOPLASMS															
	147 Hypopharynx		148 Pharynx, unspecified		150-159 Malignant neoplasm of digestive organs and peritoneum		150 Oesophagus		151 Stomach		152 Small intestine, including duodenum		152·0 Duodenum		152·7-9 Others included under 152	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**123**	**202**	**45**	**28**	**19,050**	**18,391**	**1,349**	**1,191**	**7,500**	**5,569**	**124**	**107**	**22**	**31**	**102**	**76**
0-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	1	5	3	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	5	3	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	9	6	-	-	1	1	-	-	-	-	-	-
20-	1	-	-	-	8	4	-	-	1	1	-	1	-	-	-	1
25-	1	1	1	-	34	22	1	-	4	6	-	-	-	-	-	-
30-	1	2	-	-	60	65	-	3	15	17	1	1	-	-	1	1
35-	-	6	-	1	164	124	7	9	62	36	3	1	-	-	3	1
40-	2	6	2	1	370	254	11	22	130	58	4	4	1	1	3	3
45-	-	10	-	1	570	422	39	37	220	96	8	4	3	3	5	1
50-	7	13	3	2	1,207	890	83	58	522	246	10	14	-	3	10	11
55-	10	28	6	1	2,084	1,312	140	86	925	350	11	6	3	2	8	4
60-	25	28	3	3	2,825	1,992	230	122	1,165	562	22	19	5	3	17	16
65-	21	23	5	7	3,071	2,512	208	156	1,246	739	23	15	3	3	20	12
70-	22	36	9	5	3,230	2,986	192	199	1,295	978	14	24	2	6	12	18
75-	16	28	4	1	2,738	3,287	218	204	1,065	1,060	14	4	2	1	12	3
80-	8	13	8	4	1,790	2,724	149	171	596	874	12	10	2	5	10	5
85 and over	9	8	4	1	877	1,784	71	124	253	545	2	4	1	4	1	-

Causes of death	NEOPLASMS															
	153 Large intestine, except rectum		153·3 Sigmoid colon		153·8 Large intestine (including colon), part unspecified		153·0-2;7;9 Others included under 153		154 Rectum		155 Biliary passages and of liver (stated to be primary site)		155·0 Liver		155·1;8 Others included under 155	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**3,616**	**5,474**	**1,183**	**1,673**	**595**	**810**	**1,838**	**2,991**	**2,961**	**2,605**	**620**	**879**	**265**	**164**	**355**	**715**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	1	-	-	-	-	-	1	-	-	-	3	1	3	1	-	-
5-	-	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-
10-	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
15-	1	1	-	-	-	-	1	1	-	-	4	1	4	1	-	-
20-	3	1	1	-	1	-	1	1	-	-	2	-	2	-	-	-
25-	11	8	2	-	4	1	5	7	6	3	4	3	4	2	-	1
30-	14	20	1	8	3	5	10	7	14	16	6	3	4	3	2	-
35-	34	45	7	10	6	9	21	26	24	15	9	5	6	1	3	4
40-	75	89	19	30	12	9	44	50	54	38	24	9	13	5	11	4
45-	101	140	29	49	19	14	53	77	79	69	29	14	15	4	14	10
50-	222	271	68	106	32	37	122	128	146	124	33	42	19	5	14	37
55-	315	398	105	149	54	64	156	185	269	206	70	77	29	23	41	54
60-	486	577	164	214	71	73	251	290	397	268	86	121	39	26	47	95
65-	521	750	186	218	86	120	249	412	464	360	105	127	37	25	68	102
70-	593	825	206	261	91	110	296	454	557	402	88	130	40	24	48	106
75-	554	947	198	276	93	149	263	522	436	452	98	189	40	17	58	172
80-	447	816	136	210	76	144	235	462	330	402	40	96	5	18	35	78
85 and over	236	585	60	142	47	75	129	368	184	250	18	61	4	9	14	52

TABLE 17 - *continued*

Causes of death	NEOPLASMS															
	156 Liver (secondary and unspecified)		157 Pancreas		158 Peritoneum		159 Unspecified digestive organs		160-165 Malignant neoplasm of respiratory system		160 Nose, nasal cavities, middle ear and accessory sinuses		160·0 Nose (internal) and nasal cavities		160·1 Eustachian tube and middle ear	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**349**	**323**	**2,357**	**2,010**	**151**	**202**	**23**	**31**	**22,236**	**4,181**	**127**	**108**	**29**	**15**	**10**	**18**
0-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	1	-	-	-	-	2	-	-	1	2	-	-	-	-	-	-
5-	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
15-	2	1	-	1	1	1	-	-	3	2	-	-	-	-	-	-
20-	2	-	-	-	-	1	-	-	10	4	-	1	-	-	-	-
25-	2	-	3	1	3	1	-	-	15	8	-	-	-	-	-	-
30-	-	1	6	3	4	1	-	-	46	16	-	-	-	-	-	-
35-	3	1	19	9	3	3	-	-	128	40	3	1	-	-	-	-
40-	9	7	56	19	7	8	-	-	408	136	4	4	-	1	-	1
45-	12	10	77	45	5	7	-	-	789	207	8	8	1	1	2	2
50-	22	9	147	111	19	13	3	2	1,981	399	14	10	4	1	-	3
55-	36	26	301	140	16	22	1	1	3,426	547	17	7	4	1	1	1
60-	47	34	369	262	20	22	3	5	4,692	693	23	12	7	3	3	3
65-	63	52	409	280	26	32	6	1	4,350	673	14	15	3	1	2	4
70-	60	49	413	334	15	40	3	5	3,293	580	18	16	4	2	-	1
75-	50	49	284	354	16	23	3	5	2,025	480	17	14	2	-	2	2
80-	28	50	177	278	10	22	1	5	823	258	5	16	3	2	-	1
85 and over	12	32	94	172	4	4	3	7	246	135	4	4	1	3	-	-

Causes of death	NEOPLASMS															
	160·2 Maxillary sinus		160·7 Other specified sinus (accessory)		160·8;9 Others included under 160		161 Larynx		162 Bronchus and trachea, and of lung specified as primary		162·0 Trachea		162·1 Bronchus and lung		162·2 Pleura	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**75**	**69**	**13**	**6**	-	-	**571**	**144**	**15,062**	**2,623**	**33**	**13**	**15,027**	**2,610**	**2**	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	-	-
20-	-	1	-	-	-	-	-	-	5	1	-	-	5	1	-	-
25-	-	-	-	-	-	-	-	1	11	6	-	-	11	6	-	-
30-	-	-	-	-	-	-	-	-	31	10	-	-	31	10	-	-
35-	1	1	2	-	-	-	2	1	90	24	-	-	90	24	-	-
40-	3	2	1	-	-	-	6	4	278	89	1	-	277	89	-	-
45-	5	4	-	1	-	-	12	4	542	136	2	1	539	135	1	-
50-	9	6	1	-	-	-	32	16	1,390	262	8	1	1,382	261	-	-
55-	10	5	2	-	-	-	58	20	2,347	360	3	4	2,344	356	-	-
60-	9	5	4	1	-	-	115	16	3,240	427	5	3	3,234	424	1	-
65-	8	9	1	1	-	-	102	22	2,940	434	3	2	2,937	432	-	-
70-	14	11	-	2	-	-	93	17	2,225	356	7	-	2,218	356	-	-
75-	12	12	1	-	-	-	69	14	1,312	301	1	1	1,311	300	-	-
80-	1	12	1	1	-	-	57	18	504	143	1	1	503	142	-	-
85 and over	3	1	-	-	-	-	24	11	146	73	2	-	144	73	-	-

TABLE 17 - *continued*

Causes of death	NEOPLASMS															
	162·8 Multiple sites		163 Lung, unspecified as to whether primary or secondary		164 Mediastinum		165 Thoracic organs (secondary)		170-181 Malignant neoplasm of breast and genito-urinary organs		170 Breast		171 Cervix uteri		172 Corpus uteri	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	-	-	6,414	1,272	36	16	26	18	7,400	19,060	84	9,860	-	2,577	-	1,106
0-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
1-	-	-	-	1	1	-	-	1	25	18	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	7	9	-	-	-	-	-	-
10-	-	-	-	1	-	-	-	-	1	4	-	-	-	-	-	-
15-	-	-	1	1	-	-	-	-	14	4	-	-	-	-	-	-
20-	-	-	4	2	1	-	-	-	25	18	-	6	-	3	-	-
25-	-	-	3	1	-	-	1	-	42	43	-	21	-	8	-	-
30-	-	-	15	6	-	-	-	-	43	140	1	93	-	24	-	1
35-	-	-	33	14	-	-	-	-	42	391	1	217	-	98	-	4
40-	-	-	120	38	-	1	-	-	69	1,014	-	533	-	239	-	23
45-	-	-	225	56	1	2	1	1	131	1,310	3	708	-	312	-	27
50-	-	-	544	108	-	3	1	-	274	2,043	6	1,115	-	315	-	82
55-	-	-	993	155	6	1	5	4	518	2,346	12	1,277	-	287	-	134
60-	-	-	1,305	233	5	2	4	3	805	2,466	21	1,272	-	274	-	161
65-	-	-	1,278	201	10	1	6	-	1,066	2,548	10	1,258	-	293	-	194
70-	-	-	949	189	7	-	1	2	1,345	2,329	13	1,142	-	279	-	194
75-	-	-	619	141	4	5	4	5	1,313	1,927	5	924	-	219	-	132
80-	-	-	254	79	1	1	2	1	1,065	1,435	7	728	-	151	-	107
85 and over	-	-	71	46	-	-	1	1	613	1,015	5	566	-	75	-	47

Causes of death	NEOPLASMS															
	173 Other parts of uterus, including chorion-epithelioma		174 Uterus unspecified		175 Ovary, Fallopian tube and broad ligament		175·0 Ovary		175·1 Fallopian tube and broad ligament		175·8;9 Others included under 175		176 Other and unspecified female genital organs		176·0 Vulva	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	-	22	-	284	-	3,154	-	3,140	-	14	-	-	-	514	-	359
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
1-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
5-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	4	-	4	-	-	-	-	-	-	-	-
15-	-	-	-	1	-	3	-	3	-	-	-	-	-	-	-	-
20-	-	-	-	-	-	8	-	8	-	-	-	-	-	-	-	-
25-	-	-	-	1	-	11	-	11	-	-	-	-	-	1	-	-
30-	-	-	-	-	-	20	-	20	-	-	-	-	-	5	-	4
35-	-	1	-	3	-	53	-	53	-	-	-	-	-	14	-	8
40-	-	1	-	4	-	168	-	166	-	2	-	-	-	10	-	7
45-	-	3	-	11	-	204	-	203	-	1	-	-	-	19	-	16
50-	-	1	-	18	-	415	-	410	-	5	-	-	-	39	-	30
55-	-	3	-	25	-	468	-	467	-	1	-	-	-	38	-	29
60-	-	5	-	45	-	504	-	503	-	1	-	-	-	65	-	49
65-	-	6	-	45	-	453	-	450	-	3	-	-	-	82	-	57
70-	-	-	-	57	-	335	-	335	-	-	-	-	-	89	-	57
75-	-	1	-	41	-	259	-	258	-	1	-	-	-	83	-	56
80-	-	1	-	21	-	153	-	153	-	-	-	-	-	67	-	46
85 and over	-	-	-	11	-	95	-	95	-	-	-	-	-		-	

TABLE 17 - *continued*

uses of death	NEOPLASMS															
	176·1 Vagina		176·7-9 Others included under 176		177 Prostate		178 Testis		179 Other and unspecified male genital organs		179·0 Penis		179·1 Scrotum		179·7-9 Others included under 179	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	-	**143**	-	**12**	**3,728**	-	**219**	-	**133**	-	**107**	-	**20**	-	**6**	-
0-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
1-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
5-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	10	-	-	-	-	-	-	-	-	-
20-	-	-	-	-	1	-	21	-	-	-	-	-	-	-	-	-
25-	-	-	-	-	-	-	39	-	-	-	-	-	-	-	-	-
30-	-	1	-	-	1	-	35	-	1	-	-	-	-	-	1	-
35-	-	1	-	-	1	-	23	-	1	-	-	-	1	-	-	-
40-	-	5	-	1	3	-	17	-	4	-	3	-	1	-	-	-
45-	-	3	-	-	8	-	16	-	5	-	4	-	1	-	-	-
50-	-	3	-	-	38	-	17	-	11	-	9	-	2	-	-	-
55-	-	9	-	-	118	-	11	-	10	-	5	-	5	-	-	-
60-	-	8	-	1	287	-	3	-	14	-	11	-	3	-	-	-
65-	-	13	-	3	493	-	12	-	16	-	12	-	4	-	-	-
70-	-	22	-	3	770	-	6	-	22	-	19	-	2	-	1	-
75-	-	31	-	1	864	-	4	-	9	-	7	-	1	-	1	-
80-	-	24	-	3	721	-	-	-	21	-	18	-	-	-	3	-
85 and over	-	21	-	-	422	-	3	-	19	-	19	-	-	-	-	-

ses of death	NEOPLASMS															
	180 Kidney		181 Bladder and other urinary organs		181·0;8 Bladder		181·7 Others included under 181		190-199 Malignant neoplasm of other and unspecified sites		190 Malignant melanoma of skin		191 Other malignant neoplasm of skin		192 Eye	
ges at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**860**	**550**	**2,376**	**993**	**2,365**	**973**	**11**	**20**	**3,251**	**3,454**	**192**	**276**	**217**	**231**	**56**	**56**
0-	1	-	-	-	-	-	-	-	10	14	-	-	1	-	-	-
1-	20	16	3	-	3	-	-	-	57	39	-	-	-	-	4	1
5-	7	7	-	-	-	-	-	-	45	27	1	-	-	-	1	1
10-	1	-	-	-	-	-	-	-	38	38	-	-	-	1	1	-
15-	4	-	-	-	-	-	-	-	48	45	-	5	-	1	-	-
20-	3	1	-	-	-	-	-	-	40	31	3	5	-	-	1	-
25-	3	2	-	-	-	-	-	-	52	46	11	7	1	1	1	-
30-	3	1	2	-	2	-	-	-	78	43	9	5	1	1	1	-
35-	8	7	8	3	8	3	-	-	96	89	14	15	4	1	-	2
40-	25	15	20	17	20	17	-	-	191	150	15	29	6	5	-	2
45-	44	16	55	19	55	19	-	-	185	170	21	26	8	5	3	6
50-	94	40	108	38	103	37	5	1	280	282	25	31	13	12	3	1
55-	129	45	238	68	237	66	1	2	401	329	17	28	13	10	8	9
60-	116	76	364	91	363	86	1	5	464	416	16	23	17	15	11	9
65-	150	92	385	142	383	139	2	3	422	455	18	23	20	31	6	15
70-	127	77	407	163	406	156	1	7	327	444	15	28	27	35	8	7
75-	75	84	356	178	355	177	1	1	251	349	15	26	34	37	6	7
80-	40	44	276	147	276	146	-	1	164	285	7	14	38	37	2	4
85 and over	10	27	154	127	154	127	-	-	102	202	5	11	34	39	-	2

TABLE 17 - *continued*

Causes of death	NEOPLASMS															
	193 Brain and other parts of nervous system		193·0 Brain		193·1 Spinal cord		193·2 Meninges		193·3 Peripheral nerves		193·4 Sympathetic nervous system		193·8;9 Others included under 193		194 Thyroid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,170**	**814**	**1,051**	**698**	**11**	**17**	**12**	**8**	**1**	**8**	**45**	**29**	**50**	**54**	**98**	**281**
0-	6	11	1	3	-	-	-	-	-	-	18	6	3	2	-	-
1-	41	25	18	17	2	-	-	-	1	-	5	3	1	-	-	-
5-	36	20	28	17	1	-	-	-	-	-	4	2	1	2	-	-
10-	28	18	22	14	1	-	-	-	-	-	6	4	-	1	-	1
15-	22	21	15	14	-	2	1	-	-	-	-	2	2	1	-	-
20-	14	12	12	7	-	2	-	-	-	-	-	1	1	1	-	-
25-	23	20	21	18	1	-	-	-	-	-	-	-	2	1	1	2
30-	48	21	45	18	-	1	1	-	-	1	-	1	3	4	1	2
35-	59	44	56	35	-	3	-	-	-	1	-	1	5	2	4	4
40-	111	62	103	57	-	1	2	1	-	1	1	-	5	5	8	7
45-	98	58	93	49	-	1	-	2	-	1	-	-	8	6	7	11
50-	134	116	123	107	3	2	-	-	-	1	-	1	4	7	10	18
55-	190	109	182	97	-	1	4	2	-	1	-	1	8	7	15	42
60-	181	113	170	104	-	-	1	1	-	-	2	1	6	7	17	39
65-	117	95	107	86	2	1	2	1	-	-	-	-	1	7	16	57
70-	44	47	42	38	-	1	-	1	-	-	1	-	-	-	12	42
75-	14	16	10	15	1	1	1	-	-	-	2	-	-	-	4	33
80-	3	5	2	1	-	1	-	-	-	2	1	1	-	-	3	23
85 and over	1	1	1	1	-	-	-	-	-	-	-	-	-	-		

Causes of death	NEOPLASMS															
	195 Other endocrine glands		195·0 Suprarenal gland		195·3 Pituitary gland and cranio-pharyngeal duct		195·1;2;4-8 Others included under 195		196 Bone		197 Connective tissue		198 Secondary and unspecified malignant neoplasm of lymph nodes		199 Other and unspecified sites	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**60**	**53**	**40**	**33**	**4**	**9**	**16**	**11**	**261**	**254**	**131**	**123**	**42**	**24**	**1,024**	**1,332**
0-	2	-	2	-	-	-	-	-	1	-	-	2	-	-	-	1
1-	6	8	4	8	-	-	2	-	3	1	-	3	-	-	3	1
5-	2	1	2	1	-	-	-	-	2	2	2	2	-	-	1	1
10-	3	1	1	-	1	1	1	-	4	15	1	2	-	-	1	1
15-	1	2	-	1	-	-	1	1	18	12	5	1	1	-	1	2
20-	1	1	-	1	-	-	1	-	13	5	4	5	-	-	4	3
25-	1	3	1	1	-	-	-	2	6	6	5	5	1	-	3	4
30-	1	-	-	-	-	-	1	-	5	7	2	2	2	-	8	5
35-	1	2	-	-	-	-	1	2	4	7	8	5	-	-	5	11
40-	5	6	2	6	2	-	1	-	8	5	9	4	-	-	33	33
45-	3	5	-	2	-	1	3	2	12	7	4	4	1	1	27	51
50-	6	3	4	2	-	-	2	1	11	12	8	12	3	-	70	84
55-	10	3	8	-	1	-	1	3	21	14	8	9	3	2	121	127
60-	4	4	4	2	-	2	-	-	33	22	18	14	3	3	166	171
65-	10	2	8	-	-	2	2	-	24	33	19	15	9	7	182	195
70-	2	7	2	5	-	2	-	-	37	35	16	13	4	3	158	212
75-	1	2	1	2	-	-	-	-	32	34	14	14	8	3	115	168
80-	-	3	-	2	-	1	-	-	16	20	6	6	3	2	85	161
85 and over	1	-	1	-	-	-	-	-	11	17	2	5	4	3	41	101

TABLE 17 - *continued*

Causes of death	NEOPLASMS															
	200-205 Neoplasms of lymphatic and haemato-poietic tissues		200 Lympho-sarcoma and reticulo-sarcoma		200·0 Reticulum cell sarcoma		200·1 Lympho-sarcoma		200·2 Other primary malignant neoplasms of lymphoid tissue		201 Hodgkins's disease		202 Other forms of lymphoma (reticulosis)		202·0 Giant follicular lymphoma (Brill-Symmer's disease)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**3,290**	**2,709**	**719**	**494**	**263**	**213**	**416**	**255**	**40**	**26**	**489**	**352**	**115**	**121**	**21**	**23**
0-	14	19	1	1	-	-	1	1	-	-	-	-	2	6	-	-
1-	77	62	7	-	2	-	5	-	-	-	1	-	5	4	-	-
5-	98	63	20	7	4	1	16	6	-	-	9	1	-	-	-	-
10-	58	35	12	8	2	2	10	6	-	-	5	5	1	1	-	-
15-	82	47	19	11	6	4	13	7	-	-	15	8	5	2	-	-
20-	75	50	15	7	4	3	10	4	1	-	26	19	2	-	-	-
25-	89	62	18	6	13	2	4	4	1	-	32	23	6	3	2	1
30-	91	57	24	5	11	4	12	1	1	-	37	22	-	3	-	-
35-	138	73	26	17	14	12	11	4	1	1	46	16	7	2	1	-
40-	175	85	31	16	14	7	15	8	2	1	51	18	6	2	4	-
45-	154	111	38	23	17	8	19	14	2	1	35	20	4	5	-	3
50-	254	184	64	38	19	19	38	18	7	1	38	21	12	7	3	2
55-	342	242	92	48	37	23	48	23	7	2	45	29	11	14	3	3
60-	408	305	100	63	34	30	61	33	5	-	44	47	13	15	3	4
65-	381	349	82	73	30	36	48	33	4	4	46	40	10	19	5	5
70-	354	360	81	70	29	27	48	35	4	8	29	31	11	13	-	2
75-	274	309	51	54	14	18	34	31	3	5	20	27	9	12	-	1
80-	152	207	26	35	7	12	18	22	1	1	7	18	6	6	-	-
85 and over	74	89	12	12	6	5	5	5	1	2	3	7	5	7	-	2

Causes of death	NEOPLASMS															
	202·1 Other		203 Multiple myeloma (plasmo-cytoma)		204 Leukaemia and aleukaemia		204·0 Lymphatic leukaemia		204·1 Myeloid leukaemia		204·2 Monocytic leukaemia		204·3 Acute leukaemia		204·4 Other and unspecified leukaemia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**94**	**98**	**398**	**428**	**1,564**	**1,303**	**347**	**247**	**275**	**288**	**114**	**83**	**778**	**640**	**50**	**45**
0-	2	6	-	-	11	12	-	-	-	2	1	1	8	9	2	-
1-	5	4	-	-	64	58	-	3	3	2	1	4	57	47	3	2
5-	-	-	-	-	69	55	2	3	1	1	1	-	62	48	3	3
10-	1	1	-	-	40	21	3	-	1	-	2	4	33	17	1	-
15-	5	2	-	-	43	26	2	2	2	2	5	-	32	22	2	-
20-	2	-	-	-	32	24	2	-	1	1	3	2	24	20	2	1
25-	4	2	2	2	31	28	1	1	5	3	-	2	25	21	-	1
30-	-	3	-	-	30	27	-	-	6	6	3	1	20	17	1	3
35-	6	2	6	5	53	33	4	-	11	5	3	2	35	23	-	3
40-	2	2	14	3	73	46	2	4	26	11	7	4	37	26	1	1
45-	4	2	14	10	63	53	10	8	8	9	9	5	35	29	1	2
50-	9	5	36	44	104	73	14	10	33	26	4	5	48	30	5	2
55-	8	11	65	47	128	104	37	15	23	28	13	9	53	49	2	3
60-	10	11	79	59	172	121	45	16	25	37	17	8	77	58	8	2
65-	5	14	62	84	180	133	47	32	38	41	14	9	74	49	7	2
70-	11	11	54	71	178	170	65	43	37	37	9	9	63	77	4	4
75-	9	11	40	57	152	157	51	56	30	39	11	6	54	50	6	6
80-	6	6	23	39	90	107	39	33	16	27	8	3	26	31	1	7
85 and over	5	5	3	7	51	55	23	21	9	11	3	3	15	17	1	3

TABLE 17 - *continued*

Causes of death	NEOPLASMS															
	205 Mycosis fungoides		210-229 Benign neoplasm		210* 211 Other parts of digestive system		212 Respiratory system		213* 214 Uterine fibromyoma		215 Uterus		216 Ovary		217, 218* 219 Kidney and other urinary organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	5	11	336	468	25	18	28	12	-	48	-	7	-	82	58	24
0-	-	-	10	4	1	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	6	4	-	-	2	-	-	-	-	-	-	-	-	-
5-	-	-	7	2	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	5	3	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	6	8	-	-	-	-	-	-	-	-	-	-	-	-
20-	-	-	10	11	1	-	-	-	-	-	-	-	-	-	-	-
25-	-	-	6	6	-	-	-	-	-	-	-	-	-	2	-	-
30-	-	-	15	18	-	-	-	-	-	1	-	-	-	-	1	-
35-	-	-	16	18	2	-	1	-	-	7	-	1	-	1	-	-
40-	-	-	22	34	1	-	-	1	-	9	-	1	-	2	1	-
45-	-	-	14	39	1	-	3	2	-	7	-	2	-	7	-	2
50-	-	1	33	37	-	-	4	1	-	4	-	1	-	3	3	-
55-	1	-	38	41	1	-	5	2	-	3	-	-	-	8	6	-
60-	-	-	43	48	4	2	5	2	-	2	-	-	-	10	8	-
65-	1	-	28	63	5	5	2	2	-	3	-	-	-	11	6	-
70-	1	5	27	51	1	4	5	1	-	4	-	-	-	16	6	-
75-	2	2	18	23	3	-	-	-	-	4	-	1	-	4	7	-
80-	-	2	19	37	2	6	1	1	-	2	-	-	-	10	12	-
85 and over	-	1	13	21	3	1	-	-	-	2	-	1	-	8	8	-

Causes of death	NEOPLASMS															
	220, 221, 222* 223 Brain and other parts of nervous system		224 Endocrine glands		225 Bone and cartilage		226* 227 Muscular and connective tissue		228 Haem-angioma and lymph-angioma		229* 230-239 Neoplasm of unspecified nature		230 Unspecified nature of digestive organs		231 Unspecified nature of respiratory organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	133	179	45	62	5	5	13	13	21	4	376	316	28	40	38	1
0-	2	2	-	-	-	1	1	-	6	1	2	5	-	-	-	
1-	2	2	1	1	-	-	-	-	1	-	8	8	1	-	-	
5-	2	-	4	1	-	-	-	1	1	-	9	7	-	-	-	
10-	1	2	4	1	-	-	-	-	-	-	5	5	-	-	-	
15-	5	6	-	2	-	-	-	-	1	-	3	-	-	-	-	
20-	7	9	-	2	-	-	1	-	1	-	5	6	-	-	-	
25-	5	3	-	-	1	-	-	1	-	-	5	4	-	-	-	
30-	8	9	4	8	-	-	1	-	-	-	9	3	-	-	-	
35-	9	5	3	4	-	-	-	-	1	-	12	5	-	-	-	
40-	17	8	1	8	-	1	1	3	1	-	18	12	-	2	-	
45-	5	14	3	4	-	1	2	-	-	-	22	27	1	-	1	
50-	15	22	6	3	2	-	1	2	2	1	41	31	-	1	1	
55-	16	17	6	4	-	-	3	3	-	1	58	35	2	2	2	
60-	15	24	4	5	-	-	1	-	4	-	53	39	4	2	4	
65-	8	27	3	11	1	1	1	2	1	-	41	26	-	5	7	
70-	10	19	3	3	-	-	-	1	1	1	37	36	6	4	8	
75-	3	5	1	1	1	-	1	-	1	-	28	34	7	12	10	
80-	2	3	1	3	-	1	-	-	-	-	10	14	4	2	4	
85 and over	1	2	1	1	-	-	-	-	-	-	10	19	3	10	1	

* **210** Benign neoplasm of buccal cavity and pharynx: Male 60; Female 40: **213** Benign neoplasm of breast - : **217** Benign neoplasm of other female genital organs: Females 55,80: **218** Benign neoplasm of male genital organs: Males 30,55: **220** Benign melanoma of skin - : **221** Pilonidal cyst: Females 70,70: **222** Other benign neoplasm of skin - : **226** Lipoma: Male 75; Female 60: **229** Benign neoplasm of other and unspecified organs and tissues: Males 60,65,70,80; Females 1,45,55,55,60,60,65,80.

TABLE 17 - *continued*

Causes of death	NEOPLASMS				III				240*		242-245*					
	232-236*		238*		240-289		240-245		241		250-254		250		251	
	237 Unspecified nature of brain and other parts of nervous system		239 Unspecified nature of other and unspecified organs		Allergic, endocrine system, metabolic, and nutritional diseases		Allergic disorders		Asthma		Diseases of thyroid gland		Simple goitre		Non-toxic nodular goitre	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**281**	**211**	**12**	**27**	**2,650**	**4,542**	**804**	**1,045**	**776**	**1,024**	**95**	**527**	**2**	**16**	**4**	**9**
0-	1	1	1	3	50	28	8	5	-	2	1	1	-	-	-	-
1-	7	8	-	-	29	17	12	7	12	7	-	-	-	-	-	-
5-	9	7	-	-	25	17	17	6	17	6	-	-	-	-	-	-
10-	5	5	-	-	44	28	29	24	29	24	-	1	-	-	-	-
15-	3	-	-	-	40	40	32	31	31	31	-	-	-	-	-	-
20-	5	6	-	-	31	41	23	28	23	28	1	2	-	1	-	-
25-	5	4	-	-	38	58	24	46	24	45	-	4	-	-	-	1
30-	8	3	1	-	67	67	38	50	35	49	1	1	-	-	-	-
35-	12	4	-	-	66	70	29	50	28	49	1	4	-	-	-	-
40-	17	7	1	-	103	134	41	85	40	84	1	10	-	-	-	-
45-	20	23	-	3	114	116	524	651	63	3	15	-	1	-	-	
50-	39	27	-	1	174	187	94	85	93	84	4	18	-	-	-	1
55-	51	31	3	1	246	320	94	124	89	121	11	40	-	2	1	1
60-	41	31	-	1	306	426	100	108	96	105	9	46	1	1	-	-
65-	30	19	2	1	321	604	77	112	76	108	16	72	1	2	1	-
70-	19	23	2	4	350	795	64	89	63	88	21	99	-	2	1	-
75-	7	8	-	6	325	765	40	78	40	77	15	93	-	2	-	4
80-	1	3	-	3	213	553	23	34	22	34	3	75	-	2	-	2
85 and over	1	1	2	4	108	276	7	19	7	19	8	46	-	3	1	-

Causes of death	252 Thyro-toxicosis with or without goitre		252·0 Toxic diffuse goitre		252·1 Toxic nodular goitre		253 Myxoedema and cretinism		254 Other diseases of thyroid gland		260 Diabetes mellitus		270-277 Diseases of other endocrine glands		270* 271 Diseases of parathyroid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**39**	**207**	**39**	**195**	-	**12**	**48**	**280**	**2**	**15**	**1,409**	**2,522**	**121**	**142**	**4**	**9**
0-	-	-	-	-	-	-	1	1	-	-	2	2	25	15	-	-
1-	-	-	-	-	-	-	-	-	-	-	7	2	3	1	-	-
5-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	-	-
10-	-	-	-	-	-	-	-	1	-	-	6	3	1	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	5	4	3	1	-	-
20-	1	1	1	1	-	-	-	-	-	-	5	4	1	3	-	-
25-	-	2	-	2	-	-	-	-	-	1	8	5	1	2	-	-
30-	-	1	-	1	-	-	-	-	1	-	16	8	5	3	1	-
35-	1	2	1	2	-	-	-	2	-	-	27	11	4	3	-	-
40-	-	6	-	6	-	-	1	3	-	1	39	17	7	8	1	-
45-	2	10	2	9	-	1	1	4	-	-	45	24	3	6	-	1
50-	3	9	3	9	-	-	1	6	-	2	48	57	9	10	1	1
55-	7	27	7	27	-	-	3	9	-	1	104	109	14	18	-	-
60-	6	26	6	25	-	1	2	18	-	1	157	210	11	22	-	3
65-	7	37	7	34	-	3	6	31	1	2	191	349	10	23	-	1
70-	8	42	8	40	-	2	12	54	-	1	229	552	14	12	-	1
75-	3	26	3	22	-	4	12	57	-	4	252	549	5	9	-	1
80-	1	14	1	13	-	1	2	56	-	1	177	413	4	5	1	1
85 and over	-	4	-	4	-	-	7	38	-	1	88	201	-	-	-	-

* **232** Neoplasm of unspecified nature of breast: Female 60: **233** Neoplasm of unspecified nature of uterus: Females 70,70,75,80: **234** Neoplasm of unspecified nature of ovary: Females 40,45,60,70,75,75,80,85: **235** Neoplasm of unspecified nature of other female genital organs: Female 65: **236** Neoplasm of unspecified nature of other genito-urinary organs: Males 60,60,65,70,70,75,75,80,85,85,85; Females 50,60,70,80,80,85: **238** Neoplasm of unspecified nature of skin and musculoskeletal system: Males 50,60,60,65,75,75; Females 0,40,40,60: **240** Hay fever - : **242** Angioneurotic oedema: Males 40,55,65; Females 30,35,55,65,65,75: **243** Urticaria - : **244** Allergic eczema - : **245** Other allergic disorders: Males 0,0,0,0,0,0,0,0,15,30,30,30,35,45,50,55,55,55,55,60,60,60,60,70,80; Females 0,0,0,25,40,45,50,55,55,60,60,60,65,65,70: **270** Disorders of pancreatic internal secretion other than diabetes mellitus: Males 0,0,0,0,0,0,0,0,1,1,35,35,50,60; Females 0,0,0,0,5,25,45,55,60,60.

TABLE 17 - *continued*

Causes of death	272 Diseases of pituitary gland		273 Diseases of thymus gland		274 Diseases of adrenal glands		275, 276* 277 Polyglandular dysfunction and other diseases of endocrine glands		280-289 Avitaminoses, and other metabolic diseases		280-285* 286 Other avitaminoses and nutritional deficiency states		286·0 Steatorrhoea and sprue		286·5 Malnutrition, unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**44**	**43**	**7**	**5**	**45**	**60**	**7**	**15**	**221**	**306**	**46**	**79**	**34**	**41**	**7**	**18**
0-	-	-	5	2	11	7	1	2	14	5	4	1	2	1	-	-
1-	-	-	-	-	-	1	1	-	7	7	2	-	2	-	-	-
5-	1	-	-	-	-	-	-	-	4	8	-	-	-	-	-	-
10-	-	-	1	-	-	-	-	-	8	-	-	-	-	-	-	-
15-	1	-	1	-	1	1	-	-	-	4	-	2	-	1	-	-
20-	1	-	-	-	-	3	-	-	1	4	-	-	-	-	-	-
25-	-	-	-	-	-	-	1	1	5	1	1	-	1	-	-	-
30-	2	1	-	-	2	2	-	-	7	5	1	4	1	3	-	1
35-	2	1	-	1	-	1	-	-	5	2	-	-	-	-	-	-
40-	3	4	-	-	3	3	-	1	15	14	5	4	5	3	-	-
45-	2	2	-	-	-	2	1	-	11	7	3	1	3	-	-	-
50-	2	3	-	-	5	4	-	2	19	17	1	4	1	4	-	-
55-	10	11	-	-	3	3	1	3	23	29	4	3	4	2	-	1
60-	6	5	-	1	4	11	-	-	29	40	6	7	4	5	1	-
65-	7	7	-	1	2	11	1	3	27	48	7	16	6	10	-	3
70-	5	5	-	-	8	4	1	2	22	43	7	8	4	4	2	2
75-	2	1	-	-	3	6	-	1	13	36	1	13	-	4	1	4
80-	-	3	-	-	3	1	-	-	6	26	3	12	-	3	3	4
85 and over	-	-	-	-	-	-	-	-	5	10	1	4	1	1	-	3

Causes of death	286·1-4;6;7 Others included under 286		287 Obesity not specified as of endocrine origin		288 Gout		289 Other metabolic diseases		289·0 Lipidosis (disturbance of lipid metabolism)		289·1 Amyloidosis		289·2 Other		IV 290-299 Diseases of the blood and blood-forming organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**5**	**20**	**44**	**137**	**14**	**5**	**113**	**78**	**19**	**13**	**36**	**30**	**58**	**35**	**772**	**1,256**
0-	2	-	-	-	-	-	10	4	2	-	-	-	8	4	20	13
1-	-	-	-	-	-	-	5	7	1	5	-	-	4	2	14	13
5-	-	-	-	-	-	-	4	8	2	5	-	-	2	3	1	3
10-	-	-	-	-	-	-	8	-	4	-	-	-	4	-	9	7
15-	-	1	-	-	-	-	-	2	-	-	-	1	-	1	6	5
20-	-	-	-	-	-	-	1	4	-	-	-	1	1	3	5	-
25-	-	-	-	-	-	-	3	1	-	-	2	-	1	1	2	7
30-	-	-	1	-	1	-	4	-	2	-	1	-	1	-	3	5
35-	-	-	-	2	2	-	3	-	1	-	1	-	1	-	7	9
40-	-	1	1	4	1	-	8	6	1	-	4	1	3	5	10	19
45-	-	1	3	4	-	-	5	2	-	-	3	1	2	1	14	11
50-	-	-	5	9	2	-	11	4	-	2	7	1	4	1	27	21
55-	-	-	6	19	-	-	12	7	-	-	6	4	6	3	48	51
60-	1	2	5	20	3	-	15	12	3	1	4	8	8	3	86	95
65-	1	3	8	21	1	-	11	10	1	-	4	6	6	4	77	124
70-	1	2	6	24	2	-	7	9	2	-	1	5	4	4	120	166
75-	-	5	5	22	1	-	5	1	-	-	2	1	3	-	138	271
80-	-	5	2	7	-	5	-	1	-	-	-	1	-	-	117	235
85 and over	-	-	2	5	1	-	1	-	-	-	1	-	-	-	68	201

* **275** Ovarian dysfunction - : **276** Testicular dysfunction - : **280** Beriberi - : **281** Pellagra - : **282** Scurvy: Males 55,80; Females 70,80: **283** Active rickets - : **284** Late effects of rickets: Female 60: **285** Osteomalacia: Males 25,75; Females 30,65,70,85.

TABLE 17 - *continued*

Causes of death	290 Pernicious and other hyperchromic anaemias		290·0 Pernicious anaemia		290·1 Subacute combined degeneration of spinal cord		290·2 Other hyperchromic anaemias		291 Iron deficiency anaemias (hypochromic anaemias)		292 Other anaemias of specified type		292·4 Aplastic anaemia		292·0-3;5-7 Others included under 292	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**186**	**449**	**161**	**378**	**5**	**11**	**20**	**60**	**91**	**213**	**215**	**260**	**113**	**134**	**102**	**126**
0-	-	-	-	-	-	-	-	-	-	-	4	2	-	1	4	1
1-	-	-	-	-	-	-	-	-	-	1	5	8	1	4	4	4
5-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	-	-
10-	-	-	-	-	-	-	-	-	-	1	3	2	3	2	-	-
15-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	-	1
20-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	-
25-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1
30-	-	1	-	-	-	-	-	1	-	1	1	2	1	1	-	1
35-	-	-	-	-	-	-	-	-	-	-	3	3	2	2	1	1
40-	1	1	1	1	-	-	-	-	-	2	1	7	-	3	1	4
45-	2	-	1	-	1	-	-	-	1	-	5	3	4	1	1	2
50-	2	3	1	1	-	1	1	1	2	1	8	10	5	8	3	2
55-	5	10	2	6	1	1	2	3	1	8	20	18	7	9	13	9
60-	15	12	13	7	-	-	2	5	6	17	25	31	12	18	13	13
65-	18	30	17	21	-	2	1	7	4	20	28	39	14	16	14	23
70-	29	65	24	53	1	3	4	9	15	28	37	27	21	13	16	14
75-	44	114	37	100	1	2	6	12	23	45	38	48	21	28	17	20
80-	42	113	39	103	1	1	2	9	22	47	25	28	16	11	9	17
85 and over	28	100	26	86	-	1	2	13	16	42	7	24	2	11	5	13

Causes of death	293 Anaemia of unspecified type		294 Polycythaemia		295 Haemophilia		296 Purpura and other haemorrhagic conditions		297 Agranulocytosis		298 Diseases of spleen		299 Other diseases of blood and blood-forming organs		V 300-326 Mental, psychoneurotic and personality disorders	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**73**	**156**	**58**	**47**	**14**	**-**	**58**	**63**	**13**	**18**	**27**	**24**	**37**	**26**	**464**	**647**
0-	1	3	-	-	-	-	7	4	-	-	-	-	8	4	17	12
1-	1	1	-	-	2	-	4	1	-	1	-	-	2	1	8	9
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1
10-	1	-	1	-	-	-	3	2	-	1	-	1	1	-	2	4
15-	-	-	-	1	1	-	2	1	-	-	-	-	1	-	10	2
20-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	6	3
25-	-	-	-	-	2	-	-	4	-	-	-	-	-	1	4	4
30-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	10	8
35-	-	-	-	1	2	-	1	2	-	-	-	2	1	1	14	5
40-	1	2	1	-	-	-	2	4	1	1	2	1	1	1	8	12
45-	-	2	2	1	-	-	2	3	1	-	1	1	-	1	13	13
50-	-	1	3	1	1	-	3	2	1	1	5	1	2	1	12	10
55-	1	1	7	5	1	-	3	5	2	1	3	1	5	2	30	37
60-	7	10	15	11	2	-	4	4	3	5	5	4	4	1	34	36
65-	6	17	10	4	-	-	3	5	-	2	4	2	4	5	45	42
70-	8	22	15	9	-	-	6	5	4	1	2	6	4	3	54	61
75-	14	37	1	9	1	-	9	10	1	1	4	4	3	3	74	115
80-	20	36	2	4	-	-	4	5	-	1	1	-	1	1	63	114
85 and over	13	24	1	1	1	-	2	6	-	2	-	1	-	1	57	159

TABLE 17 - *continued*

Causes of death	300-309 Psychoses		300 Schizophrenic disorders (dementia praecox)		301 Manic-depressive reaction		302, 303* 304 Senile psychosis		305 Presenile psychosis		307* 309 Other and unspecified psychoses		310-318 Psychoneurotic disorders		310* 311 Hysterical reaction without mention of anxiety reaction	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**349**	**552**	**19**	**20**	**7**	**9**	**237**	**421**	**66**	**69**	**17**	**30**	**4**	**20**	**2**	**11**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	4	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
25-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-
30-	2	4	2	2	-	-	-	-	-	1	-	1	-	1	-	-
35-	6	-	4	-	-	-	-	-	-	-	2	-	1	1	1	1
40-	1	4	-	2	-	1	-	-	1	1	-	-	-	2	-	1
45-	5	4	1	-	-	-	-	-	3	1	1	3	-	2	-	1
50-	5	7	2	-	-	-	-	-	2	6	1	1	-	1	-	-
55-	22	26	2	1	1	3	-	-	18	20	-	2	-	3	-	3
60-	26	31	1	1	2	1	2	3	20	20	1	4	-	-	-	-
65-	38	36	2	3	-	1	16	13	17	15	3	4	1	2	-	1
70-	50	56	-	5	2	-	38	42	4	5	5	3	1	4	-	2
75-	73	110	-	2	-	2	70	104	1	-	1	2	-	2	-	1
80-	61	113	-	2	-	-	60	106	-	-	1	5	-	1	-	-
85 and over	56	158	2	-	1	1	51	153	-	-	2	4	1	-	1	-

Causes of death	312-318* 320-326 Disorders of character, behaviour and intelligence		320, 321* 322 Alcoholism		322·0* 322·1 Chronic		322·2, 323, 324* 325 Mental deficiency		326* VI 330-398 Diseases of the nervous system and sense organs		330-334 Vascular lesions affecting central nervous system		330 Subarachnoid haemorrhage		331 Cerebral haemorrhage	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**111**	**75**	**48**	**23**	**26**	**16**	**57**	**48**	**32,589**	**47,319**	**29,818**	**44,147**	**1,450**	**2,382**	**11,390**	**16,642**
0-	17	12	-	-	-	-	17	12	**214**	**185**	16	12	4	5	9	3
1-	8	9	-	-	-	-	8	9	**110**	**72**	6	5	1	-	2	4
5-	3	1	-	-	-	-	3	1	**55**	**37**	2	4	2	1	-	2
10-	2	4	-	-	-	-	2	4	**55**	**39**	12	12	11	6	1	6
15-	6	1	-	-	-	-	6	1	**88**	**53**	29	14	21	10	6	3
20-	6	2	1	-	-	-	3	2	**84**	**63**	31	28	20	18	8	5
25-	4	2	-	-	-	-	4	2	**89**	**77**	40	30	25	24	13	6
30-	8	3	4	-	3	-	2	3	**130**	**112**	73	62	48	42	22	12
35-	7	4	2	2	-	-	4	2	**194**	**172**	119	95	57	57	57	31
40-	7	6	3	3	2	3	3	1	**365**	**384**	255	262	117	145	112	95
45-	8	7	7	5	3	4	1	2	**561**	**604**	422	461	135	178	214	225
50-	7	2	7	1	4	-	-	1	**1,076**	**1,097**	908	927	188	275	485	511
55-	8	8	6	5	3	4	2	3	**1,976**	**1,619**	1,776	1,398	225	298	946	771
60-	8	5	7	1	4	1	1	4	**3,214**	**2,776**	2,939	2,546	207	321	1,431	1,346
65-	6	4	6	2	6	2	-	-	**4,166**	**4,513**	3,855	4,171	151	325	1,778	2,057
70-	3	1	2	1	-	-	1	-	**5,431**	**7,167**	5,115	6,757	99	283	2,022	2,866
75-	1	3	1	3	-	2	-	-	**6,037**	**9,471**	5,775	9,032	88	200	2,010	3,386
80-	2	-	2	-	1	-	-	-	**5,028**	**9,845**	4,825	9,503	32	132	1,399	3,038
85 and over	-	1	-	-	-	-	-	1	**3,716**	**9,033**	3,620	8,928	19	62	875	2,275

* **302** Involutional melancholia: Males 70,75; Females 60,70: **303** Paranoia and paranoid states - : **307** Alcoholic psychosis: Male 55; Female 60: **310** Anxiety reaction without mention of somatic symptoms: Male 70; Female 30: **312** Phobic reaction - : **313** Obsessive-compulsive reaction - : **314** Neurotic-depressive reaction: Male 65; Female 40, 45,50,65,70,75,80: **315** Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system - : **316** Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system - : **317** Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems - : **318** Psychoneurotic disorders, other, mixed, and unspecified types: Female 70: **320** Pathological personality: Male 30; Female 65: **321** Immature personality - : **322·0** Alcoholism, acute: Males 20,30,35,35,45,55,55,55,60,60; Females 35,45,55,75: **322·2** Alcoholism, unspecified: Males 40,45,45,45,50,50,50,60,70,70,75,80; Females 35,50,70: **323** Other drug addiction: Males 20,20,30,35,40; Females 40,40,65: **324** Primary childhood behaviour disorders - : **326** Other and unspecified character, behaviour and intelligence disorders - .

TABLE 17 - *continued*

Causes of death	332 Cerebral embolism and thrombosis		333* 334 Other and ill-defined vascular lesions affecting central nervous system		340-345 Inflammatory diseases of central nervous system		340 Meningitis except meningococcal and tuberculous		340·0 H. influenzae		340·1 Pneumococcus		340·2 Due to other specified organism		340·3 With no organism specified as cause	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	13,574	20,173	3,403	4,948	756	870	251	204	20	18	67	62	48	43	116	81
0-	3	4	-	-	127	110	99	86	5	10	15	8	36	29	43	39
1-	2	-	1	1	52	29	28	9	12	4	5	4	2	1	9	-
5-	-	1	-	-	25	11	8	4	1	2	3	1	-	-	4	1
10-	-	-	-	-	17	5	6	1	-	-	3	1	-	-	3	-
15-	1	-	1	1	14	12	3	4	-	-	1	1	-	-	2	3
20-	3	2	-	2	12	13	5	2	-	-	2	1	-	-	3	1
25-	2	-	-	-	11	13	2	1	-	-	-	-	-	-	2	1
30-	3	7	-	1	23	27	2	5	1	-	-	3	-	-	1	2
35-	4	5	1	2	37	44	3	4	-	-	1	-	-	2	2	2
40-	25	21	1	1	52	79	6	5	1	-	4	2	-	1	1	2
45-	65	54	8	4	68	94	6	2	-	-	1	1	1	1	4	-
50-	211	125	24	16	76	95	15	3	-	-	4	2	1	-	10	1
55-	542	285	63	44	66	98	11	8	-	-	5	4	-	2	6	2
60-	1,121	764	180	115	72	67	19	6	-	-	9	4	3	-	7	2
65-	1,648	1,553	278	236	52	69	16	19	-	-	4	9	3	2	9	8
70-	2,477	3,055	517	553	23	51	8	18	-	2	4	7	-	2	4	7
75-	2,968	4,477	709	968	17	31	7	11	-	-	3	6	2	2	2	3
80-	2,578	5,006	816	1,327	6	13	2	9	-	-	1	3	-	1	1	5
85 and over	1,921	4,814	804	1,677	6	9	5	7	-	-	2	5	-	-	3	2

auses of death	341 Phlebitis and thrombo-phlebitis of intra-cranial venous sinuses		342 Intra-cranial and intra-spinal abscess		343 Encephal-itis, myelitis and encephalo-myelitis (except acute infectious)		344 Late effects of intra-cranial abscess or pyogenic infection		345 Multiple sclerosis		350-357 Other diseases of central nervous system		350 Paralysis agitans		351 Cerebral spastic infantile paralysis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	15	19	46	31	81	51	53	34	330	531	1,864	2,138	676	928	57	48
0-	6	7	2	1	5	6	15	10	-	-	31	33	-	-	13	6
1-	2	1	2	1	11	8	9	8	-	2	39	29	-	-	9	8
5-	1	1	3	1	5	3	7	2	1	-	25	18	-	-	8	6
10-	-	1	3	2	3	1	5	-	-	-	23	20	-	-	3	7
15-	1	1	3	1	6	2	1	3	-	1	43	25	-	-	4	3
20-	-	1	1	-	4	1	-	1	2	8	38	21	-	-	2	3
25-	1	-	1	3	1	1	3	-	3	8	34	34	-	-	3	4
30-	-	2	2	2	2	-	-	1	17	17	32	20	-	-	1	1
35-	-	1	2	1	-	2	2	-	30	36	34	33	-	-	1	1
40-	-	1	7	3	6	3	2	1	31	66	52	35	1	3	2	1
45-	1	-	3	1	3	4	-	2	55	85	68	47	6	1	5	1
50-	1	-	3	2	4	5	3	2	50	83	89	70	10	12	2	-
55-	-	-	2	4	5	3	-	-	48	83	125	115	40	26	1	1
60-	1	-	4	1	1	5	1	1	46	54	188	153	49	52	-	1
65-	-	-	4	3	2	4	1	-	29	43	250	252	106	122	1	1
70-	-	2	1	2	1	1	-	1	13	27	282	340	158	189	2	2
75-	1	1	2	2	2	1	1	-	4	16	235	389	145	246	-	1
80-	-	-	1	1	-	-	3	1	-	2	190	318	118	190	-	1
85 and over	-	-	-	-	-	1	-	1	1	-	86	186	43	87	-	-

* 333 Spasm of cerebral arteries: Male 85; Female 20,75.

TABLE 17 - *continued*

Causes of death	352 Other cerebral paralysis		353 Epilepsy		353·2 Status epilepticus		353·0;1;3 Others included under 353		354* 355 Other diseases of brain		356 Motor neurone disease and muscular atrophy		356·0 Progressive muscular atrophy		356·1 Amyotrophi lateral sclerosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	263	416	337	270	120	112	217	158	146	181	346	258	130	110	36	
0-	-	-	3	7	2	4	1	3	6	8	9	11	1	-	-	
1-	-	-	20	15	10	6	10	9	6	5	4	1	-	-	-	
5-	-	-	9	12	4	9	5	3	8	-	-	-	-	-	-	
10-	-	-	15	9	6	5	9	4	3	4	1	-	1	-	-	
15-	-	1	34	19	9	6	25	13	2	2	1	-	-	-	-	
20-	1	-	33	17	14	7	19	10	1	-	-	1	-	-	-	
25-	-	-	28	25	14	10	14	15	1	2	2	2	-	1	-	
30-	-	1	25	14	7	10	18	4	2	2	-	1	-	1	-	
35-	-	-	27	23	9	11	18	12	4	4	1	4	-	3	1	
40-	1	-	28	21	8	9	20	12	7	5	12	4	2	1	3	
45-	4	·2	22	18	7	7	15	11	6	8	20	14	5	4	3	
50-	4	5	25	16	11	11	14	5	12	11	32	25	14	8	5	
55-	9	8	11	17	5	4	6	13	10	22	48	37	15	14	5	
60-	22	19	17	16	3	5	14	11	21	21	75	37	31	20	6	
65-	48	42	10	16	2	2	8	14	15	19	68	46	30	15	5	
70-	48	76	14	15	6	3	8	12	16	18	41	37	19	21	5	
75-	53	94	4	3	2	1	2	2	10	14	20	28	6	18	3	
80-	45	96	10	5	1	2	9	3	9	13	8	8	4	3	-	
85 and over	28	72	2	2	-	-	2	2	7	23	4	2	2	1	-	

Causes of death	356·2;3 Others included under 356		357 Other diseases of spinal cord		360-369 Diseases of nerves and peripheral ganglia		360-363* 364 Poly-neuritis and poly-radiculitis		365* 366 Other and unspecified forms of neuralgia and neuritis		367-369* 370-379 Inflammatory diseases of eye		370-379* 380-389 Other diseases and conditions of eye		380-384* 385 Cataract	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	180	130	38	36	36	47	26	31	4	3	3	4	18	35	6	
0-	8	11	-	1	1	-	1	-	-	-	1	-	-	-	-	
1-	4	1	-	-	-	2	-	2	-	-	-	-	1	-	1	
5-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	
10-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
15-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
20-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	
25-	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-	
30-	-	-	4	1	-	1	-	1	-	-	-	-	-	-	-	
35-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
40-	7	2	1	1	3	4	3	3	-	-	-	-	-	-	-	
45-	12	9	5	2	2	1	1	1	1	-	-	-	-	-	-	
50-	13	16	4	1	1	4	1	2	-	1	-	-	-	1	-	
55-	28	20	6	4	3	3	3	3	-	-	-	1	-	-	-	
60-	38	16	4	7	9	5	7	4	2	-	-	1	1	-	-	
65-	33	26	2	6	3	9	3	6	-	1	1	1	2	5	1	
70-	17	14	3	3	7	6	4	4	-	-	-	-	2	7	2	
75-	11	8	3	3	3	8	1	3	-	1	-	-	4	7	2	
80-	4	4	-	5	2	2	1	1	1	-	1	1	3	7	-	
85 and over	2	1	2	-	1	1	1	-	-	-	-	-	3	7	-	

* **354** Migraine: Female 45: **360** Facial paralysis: Females 75,85: **361** Trigeminal neuralgia: Females 65,70,70,75,75: **362** Brachial neuritis - : **363** Sciatica: Males 70,75; Female 80: **365** Erythroedema polyneuritica: Male 70: **367** Other diseases of cranial nerves: Female 60: **368** Other diseases of peripheral nerves except autonomic: Males 70,75; Females 40,50,75: **369** Diseases of peripheral autonomic nervous system: Male 5; Female 65: **370** Conjunctivitis and ophthalmia: Male 80: **371** Blepharitis - : **372** Hordeolum (stye) - : **373** Iritis - : **374** Keratitis - : **375** Choroiditis - : **376** Other inflammation of uveal tract: Female 80: **377** Inflammation of optic nerve and retina: Females 55,60,65: **378** Inflammation of lachrymal glands and ducts - : **379** Other inflammatory diseases of eye: Males 0,65: **380** Refractive errors - : **381** Corneal ulcer - : **382** Corneal opacity - : **383** Pterygium - : **384** Strabismus: Male 5.

TABLE 17 - *continued*

Causes of death	386-389*		390*						394-398*				400*			
	390-398		391		392		393		VII		400-402		401		401.0	
	Diseases of ear and mastoid process		Otitis media without mention of mastoiditis		Otitis media with mastoiditis		Mastoiditis without mention of otitis media		400-468 Diseases of the circulatory system		Rheumatic fever		Rheumatic fever with heart involvement		Active rheumatic pericarditis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**94**	**78**	**82**	**72**	**3**	**1**	**8**	**4**	**101,956**	**96,297**	**30**	**31**	**27**	**30**	**20**	**21**
0-	38	30	37	29	-	1	1	-	19	20	-	1	-	1	-	-
1-	12	7	9	6	-	-	2	1	11	9	-	-	-	-	-	-
5-	1	3	1	3	-	-	-	-	9	10	1	1	1	1	-	-
10-	3	2	3	2	-	-	-	-	16	17	2	2	2	2	-	-
15-	2	2	2	2	-	-	-	-	44	39	-	-	-	-	-	-
20-	3	-	2	-	1	-	-	-	78	41	1	1	1	1	1	-
25-	3	-	3	-	-	-	-	-	157	98	-	-	-	-	-	-
30-	2	2	1	2	-	-	1	-	295	153	-	-	-	-	-	-
35-	4	-	3	-	1	-	-	-	828	279	-	-	-	-	-	-
40-	3	4	3	2	-	-	-	2	1,833	634	4	-	4	-	3	-
45-	1	1	-	-	-	-	1	-	2,961	917	1	2	1	1	1	-
50-	2	-	1	-	-	-	1	-	5,748	1,724	3	1	2	1	1	-
55-	6	4	5	3	-	-	1	1	9,359	3,185	5	1	5	1	3	1
60-	5	4	5	4	-	-	-	-	13,088	5,762	4	2	4	2	4	1
65-	3	6	3	6	-	-	-	-	14,048	9,313	2	7	2	7	2	6
70-	2	6	2	6	-	-	-	-	15,664	14,263	3	5	2	5	2	5
75-	3	4	1	4	1	-	1	-	15,312	18,579	-	6	-	6	-	6
80-	1	1	1	1	-	-	-	-	12,491	19,980	4	1	3	1	3	1
85 and over	-	2	-	2	-	-	-	-	9,995	21,274	-	1	-	1	-	1

Causes of death	401.1		401.2		401.3		402		402.0		402.1*		410		411	
	Active rheumatic endocarditis		Active rheumatic myocarditis		Active rheumatic fever with other and multiple types of heart involvement		Chorea		Without mention of heart involvement		410-416 Chronic rheumatic heart disease		Diseases of mitral valve		Diseases of aortic valve specified as rheumatic	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1**	**4**	**-**	**2**	**6**	**3**	**3**	**1**	**1**	**-**	**2,126**	**4,045**	**1,284**	**2,893**	**327**	**197**
0-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-
10-	-	1	-	-	2	1	-	-	-	-	2	3	-	2	1	-
15-	-	-	-	-	-	-	-	-	-	-	8	7	4	1	3	1
20-	-	1	-	-	-	-	-	-	-	-	20	11	11	3	4	2
25-	-	-	-	-	-	-	-	-	-	-	43	49	30	35	5	2
30-	-	-	-	-	-	-	-	-	-	-	64	62	29	48	12	1
35-	-	-	-	-	-	-	-	-	-	-	85	108	44	74	15	4
40-	-	-	-	-	1	-	-	-	-	-	144	223	90	172	19	7
45-	-	-	-	1	-	-	-	1	-	-	188	251	116	177	28	12
50-	-	-	-	-	1	1	1	-	-	-	256	416	154	301	36	11
55-	1	-	-	-	1	-	-	-	-	-	301	522	177	379	44	19
60-	-	1	-	-	-	-	-	-	-	-	298	532	169	377	62	20
65-	-	-	-	1	-	-	-	-	-	-	236	556	143	374	40	30
70-	-	-	-	-	-	-	1	-	1	-	207	456	135	318	19	31
75-	-	-	-	-	-	-	-	-	-	-	139	391	96	292	16	27
80-	-	-	-	-	-	-	1	-	-	-	89	284	56	202	15	19
85 and over	-	-	-	-	-	-	-	-	-	-	46	173	30	138	8	11

* **386** Detachment of retina: Male 65; Females 70,75: **387** Glaucoma: Males 75,80,80,80,85,85; Females 50,65,65,80,80,85: **388** Other diseases of eye: Males 25,60,75,85; Females 5,70,80: **389** Blindness - : **390** Otitis externa: Female 45: **394** Other inflammatory diseases of ear - : **395** Meniere's disease - : **396** Other diseases of ear and mastoid process: Male 1: **397** Deaf mutism - : **398** Other deafness - : **400** Rheumatic fever without mention of heart involvement - : **402.1** With heart involvement: Males 50,80; Female 45:

TABLE 17 - *continued*

Causes of death	412 Diseases of tricuspid valve		413* 414 Other endocarditis specified as rheumatic		415 Other myocarditis specified as rheumatic		416 Other heart disease specified as rheumatic		420-422 Arterio-sclerotic and degenerative heart disease		420 Arterio-sclerotic heart disease, including coronary disease		420·0 Arterio-sclerotic heart disease so described		420·1 Heart disease specified as involving coronary arteries	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	6	7	124	187	25	40	360	721	79,699	65,727	65,082	41,208	694	830	64,293	40,283
0-	-	-	-	-	-	-	-	-	3	3	1	-	-	-	1	-
1-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
5-	-	-	-	1	-	-	-	-	4	2	-	-	-	-	-	-
10-	1	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-
15-	-	-	-	1	-	1	1	3	13	7	1	1	-	-	1	1
20-	-	-	2	-	-	1	3	5	20	2	8	1	-	-	8	1
25-	-	-	1	2	1	-	6	10	52	11	44	7	-	-	44	7
30-	-	-	8	2	-	1	15	10	168	34	144	31	-	-	144	31
35-	-	-	7	3	1	2	18	25	608	83	563	65	1	-	562	65
40-	-	-	9	9	-	-	26	35	1,448	226	1,374	203	-	-	1,374	203
45-	3	-	6	16	2	1	33	45	2,438	424	2,339	376	2	-	2,336	376
50-	-	1	18	27	1	1	47	75	4,828	868	4,637	766	4	2	4,630	763
55-	1	1	24	24	2	2	53	97	7,796	1,946	7,466	1,775	20	4	7,438	1,768
60-	-	2	15	20	5	4	47	109	10,820	3,859	10,206	3,426	31	32	10,159	3,382
65-	1	1	14	29	3	5	35	117	11,323	6,513	10,319	5,539	62	52	10,244	5,479
70-	-	-	11	19	5	8	37	80	12,245	10,019	10,405	7,866	96	98	10,295	7,751
75-	-	-	6	16	4	6	17	50	11,581	12,958	8,706	8,682	178	183	8,511	8,474
80-	-	2	-	13	1	5	17	43	9,105	13,714	5,616	7,199	178	221	5,424	6,962
85 and over	-	-	3	4	-	3	5	17	7,245	15,054	3,253	5,271	122	238	3,122	5,020

Causes of death	420·2 Angina pectoris without mention of coronary disease		421 Chronic endocarditis not specified as rheumatic		421·0 of mitral valve, specified as non-rheumatic		421·1 of aortic valve, not specified as rheumatic		421·2;3* 421·4 Other and ill-defined, not specified as rheumatic		422 Other myocardial degeneration		422·0 Fatty degeneration		422·1 with arterio-sclerosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	95	95	1,421	1,296	90	168	1,200	913	125	214	13,196	23,223	34	80	6,490	10,731
0-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
5-	-	-	1	1	-	-	1	-	-	-	3	1	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
15-	-	-	6	1	-	-	6	-	-	1	6	5	-	-	-	-
20-	-	-	4	-	-	-	3	-	1	-	8	1	-	-	-	-
25-	-	-	1	-	-	-	1	-	-	-	7	4	1	-	-	-
30-	-	-	11	-	-	-	11	-	-	-	13	3	-	-	-	-
35-	-	-	27	8	-	-	24	5	2	3	18	10	1	1	6	-
40-	-	-	39	9	1	-	35	6	3	3	35	14	-	4	5	-
45-	1	-	56	15	-	1	52	11	4	3	43	33	1	6	13	8
50-	3	1	91	42	1	2	85	26	5	14	100	60	3	4	30	9
55-	8	3	150	46	2	-	133	36	15	10	180	125	8	6	69	45
60-	16	12	210	102	8	5	183	72	18	25	404	331	3	12	180	136
65-	13	8	183	167	12	25	155	114	16	28	821	807	5	10	437	370
70-	14	17	238	201	22	31	199	138	15	32	1,602	1,952	2	11	844	963
75-	17	25	203	241	26	35	153	172	22	34	2,672	4,035	5	11	1,414	1,974
80-	14	16	120	247	8	32	98	188	14	27	3,369	6,268	2	11	1,700	2,949
85 and over	9	13	81	216	10	37	61	145	10	34	3,911	9,567	3	4	1,792	4,277

* **413** Diseases of pulmonary valve specified as rheumatic - : **421·2** Of triscupid valve, specified as non-rheumatic: Male 75: **421·3** Of pulmonary valve, not specified as rheumatic: Males 35,60,70,70,75; Female 5.

TABLE 17 - *continued*

Causes of death	422·2 Other diseases included under 422		430-434 Other diseases of heart		430 Acute and subacute endocarditis		430·0 Acute and subacute bacterial endocarditis		430·1 Other acute endocarditis		431 Acute myocarditis not specified as rheumatic		432 Acute pericarditis specified as non-rheumatic		433 Functional disease of heart	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**6,672**	**12,412**	**6,031**	**7,671**	**178**	**129**	**176**	**128**	**2**	**1**	**78**	**61**	**10**	**16**	**1,544**	**2,673**
0-	2	3	14	14	2	-	2	-	-	-	5	3	-	2	1	2
1-	-	3	7	-	1	-	1	-	-	-	2	-	-	-	-	-
5-	3	1	1	4	-	-	-	-	-	-	1	-	-	-	-	-
10-	2	1	6	8	1	-	1	-	-	-	2	2	-	-	1	-
15-	6	5	11	5	2	1	2	1	-	-	2	-	-	-	1	2
20-	8	1	18	9	5	3	5	3	-	-	4	3	-	-	-	1
25-	6	4	25	15	7	3	7	3	-	-	8	4	-	-	2	-
30-	13	3	27	16	7	3	7	3	-	-	8	-	-	-	1	3
35-	11	9	38	30	14	1	13	1	1	-	7	1	-	-	1	2
40-	30	10	64	57	13	12	13	12	-	-	5	5	-	1	7	7
45-	29	19	76	61	12	9	12	9	-	-	4	3	-	1	12	14
50-	67	47	160	104	19	15	19	14	-	1	2	6	1	1	24	24
55-	103	74	352	196	25	12	25	12	-	-	3	2	2	1	64	53
60-	221	183	544	381	22	14	22	14	-	-	5	7	5	1	98	121
65-	379	427	729	638	21	21	21	21	-	-	4	5	1	1	166	202
70-	756	978	1,007	1,109	15	21	14	21	1	-	6	3	-	2	273	397
75-	1,253	2,050	1,100	1,524	9	4	9	4	-	-	3	4	1	3	319	576
80-	1,667	3,308	1,059	1,822	2	3	2	3	-	-	5	3	-	2	352	667
85 and over	2,116	5,286	793	1,678	1	7	1	7	-	-	2	10	-	1	222	602

Causes of death	434 Other and unspecified diseases of heart		434·0 Kypho-scoliotic heart disease		434·1 Congestive heart failure		434·2 Left ventricular failure		434·3;4 Others included under 434		440-443 Hypertensive heart disease		440 Essential benign hypertensive heart disease		441 Essential malignant hypertensive heart disease	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**4,221**	**4,792**	**40**	**62**	**2,734**	**3,785**	**508**	**533**	**939**	**412**	**3,427**	**5,232**	**50**	**82**	**60**	**34**
0-	6	7	-	-	5	2	-	-	1	5	-	-	-	-	-	-
1-	4	-	-	-	1	-	-	-	3	-	1	-	-	-	-	-
5-	-	4	-	-	-	-	-	1	-	3	-	-	-	-	-	-
10-	2	6	-	2	1	1	-	-	1	3	-	-	-	-	-	-
15-	6	2	2	-	1	-	-	-	3	2	-	-	-	-	-	-
20-	9	2	-	1	2	-	1	-	6	1	1	-	-	-	1	-
25-	8	8	1	1	3	2	1	-	3	5	8	1	-	-	3	-
30-	11	10	-	1	1	4	3	1	7	4	2	3	-	-	-	1
35-	16	26	2	3	3	8	4	3	7	12	16	4	-	-	6	-
40-	39	32	2	5	13	15	2	1	22	11	32	19	-	-	4	1
45-	48	34	-	4	13	14	11	3	24	13	51	33	-	-	3	2
50-	114	58	6	-	41	26	11	4	56	28	101	77	3	1	9	5
55-	258	128	8	4	101	79	32	16	117	29	273	144	4	5	13	6
60-	414	238	7	7	191	161	49	25	167	45	430	340	7	4	11	9
65-	537	409	4	9	309	298	73	51	151	51	550	580	5	10	8	2
70-	713	686	4	13	459	524	82	92	168	57	611	910	11	14	1	3
75-	768	937	2	5	544	781	105	93	117	58	630	1,222	11	18	1	1
80-	700	1,147	2	5	568	969	76	118	54	55	456	1,107	3	21	-	2
85 and over	568	1,058	-	2	478	901	58	125	32	30	265	792	6	9	-	2

TABLE 17 - *continued*

Causes of death	442 Hypertensive heart disease with arteriolar nephro-sclerosis		443 Other and unspecified hypertensive heart disease		444-447 Other hypertensive disease		444 Essential benign hypertension		445 Essential malignant hypertension		446 Hypertension with arteriolar nephro-sclerosis		447 Other hypertensive disease without mention of heart		450-456 Diseases of arteries	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	37	57	3,280	5,059	2,171	2,365	1,391	1,789	498	235	279	339	3	2	6,643	8,346
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
10-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	3
15-	-	-	-	-	1	4	-	1	1	3	-	-	-	-	7	13
20-	-	-	-	-	10	1	1	-	8	1	1	-	-	-	4	11
25-	-	-	5	1	14	3	-	-	13	3	1	-	-	-	8	12
30-	-	-	2	2	13	9	2	3	10	5	1	1	-	-	13	15
35-	-	-	10	4	38	17	8	3	29	13	1	1	-	-	23	13
40-	1	-	27	18	74	24	13	5	58	17	3	2	-	-	36	33
45-	1	1	47	30	81	44	21	15	55	24	5	4	-	1	73	35
50-	1	1	88	70	189	86	82	31	100	51	7	4	-	-	125	70
55-	3	-	253	133	203	99	107	57	94	37	2	5	-	-	279	124
60-	4	7	408	320	269	147	177	120	73	24	19	3	-	-	487	264
65-	8	5	529	563	283	256	215	208	38	24	29	24	1	-	651	414
70-	4	3	595	890	294	343	236	287	11	14	46	42	1	-	989	897
75-	9	16	609	1,187	267	478	212	398	4	12	50	68	1	-	1,282	1,453
80-	2	12	451	1,072	247	432	185	354	3	6	59	71	-	1	1,332	2,166
85 and over	3	12	256	769	186	422	131	307	-	1	55	114	-	-	1,332	2,821

Causes of death	450 General arterio-sclerosis		450·0 Without mention of gangrene		450·1 With mention of gangrene as a consequence		451 Aortic aneurysm, non-syphilitic and dissecting aneurysm		452 Other aneurysm, except of heart and aorta		453 Peripheral vascular disease		453·0 Raynaud's disease		453·1 Thrombo-angiitis obliterans	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	4,347	6,564	3,903	6,025	444	539	1,877	1,321	81	44	58	39	1	7	17	3
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
20-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
25-	-	-	-	-	-	-	5	2	-	-	-	-	-	-	-	-
30-	-	-	-	-	-	-	3	2	1	3	-	-	-	-	-	-
35-	2	1	2	1	-	-	13	2	-	4	1	-	-	-	1	-
40-	8	4	8	4	-	-	15	10	3	3	2	1	-	1	2	-
45-	8	2	8	2	-	-	42	13	2	2	2	-	-	-	2	-
50-	23	10	20	10	3	-	71	39	6	1	1	-	-	-	-	-
55-	67	30	57	28	10	2	153	67	8	3	8	-	-	-	5	-
60-	152	80	135	70	17	10	274	118	9	9	7	3	-	2	1	-
65-	261	215	225	188	36	27	351	160	6	2	6	2	1	-	2	1
70-	563	597	495	557	68	40	379	235	15	9	6	8	-	1	2	1
75-	915	1,137	816	1,050	99	87	315	263	15	4	7	7	-	1	2	-
80-	1,121	1,888	1,006	1,732	115	156	180	233	7	3	8	10	-	2	-	-
85 and over	1,227	2,599	1,131	2,382	96	217	74	176	8	1	10	8	-	-	-	1

TABLE 17 - *continued*

Causes of death	453·2;3 Others included under 453		454 Arterial embolism and thrombosis		455 Gangrene of unspecified cause		456 Other diseases of arteries		460-468 Diseases of veins and other diseases of circulatory system		460 Varicose veins of lower extremities		461 Haemorrhoids		462 Varicose veins of other specified sites	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	40	29	73	105	28	49	179	224	1,829	2,880	33	139	6	5	22	20
0-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	1	2	4	-	-	-	-	-	-
5-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-
10-	-	-	-	-	-	-	1	3	2	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	5	12	4	3	-	-	-	-	-	1
20-	-	-	-	-	-	-	3	11	4	6	-	-	-	-	-	-
25-	-	-	-	-	-	1	3	9	7	7	-	-	-	-	2	-
30-	-	-	1	-	-	-	8	10	8	14	-	-	-	-	-	-
35-	-	-	-	-	-	-	7	6	20	24	1	-	-	-	1	-
40-	-	-	-	-	1	-	7	15	31	52	1	4	-	-	-	-
45-	-	-	4	2	-	-	15	16	53	67	4	3	2	-	1	2
50-	1	-	1	4	-	-	23	16	86	102	4	6	1	-	2	-
55-	3	-	10	4	4	-	29	20	150	153	4	10	-	-	6	-
60-	6	1	14	15	2	3	29	36	236	237	3	10	1	-	1	3
65-	3	1	10	10	3	4	14	21	274	349	3	25	1	2	-	1
70-	4	6	7	17	4	11	15	20	308	524	2	26	1	1	4	3
75-	5	6	13	23	7	9	10	10	313	547	5	27	-	-	3	3
80-	8	8	6	13	6	11	4	8	199	454	5	17	-	2	2	3
85 and over	10	7	7	17	1	10	5	10	128	333	1	11	-	-	-	4

Causes of death	463 Phlebitis and thrombo-phlebitis of lower extremities		464 Phlebitis and thrombo-phlebitis of other sites		465 Pulmonary embolism and infarction		466 Other venous embolism and thrombosis		467 Other diseases of circulatory system		468 Certain diseases of lymph nodes and lymph channels		VIII **470-527 Diseases of the respiratory system**		470-475 Acute upper respiratory infections	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	118	239	21	33	859	1,146	716	1,239	48	48	6	11	38,510	25,867	50	62
0-	-	-	-	-	1	-	-	2	-	-	1	-	1,338	966	14	16
1-	-	-	-	-	1	-	1	1	-	1	-	2	246	238	10	9
5-	-	-	-	-	-	-	-	1	1	-	1	1	63	64	4	2
10-	-	-	-	-	-	-	1	-	-	-	1	-	37	33	-	1
15-	-	1	-	-	2	1	-	-	2	-	-	-	97	60	2	1
20-	-	-	-	1	2	2	2	3	-	-	-	-	67	36	2	-
25-	1	-	-	-	3	5	1	2	-	-	-	-	59	52	-	-
30-	1	1	-	-	-	7	7	6	-	-	-	-	77	39	1	-
35-	-	5	-	2	7	12	9	5	1	-	1	-	151	102	2	2
40-	-	4	-	2	16	20	11	19	3	3	-	-	297	207	2	2
45-	3	5	-	3	16	23	24	31	3	-	-	-	538	278	2	1
50-	4	10	1	-	45	36	27	48	1	2	1	-	1,261	472	-	1
55-	8	10	1	-	64	71	63	57	4	4	-	1	2,623	781	1	1
60-	17	25	2	1	116	100	90	92	6	3	-	3	4,624	1,314	1	2
65-	23	33	7	4	141	116	92	163	7	4	-	1	5,498	2,038	3	1
70-	18	44	3	5	141	203	133	233	6	9	-	-	6,186	3,295	2	6
75-	23	34	6	10	145	252	125	212	5	7	1	2	6,428	4,482	2	6
80-	14	41	1	2	94	185	78	195	5	8	-	1	5,027	5,261	1	3
85 and over	6	26	-	3	65	113	52	169	4	7	-	-	3,893	6,149	1	8

TABLE 17 - *continued*

Causes of death	470 Acute naso-pharyngitis (common cold)		471* / 472 Acute pharyngitis		473 Acute tonsillitis		474 Acute laryngitis and tracheitis		475 Acute upper respiratory infection of multiple or unspecified sites		480-483 Influenza		480 Influenza with pneumonia		481 Influenza with other respiratory manifest'ns and influenza unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1	-	6	9	11	8	23	31	7	12	494	549	317	332	167	20
0-	-	-	1	-	2	-	7	12	4	4	13	6	9	5	1	
1-	-	-	-	3	2	1	7	4	1	-	3	2	2	2	1	
5-	-	-	-	-	2	1	2	-	-	1	1	1	-	-	-	
10-	-	-	-	1	-	-	-	-	-	-	2	4	2	3	-	
15-	-	-	-	-	1	1	-	-	-	-	3	3	2	1	1	
20-	-	-	1	-	1	-	-	-	-	-	6	2	6	2	-	
25-	-	-	-	-	-	-	-	-	-	-	4	1	3	-	1	
30-	-	-	-	-	-	-	1	-	-	-	7	3	4	2	3	
35-	-	-	-	-	1	1	1	-	-	-	8	5	3	4	5	
40-	-	-	1	-	-	1	-	1	-	-	11	8	9	8	2	
45-	-	-	1	-	-	-	-	1	1	-	19	6	17	4	2	
50-	-	-	-	-	-	1	-	-	-	-	25	11	16	6	9	
55-	-	-	-	-	-	-	1	1	-	-	33	18	23	11	10	
60-	-	-	1	-	-	-	-	2	-	-	53	28	34	16	19	1
65-	-	-	-	-	1	1	2	-	-	-	52	41	37	29	14	1
70-	-	-	-	-	-	1	1	3	1	2	47	85	30	45	16	3
75-	-	-	-	2	1	-	1	3	-	1	77	100	44	57	32	4
80-	-	-	1	1	-	-	-	1	-	1	78	111	46	64	30	4
85 and over	1	-	-	2	-	-	-	3	-	3	52	114	30	73	21	3

Causes of death	482 Influenza with digestive manifest'ns, but without respiratory symptoms		483 Influenza with nervous manifest'ns, but without digestive or respiratory symptoms		490-493 Pneumonia		490 Lobar pneumonia		491 Broncho-pneumonia		492 Primary atypical pneumonia		493 Pneumonia, other and unspecified		500-502 Bronchitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	6	9	4	-	13,830	15,679	1,646	1,369	11,364	13,570	203	147	617	593	20,773	7,96
0-	-	-	3	-	1,040	752	38	23	863	631	77	53	62	45	219	14
1-	-	-	-	-	169	149	9	10	137	124	15	9	8	6	47	6
5-	-	-	1	-	41	50	-	1	36	44	1	1	4	4	12	
10-	-	-	-	-	26	20	2	3	20	15	1	-	3	2	5	
15-	-	-	-	-	55	36	12	3	32	29	5	4	6	-	18	1
20-	-	-	-	-	40	21	4	1	30	15	6	2	-	3	7	
25-	-	-	-	-	30	22	3	5	20	11	5	4	2	2	12	1
30-	-	-	-	-	40	17	4	4	28	9	7	-	1	4	16	
35-	-	-	-	-	59	45	14	10	35	28	7	7	3	-	49	2
40-	-	-	-	-	103	91	30	21	66	60	2	2	5	8	118	6
45-	-	-	-	-	174	112	58	25	90	74	10	3	16	10	264	10
50-	-	1	-	-	297	177	86	29	190	137	6	3	15	8	763	29
55-	-	-	-	-	564	328	143	63	375	238	13	8	33	19	1,683	33
60-	-	-	-	-	917	596	172	94	684	475	12	5	49	22	3,138	5
65-	1	1	-	-	1,264	987	212	136	979	793	9	11	64	47	3,620	8
70-	1	1	-	-	1,847	1,775	261	179	1,501	1,516	8	11	77	69	3,756	1,2
75-	1	-	-	-	2,422	2,687	243	219	2,072	2,365	10	11	97	92	3,492	1,4
80-	2	4	-	-	2,458	3,474	209	278	2,167	3,058	3	6	79	132	2,208	1,4
85 and over	1	2	-	-	2,284	4,340	146	265	2,039	3,948	6	7	93	120	1,346	1,3

* **471** Acute sinusitis: Males 15,40; Females 1,35.

TABLE 17 - *continued*

Causes of death	500 Acute bronchitis		501 Bronchitis unqualified		502 Chronic bronchitis		502·0 Bronchitis with emphysema		502·1 Other		510-527 Other diseases of respiratory system		510 Hypertrophy of tonsils and adenoids		511 Peri-tonsillar abscess (quinsy)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,065**	**1,171**	**751**	**741**	**18,957**	**6,055**	**9,700**	**1,825**	**9,257**	**4,230**	**3,363**	**1,610**	**4**	**2**	**5**	**4**
0-	165	109	44	31	10	6	-	1	10	5	52	46	-	1	-	-
1-	32	51	11	11	4	2	-	-	4	2	17	14	1	1	-	-
5-	7	2	2	2	3	1	-	-	3	1	5	6	2	-	-	-
10-	3	2	-	1	2	3	1	-	1	3	4	2	-	-	-	-
15-	5	5	3	1	10	5	4	2	6	3	19	9	-	-	-	1
20-	2	3	1	-	4	5	2	2	2	3	12	5	-	-	-	-
25-	2	5	1	2	9	8	3	-	6	8	13	14	-	-	-	-
30-	1	1	2	1	13	4	5	-	8	4	13	13	1	-	-	-
35-	8	6	3	4	38	15	19	7	19	8	33	25	-	-	-	-
40-	9	18	4	8	105	41	57	16	48	25	63	39	-	-	1	-
45-	17	10	14	3	233	91	152	39	81	52	79	55	-	-	-	-
50-	28	19	17	17	718	173	412	68	306	105	176	74	-	-	-	-
55-	45	27	40	22	1,598	284	986	131	612	153	342	101	-	-	1	-
60-	76	47	80	30	2,982	504	1,750	189	1,232	315	515	107	-	-	-	1
65-	103	77	62	53	3,455	737	1,969	251	1,486	486	559	142	-	-	-	-
70-	126	124	101	99	3,529	1,017	1,799	327	1,730	690	534	189	-	-	2	-
75-	162	190	122	124	3,208	1,162	1,478	340	1,730	822	435	213	-	-	1	1
80-	140	184	123	148	1,945	1,110	732	271	1,213	839	282	231	-	-	-	-
85 and over	134	291	121	184	1,091	887	331	181	760	706	210	325	-	-	-	1

Causes of death	512* 513 Chronic sinusitis		514, 515, 516* 517 Other diseases of upper respiratory tract		518 Empyema		519 Pleurisy		520 Spontaneous pneumo-thorax		521 Abscess of lung		522 Pulmonary congestion and hypostasis		523 Pneumo-coniosis due to silica and silicates (occupa-tional)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**20**	**13**	**23**	**11**	**49**	**24**	**30**	**32**	**18**	**5**	**70**	**26**	**242**	**457**	**659**	**11**
0-	-	-	3	2	1	1	-	-	-	-	1	1	1	1	-	-
1-	-	-	7	5	-	-	-	-	1	-	-	-	-	-	-	-
5-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
10-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
15-	6	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-
20-	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
25-	1	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-
30-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
35-	2	-	-	-	1	1	-	-	1	-	-	-	1	-	1	-
40-	2	-	-	-	5	2	1	-	-	-	4	2	2	1	-	1
45-	1	1	4	-	2	1	3	1	-	-	1	1	4	1	8	2
50-	-	-	-	-	5	1	1	1	-	1	3	2	-	1	39	2
55-	2	-	2	-	4	-	2	1	3	-	8	2	5	6	81	-
60-	-	3	2	1	4	1	3	-	2	1	16	2	2	3	130	2
65-	2	1	-	-	6	6	1	2	4	-	9	3	7	5	143	1
70-	1	2	2	1	9	3	6	4	3	-	15	4	18	18	113	3
75-	-	-	-	1	8	4	4	10	4	2	9	1	40	61	87	-
80-	-	-	-	-	3	1	-	5	-	1	3	4	60	111	43	-
85 and over	-	-	-	-	-	2	6	7	-	-	-	3	101	249	14	-

* **512** Chronic pharyngitis and nasopharyngitis - : **514** Deflected nasal septum - : **515** Nasal polyp: Females 20,50,70: **516** Chronic laryngitis - .

TABLE 17 - *continued*

Causes of death	524 Other specified pneumo-coniosis and pulmonary fibrosis of occupational origin		525 Other chronic interstitial pneumonia		526 Bronchiectasis		527 Other diseases of lung and pleural cavity		527·0 Pulmonary collapse (1 year and over)		527·1 Emphysema without mention of bronchitis		527·2 Other		IX **530-587 Diseases of the digestive system**	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**14**	**1**	**298**	**168**	**917**	**538**	**1,014**	**315**	**9**	**8**	**892**	**230**	**113**	**77**	**7,413**	**7,495**
0-	-	-	13	5	1	-	32	35	-	-	1	10	31	25	**434**	**297**
1-	-	-	1	2	4	2	3	4	-	-	-	-	3	4	**120**	**94**
5-	-	-	-	-	2	2	1	2	1	-	-	1	-	1	**34**	**26**
10-	-	-	1	-	-	-	1	1	-	1	1	-	-	-	**24**	**20**
15-	-	-	3	-	5	4	3	1	-	-	3	1	-	-	**28**	**24**
20-	-	-	1	-	5	2	2	-	-	-	2	-	-	-	**29**	**27**
25-	-	-	1	1	7	11	1	1	-	-	1	1	-	-	**35**	**35**
30-	-	-	1	-	10	8	-	4	-	-	-	2	-	2	**58**	**49**
35-	-	1	2	3	17	12	8	8	1	-	5	6	2	2	**84**	**63**
40-	-	-	7	4	31	25	10	4	-	1	8	3	2	-	**189**	**105**
45-	-	-	7	5	23	31	21	12	-	1	19	8	2	3	**222**	**172**
50-	1	-	16	17	59	32	52	16	-	2	45	10	7	4	**369**	**253**
55-	2	-	25	13	94	61	113	18	1	1	105	10	7	7	**604**	**382**
60-	4	-	54	17	129	52	169	24	2	-	151	23	16	1	**878**	**570**
65-	2	-	48	26	155	61	182	37	-	-	175	32	7	5	**929**	**811**
70-	1	-	46	33	150	68	168	52	2	-	159	45	7	7	**1,088**	**1,152**
75-	3	-	40	20	106	73	133	40	1	1	122	34	10	5	**1,021**	**1,223**
80-	1	-	21	15	78	60	73	34	1	1	65	26	7	7	**739**	**1,187**
85 and over	-	-	11	7	36	34	42	22	-	-	30	18	12	4	**528**	**1,005**

Causes of death	530-539 Diseases of buccal cavity and oesophagus		530, 531* 532 Other inflammatory diseases of supporting structures of teeth		533 Disorders of occlusion, eruption and tooth development		534, 535, 536* 537 Diseases of salivary glands		536* 539 Diseases of oesophagus		540-545 Diseases of stomach and duodenum		540 Ulcer of stomach		540·0 Without mention of perforation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**115**	**151**	**2**	-	-	-	**15**	**46**	**91**	**98**	**2,733**	**1,466**	**1,235**	**853**	**969**	**659**
0-	3	3	-	-	-	-	-	-	3	2	7	3	3	2	1	-
1-	-	1	-	-	-	-	-	-	-	1	2	2	1	1	1	1
5-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
10-	-	1	-	-	-	-	-	-	-	1	2	-	1	-	-	-
15-	2	-	2	-	-	-	-	-	-	-	2	-	1	-	-	-
20-	1	1	-	-	-	-	-	-	1	-	5	1	3	1	3	1
25-	1	-	-	-	-	-	-	-	1	-	9	4	4	1	3	1
30-	2	1	-	-	-	-	-	-	2	1	13	5	5	1	3	-
35-	1	-	-	-	-	-	-	-	1	-	38	9	10	6	9	3
40-	5	-	-	-	-	-	-	-	2	-	62	21	28	6	19	3
45-	3	1	-	-	-	-	-	-	3	1	73	36	35	20	28	9
50-	5	4	-	-	-	-	-	-	4	3	128	34	55	22	47	18
55-	5	6	-	-	-	-	-	2	4	4	257	74	112	33	76	21
60-	10	17	-	-	-	-	1	3	8	14	367	93	168	61	129	42
65-	12	11	-	-	-	-	-	3	12	8	369	150	164	82	127	60
70-	20	20	-	-	-	-	2	6	18	12	459	267	211	161	157	128
75-	16	29	-	-	-	-	3	6	13	23	448	261	197	160	162	128
80-	11	26	-	-	-	-	1	8	9	18	278	266	128	153	109	125
85 and over	18	28	-	-	-	-	8	18	10	10	212	240	109	143	95	119

* **530** Dental caries - : **531** Abscesses of supporting structures of teeth: Female 70: **534** Toothache from unspecified cause - : **535** Other diseases of teeth and supporting structures: Males 40,40,50,55,80; Females 5,5,20: **536** Stomatitis: Male 60; Female 50: **538** Other diseases of buccal cavity: Male 40; Females 0,70.

TABLE 17 - *continued*

Causes of death	540·1 With perforation		541 Ulcer of duodenum		541·0 Without mention of perforation		541·1 With perforation		542 Gastro-jejunal ulcer		542·0 Without mention of perforation		542·1 With perforation		543 Gastritis and duodenitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**266**	**194**	**1,333**	**523**	**807**	**302**	**526**	**221**	**18**	**7**	**14**	**4**	**4**	**3**	**30**	**36**
0-	2	2	1	-	-	-	1	-	-	-	-	-	-	-	1	1
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
5-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-
10-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
15-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
20-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-
25-	1	-	5	2	2	2	3	-	-	1	-	-	-	1	-	-
30-	2	1	6	3	6	1	-	2	-	-	-	-	-	-	-	-
35-	1	3	20	2	7	2	13	-	1	1	1	1	-	-	1	-
40-	9	3	29	13	14	8	15	5	-	-	-	-	-	-	1	-
45-	7	11	35	13	26	7	9	6	-	-	-	-	-	-	-	-
50-	8	4	61	12	39	7	22	5	-	-	-	-	-	-	1	-
55-	36	12	129	34	75	16	54	18	-	1	-	-	-	1	3	2
60-	39	19	178	28	107	14	71	14	4	1	3	-	1	1	2	1
65-	37	22	187	57	105	26	82	31	4	1	3	1	1	-	1	1
70-	54	33	219	97	130	56	89	41	3	-	2	-	1	-	3	3
75-	35	32	233	84	148	60	85	24	2	1	2	1	-	-	5	8
80-	19	28	135	100	89	63	46	37	-	1	-	1	-	-	3	6
85 and over	14	24	91	78	58	40	33	38	3	-	3	-	-	-	7	13

Causes of death	544 Disorders of function of stomach		545 Other diseases of stomach and duodenum		550-553 Appendicitis		550 Acute appendicitis		550·0 Without mention of peritonitis		550·1 With peritonitis		551 Appendicitis unqualified		552, 553* 560, 561 Hernia of abdominal cavity	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**12**	**7**	**105**	**40**	**274**	**224**	**224**	**182**	**37**	**23**	**187**	**159**	**47**	**39**	**689**	**796**
0-	1	-	1	-	3	1	3	1	-	-	3	1	-	-	114	62
1-	-	-	-	-	7	6	7	6	-	1	7	5	-	-	5	4
5-	-	-	-	-	9	8	7	8	-	1	7	7	2	-	-	-
10-	-	-	-	-	10	4	7	4	-	-	7	4	3	-	-	-
15-	-	-	-	-	6	5	4	4	-	-	4	4	2	1	-	-
20-	-	-	-	-	4	2	2	2	1	-	1	2	2	-	2	1
25-	-	-	-	-	2	4	2	2	1	-	1	2	-	2	-	-
30-	-	-	2	1	3	3	2	2	-	1	2	1	1	1	3	1
35-	2	-	4	-	6	3	5	3	2	1	3	2	1	-	2	-
40-	1	1	3	1	7	4	6	3	-	-	6	3	1	1	2	2
45-	-	-	3	3	8	1	4	1	2	1	2	-	3	-	15	8
50-	1	-	10	-	20	10	17	8	3	2	14	6	3	2	12	19
55-	-	1	13	3	16	12	10	8	2	-	8	8	6	3	20	16
60-	1	-	14	2	23	16	21	12	5	3	16	9	2	3	50	50
65-	2	-	11	9	37	24	29	15	7	1	22	14	8	9	66	81
70-	-	-	23	6	38	27	33	23	5	3	28	20	4	4	97	123
75-	2	3	9	5	39	36	33	32	4	3	29	29	5	4	115	165
80-	2	-	10	6	21	35	19	28	2	2	17	26	2	7	107	140
85 and over	-	2	2	4	15	23	13	20	3	4	10	16	2	2	79	124

* **552** Other appendicitis: Males 45,70,75; Female 60: **553** Other diseases of appendix: Females 55,85.

TABLE 17 - *continued*

Causes of death	560 Hernia of abdominal cavity without mention of obstruction		560·0 Inguinal		560·1 Femoral		560·2 Umbilical		560·3 Ventral (incisional)		560·4;5 Others included under 560		561 Hernia of abdominal cavity with obstruction		561·0 Inguinal	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**277**	**289**	**73**	**10**	**4**	**16**	**42**	**25**	**5**	**14**	**153**	**224**	**412**	**507**	**253**	**55**
0-	92	59	-	-	-	-	33	17	-	-	59	42	22	3	14	-
1-	2	3	-	-	-	-	1	1	1	-	-	2	3	1	2	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	1	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-
25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-	2	1	2	1	-	-	-	-	-	-	-	-	1	-	-	-
35-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
40-	1	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-
45-	7	1	4	1	-	-	1	-	-	-	2	-	8	7	4	-
50-	9	4	4	-	-	-	1	-	-	-	4	4	3	15	2	-
55-	10	7	6	1	-	-	-	1	1	1	3	4	10	9	5	1
60-	20	18	11	-	-	1	-	1	-	3	9	13	30	32	18	4
65-	19	27	6	-	-	1	1	-	-	2	12	24	47	54	28	4
70-	36	28	12	2	-	-	3	3	-	2	21	21	61	95	36	5
75-	31	50	9	4	3	5	-	2	-	1	19	38	84	115	57	15
80-	21	52	11	-	1	6	1	-	-	2	8	44	86	88	52	13
85 and over	25	38	8	1	-	3	1	-	2	3	14	31	54	86	34	13

Causes of death	561·1 Femoral		561·2 Umbilical		561·3 Ventral (incisional)		561·4;5 Others included under 561		570-578 Other diseases of intestines and peritoneum		570 Intestinal obstruction without mention of hernia		570·0 Intus-susception		570·1 Paralytic ileus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**67**	**239**	**23**	**63**	**24**	**72**	**45**	**78**	**2,000**	**2,733**	**712**	**842**	**26**	**21**	**18**	**14**
0-	1	-	2	1	-	-	5	2	253	180	31	20	14	11	1	-
1-	-	-	-	-	-	-	1	1	83	52	14	8	7	2	-	-
5-	-	-	-	-	-	-	-	-	6	4	1	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	4	6	2	2	-	-	-	1
15-	-	-	-	-	-	-	-	-	11	7	4	1	-	-	-	-
20-	1	-	-	-	-	-	-	-	15	11	4	6	-	-	-	-
25-	-	-	-	-	-	-	-	-	17	14	8	4	-	1	-	-
30-	-	-	-	-	1	-	-	-	25	24	8	6	-	-	-	-
35-	-	-	-	-	-	-	-	-	18	26	3	8	-	-	-	2
40-	-	1	-	-	-	1	1	-	50	40	14	11	1	-	-	-
45-	-	3	1	1	1	2	2	1	50	63	11	19	1	1	-	-
50-	-	6	-	2	1	5	-	2	91	80	31	28	-	-	1	-
55-	3	4	1	2	-	1	1	1	140	111	62	37	-	2	1	1
60-	5	15	3	7	3	5	1	1	222	183	88	62	-	2	7	1
65-	6	22	2	13	5	5	6	10	225	286	96	85	-	1	2	-
70-	10	53	6	11	2	16	7	10	256	380	111	123	1	1	2	5
75-	9	51	4	13	3	12	11	24	215	438	94	152	1	-	1	1
80-	21	43	2	6	3	14	8	12	185	468	81	158	-	-	2	2
85 and over	11	41	2	7	5	11	2	14	134	360	49	112	1	-	1	1

TABLE 17 - *continued*

Causes of death	570·2 Mesenteric infarction		570·3 Volvulus		570·4 Impaction of intestine		570·5 Others included under 570		571 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		572 Chronic enteritis and ulcerative colitis		572·0 Regional enteritis		572·1 Diverticulitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**259**	**335**	**181**	**185**	**19**	**49**	**209**	**238**	**449**	**534**	**567**	**1,041**	**40**	**44**	**350**	**756**
0-	-	-	9	4	-	1	7	4	209	156	-	1	-	-	-	-
1-	1	-	2	5	-	-	4	1	68	41	-	-	-	-	-	-
5-	-	-	1	-	-	-	-	-	5	4	-	-	-	-	-	-
10-	-	1	1	-	-	-	1	-	1	-	-	3	-	-	-	1
15-	-	-	-	-	-	-	4	1	1	1	4	4	1	-	-	-
20-	-	2	4	3	-	-	-	1	1	1	8	2	2	1	-	-
25-	2	2	5	1	-	-	1	-	3	1	3	7	1	2	-	-
30-	1	1	2	1	-	-	5	4	1	4	14	8	6	2	-	-
35-	2	1	1	1	-	1	-	3	1	3	11	11	1	4	1	-
40-	4	2	3	4	1	-	5	5	7	8	26	17	5	3	5	4
45-	4	10	4	4	-	-	2	4	5	10	24	18	3	1	7	6
50-	16	11	8	4	-	4	6	9	7	8	26	36	2	4	10	18
55-	27	23	14	5	1	-	19	6	11	7	43	49	4	6	27	22
60-	41	28	21	12	2	3	17	16	12	18	85	77	6	10	53	46
65-	33	34	29	21	1	4	31	25	20	27	81	142	1	6	60	103
70-	45	55	27	29	5	6	31	27	15	39	84	169	3	4	59	125
75-	39	70	20	33	3	7	30	41	27	62	63	182	1	1	49	153
80-	28	64	21	34	3	12	27	46	27	68	56	185	3	-	42	159
85 and over	16	31	9	24	3	11	19	45	28	76	39	130	1	-	37	119

Causes of death	572·2 Ulcerative colitis		572·3 Other		573 Functional disorders of intestines		574* 575 Abscess of anal and rectal regions		576 Peritonitis		577 Peritoneal adhesion		578 Other diseases of intestines and peritoneum		580-587 Diseases of liver, gallbladder and pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**171**	**229**	**6**	**12**	**14**	**25**	**12**	**8**	**63**	**78**	**6**	**5**	**177**	**199**	**1,602**	**2,125**
0-	-	1	-	-	1	-	-	1	2	2	2	-	8	-	54	48
1-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	23	29
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	12
10-	-	2	-	-	-	-	-	-	-	1	-	-	1	-	8	9
15-	3	4	-	-	-	-	-	-	-	1	-	-	2	-	7	12
20-	6	1	-	-	-	-	-	-	-	1	-	-	2	1	2	11
25-	2	5	-	-	-	-	-	-	2	2	-	-	1	-	6	13
30-	8	6	-	-	-	1	-	-	2	1	-	-	-	4	12	15
35-	9	7	-	-	-	-	-	-	-	4	-	-	3	-	19	25
40-	16	10	-	-	1	1	-	-	1	-	-	-	1	3	63	38
45-	14	11	-	-	1	1	-	1	3	3	-	1	6	10	73	63
50-	12	14	2	-	-	-	2	-	9	3	-	-	16	5	113	106
55-	12	21	-	-	-	1	2	1	10	4	-	-	12	12	166	163
60-	25	21	1	-	1	-	2	-	9	9	-	-	25	17	206	211
65-	20	32	-	1	3	-	-	1	5	8	1	-	19	23	220	259
70-	22	38	-	2	1	4	3	2	11	7	2	1	29	35	218	335
75-	12	24	1	4	2	3	-	-	5	8	-	3	24	28	188	294
80-	9	22	2	4	2	10	3	-	1	12	1	-	14	35	137	252
85 and over	1	10	-	1	2	4	-	2	3	10	-	-	13	25	70	230

* 574 Anal fissure and fistula: Female 85.

TABLE 17 - *continued*

Causes of death	580 Acute and subacute yellow atrophy of liver		581 Cirrhosis of liver		582 Suppurative hepatitis and liver abscess		583 Other diseases of liver		584 Cholelithiasis		585 Cholecystitis and cholangitis, without mention of calculi		586 Other diseases of gallbladder and biliary ducts		587 Diseases of pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**37**	**76**	**657**	**652**	**15**	**16**	**85**	**78**	**217**	**461**	**166**	**315**	**58**	**113**	**367**	**41**
0-	1	3	2	4	-	1	3	1	-	-	-	-	-	1	48	3
1-	1	1	5	1	-	-	2	-	-	-	-	1	1	-	14	2
5-	1	2	2	1	-	-	1	-	-	-	-	-	-	-	13	
10-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	8	
15-	-	1	5	6	-	-	-	1	-	1	-	-	-	-	2	
20-	-	1	1	3	-	-	-	3	-	1	-	-	-	-	1	
25-	-	2	3	1	-	1	-	3	1	1	-	-	-	-	2	
30-	1	3	4	5	2	-	-	2	-	1	-	-	2	-	3	
35-	3	3	7	8	-	-	2	-	-	5	1	3	2	-	4	
40-	1	3	36	22	1	-	5	3	4	3	1	-	-	1	15	
45-	1	2	43	36	2	-	5	4	7	5	1	1	1	1	13	1
50-	3	7	64	55	-	1	6	6	4	15	5	3	3	4	28	1
55-	3	9	99	75	2	-	12	3	8	22	10	11	1	16	31	2
60-	3	5	121	89	2	2	10	5	19	38	15	20	5	13	31	3
65-	6	6	98	97	4	4	10	14	27	55	17	25	7	12	51	4
70-	4	15	87	98	1	3	11	11	37	87	21	54	14	17	43	5
75-	3	8	50	78	1	2	12	10	41	73	46	55	8	21	27	4
80-	4	2	23	45	-	1	2	3	47	88	27	63	8	16	26	3
85 and over	2	1	7	26	-	1	4	9	22	66	22	79	6	11	7	3

Causes of death	587·0 Acute pancreatitis		587·1 Chronic pancreatitis		587·2 Other diseases of pancreas		X 590-637 Diseases of the genito-urinary system		590-594 Nephritis and nephrosis		590 Acute nephritis		591 Nephritis with oedema including nephrosis		592 Chronic nephritis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**244**	**305**	**27**	**19**	**96**	**90**	**5,650**	**4,014**	**1,518**	**1,404**	**60**	**47**	**111**	**90**	**1,036**	**955**
0-	-	-	-	-	48	38	**44**	**27**	8	6	3	1	2	2	-	1
1-	-	-	-	-	14	26	**17**	**15**	7	7	-	-	4	7	2	-
5-	-	-	-	-	13	9	**16**	**12**	11	7	1	3	5	3	3	1
10-	-	-	-	-	8	5	**13**	**12**	12	10	1	2	2	3	7	3
15-	1	-	-	-	1	3	**29**	**32**	25	27	7	5	5	-	11	18
20-	-	3	-	-	1	-	**58**	**33**	42	19	6	-	5	2	28	12
25-	1	5	-	-	1	-	**51**	**36**	41	22	3	2	4	1	33	16
30-	2	4	-	-	1	-	**58**	**46**	44	30	3	1	2	2	37	26
35-	4	5	-	-	-	1	**65**	**62**	52	22	2	1	5	1	40	14
40-	12	5	2	1	1	-	**108**	**108**	82	44	1	1	4	2	61	35
45-	12	14	1	-	-	-	**135**	**124**	81	46	6	4	6	2	55	31
50-	24	14	4	1	-	-	**190**	**181**	126	70	6	2	7	3	85	48
55-	30	23	1	3	-	1	**308**	**248**	161	109	7	2	12	8	108	75
60-	28	38	2	-	1	1	**386**	**346**	166	127	7	2	11	8	104	87
65-	44	43	4	3	3	-	**534**	**459**	166	180	4	5	16	12	116	122
70-	37	42	5	4	1	4	**779**	**537**	152	169	-	4	12	14	112	116
75-	21	43	6	3	-	1	**1,047**	**634**	157	220	1	7	4	12	118	148
80-	23	33	1	1	2	-	**972**	**567**	105	159	1	3	2	6	67	111
85 and over	5	33	1	3	1	1	**840**	**535**	80	130	1	2	3	2	49	91

TABLE 17 - *continued*

ses of death	593 Nephritis not specified as acute or chronic		594 Other renal sclerosis		600-609 Other diseases of urinary system		600 Infections of kidney		600·0 Pyelitis, pyelocystitis and pyelo-nephritis		600·1 Abscess of kidney and perirenal tissue		600·2 Other		601 Hydronephrosis	
ges at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**304**	**305**	**7**	**7**	**1,731**	**2,442**	**1,150**	**1,885**	**1,124**	**1,853**	**16**	**20**	**10**	**12**	**99**	**61**
0-	2	2	1	-	35	21	15	13	14	12	1	1	-	-	7	1
1-	-	-	1	-	10	8	2	4	2	4	-	-	-	-	2	-
5-	2	-	-	-	5	5	2	4	2	4	-	-	-	-	-	-
10-	2	2	-	-	1	2	1	1	1	1	-	-	-	-	-	-
15-	1	4	1	-	4	5	-	4	-	4	-	-	-	-	-	1
20-	3	4	-	1	16	12	11	9	11	9	-	-	-	-	3	-
25-	1	2	-	1	10	13	8	11	8	11	-	-	-	-	-	-
30-	2	1	-	-	13	13	8	11	8	11	-	-	-	-	2	-
35-	5	6	-	-	13	24	9	19	9	19	-	-	-	-	1	1
40-	16	5	-	1	26	52	20	42	20	42	-	-	-	-	3	4
45-	14	9	-	-	49	67	33	55	32	55	1	-	-	-	2	3
50-	27	17	1	-	55	104	36	85	35	83	1	1	-	1	2	3
55-	34	24	-	-	118	128	72	101	68	100	3	1	1	-	9	2
60-	44	30	-	-	134	196	84	167	80	164	3	3	1	-	14	6
65-	29	39	1	2	179	266	123	202	120	197	2	4	1	1	12	10
70-	27	35	1	-	257	355	167	264	163	260	2	4	2	-	9	11
75-	33	52	1	1	321	391	210	308	207	300	2	4	1	4	16	8
80-	35	39	-	-	258	397	179	297	178	292	-	2	1	3	11	6
85 and over	27	34	-	1	227	383	170	288	166	285	1	-	3	3	6	5

ses of death	602 Calculi of kidney and ureter		603 Other diseases of kidney and ureter		604 Calculi of other parts of urinary system		605 Cystitis		606 Other diseases of bladder		607* 608 Stricture of urethra		609 Other diseases of urethra		610-617 Diseases of male genital organs	
ges at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**100**	**131**	**69**	**65**	**15**	**7**	**89**	**172**	**85**	**33**	**39**	**1**	**84**	**86**	**2,401**	
0-	-	-	11	5	-	-	-	1	1	-	-	-	1	1	1	
1-	-	1	3	1	-	-	-	-	2	2	-	-	1	-	-	
5-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
10-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
15-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	
20-	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-	
25-	1	-	-	1	-	-	-	1	-	-	-	-	1	-	-	
30-	2	-	-	2	-	-	-	-	-	-	-	-	1	-	1	
35-	1	-	-	1	-	-	-	-	1	-	1	-	-	3	-	
40-	1	3	1	2	-	-	-	-	-	-	1	-	-	1	-	
45-	3	4	2	3	-	-	3	-	-	1	3	-	3	1	5	
50-	3	7	5	5	1	-	3	2	2	1	2	-	1	1	9	
55-	18	17	5	3	2	-	2	1	6	2	-	-	4	2	29	
60-	12	8	6	5	-	-	4	6	6	1	3	-	5	3	86	
65-	14	22	10	9	1	1	6	11	3	3	3	-	7	8	189	
70-	15	29	7	7	6	1	22	33	18	3	2	-	11	7	370	
75-	15	20	9	9	1	1	14	23	22	6	14	-	20	16	569	
80-	8	10	6	6	2	1	21	45	13	9	4	1	13	21	609	
85 and over	4	9	-	3	2	3	14	48	9	5	6	-	16	22	533	

* 607 Urethritis (non-venereal): Male 80; Female 80.

TABLE 17 - *continued*

Causes of death	610 Hyperplasia of prostate		611 Prostatitis		612 Other diseases of prostate		613-616* 617 Other diseases of male genital organs		620-626 Diseases of breast, ovary, Fallopian tube and parametrium		620-623* 624 Salpingitis and oophoritis, unqualified		625* 626 Diseases of parametrium and pelvic peritoneum (female)		630-637 Diseases of uterus and other female genital organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**2,338**		**33**		**15**		**7**			**40**		**14**		**18**		**1**
0-	-		-		-		-			-		-		-		
1-	-		-		-		-			-		-		-		
5-	-		-		-		-			-		-		-		
10-	-		-		-		-			-		-		-		
15-	-		-		-		-			-		-		-		
20-	-		-		-		-			2		1		-		
25-	-		-		-		-			1		-		1		
30-	-		1		-		-			2		2		-		
35-	-		-		-		-			6		4		-		
40-	-		-		-		-			1		1		-		
45-	2		3		-		-			4		1		2		
50-	9		-		-		-			3		2		1		
55-	28		1		-		-			3		2		1		
60-	82		1		2		1			4		-		3		
65-	183		2		-		3			2		-		1		
70-	356		9		4		-			2		-		2		
75-	560		5		1		2			7		1		5		
80-	597		3		6		-			1		-		-		
85 and over	521		8		2		1			2		-		2		

Causes of death	630 Infective disease of uterus, vagina and vulva		631 Utero-vaginal prolapse		632* 633 Other diseases of uterus		634 Disorders of menstruation		635, 636, 637* XI 640-689 Deliveries and complications of pregnancy, childbirth and the puerperium		640-649 Complications of pregnancy		640, 641* 642 Toxaemias of pregnancy		643, 644* 645 Ectopic pregnancy	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		**18**		**59**		**31**		**8**		**227**		**71**		**30**		
0-		-		-		-		-		-		-		-		
1-		-		-		-		-		-		-		-		
5-		-		-		-		-		-		-		-		
10-		-		-		-		-		-		-		-		
15-		-		-		-		-		10		3		2		
20-		-		-		-		-		49		16		8		
25-		-		-		-		-		51		14		3		
30-		-		-		1		-		59		24		10		
35-		1		3		2		1		41		9		6		
40-		1		2		5		2		14		5		1		
45-		-		3		2		2		3		-		-		
50-		-		1		-		3		-		-		-		
55-		-		6		2		-		-		-		-		
60-		2		8		6		-		-		-		-		
65-		1		4		4		-		-		-		-		
70-		1		5		3		-		-		-		-		
75-		3		8		4		-		-		-		-		
80-		3		7		-		-		-		-		-		
85 and over		6		12		2		-		-		-		-		

* **613** Hydrocele: Male 80: **614** Orchitis and epididymitis: Males 65,70,75,80: **615** Redundant prepuce and phimosis: Males 0,80,85: **616** Sterility, male - : **620** Chronic cystic disease of breast - : **621** Other diseases of breast: Females 20,65,80: **622** Acute salpingitis and oophoritis: Female 60: **623** Chronic salpingitis and oophoritis: Female 35: **625** Other diseases of ovary and fallopian tube: Females 35,45,75: **632** Malposition of uterus - : **635** Menopausal symptoms - : **636** Sterility, female: 35,35: **637** Other diseases of female genital organs: Females 35,40,60,60,60,65,65,70,70,75: **640** Pyelitis and pyelonephritis of pregnancy - : **641** Other infections of genito-urinary tract during pregnancy - : **643** Placenta praevia - : **644** Other haemorrhage of pregnancy - .

TABLE 17 - *continued*

Causes of death	646, 647* 648 Other complications arising from pregnancy		650-652 Abortion		650 Abortion without mention of sepsis or toxaemia		651 Abortion with sepsis		652, 660* 670-678 Delivery with specified complication		670 Delivery complicated by placenta praevia or antepartum haemorrhage		671 Delivery complicated by retained placenta		672 Delivery complicated by other postpartum haemorrhage	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		20		50		16		29		58		7		5		7
0-		-		-		-		-		-		-		-		-
1-		-		-		-		-		-		-		-		-
5-		-		-		-		-		-		-		-		-
10-		-		-		-		-		-		-		-		-
15-		1		2		-		2		2		-		-		-
20-		4		13		6		4		11		-		2		4
25-		6		16		4		12		11		4		1		1
30-		6		10		5		4		13		1		1		1
35-		2		8		1		6		15		2		-		1
40-		1		1		-		1		5		-		1		-
45-		-		-		-		-		1		-		-		-
50-		-		-		-		-		-		-		-		-
55-		-		-		-		-		-		-		-		-
60-		-		-		-		-		-		-		-		-
65-		-		-		-		-		-		-		-		-
70-		-		-		-		-		-		-		-		-
75-		-		-		-		-		-		-		-		-
80-		-		-		-		-		-		-		-		-
85 and over		-		-		-		-		-		-		-		-

Causes of death	673* 674 Delivery complicated by dispro-portion or mmalposition of foetus		675 Delivery complicated by prolonged labour of other origin		676* 677 Delivery with other trauma		678 Delivery with other complications of childbirth		680-689 Complications of the puerperium		680* 681 Sepsis of childbirth and the puerperium		682 Puerperal phlebitis and thrombosis		683* 684 Puerperal pulmonary embolism	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		7		6		11		15		43		10		16		6
0-		-		-		-		-		-		-		-		-
1-		-		-		-		-		-		-		-		-
5-		-		-		-		-		-		-		-		-
10-		-		-		-		-		-		-		-		-
15-		-		-		1		1		3		-		2		-
20-		1		1		-		3		8		3		3		-
25-		1		2		-		2		10		2		4		-
30-		1		1		4		4		11		2		6		2
35-		1		2		5		4		7		1		1		3
40-		2		-		1		1		3		2		-		1
45-		1		-		-		-		1		-		-		-
50-		-		-		-		-		-		-		-		-
55-		-		-		-		-		-		-		-		-
60-		-		-		-		-		-		-		-		-
65-		-		-		-		-		-		-		-		-
70-		-		-		-		-		-		-		-		-
75-		-		-		-		-		-		-		-		-
80-		-		-		-		-		-		-		-		-
85 and over		-		-		-		-		-		-		-		-

* **646** Anaemia of pregnancy - : **647** Pregnancy with malposition of foetus in uterus - : **652** Abortion with toxaemia, without mention of sepsis: Females 20,20,20,30,35: **660** Delivery without mention of complication: Females 20,30,35,35,45: **673** Delivery complicated by abnormality of bony pelvis - : **676** Delivery with laceration of perineum, without mention of other laceration - : **680** Puerperal urinary infection without other sepsis: Female 35: **683** Pyrexia of unknown origin during the puerperium - .

TABLE 17 - *continued*

Causes of death	685-689*		690-698		690		691*		693-697*		700-716		700*		702, 703*	
	XII 690-716 Diseases of the skin and cellular tissue		Infections of skin and subcutaneous tissue		Boil and carbuncle		692 Other cellulitis and abscess without mention of lymphangitis		698 Other local infections of skin and subcutaneous tissue		Other diseases of skin and subcutaneous tissue		701 Eczema		704 Pemphigus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**174**	**247**	**78**	**80**	**18**	**9**	**47**	**55**	**10**	**12**	**96**	**167**	**3**	**1**	**18**	**22**
0-	6	2	3	1	1	-	-	-	1	1	3	1	1	-	-	-
1-	-	3	-	2	-	-	-	-	-	1	-	1	-	-	-	-
5-	-	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	2	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-
20-	3	1	1	-	-	-	1	-	-	-	2	1	-	-	-	-
25-	-	2	-	1	-	1	-	-	-	-	-	1	-	-	-	-
30-	5	7	2	2	2	1	-	-	-	1	3	5	-	-	-	-
35-	3	7	2	2	-	-	2	2	-	-	1	5	-	-	-	-
40-	3	5	2	2	1	-	1	2	-	-	1	3	-	-	-	-
45-	6	12	5	6	1	2	3	3	-	-	1	6	-	-	-	-
50-	9	10	5	2	-	-	5	2	-	-	4	8	-	-	-	-
55-	16	14	4	2	-	-	4	1	-	1	12	12	-	-	1	3
60-	22	20	9	8	3	-	4	7	2	1	13	12	1	-	2	-
65-	27	23	11	4	3	-	5	2	2	1	16	19	-	-	4	1
70-	23	32	14	11	2	3	8	8	4	-	9	21	-	-	2	6
75-	15	34	5	12	2	1	3	7	-	4	10	22	1	-	4	5
80-	18	36	7	13	2	-	5	10	-	2	11	23	-	1	2	1
85 and over	16	36	8	11	1	1	6	10	1	-	8	25	-	-	3	6

Causes of death	705 Erythematous conditions		706-709* 710 Other hypertrophic and atrophic conditions of skin		711-714* 715 Chronic ulcer of skin		716* XIII 720-749 Diseases of the bones and organs of movement		720-727 Arthritis and rheumatism except rheumatic fever		720 Acute arthritis due to pyogenic organism		721* 722 Rheumatoid arthritis and allied conditions		722-0 Rheumatoid arthritis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**13**	**24**	**23**	**53**	**26**	**53**	**627**	**1,391**	**345**	**1,033**	**12**	**18**	**222**	**735**	**196**	**725**
0-	1	-	-	-	-	-	10	7	-	1	-	1	-	-	-	-
1-	-	1	-	-	-	-	6	3	1	-	1	-	-	-	-	-
5-	-	-	-	1	-	-	3	3	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	11	5	-	1	-	-	-	-	-	-
15-	-	-	2	1	-	-	33	3	1	-	-	-	-	-	-	-
20-	1	-	-	1	-	-	11	5	-	2	-	-	-	2	-	2
25-	-	-	-	1	-	-	2	5	-	2	-	-	-	2	-	2
30-	1	3	1	1	-	-	6	6	2	2	-	-	1	-	1	-
35-	-	-	1	4	-	-	9	6	1	2	-	-	1	2	1	2
40-	1	1	-	1	-	1	12	12	4	6	-	-	4	6	2	6
45-	-	1	1	4	-	-	14	16	6	8	-	-	6	5	4	5
50-	-	-	2	6	2	1	36	40	21	24	1	1	18	22	12	21
55-	1	1	4	6	3	1	52	70	35	52	4	1	26	42	26	42
60-	-	2	5	10	4	-	69	105	50	83	-	1	41	74	34	70
65-	2	2	4	7	3	6	70	156	48	125	2	2	38	108	34	108
70-	1	1	2	5	2	8	84	227	54	184	4	3	25	145	22	145
75-	2	6	-	4	3	6	89	264	64	209	-	3	40	142	38	138
80-	2	5	-	1	6	12	61	252	35	185	-	3	13	117	13	117
85 and over	1	1	1	-	3	18	49	206	23	147	-	3	9	68	9	67

* **685** Puerperal eclampsia: Females 15,20,25,45: **686** Other forms of puerperal toxaemia - : **687** Cerebral haemorrhage in the puerperium: Female 30: **688** Other and unspecified complications of the puerperium: Females 20,25,25,35: **689** Mastitis and other disorders of lactation: Female 25: **691** Cellulitis of finger and toe: Males 0,45; Female 45: **693** Other cellulitis and abscess with lymphangitis: Male 65; Female 65: **694** Acute lymphadenitis: Female 1: **695** Impetigo: Female 80: **696** Infectious warts - : **697** Molluscum contagiosum - : **700** Seborrhoeic dermatitis: Male 80: **702** Occupational dermatitis - : **703** Other dermatitis: Males 0,65; Females 0,50,75: **706** Psoriasis and similar disorders: Males 55,55,60,65,65,70,70; Females 30,45,65,65,65,70,80,80: **707** Lichen planus: Female 35: **708** Pruritus and related conditions: Female 55: **709** Corns and callosities - : **711** Other dermatoses - : **712** Diseases of nail - : **713** Diseases of hair and hair follicles - : **714** Diseases of sweat and sebaceous glands: Male 20; Female 80: **716** Other diseases of skin: Males 30,55: **721** Acute non-pyogenic arthritis - .

TABLE 17 - *continued*

uses of death	722·1 Spondylitis ankylo-poietica		723 Osteo-arthritis (arthrosis) and allied conditions		724, 725* 726 Muscular rheumatism		727* 730-738 Osteo-myelitis and other diseases of bone and joint		730 Osteo-myelitis and periostitis		731 Osteitis deformans		732* 733 Other diseases of bone		734* 735 Displacement of intervertebral disc	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	26	10	95	247	5	7	138	248	29	17	61	96	34	122	10	3
0-	-	-	-	-	-	-	2	3	2	2	-	-	-	1	-	-
1-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
5-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
10-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
15-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	1
35-	-	-	-	-	-	-	4	2	1	1	-	-	-	-	1	1
40-	2	-	-	-	-	-	2	1	1	1	-	-	-	-	1	-
45-	2	-	-	2	-	-	3	3	1	1	-	-	1	1	1	-
50-	6	1	2	1	-	-	4	1	3	-	-	1	1	-	-	-
55-	-	-	4	6	1	1	4	4	3	1	1	2	-	1	-	-
60-	7	4	5	5	2	-	8	13	2	2	1	5	1	4	3	-
65-	4	-	7	13	-	-	12	20	1	1	4	8	5	8	1	-
70-	3	-	21	32	-	2	23	34	3	4	9	14	8	16	3	-
75-	2	4	21	59	1	1	21	51	3	2	16	22	2	25	-	1
80-	-	-	21	59	-	-	26	60	4	1	17	27	5	30	-	-
85 and over	-	1	14	70	-	-	25	54	1	1	13	17	11	35	-	-

ses of death	736, 737, 738* 740-749 Other diseases of musculo-skeletal system		740-743* 744 Other diseases of muscle, tendon and fascia		745 Curvature of spine		746-749* XIV 750-759 Congenital malformations		750 Monstrosity		751 Spina bifida and meningocele		752 Congenital hydro-cephalus		753 Other congenital malformations of nervous system and sense organs	
ges at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	144	110	116	77	19	28	2,741	2,417	97	123	248	448	108	98	70	101
0-	8	3	6	3	2	-	1,931	1,704	97	121	222	404	72	65	36	59
1-	5	2	4	-	1	2	181	182	-	1	24	34	20	19	11	18
5-	2	3	1	3	1	-	71	67	-	-	1	7	5	9	4	5
10-	10	4	10	2	-	2	39	39	-	-	-	1	2	2	4	2
15-	31	3	30	1	1	2	47	38	-	-	-	-	4	1	3	2
20-	11	3	11	3	-	-	36	36	-	-	-	-	2	2	2	5
25-	2	3	2	3	-	-	36	22	-	-	-	-	1	-	2	1
30-	3	3	2	3	-	-	30	22	-	1	-	-	-	-	2	3
35-	4	2	4	2	-	-	32	22	-	-	-	1	-	-	2	1
40-	6	5	4	5	2	-	33	25	-	-	-	1	1	-	2	1
45-	5	5	5	3	-	1	41	34	-	-	-	-	1	-	-	1
50-	11	15	9	10	1	4	69	49	-	-	1	-	-	-	1	2
55-	13	14	6	11	3	3	54	39	-	-	-	-	-	-	1	1
60-	11	9	9	8	2	-	39	40	-	-	-	-	-	-	-	-
65-	10	11	8	9	1	2	32	27	-	-	-	-	-	-	-	-
70-	7	9	3	5	3	4	28	27	-	-	-	-	-	-	-	-
75-	4	4	2	2	1	1	20	24	-	-	-	-	-	-	-	-
80-	-	7	-	2	-	4	14	16	-	-	-	-	-	-	-	-
85 and over	1	5	-	2	1	3	8	4	-	-	-	-	-	-	-	-

* **724** Other specified forms of arthritis: Males 65,80; Females 45,60,60,65: **725** Arthritis, unspecified: Males 30,60,60,70,70,70,70,75,75; Females 55,60,65,70,70,75,75,75,75,80,80,80,80,80,85,85,85,85,85,85: **727** Rheumatism, unspecified: Females 55,80: **732** Osteochondrosis - : **734** Internal derangement of knee joint: Male 35: **736** Affection of sacro-iliac joint: Male 35: **737** Ankylosis of joint - : **738** Other diseases of joint: Male 60,65; Females 45,60,60,65,65,65,75,80,80,85: **740** Bunion - : **741** Synovitis, bursitis, and tenosynovitis without mention of occupational origin: Males 55,75; Females 45,50: **742** Synovitis, bursitis, and tenosynovitis of occupational origin - : **743** Infective myositis and other inflammatory diseases of tendon and fascia: Males 55,55; Female 80: **746** Flat foot - : **747** Hallux valgus and varus: Female 75: **748** Clubfoot - : **749** Other deformities: Males 30,50,55,65,70; Female 60.

TABLE 17 - *continued*

Causes of death	754 Congenital malformations of circulatory system		755 Cleft palate and harelip		756 Congenital malformations of digestive system		756·0 Congenital hypertrophic pyloric stenosis		756·1 Imperforate anus		756·2 Other		757 Congenital malformations of genito-urinary system		757·1 Polycysti disease of kidney	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,313**	**1,047**	**11**	**4**	**295**	**183**	**19**	**3**	**19**	**4**	**257**	**176**	**303**	**185**	**167**	
0-	905	678	9	4	229	137	19	3	18	3	192	131	128	57	38	
1-	89	90	2	-	21	8	-	-	1	-	20	8	8	1	-	
5-	50	36	-	-	2	2	-	-	-	-	2	2	4	1	1	
10-	21	24	-	-	6	4	-	-	-	1	6	3	3	4	-	
15-	34	31	-	-	2	-	-	-	-	-	2	-	1	4	-	
20-	21	26	-	-	1	-	-	-	-	-	1	-	7	2	1	
25-	23	18	-	-	2	-	-	-	-	-	2	-	5	-	2	
30-	19	12	-	-	2	1	-	-	-	-	2	1	7	5	5	
35-	22	12	-	-	-	-	-	-	-	-	-	-	8	5	5	
40-	16	9	-	-	-	-	-	-	-	-	-	-	11	13	10	
45-	16	18	-	-	1	4	-	-	-	-	1	4	20	10	18	
50-	34	17	-	-	3	-	-	-	-	-	3	-	23	28	22	
55-	18	18	-	-	3	4	-	-	-	-	3	4	26	15	21	
60-	15	24	-	-	3	-	-	-	-	-	3	-	14	11	12	
65-	8	9	-	-	2	1	-	-	-	-	2	1	18	13	16	
70-	9	13	-	-	7	6	-	-	-	-	7	6	10	6	7	
75-	5	8	-	-	5	7	-	-	-	-	5	7	4	7	4	
80-	6	3	-	-	3	7	-	-	-	-	3	7	4	3	4	
85 and over	2	1	-	-	3	2	-	-	-	-	3	2	2	-	1	

Causes of death	757·0;2;3 Others included under 757		758 Congenital malformations of bone and joint		759 Other and unspecified congenital malformations not elsewhere classified		XV **760-776‡ Certain diseases of early infancy**		760·5-773·5 With immaturity		760-769 Birth injuries, asphyxia and infections of newborn		760 Intra-cranial and spinal injury at birth		761 Other birth injury	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**136**	**56**	**40**	**47**	**256**	**181**	**5,395**	**3,755**	**2,201**	**1,417**	**3,322**	**2,222**	**874**	**523**	**330**	
0-	90	37	25	28	208	151	5,388	3,753	2,201	1,417	3,320	2,221	874	523	329	
1-	8	1	-	4	6	7	6	1	-	-	2	1	-	-	1	
5-	3	-	-	3	5	4	1	1	-	-	-	-	-	-	-	
10-	3	3	1	-	2	2	-	-	-	-	-	-	-	-	-	
15-	1	4	2	-	1	-	-	-	-	-	-	-	-	-	-	
20-	6	-	1	1	2	-	-	-	-	-	-	-	-	-	-	
25-	3	-	2	1	1	2	-	-	-	-	-	-	-	-	-	
30-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
35-	3	2	-	1	-	2	-	-	-	-	-	-	-	-	-	
40-	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	
45-	2	1	1	1	2	-	-	-	-	-	-	-	-	-	-	
50-	1	1	2	-	5	2	-	-	-	-	-	-	-	-	-	
55-	5	-	1	-	5	1	-	-	-	-	-	-	-	-	-	
60-	2	1	1	3	6	2	-	-	-	-	-	-	-	-	-	
65-	2	1	-	-	4	4	-	-	-	-	-	-	-	-	-	
70-	3	1	1	-	1	2	-	-	-	-	-	-	-	-	-	
75-	-	1	1	2	5	-	-	-	-	-	-	-	-	-	-	
80-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	
85 and over	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	

‡ Note: The group 760-776 relates particularly to the causes of death within the first 28 days of life, but it includes also some deaths from the causes specified at all ages.

TABLE 17 - *continued*

Causes of death	762 Postnatal asphyxia and atelectasis		763 Pneumonia of newborn		764 Diarrhoea of newborn		765, 766* 767 Umbilical sepsis		768 Other sepsis of newborn		769 Neonatal disorders arising from maternal toxaemia		770-776 Other diseases peculiar to early infancy		770 Haemolytic disease of newborn (erythroblastosis)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1,561	1,079	354	229	33	22	6	6	37	25	126	123	2,073	1,533	174	147
0-	1,560	1,079	354	229	33	22	6	5	37	25	126	123	2,068	1,532	171	146
1-	1	-	-	-	-	-	-	1	-	-	-	-	4	-	2	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of death	771 Haemorrhagic disease of newborn		772 Nutritional maladjustment		773 Ill-defined diseases peculiar to early infancy		774 Immaturity with mention of any other subsidiary condition		776 Immaturity unqualified		XVI 780-795 Symptoms, senility and ill-defined conditions		780-789 Symptoms referable to systems or organs		780 Certain symptoms referable to nervous system and special senses	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	101	83	-	-	315	182	18	26	1,465	1,095	1,725	3,444	106	104	8	4
0-	101	83	-	-	313	182	18	26	1,465	1,095	21	15	6	3	4	1
1-	-	-	-	-	2	-	-	-	-	-	6	3	6	2	2	-
5-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	-
20-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
25-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-
30-	-	-	-	-	-	-	-	-	-	-	6	1	3	-	1	-
35-	-	-	-	-	-	-	-	-	-	-	3	3	-	2	-	-
40-	-	-	-	-	-	-	-	-	-	-	8	3	2	1	-	-
45-	-	-	-	-	-	-	-	-	-	-	7	2	3	-	-	-
50-	-	-	-	-	-	-	-	-	-	-	13	5	5	3	-	-
55-	-	-	-	-	-	-	-	-	-	-	13	14	7	7	-	1
60-	-	-	-	-	-	-	-	-	-	-	17	14	5	8	-	1
65-	-	-	-	-	-	-	-	-	-	-	19	17	10	6	-	1
70-	-	-	-	-	-	-	-	-	-	-	64	90	16	15	-	-
75-	-	-	-	-	-	-	-	-	-	-	217	322	10	18	-	-
80-	-	-	-	-	-	-	-	-	-	-	467	785	13	17	-	-
85 and over	-	-	-	-	-	-	-	-	-	-	857	2,165	16	21	-	-

* **765** Ophthalmia neonatorum: Male 0: **766** Pemphigus neonatorum: Female 0.

TABLE 17 - *continued*

Causes of death	780·2 Convulsions		780·0;1;3;4;5;6;7;8;9, 781* 782 Symptoms referable to cardiovascular and lymphatic system		782·4 Acute heart failure, undefined		782·0;1;2;3;5;6;7;8;9, 783* 784 Symptoms referable to upper gastro-intestinal tract		785-789* 790-795 Senility and ill-defined diseases		790, 791* 792 Uraemia		793* 794 Senility without mention of psychosis		795 Ill-defined and unknown causes of mortality	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	8	2	52	58	50	53	19	21	1,619	3,340	34	27	1,520	3,262	64	4
0-	4	1	1	1	1	-	-	-	15	12	-	-	-	-	15	1
1-	2	-	1	-	1	-	-	-	-	1	-	-	-	-	-	
5-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
10-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
15-	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	
20-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	1	
25-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	2	
30-	1	-	1	-	1	-	-	-	3	1	-	-	-	-	3	
35-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	3	
40-	-	-	1	1	1	-	1	-	6	2	-	-	-	-	6	
45-	-	-	3	-	3	-	-	-	4	2	-	1	-	-	4	
50-	-	-	3	2	2	2	1	-	8	2	3	1	-	-	5	
55-	-	-	2	4	2	4	3	2	6	7	1	2	-	-	5	
60-	-	1	4	5	4	5	1	2	12	6	3	2	1	-	7	
65-	-	-	7	3	6	3	2	2	9	11	3	1	4	5	2	
70-	-	-	9	9	9	9	4	4	48	75	8	-	37	71	3	
75-	-	-	2	10	2	8	1	3	207	304	7	8	198	290	2	
80-	-	-	7	10	7	9	2	5	454	768	4	5	444	761	6	
85 and over	-	-	9	12	9	12	3	3	841	2,144	5	7	836	2,135	-	

Causes of death	XVII E800-E999 Accidents, poisonings and violence (external cause)		RAILWAY ACCIDENTS E800-E802 Railway accidents		E800 involving railroad employee		E801 involving passenger		E802 involving other and unspecified person		M.V. TRAFFIC ACCIDENTS E810-E825 Motor vehicle traffic accidents		E810 involving collision with railway train		E811* E812 to pedestrian	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	14,244	10,316	189	25	95	1	18	7	76	17	5,160	2,030	7	5	1,606	1,21
0-	384	287	1	-	-	-	-	-	1	-	8	8	-	-	2	
1-	410	263	3	-	-	-	-	-	3	-	144	87	-	-	129	7
5-	327	158	2	1	-	-	1	1	1	-	177	91	2	-	145	6
10-	316	105	3	1	-	-	2	-	1	1	132	66	-	-	33	4
15-	1,250	280	8	4	1	-	2	1	5	3	922	189	-	-	60	2
20-	1,088	230	18	2	6	-	2	-	10	2	643	103	-	2	39	1
25-	766	208	7	-	6	-	-	-	1	-	350	56	2	-	33	1
30-	672	214	7	1	3	-	1	1	3	-	253	62	-	1	34	1
35-	736	255	12	1	11	-	-	-	1	1	224	53	-	-	36	
40-	818	376	15	3	11	1	1	-	3	2	257	73	-	-	48	2
45-	792	344	16	1	11	-	-	-	5	1	218	63	2	-	54	1
50-	956	509	19	1	10	-	3	-	6	1	296	107	1	2	79	5
55-	1,057	613	22	2	9	-	3	-	10	2	285	114	-	-	86	6
60-	1,074	696	34	1	26	-	-	1	8	-	299	135	-	-	129	9
65-	762	769	7	2	1	-	-	-	6	2	206	186	-	-	112	14
70-	759	938	5	-	-	-	1	-	4	-	237	200	-	-	168	17
75-	798	1,184	3	2	-	-	1	2	2	-	237	229	-	-	187	20
80-	695	1,427	6	3	-	-	1	1	5	2	178	143	-	-	147	13
85 and over	584	1,460	1	-	-	-	-	-	1	-	94	65	-	-	85	6

* **780·0; 1; 3; 4; 5; 6; 7; 8; 9** Others included under 780: Females 55,65: **781** Other symptoms referable to nervous system and special senses: Males 0,1,1,30; Females 0,1,50: **782·0; 1; 2; 3; 5; 6; 7; 8; 9** Others included under 782: Males 50,65; Females 0,40,75,75,80: **783** Symptoms referable to respiratory system: Males 50,55,65,70,75,80; Females 75,75,80,85: **785** Symptoms referable to abdomen and lower gastro-intestinal tract: Males 70,75,75,80; Females 35,35,70,75,75,80,85: **786** Symptoms referable to genito-urinary system: Males 75,75,75 80,80,85: **787** Symptoms referable to limbs and back - : **788** Other general symptoms: Males 1,55,70,75,85,85,85; Females 1,70,75,85,85,85,85 **789** Abnormal urinary constituents of unspecified cause - : **790** Nervousness and debility: Male 60; Females 55,55: **791** Headache - : **793** Observation, without need for further medical care - : **E811** Motor vehicle traffic accident involving collision with street car - .

TABLE 17 - *continued*

Causes of death	MOTOR VEHICLE TRAFFIC ACCIDENTS															
	E813 to pedal cyclist		E814 to rider or passenger of motorcycle in collision with non-motor vehicle or object		E815 to rider or passenger of motorcycle in collision with other motor vehicle		E816 Other motor vehicle traffic accident involving two or more motor vehicles		E817, E818, E819* E820 while boarding and alighting		E821 to rider of motorcycle not involving collision		E822 involving overturning in roadway		E823 involving running off roadway	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	431	68	47	2	827	76	1,141	412	11	8	392	33	61	25	518	143
0-	-	-	-	-	-	-	4	3	-	-	-	-	-	1	2	2
1-	3	4	-	-	1	-	7	9	-	-	1	-	-	-	2	-
5-	15	5	-	-	2	1	6	14	-	-	-	-	-	1	3	2
10-	78	9	-	-	1	4	13	7	-	-	-	1	-	-	3	1
15-	49	13	17	-	387	40	115	44	-	-	180	20	17	5	75	34
20-	13	1	6	1	146	8	184	46	-	-	90	5	15	5	137	20
25-	10	2	2	-	55	2	128	28	-	-	29	1	9	2	75	9
30-	13	2	2	-	35	1	101	23	-	-	18	2	1	2	40	17
35-	11	6	3	-	29	4	87	20	-	-	15	1	5	-	32	10
40-	17	4	3	-	29	7	97	27	-	-	14	2	5	2	39	8
45-	14	7	1	-	26	2	75	25	-	-	11	-	3	2	23	8
50-	43	6	7	-	38	1	87	37	2	-	12	-	-	1	20	4
55-	42	4	4	-	29	3	77	31	1	-	10	-	3	2	21	9
60-	43	1	-	1	32	3	57	23	2	-	7	1	1	1	23	6
65-	28	2	2	-	10	-	35	26	-	3	4	-	2	1	8	2
70-	24	1	-	-	5	-	32	20	-	1	-	-	-	-	7	6
75-	14	1	-	-	1	-	22	17	3	1	1	-	-	-	5	4
80-	13	-	-	-	1	-	9	10	1	3	-	-	-	-	3	-
85 and over	1	-	-	-	-	-	5	2	2	-	-	-	-	-	-	1

Causes of death	M.V. TRAFFIC ACCIDENTS				MOTOR VEHICLE NON-TRAFFIC ACCIDENTS											
	E824 Other non-collision motor vehicle traffic accident		E825 of unspecified nature		E830-E835 Motor vehicle non-traffic accidents		E830 to pedestrian		E831* E832 to rider or passenger of motorcycle		E833, E834* E835 of other and unspecified nature		E840-E845 Other road vehicle accidents		E840, E841* E842 Accident to pedestrian caused by pedal cycle	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	48	15	53	26	78	3	36	3	14	-	26	-	71	41	10	20
0-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
1-	1	-	-	-	3	-	3	-	-	-	-	-	-	-	-	-
5-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	3	-	1	1	2	-	1	-	-	-	1	-	2	1	-	-
15-	6	2	11	2	4	-	-	-	4	-	-	-	7	7	-	-
20-	3	-	8	4	13	-	4	-	3	-	6	-	4	3	-	-
25-	3	-	3	2	5	-	1	-	2	-	2	-	1	-	-	-
30-	2	-	6	1	5	-	2	-	2	-	1	-	1	1	-	-
35-	3	1	1	3	8	-	2	-	1	-	5	-	1	-	-	-
40-	2	-	3	3	11	-	6	-	-	-	4	-	4	1	1	-
45-	4	-	4	-	8	-	4	-	1	-	3	-	1	-	-	-
50-	2	2	5	-	8	1	6	1	-	-	2	-	7	1	2	-
55-	5	3	3	1	2	1	-	1	-	-	1	-	8	2	2	-
60-	3	1	1	2	5	-	4	-	1	-	-	-	5	1	-	-
65-	3	1	2	4	-	-	-	-	-	-	-	-	8	1	-	-
70-	1	-	-	1	1	1	1	1	-	-	-	-	5	6	1	5
75-	2	3	2	2	2	-	1	-	-	-	1	-	3	4	-	4
80-	1	-	3	-	-	-	-	-	-	-	-	-	4	7	3	7
85 and over	-	2	-	-	-	-	-	-	-	-	-	-	3	4	1	4

* **E817** Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle: Males 15,20,25: **E818** Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle : Males 15,30,35,55,55: **E819** Motor vehicle traffic accident involving collision with fixed or unspecified object: Males 15,15,15,20,35,45,55,55,60,85; Females 5,20, 50,65: **E831** Motor vehicle non-traffic accident to pedal cyclist: Male 40: **E833** Other motor vehicle non-traffic accident involving two or more motor vehicles: Male 55: **E834** Motor vehicle non-traffic accident while boarding and alighting - : **E840** Street car accident to pedestrian: Female 55: **E841** Other street car accident, except collision with motor vehicle - :

TABLE 17 - *continued*

Causes of death	E843 Accident to rider of pedal cycle not involving collision with motor vehicle		E844* E845 Other non-motor road vehicle accidents		E850-E858 Water transport accidents		E850 Submersion of occupant of small boat		E851 Other water transport injury by submersion		E852* E853 Other falls from one level to another in water transport		E854, E855, E856* E857 Other specified accidents in water transport		E858* E860-E866 Aircraft accidents	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	57	10	3	10	150	10	74	5	32	1	19	-	18	3	61	5
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
5-	2	1	-	-	5	3	4	2	1	-	-	-	-	1	-	-
10-	6	-	1	2	13	1	10	1	3	-	-	-	-	-	1	-
15-	7	1	-	6	22	-	16	-	5	-	1	-	-	-	1	-
20-	4	1	-	2	25	1	15	1	5	-	1	-	4	-	9	-
25-	1	-	-	-	7	-	5	-	2	-	-	-	-	-	12	2
30-	1	1	-	-	11	-	2	-	4	-	-	-	4	-	9	-
35-	1	-	-	-	13	-	6	-	1	-	3	-	2	-	15	-
40-	3	1	-	-	13	-	5	-	2	-	4	-	2	-	7	1
45-	1	-	-	-	8	-	2	-	1	-	1	-	2	-	4	2
50-	5	1	-	-	9	1	2	1	2	-	5	-	-	-	1	-
55-	5	1	1	-	9	1	3	-	2	-	1	-	1	1	2	-
60-	5	1	-	-	8	1	-	-	2	1	2	-	3	-	-	-
65-	7	1	1	-	2	1	1	-	-	-	1	-	-	1	-	-
70-	4	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
75-	3	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
80-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 and over	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of death	E860 Accident to personnel in military aircraft		E862-E866* E861 Injury to occupant by accident to commercial 'transport' aircraft		ACCIDENTAL POISONING E870-E888 Accidental poisoning by solid and liquid substances		E870* E871 by barbituric acid and derivatives		E872 by aspirin and salicylates		E873* E874 by other analgesic and soporific drugs		E875, E876, E877* E878 by other and unspecified drugs		E879* E880 by alcohol	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	31	-	16	3	309	423	192	314	27	30	18	21	27	33	15	6
0-	-	-	-	-	4	-	-	-	1	-	1	-	1	-	-	-
1-	-	-	-	-	20	16	1	-	7	5	-	-	6	5	-	1
5-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
10-	-	-	-	-	3	1	1	-	1	-	-	-	-	1	-	-
15-	-	-	-	-	6	7	1	2	-	1	-	-	3	3	1	-
20-	7	-	-	-	9	17	2	10	2	3	1	3	1	1	1	-
25-	8	-	3	-	13	12	4	9	1	2	3	-	1	-	1	1
30-	5	-	3	-	22	10	16	9	1	-	2	-	1	1	1	-
35-	7	-	4	-	22	19	17	13	1	1	-	2	1	3	2	-
40-	3	-	2	1	27	41	18	32	1	-	4	2	3	2	-	1
45-	1	-	2	2	31	40	22	31	3	3	1	3	1	1	3	-
50-	-	-	1	-	29	43	22	34	1	2	1	2	-	5	3	-
55-	-	-	1	-	30	51	22	42	-	2	3	1	1	2	3	3
60-	-	-	-	-	30	46	22	38	2	4	1	-	2	3	-	-
65-	-	-	-	-	27	38	16	31	3	1	1	3	5	3	-	-
70-	-	-	-	-	20	36	18	24	1	4	-	3	-	2	-	-
75-	-	-	-	-	8	22	7	22	-	-	-	-	1	-	-	-
80-	-	-	-	-	5	17	3	11	-	1	-	2	-	1	-	-
85 and over	-	-	-	-	3	6	-	5	2	1	-	-	-	-	-	-

* **E844** Accident to pedestrian caused by other non-motor road vehicle: Male 85: **E852** Fall on stairs and ladders in water transport: Males 45,55,60: **E854** Falls on same level in water transport: Female 70: **E855** Unspecified falls in water transport - : **E856** Machinery accident in water transport: Males 30,35,45,55: **E858** Water transport accident of unspecified cause - : **E862** Other injury in commercial 'transport' aircraft: Male 55: **E863** Injury to occupant by accident to other specified aircraft: Males 20,30,35,35,40,45: **E864** Aircraft accident at airfield to person not in aircraft: Males 15,20,35,40; Female 25: **E865** Aircraft accident elsewhere to person not in aircraft - : **E866** Other and unspecified aircraft accidents: Males 10,25,35; Female 25: **E870** Accidental poisoning by morphine and other opium derivatives: Males 40,65; Female 70: **E873** Accidental poisoning by bromides: Female 40: **E875** Accidental poisoning by sulfonamides - : **E876** Accidental poisoning by strychnine: Female 45: **E877** Accidental poisoning by belladonna, hyoscine, and atropine: Male 85: **E879** Accidental poisoning by noxious foodstuffs -

TABLE 17 - *continued*

Causes of death	ACCIDENTAL POISONING															
	E881-E887*										E893, E895*					
	E888 by other and unspecified solid and liquid substances		E890-E895 Accidental poisoning by gases and vapours		E890 by utility (illuminating) gas		E891 by motor vehicle exhaust gas		E892 by other carbon monoxide gas		E894 by other specified gases and vapours		E900-E904 Accidental falls		E900 Fall on stairs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	12	8	471	559	395	540	26	-	36	18	10	1	1,873	3,441	324	463
0-	-	-	2	1	2	1	-	-	-	-	-	-	7	14	2	2
1-	2	2	12	8	11	5	-	-	1	3	-	-	31	14	6	5
5-	-	-	2	4	-	2	-	-	2	1	-	1	13	8	-	2
10-	-	-	3	-	2	-	-	-	1	-	-	-	28	4	1	1
15-	-	1	8	6	5	5	-	-	2	1	1	-	30	4	-	-
20-	2	-	18	10	12	10	2	-	3	-	1	-	43	3	3	-
25-	1	-	20	2	14	2	1	-	2	-	1	-	39	2	3	-
30-	-	-	15	3	7	2	4	-	2	1	2	-	41	4	4	2
35-	1	-	16	8	8	8	3	-	5	-	-	-	35	4	6	1
40-	-	2	23	7	17	6	3	-	2	1	1	-	49	14	13	4
45-	1	1	25	4	17	4	4	-	2	-	2	-	48	10	12	3
50-	-	-	20	16	13	16	3	-	2	-	2	-	79	28	19	9
55-	1	1	39	23	34	22	2	-	3	1	-	-	95	48	18	18
60-	1	-	38	30	34	29	2	-	1	1	-	-	126	89	34	24
65-	1	-	38	45	34	44	-	-	3	1	-	-	102	157	29	39
70-	1	1	47	72	45	70	1	-	1	2	-	-	162	312	28	53
75-	-	-	47	100	44	100	1	-	2	-	-	-	277	584	52	80
80-	1	-	53	122	51	117	-	-	2	5	-	-	304	963	48	116
85 and over	-	-	45	98	45	97	-	-	-	1	-	-	364	1,179	46	104

Causes of death	E901 Fall from ladders		E902 Other falls from one level to another		E903 Fall on same level		E904 Unspecified falls		E910-E936 Other accidents		E910 Blow from falling or projected object or missile		E911 Accident caused by vehicle		E912 Accident caused by machinery	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	65	7	426	197	712	1,814	346	960	2,460	1,218	241	11	39	1	234	4
0-	-	-	2	8	-	1	3	3	344	244	-	-	-	-	-	-
1-	-	-	18	7	2	1	5	1	187	125	8	1	-	-	-	2
5-	-	-	12	1	1	3	-	2	119	40	3	2	-	-	4	-
10-	-	-	23	2	2	1	2	-	118	23	10	2	-	-	6	-
15-	2	-	22	3	-	1	6	-	158	19	7	-	2	-	24	1
20-	-	-	31	1	3	1	6	1	144	20	19	-	6	-	15	-
25-	2	-	24	2	1	-	9	-	125	30	19	-	2	-	22	-
30-	5	-	27	1	2	1	3	-	115	19	23	2	1	-	16	-
35-	2	-	19	-	3	1	5	2	128	20	20	-	2	-	27	-
40-	1	1	32	4	1	3	2	2	144	32	39	-	4	-	26	-
45-	5	-	24	4	2	3	5	-	127	33	18	-	2	-	21	-
50-	7	-	28	4	14	8	11	7	126	36	25	-	1	-	18	-
55-	14	-	32	5	21	19	10	6	155	67	27	1	7	-	26	-
60-	12	-	42	5	26	46	12	14	144	61	14	1	12	-	22	-
65-	6	-	13	9	37	69	17	40	85	72	6	-	-	-	5	1
70-	2	1	14	18	87	173	31	67	75	95	2	1	-	-	1	-
75-	4	4	23	37	135	301	63	162	68	107	-	-	-	-	1	-
80-	2	-	18	36	170	535	66	276	55	93	1	1	-	-	-	-
85 and over	1	1	22	50	205	647	90	377	43	82	-	-	-	1	-	-

* **E881** Accidental poisoning by petroleum products - : **E882** Accidental poisoning by industrial solvents: Males 25,25,30; Females 1,1: **E883** Accidental poisoning by corrosive aromatics, acids, and caustic alkalis: Males 1,1,1,10,15,50,60,80; Females 40,60,70,80,80: **E884** Accidental poisoning by mercury and its compounds: Male 50: **E885** Accidental poisoning by lead and its compounds: Males 0,1,60; Female 1: **E886** Accidental poisoning by arsenic and antimony, and their compounds - : **E887** Accidental poisoning by fluorides - : **E893** Accidental poisoning by cyanide gas: Males 60,65: **E895** Accidental poisoning by unspecified gases and vapours: Males 25,25.

TABLE 17 - *continued*

Causes of death	E913 Accident caused by cutting and piercing instruments		E914 Accident caused by electric current		E915 Accident caused by explosion of pressure vessel		E916 Accident caused by fire and explosion of combustible material		E917 Accident caused by hot substance, corrosive liquid, and steam		E918* E919 Accident caused by firearm		E920* E921 Inhalation and ingestion of food causing obstruction or suffocation		E922 Inhalation and ingestic of other object causi obstruction or suffocati	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	7	6	112	17	8	-	314	466	44	39	54	6	306	238	13	
0-	-	-	2	-	-	-	17	17	2	2	-	-	191	119	3	
1-	-	-	7	4	-	-	43	49	9	7	1	-	11	19	-	
5-	-	1	4	-	-	-	14	20	2	-	2	1	5	4	1	
10-	-	-	2	1	-	-	8	7	-	1	4	1	2	2	1	
15-	1	-	15	1	-	-	6	1	-	-	7	1	9	3	1	
20-	-	-	18	-	1	-	12	8	1	1	6	1	2	1	-	
25-	1	-	12	1	-	-	12	12	2	-	5	-	4	4	-	
30-	-	-	8	2	3	-	10	6	-	-	5	-	4	5	1	
35-	1	-	7	-	1	-	14	7	1	1	3	-	7	3	-	
40-	-	1	11	1	-	-	10	12	3	-	5	-	11	7	-	
45-	-	-	10	-	-	-	21	11	3	1	3	-	6	7	-	
50-	-	1	6	1	-	-	14	14	2	1	4	-	9	6	2	
55-	2	1	4	3	3	-	8	22	-	2	1	-	11	11	1	
60-	-	-	5	-	-	-	14	28	7	1	3	1	7	5	2	
65-	-	1	1	-	-	-	15	28	2	1	1	1	8	10	1	
70-	-	-	-	1	-	-	20	51	-	5	2	-	10	11	-	
75-	-	-	-	-	-	-	22	68	2	2	1	-	5	9	-	
80-	1	-	-	2	-	-	26	57	4	9	1	-	3	6	-	
85 and over	1	1	-	-	-	-	28	48	4	5	-	-	1	6	-	

Causes of death	E923 Foreign body entering other orifice		E924 Accidental mechanical suffocation in bed and cradle		E925 Accidental mechanical suffocation in other and unspecified circumstances		E926 Lack of care of infants under 1 year of age		E927* E928 Other accidents caused by animals		E929 Accidental drowning and submersion		E930, E931* E932 Excessive cold		E933 Hunger, thirst and exposure	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	16	16	102	67	57	8	16	25	13	10	647	187	11	17	26	
0-	1	-	90	60	7	4	16	25	-	1	5	6	1	-	1	
1-	2	1	10	3	7	1	-	-	-	-	70	28	-	-	-	
5-	-	-	-	-	-	1	-	-	-	1	81	6	-	-	-	
10-	-	-	1	-	3	-	-	-	-	-	60	8	-	-	-	
15-	-	-	-	-	7	1	-	-	-	-	58	7	1	-	-	
20-	2	2	-	-	3	-	-	-	-	-	38	4	2	-	-	
25-	-	5	-	-	7	-	-	-	-	-	25	6	1	-	2	
30-	-	-	1	-	7	-	-	-	-	-	23	4	-	-	1	
35-	1	3	-	1	7	-	-	-	-	-	27	3	-	-	2	
40-	-	-	-	-	1	-	-	-	-	-	25	6	-	1	1	
45-	3	-	-	-	2	-	-	-	2	-	26	13	-	-	2	
50-	1	-	-	-	-	-	-	-	-	1	29	11	-	-	4	
55-	2	-	-	3	-	-	-	-	4	-	44	14	-	6	3	
60-	2	1	-	-	6	-	-	-	2	2	36	18	-	-	1	
65-	1	1	-	-	-	-	-	-	1	-	36	19	-	1	-	
70-	1	3	-	-	-	-	-	-	3	2	29	13	1	-	3	
75-	-	-	-	-	-	-	-	-	1	2	24	11	1	3	1	
80-	-	-	-	-	-	-	-	-	-	-	10	6	1	2	4	
85 and over	-	-	-	-	-	1	-	-	-	1	1	4	3	4	1	

* **E918** Accident caused by radiation - : **E920** Foreign body entering eye and adnexa - : **E927** Accidents caused by bites and stings of venomous animals and insects: Male 35; Female 1: **E930** High and low air pressure - : **E931** Excessive heat and insolation: Males 0,15,80; Females 55,75.

TABLE 17 - *continued*

auses of death	E934*				E940-E946*						E951-E959*				E961*	
	E935		E936		E940-E946		E950-E959		E950		E960-E965		E960		E962	
	Lightning		Other and unspecified accidents		Complications due to non-therapeutic medical and surgical procedures		Therapeutic misadventure and late complications of therapeutic procedures		Therapeutic misadventure in surgical treatment		Late effects of injury and poisoning		Late effect of motor vehicle accident		Late effect of other accidental injury	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**2**	**1**	**193**	**82**	**1**	**4**	**15**	**15**	**3**	**1**	**100**	**15**	**16**	**4**	**58**	**11**
0-	-	-	7	8	-	-	2	-	-	-	-	-	-	-	-	-
1-	-	-	19	7	-	2	-	-	-	-	-	-	-	-	-	-
5-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	21	1	-	-	-	-	-	-	1	-	1	-	-	-
15-	-	-	19	4	-	1	-	1	-	-	3	-	3	-	-	-
20-	-	-	19	2	-	-	1	-	-	-	1	2	1	1	-	1
25-	1	-	10	2	-	1	-	1	-	-	2	-	2	-	-	-
30-	-	-	12	-	-	-	-	-	-	-	1	-	1	-	-	-
35-	-	-	6	1	1	-	1	-	-	-	4	1	-	-	3	1
40-	-	1	8	3	-	-	3	1	2	-	8	2	1	2	5	-
45-	-	-	8	1	-	-	-	2	-	-	10	1	-	1	4	-
50-	-	-	11	1	-	-	-	2	-	1	16	-	2	-	14	-
55-	1	-	11	3	-	-	1	-	-	-	7	2	2	-	5	2
60-	-	-	11	4	-	-	2	2	1	-	8	1	-	-	5	1
65-	-	-	8	9	-	-	3	3	-	-	17	-	3	-	8	-
70-	-	-	3	7	-	-	2	1	-	-	11	1	-	-	6	1
75-	-	-	10	8	-	-	-	-	-	-	4	2	-	-	1	2
80-	-	-	3	9	-	-	-	2	-	-	4	1	-	-	4	1
85 and over	-	-	4	9	-	-	-	-	-	-	3	2	-	-	3	2

uses of death	E963, E964*															
	E965		E970-E979		E970		E971		E972		E973		E974		E975	
	Late effects of injuries due to war operations		Suicide and self-inflicted injury		Suicide and self-inflicted poisoning by analgesic and soporific substances		Suicide and self-inflicted poisoning by other solid and liquid substances		Suicide and self-inflicted poisoning by gases in domestic use		Suicide and self-inflicted poisoning by other gases		Suicide and self-inflicted injury by hanging and strangulation		Suicide and self-inflicted injury by submersion (drowning)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**25**	**-**	**3,175**	**2,391**	**745**	**1,053**	**79**	**50**	**1,188**	**900**	**126**	**17**	**458**	**117**	**185**	**149**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	2	2	-	1	-	-	-	1	-	-	2	-	-	-
15-	-	-	71	33	8	10	2	2	36	16	2	-	15	2	2	3
20-	-	-	144	58	23	25	3	3	63	24	7	1	18	-	5	2
25-	-	-	170	95	41	43	4	6	70	26	10	1	19	5	7	5
30-	-	-	179	103	50	47	10	3	64	38	9	-	19	5	4	6
35-	1	-	245	138	79	61	7	4	85	45	11	2	27	6	7	9
40-	2	-	247	194	67	87	7	5	87	70	15	2	30	11	12	12
45-	6	-	293	186	77	97	6	3	98	64	20	2	49	8	11	6
50-	-	-	339	266	91	119	9	6	124	88	15	2	40	17	21	17
55-	-	-	398	298	85	141	9	5	144	106	18	3	71	10	23	20
60-	2	-	373	320	92	147	2	2	133	118	8	1	54	17	32	24
65-	6	-	265	259	54	112	8	7	104	109	5	-	38	10	22	15
70-	5	-	190	210	39	83	6	2	70	87	2	3	33	11	14	17
75-	3	-	145	132	24	45	3	1	57	59	2	-	24	9	16	10
80-	-	-	86	74	12	28	3	-	40	38	2	-	14	6	6	2
85 and over	-	-	28	23	3	7	-	1	13	11	-	-	5	-	3	1

* **E934** Cataclysm: Male 35: **E940** Generalized vaccinia following vaccination - : **E941** Postvaccinal encephalitis: Females 1,1: **E942** Other complications of smallpox vaccination - : **E943** Post-immunization jaundice and hepatitis - : **E944** Other complications of prophylactic inoculation: Male 35; Female 15: **E945** Complications of anaesthesia for non-therapeutic purpose - : **E946** Other complications due to non-therapeutic medical and surgical procedures: Female 25: **E951** Therapeutic misadventure in infusion or transfusion: Males 0,55: **E952** Therapeutic misadventure in local applications: Females 50,60: **E953** Therapeutic misadventure in administration of drugs or biologicals: Males 0,35,40,60,65,65,65,70,70; Females 15,25,40,45,45,60,65,65,65,70,80,80: **E954** Therapeutic misadventure in anaesthesia: Male 20: **E955** Other and unspecified therapeutic misadventure - : **E956** Late complication of surgical operation - : **E957** Late complication of amputation stump - : **E958** Late complication of irradiation - : **E959** Late complication of other forms of treatment - : **E961** Late effect of accidental poisoning: Male 60: **E963** Late effect of self-inflicted injury - : **E964** Late effect of injury purposely inflicted by another person - .

TABLE 17 - *continued*

Causes of death	E976 Suicide and self-inflicted injury by firearms and explosives		E977 Suicide and self-inflicted injury by cutting and piercing instruments		E978 Suicide and self-inflicted injury by jumping from high place		E979 Suicide and self-inflicted injury by other and unspecified means		E980-E985 Homicide and injury purposely inflicted by other persons (not in war)		E980 Non-accidental poisoning by another person		E981 Assault by firearm and explosive		E982 Assault by cutting and piercing instruments	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	153	6	66	14	47	50	128	35	128	136	14	15	9	10	38	
0-	-	-	-	-	-	-	-	-	15	20	1	4	-	-	-	
1-	-	-	-	-	-	-	-	-	8	11	3	7	-	-	-	
5-	-	-	-	-	-	-	-	-	7	9	6	2	-	-	-	
10-	-	-	-	-	-	-	-	-	3	5	1	-	-	-	-	
15-	3	-	-	-	-	-	3	-	9	9	1	-	2	-	4	
20-	12	1	1	-	3	2	9	-	16	11	1	-	-	-	12	
25-	5	1	1	1	4	4	9	3	14	7	-	-	1	2	8	
30-	10	1	1	-	4	1	8	2	13	11	-	-	-	2	3	
35-	13	1	4	-	2	6	10	4	11	11	-	1	3	2	3	
40-	9	-	5	4	6	2	9	1	9	7	-	-	-	-	5	
45-	8	1	3	-	6	3	15	2	3	2	-	-	-	-	1	
50-	12	-	7	2	3	6	17	9	7	7	-	-	1	1	2	
55-	16	1	14	3	2	4	16	5	4	4	-	-	1	-	-	
60-	20	-	10	2	5	6	17	3	2	9	-	-	-	2	-	
65-	18	-	6	1	5	3	5	2	2	5	-	-	1	-	-	
70-	11	-	5	-	2	5	8	2	3	3	-	-	-	1	-	
75-	10	-	5	1	2	5	2	2	2	2	1	-	-	-	-	
80-	5	-	1	-	3	-	-	-	-	2	-	1	-	-	-	
85 and over	1	-	3	-	-	3	-	-	-	1	-	-	-	-	-	

Causes of death	E983 Assault by other means		E984* E985 Execution		E990-E999* E990-E999 Injury resulting from operations of war		XVII N800-N999 Alternative classification of accidents, poisonings and violences (nature of injury)		FRACTURES N800-N809 Fracture of skull, spine and trunk		N800 of vault of skull		N801 of base of skull		N802 of face bones	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	65	84	2	-	3	-	14,244	10,316	4,170	1,663	56	19	491	153	31	1
0-	14	16	-	-	-	-	384	287	18	19	-	2	-	1	-	
1-	5	2	-	-	-	-	410	263	121	64	2	1	17	5	-	
5-	1	7	-	-	-	-	327	158	115	61	2	3	18	6	1	
10-	2	5	-	-	-	-	316	105	115	44	3	1	15	5	1	
15-	2	6	-	-	1	-	1,250	280	574	116	11	2	81	15	2	
20-	1	7	2	-	-	-	1,088	230	430	58	3	-	61	9	4	
25-	5	4	-	-	1	-	766	208	252	32	4	-	37	4	3	
30-	10	5	-	-	-	-	672	214	208	46	3	-	26	8	2	
35-	5	5	-	-	-	-	736	255	188	28	1	-	18	3	-	
40-	4	4	-	-	1	-	818	376	220	54	2	-	22	5	2	
45-	2	-	-	-	-	-	792	344	201	45	2	-	30	8	2	
50-	4	4	-	-	-	-	956	509	293	83	3	-	28	14	3	
55-	3	3	-	-	-	-	1,057	613	276	85	8	2	26	7	2	
60-	2	5	-	-	-	-	1,074	696	315	103	4	1	35	8	3	
65-	1	5	-	-	-	-	762	769	175	139	3	2	15	12	-	
70-	3	2	-	-	-	-	759	938	180	167	1	2	23	8	-	
75-	1	2	-	-	-	-	798	1,184	206	193	1	1	23	15	2	
80-	-	1	-	-	-	-	695	1,427	172	183	1	2	9	11	2	
85 and over	-	1	-	-	-	-	584	1,460	111	143	2	-	7	9	2	

* **E984** Injury by intervention of police - : **E990** Injury due to war operations by gas and chemicals - : **E991** Injury due to war operations by gunshot - : **E992** Injury due to war operations by grenade and land mine: Male 25: **E993** Injury due to war operations by bomb - : **E994** Injury due to war operations by marine mine, depth charge, and torpedo - : **E995** Injury due to war operations by explosion of artillery shell - : **E996** Injury due to war operations by explosion of undetermined origin - : **E997** Injury due to war operations by aircraft destruction - : **E998** Injury due to war operations by other and unspecified means: Male 40: **E999** Injury due to war operations but occurring after cessation of hostilities: Male 15.

TABLE 17 - *continued*

Causes of death	FRACTURES															
	N803 Other and unqualified skull fractures		N804 Multiple fractures involving skull or face with other bones		N805 Fracture and fracture dislocation of vertebral column, without mention of spinal cord lesion		N806 Fracture and fracture dislocation of vertebral column with spinal cord lesion		N807 of rib(s), sternum, and larynx		N808 of pelvis		N809 Multiple and ill-defined fractures of trunk		N810-N819 Fracture of upper limb	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**1,822**	**633**	**882**	**301**	**276**	**138**	**80**	**35**	**182**	**88**	**121**	**115**	**229**	**165**	**55**	**102**
0-	17	14	-	2	-	-	-	-	1	-	-	-	-	-	-	-
1-	79	45	17	5	2	4	1	1	-	-	1	-	2	2	-	-
5-	59	33	20	12	8	3	1	1	5	-	-	1	1	1	-	-
10-	71	29	18	6	1	1	-	-	1	-	2	-	3	1	1	-
15-	295	62	126	21	27	3	5	4	7	1	9	2	11	5	1	-
20-	222	32	92	9	23	3	8	-	6	1	3	-	8	2	-	-
25-	119	13	50	10	17	3	6	2	5	-	4	-	7	-	1	-
30-	98	21	52	10	14	5	3	-	5	1	2	-	3	1	-	-
35-	84	14	45	2	9	5	10	1	4	-	7	-	10	3	1	-
40-	82	21	58	14	20	5	3	1	15	2	5	1	11	4	1	-
45-	94	16	41	10	12	-	3	2	5	1	7	2	5	5	1	-
50-	126	26	57	20	27	10	13	-	8	3	9	5	19	5	3	1
55-	102	37	62	20	34	8	5	-	10	2	9	4	18	3	-	-
60-	112	35	70	22	27	10	4	3	18	3	11	9	31	10	5	2
65-	64	46	30	29	15	17	9	2	13	5	5	9	21	16	1	8
70-	66	54	42	37	7	16	4	6	8	13	9	9	20	21	3	6
75-	63	53	45	33	11	15	3	4	27	14	11	27	20	31	10	18
80-	37	52	35	22	12	17	2	5	26	22	16	24	32	28	9	26
85 and over	32	30	22	17	10	13	-	3	18	20	11	22	7	27	18	41

Causes of death	FRACTURES															
	N810 of clavicle		N812 of humerus		N813 of radius and ulna		N814 of carpal bone(s)		N818 Other, multiple, and ill-defined fractures of upper limb		N819 Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum		N820-N829 Fracture of lower limb		N820 of neck of femur	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**4**	**7**	**22**	**50**	**6**	**13**	**1**	**6**	**4**	**5**	**18**	**19**	**1,070**	**2,733**	**421**	**1,412**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
10-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-
15-	-	-	-	-	-	-	-	-	-	-	1	-	13	11	-	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	26	3	-	-
25-	-	-	1	-	-	-	-	-	-	-	-	-	10	-	-	-
30-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-
35-	1	-	-	-	-	-	-	-	-	-	-	-	8	2	1	-
40-	-	-	-	-	-	-	-	-	-	-	1	-	11	3	-	-
45-	-	-	1	-	-	-	-	-	-	-	-	-	10	4	-	-
50-	-	-	-	-	1	-	-	-	-	-	2	1	18	8	1	1
55-	-	-	-	-	-	-	-	-	-	-	-	-	25	25	9	8
60-	-	-	1	1	-	1	-	-	-	-	4	-	41	55	9	21
65-	-	2	-	3	-	-	-	1	1	-	-	2	49	115	18	40
70-	-	1	2	4	-	-	-	-	1	-	-	1	123	252	48	123
75-	2	-	5	5	-	3	-	2	-	2	3	6	206	477	85	237
80-	1	3	3	14	2	4	-	-	-	1	3	4	242	779	118	418
85 and over	-	1	9	23	3	5	-	3	2	2	4	5	273	996	132	564

TABLE 17 - *continued*

Causes of death	FRACTURES															
	N821 of other and unspecified parts of femur		N822 of patella		N823 of tibia and fibula		N824 of ankle		N825 of one or more tarsal and metatarsal bones		N826 of one or more phalanges of foot		N827 Other, multiple, and ill-defined fractures of lower limb		N828 Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**412**	**1,069**	**4**	**13**	**65**	**91**	**8**	**32**	**2**	**1**	-	-	**34**	**22**	**81**	**79**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
10-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
15-	5	3	-	1	-	2	-	-	-	-	-	-	3	3	4	1
20-	11	-	-	-	2	-	1	-	-	-	-	-	3	-	5	1
25-	1	-	-	-	-	-	-	-	-	-	-	-	4	-	4	-
30-	1	-	-	-	1	-	-	-	-	-	-	-	2	-	3	-
35-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	5	-
40-	-	3	-	-	2	-	2	-	-	-	-	-	-	-	4	-
45-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	3	1
50-	4	1	1	-	6	2	-	2	-	-	-	-	1	-	2	2
55-	5	6	-	-	4	5	-	2	-	1	-	-	1	1	4	2
60-	11	16	-	1	9	10	-	5	-	-	-	-	3	1	5	-
65-	15	47	-	1	4	11	-	3	-	-	-	-	2	4	6	7
70-	47	91	2	3	9	16	-	5	-	-	-	-	3	3	11	10
75-	84	195	1	3	13	11	1	6	-	-	-	-	7	3	10	20
80-	101	315	-	3	10	16	2	4	1	-	-	-	4	2	4	19
85 and over	125	390	-	-	3	15	2	5	1	-	-	-	1	5	9	16

Causes of death	FRACTURES N829 of unspecified bones		N830-N839 Dislocation without fracture		N840-N848 Sprains and strains of joints and adjacent muscles		N850-N856 Head injury (excluding skull fracture)		N850, N851 Open wound, contusion and haematoma of scalp		N852 Concussion		N853 Cerebral laceration and contusion		N854 Subarachnoid, subdural, and extradural haemorrhage following injury (without mention of cerebral laceration or contusion)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**43**	**14**	**32**	**28**	**3**	**3**	**994**	**513**	**26**	**24**	**45**	**26**	**370**	**176**	**121**	**112**
0-	-	-	-	-	-	-	8	6	1	-	-	-	2	2	3	4
1-	1	-	1	-	-	-	33	22	1	-	2	-	12	7	7	2
5-	1	1	-	-	-	-	28	19	-	-	-	-	14	7	1	1
10-	-	1	-	1	-	-	26	14	1	-	2	1	8	6	4	1
15-	1	1	4	-	-	-	131	28	1	-	5	-	70	16	7	-
20-	4	2	2	3	-	-	104	19	-	-	4	1	44	7	5	4
25-	1	-	1	2	-	1	40	6	-	-	1	-	14	2	1	-
30-	4	-	-	2	-	-	42	6	-	1	-	-	19	2	4	1
35-	-	-	2	-	-	-	44	15	1	-	1	-	14	6	3	4
40-	3	-	-	2	-	1	46	13	1	-	3	1	17	5	2	1
45-	5	-	3	-	-	-	30	10	1	-	2	-	8	5	1	2
50-	3	-	1	2	-	-	46	19	-	1	4	-	18	8	5	5
55-	2	-	3	2	2	-	76	19	2	-	3	1	24	9	13	5
60-	4	1	2	2	-	-	87	28	2	-	7	3	30	9	7	3
65-	4	2	3	3	-	-	66	41	5	2	2	2	12	14	15	7
70-	3	1	4	2	-	-	54	55	1	9	2	5	17	13	10	10
75-	5	2	1	1	1	-	59	65	4	2	1	2	24	22	10	21
80-	2	2	3	2	-	1	38	79	-	5	2	7	14	22	10	22
85 and over	-	1	2	4	-	-	36	49	5	4	4	3	9	14	13	19

TABLE 17 - *continued*

Causes of death	N855 Other and unspecified intracranial haemorrhage following injury (without mention of cerebral laceration or contusion)		N856 Head injury of other and unspecified nature		N860-N869 Internal injury of chest, abdomen, and pelvis		N860 Traumatic pneumothorax and haemothorax		N861 Injury to heart and lung		N862 Injury to other and unspecified intrathoracic organs		N863 Injury to gastro-intestinal tract		N864 Injury to liver	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	102	62	330	113	1,512	404	90	17	283	58	498	122	47	10	116	44
0-	2	-	-	-	1	6	-	-	1	-	-	1	-	-	-	4
1-	4	3	7	10	31	13	2	1	6	-	7	2	2	1	7	5
5-	2	2	11	9	43	19	2	-	6	3	5	3	1	1	7	3
10-	4	1	7	5	38	10	3	-	8	4	9	-	2	-	3	2
15-	12	4	36	8	228	36	9	-	48	6	62	6	3	1	23	6
20-	14	3	37	4	188	23	4	1	35	2	66	8	3	-	15	1
25-	5	1	19	3	132	17	3	1	27	4	47	5	2	-	11	3
30-	2	-	17	2	95	20	5	-	10	3	31	8	2	-	13	2
35-	1	2	24	3	100	21	4	1	19	2	45	6	2	-	5	1
40-	3	3	20	3	124	17	12	1	18	3	34	7	10	1	7	1
45-	3	3	15	-	89	15	7	2	19	3	34	3	3	-	3	1
50-	-	-	19	5	106	24	7	1	19	1	39	8	1	-	6	2
55-	8	1	26	3	90	30	7	1	11	3	34	10	7	1	3	3
60-	13	2	28	11	83	33	5	1	23	7	25	13	4	1	6	2
65-	9	6	23	10	57	31	4	1	11	4	29	8	1	1	1	2
70-	7	5	17	13	47	27	6	1	11	5	15	8	1	1	3	2
75-	8	11	12	7	32	34	7	1	3	5	11	15	1	1	1	2
80-	3	11	9	12	17	21	1	4	4	2	4	9	-	-	2	1
85 and over	2	4	3	5	11	7	2	-	4	1	1	2	2	1	-	1

Causes of death	N865 Injury to spleen		N866 Injury to kidney		N867 Injury to pelvic organs		N868 Injury to other and unspecified intra-abdominal organs		N869 Internal injury, unspecified or involving intrathoracic with intra-abdominal organs		N870-N879 Laceration and open wound of face, neck, and trunk		N874 Open wound of neck		N875 Open wound of chest	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	46	24	14	3	20	3	136	46	262	77	145	41	84	24	35	8
0-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
1-	1	-	1	-	-	-	3	2	2	2	1	3	-	1	-	1
5-	3	2	4	-	-	-	8	2	7	5	2	3	1	1	1	-
10-	-	-	-	1	1	-	5	2	7	1	2	1	1	-	-	-
15-	8	3	-	-	-	-	22	5	53	9	6	2	3	2	1	-
20-	10	-	3	-	-	1	23	3	29	7	11	2	4	2	5	-
25-	4	-	1	-	-	-	11	3	26	1	13	1	7	1	4	-
30-	1	-	-	-	1	-	13	4	19	3	3	2	2	-	-	1
35-	3	2	1	-	1	-	7	3	13	6	9	3	4	2	2	1
40-	2	1	1	-	-	-	14	1	26	2	11	4	7	2	2	1
45-	3	1	-	-	2	-	5	3	13	2	10	3	8	1	-	2
50-	2	2	1	-	1	-	8	4	22	6	14	2	7	2	5	-
55-	5	2	1	-	2	-	8	3	12	7	16	3	14	3	1	-
60-	1	3	-	-	1	-	3	1	15	5	11	4	9	4	2	-
65-	1	4	-	2	2	-	2	3	6	6	13	3	5	2	6	-
70-	1	2	-	-	4	-	2	3	4	5	8	-	6	-	2	-
75-	-	1	1	-	2	1	1	4	5	4	10	3	4	1	3	-
80-	1	1	-	-	2	-	-	-	3	4	2	1	-	-	1	-
85 and over	-	-	-	-	1	1	1	-	-	1	3	1	2	-	-	-

TABLE 17 - *continued*

Causes of death	Rem. of N870-N879 Open wound of other sites of face, neck and trunk		N880-N888 Laceration and open wound of upper limb		N890-N898 Laceration and open wound of lower limb		N900-N908 Laceration and open wounds of multiple location		N910-N918 Superficial injury		N920-N929 Contusion and crushing with intact skin surface		N930-N936 Effects of foreign body entering through orifice		N933 Foreign body in pharynx and larynx	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**26**	**11**	**20**	**7**	**11**	**12**	**169**	**55**	**6**	**6**	**28**	**34**	**343**	**265**	**324**	**245**
0-	-	-	-	-	-	-	-	-	-	-	1	-	194	121	192	120
1-	1	1	1	-	-	-	1	1	-	-	-	-	13	22	12	21
5-	-	2	-	-	1	-	6	-	-	-	1	-	7	5	7	5
10-	1	1	-	-	1	-	5	3	-	-	-	1	4	2	4	2
15-	2	-	1	-	1	-	15	7	-	-	2	-	11	4	11	3
20-	2	-	-	-	3	-	16	3	1	-	-	-	6	6	5	3
25-	2	-	-	1	2	-	12	7	-	-	-	-	5	9	5	4
30-	1	1	-	-	-	-	8	2	-	-	1	-	6	5	4	5
35-	3	-	1	-	-	-	15	-	-	-	-	-	9	7	8	4
40-	2	1	2	-	1	-	12	2	-	-	2	1	12	7	12	7
45-	2	-	-	-	-	1	10	1	-	-	1	-	9	7	6	7
50-	2	-	1	3	-	-	13	5	-	-	3	1	12	6	11	6
55-	1	-	4	1	1	-	18	4	1	-	3	7	13	11	12	11
60-	-	-	3	-	1	1	10	5	-	1	2	2	11	6	8	5
65-	2	1	1	-	-	3	13	5	1	1	1	-	10	11	8	10
70-	-	-	-	1	-	3	4	3	1	1	3	4	12	15	10	12
75-	3	2	2	-	-	1	8	4	2	3	-	7	5	9	5	9
80-	1	1	2	-	-	2	2	2	-	-	3	5	3	6	3	6
85 and over	1	1	2	1	-	1	1	1	-	-	5	6	1	6	1	5

Causes of death	N934 Foreign body in bronchus and lung		N935 Foreign body in digestive tract		N936 Foreign body in genito-urinary tract		BURNS N940-N949 Burns		N941 confined to face, head, and neck		N942 confined to trunk		N943 confined to upper limb(s), except wrist and hand		N945 confined to lower limb(s)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**7**	**2**	**10**	**9**	**-**	**9**	**262**	**422**	**7**	**16**	**9**	**16**	**3**	**4**	**20**	**13**
0-	2	-	-	1	-	-	12	11	-	-	-	-	-	-	-	-
1-	1	1	-	-	-	-	29	39	-	1	-	2	-	-	-	-
5-	-	-	-	-	-	-	9	19	-	-	-	1	1	-	-	-
10-	-	-	-	-	-	-	6	7	-	-	-	-	-	-	1	-
15-	-	-	-	-	-	1	13	2	-	-	-	-	-	-	-	-
20-	-	-	1	1	-	2	12	8	-	-	-	-	-	-	-	-
25-	-	-	-	1	-	4	12	9	1	-	-	-	-	-	-	-
30-	1	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-
35-	1	-	-	1	-	2	10	9	-	-	-	-	-	-	-	-
40-	-	-	-	-	-	-	11	9	1	-	-	-	-	-	-	-
45-	-	-	3	-	-	-	12	11	-	1	-	-	-	-	3	-
50-	-	-	1	-	-	-	9	17	1	-	-	-	-	-	-	2
55-	1	-	-	-	-	-	7	21	-	1	-	1	-	-	-	1
60-	1	-	1	1	-	-	16	25	-	-	3	1	-	-	4	2
65-	-	-	2	1	-	-	14	25	-	-	1	1	-	-	3	-
70-	-	-	2	3	-	-	13	43	1	3	-	1	-	-	2	1
75-	-	-	-	-	-	-	19	60	-	3	1	1	-	-	2	2
80-	-	-	-	-	-	-	27	54	3	4	2	5	-	2	2	2
85 and over	-	1	-	-	-	-	25	47	-	3	2	3	2	2	3	3

TABLE 17 - *continued*

Causes of death	BURNS								N950-N959 Injury to nerves and spinal cord, without bone injury		EFFECTS OF POISONING					
	N946 involving face, head, and neck, with limb(s)		N947 involving trunk with limb(s)		N948 involving face, head, and neck, with trunk and limb(s)		N949 involving other and unspecified parts				N960-N979 Effects of poisons		N960 by noxious foodstuffs		N961 by alcohol	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	10	9	41	94	106	161	65	108	40	19	3,060	3,117	-	-	15	8
0-	-	-	1	4	9	5	2	2	-	-	13	12	-	-	-	-
1-	-	-	8	5	12	21	9	10	1	2	59	49	-	-	-	1
5-	-	-	3	4	2	8	3	6	1	-	14	9	-	-	-	-
10-	-	-	2	2	1	2	2	3	1	-	8	4	-	-	-	-
15-	-	-	-	-	10	-	3	2	3	-	65	41	-	-	1	-
20-	-	-	-	2	8	2	4	4	4	2	130	80	-	-	1	-
25-	-	-	-	2	8	4	3	3	-	-	163	94	-	-	1	1
30-	-	-	-	-	4	3	2	3	2	-	175	103	-	-	1	-
35-	-	-	-	2	3	3	7	4	3	-	227	140	-	-	2	-
40-	2	1	-	2	6	3	2	3	3	-	229	216	-	-	-	1
45-	-	-	-	4	3	4	6	2	6	1	268	212	-	-	3	-
50-	-	-	2	2	5	5	1	8	2	-	296	276	-	-	3	-
55-	1	-	2	3	1	12	2	3	1	-	330	335	-	-	3	3
60-	-	-	2	8	3	8	4	6	2	2	311	348	-	-	-	-
65-	1	-	1	6	6	12	2	6	2	2	241	317	-	-	-	-
70-	-	2	2	4	5	22	3	10	5	2	194	296	-	-	-	-
75-	1	1	4	15	8	21	3	17	2	3	148	238	-	-	-	-
80-	3	4	5	13	7	13	5	11	2	4	118	218	-	-	-	-
85 and over	2	1	9	16	5	13	2	5	-	1	71	129	-	-	-	-

Causes of death	EFFECTS OF POISONING															
	N962 by petroleum products		N963 by industrial solvents		N964 by corrosive aromatics, acids, and caustic alkalis		N965 by mercury and its compounds		N966 by lead and its compounds		N967 by arsenic and antimony and their compounds		N968 by carbon monoxide		N969 by other gases and vapours	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	-	-	4	2	33	14	2	-	3	1	2	1	1,859	1,553	66	37
0-	-	-	-	-	-	-	-	-	1	-	-	-	7	10	2	2
1-	-	-	-	2	3	1	-	-	1	1	-	-	34	27	5	5
5-	-	-	-	-	-	-	-	-	-	-	-	-	12	7	2	1
10-	-	-	-	-	1	-	-	-	-	-	-	-	5	1	-	1
15-	-	-	-	-	1	-	-	-	-	-	-	-	46	22	3	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	91	35	4	-
25-	-	-	2	-	-	-	-	-	-	-	-	1	99	31	6	2
30-	-	-	1	-	1	1	1	-	-	-	-	-	88	42	5	1
35-	-	-	-	-	1	1	-	-	-	-	-	-	114	56	4	-
40-	-	-	-	-	-	1	-	-	-	-	1	-	126	82	2	1
45-	-	-	-	-	3	-	-	-	-	-	-	-	146	70	8	2
50-	-	-	-	-	3	1	1	-	-	-	1	-	161	108	5	-
55-	-	-	-	-	2	2	-	-	-	-	-	-	203	135	3	3
60-	-	-	-	-	1	1	-	-	1	-	-	-	183	151	4	2
65-	-	-	1	-	6	2	-	-	-	-	-	-	149	157	3	3
70-	-	-	-	-	4	1	-	-	-	-	-	-	123	173	6	2
75-	-	-	-	-	3	1	-	-	-	-	-	-	110	164	3	6
80-	-	-	-	-	4	2	-	-	-	-	-	-	98	170	-	3
85 and over	-	-	-	-	-	-	-	-	-	-	-	-	64	112	1	3

TABLE 17 - *continued*

Causes of death	EFFECTS OF POISONING															
	N970 by morphine and other opium derivatives		N971 by barbituric acid and derivatives		N972 by aspirin and salicylates		N973 by bromides		N974 by other analgesic and soporific drugs		N976 by strychnine		N977 by belladonna, hyoscine, and atropine		N978 by venom	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	7	7	803	1,195	144	178	-	1	39	47	1	5	1	-	2	1
0-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
1-	-	-	1	-	7	5	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
15-	-	-	7	9	1	4	-	-	1	-	-	-	-	-	-	-
20-	-	1	21	28	3	7	-	-	4	5	-	-	-	-	-	-
25-	2	3	39	42	5	7	-	-	4	3	-	-	-	-	-	-
30-	-	-	59	51	8	4	-	-	2	1	-	-	-	-	-	-
35-	-	-	78	64	17	10	-	-	3	3	1	-	-	-	1	-
40-	1	-	71	110	12	7	-	1	8	5	-	-	-	-	-	-
45-	-	-	77	112	23	17	-	-	3	5	-	2	-	-	-	-
50-	-	-	98	137	16	19	-	-	2	4	-	2	-	-	1	-
55-	1	1	90	166	16	16	-	-	5	3	-	-	-	-	-	-
60-	-	1	102	153	13	31	-	-	4	6	-	-	-	-	-	-
65-	1	-	61	130	11	14	-	-	3	4	-	1	-	-	-	-
70-	1	1	55	95	3	16	-	-	-	3	-	-	-	-	-	-
75-	1	-	27	55	3	10	-	-	-	2	-	-	-	-	-	-
80-	-	-	14	31	1	8	-	-	-	3	-	-	-	-	-	-
85 and over	-	-	2	11	3	2	-	-	-	-	-	-	1	-	-	-

Causes of death	POISONING															
	N979 by other and unspecified substances		N980-N989 Effects of weather, exposure, and related conditions		N980 Effects of reduced temperature		N981 Effects of heat and insolation		N983 Caisson disease		N984 Effects of lightning		N985 Effects of hunger		N987 Effects of exposure, not elsewhere classified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	79	69	44	27	11	17	3	2	-	-	2	1	4	-	24	7
0-	2	-	3	-	1	-	1	-	-	-	-	-	-	-	1	-
1-	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	5	6	2	-	1	-	1	-	-	-	-	-	-	-	-	-
20-	6	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-
25-	5	4	4	-	1	-	-	-	-	-	1	-	-	-	2	-
30-	9	3	1	-	-	-	-	-	-	-	-	-	1	-	1	-
35-	6	6	2	-	-	-	-	-	-	-	-	-	-	-	1	-
40-	8	8	1	2	-	1	-	-	-	-	-	1	-	-	1	-
45-	5	4	3	-	-	-	-	-	-	-	-	-	2	-	1	-
50-	5	5	4	-	-	-	-	-	-	-	-	-	1	-	3	-
55-	7	6	4	7	-	6	-	1	-	-	1	-	-	-	1	-
60-	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
65-	6	6	-	1	-	1	-	-	-	-	-	-	-	-	-	1
70-	2	5	4	1	1	-	-	-	-	-	-	-	-	-	3	-
75-	1	-	2	6	1	3	-	1	-	-	-	-	-	-	1	2
80-	1	1	7	3	1	1	1	-	-	-	-	-	-	-	5	2
85 and over	-	1	4	7	3	5	-	-	-	-	-	-	-	-	1	2

TABLE 17 - *continued*

Causes of death	N988 Effects of excessive exertion		N990-N999 Other and unspecified injuries and reactions		N990 Drowning		N991 Asphyxia and strangulation		N992 Electrocution		N993 Injury due to radiation, except sunburn		N994 Other general effects of external causes		N995 Certain early complications of trauma	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	-	-	2,280	865	956	348	704	259	117	19	-	1	17	27	-	1
0-	-	-	134	112	5	8	107	77	2	-	-	-	16	26	-	-
1-	-	-	118	48	73	29	33	8	7	4	-	-	-	-	-	-
5-	-	-	98	22	86	9	4	10	4	-	-	-	-	-	-	-
10-	-	-	108	16	73	9	23	5	2	1	-	-	-	-	-	-
15-	-	-	180	33	82	10	31	6	15	1	-	-	-	-	-	-
20-	-	-	153	23	68	7	29	7	18	-	-	-	-	-	-	-
25-	-	-	119	29	41	12	28	6	11	2	-	-	-	-	-	-
30-	-	-	114	22	35	10	30	7	8	2	-	-	-	-	-	-
35-	-	-	117	30	43	12	35	11	8	-	-	-	-	-	-	-
40-	-	-	132	45	44	19	39	13	11	1	-	-	-	-	-	-
45-	-	-	139	34	42	19	51	8	11	-	-	-	-	-	-	-
50-	-	-	135	62	54	29	46	19	6	1	-	-	-	-	-	-
55-	-	-	187	63	73	34	76	14	4	3	-	-	-	-	-	-
60-	-	-	173	79	71	43	58	21	8	-	-	1	-	-	-	1
65-	-	-	115	64	60	34	37	13	2	-	-	-	-	-	-	-
70-	-	-	104	60	44	30	32	13	-	2	-	-	1	-	-	-
75-	-	-	85	62	42	21	25	12	-	-	-	-	-	1	-	-
80-	-	-	48	41	16	8	15	7	-	2	-	-	-	-	-	-
85 and over	-	-	21	20	4	5	5	2	-	-	-	-	-	-	-	-

Causes of death	N996 Injury of other and unspecified nature		N997 Reactions and complications due to non-therapeutic medical and surgical procedures		N998 Adverse reaction to injections, infusions, and transfusions for therapeutic purposes		N999 Adverse reaction to other therapeutic procedures	
Ages at death	M	F	M	F	M	F	M	F
All ages	470	192	1	4	3	-	12	14
0-	2	1	-	-	1	-	1	-
1-	5	5	-	2	-	-	-	-
5-	4	3	-	-	-	-	-	-
10-	10	1	-	-	-	-	-	-
15-	52	14	-	1	-	-	-	1
20-	37	9	-	-	-	-	1	-
25-	39	7	-	1	-	-	-	1
30-	41	3	-	-	-	-	-	-
35-	29	7	1	-	-	-	1	-
40-	35	11	-	-	-	-	3	1
45-	35	5	-	-	-	-	-	2
50-	29	11	-	-	-	-	-	2
55-	33	12	-	-	1	-	-	-
60-	34	12	-	-	-	-	2	1
65-	13	14	-	-	1	-	2	3
70-	25	14	-	-	-	-	2	1
75-	18	28	-	-	-	-	-	-
80-	17	22	-	-	-	-	-	2
85 and over	12	13	-	-	-	-	-	-

TABLE 17A. Death rates per million living, by sex and age, from principal causes, 1964

England and Wales

Causes of death	All Causes		I 001-138 Infective and parasitic diseases		TUBERCULOSIS 001-019 All forms		TUBERCULOSIS 001-008 Respiratory system		TUBERCULOSIS 002 Pulmonary tuberculosis		020-029 Syphilis and its sequelae		022 Aneurysm of aorta		080-096 Diseases attributable to viruses	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**11,924**	**10,673**	**126**	**61**	**80**	**26**	**74**	**20**	**67**	**20**	**22**	**12**	**14**	**8**	**12**	**13**
0-	23,115	18,074	224	182	2	2	-	2	-	2	-	2	-	-	58	73
1-	871	738	44	51	4	6	2	3	2	3	-	-	-	-	22	26
5-	432	285	10	9	1	1	0	0	0	0	-	0	-	0	5	5
15-	1,033	426	10	10	3	1	2	1	2	1	-	-	-	-	5	6
25-	1,093	704	19	20	11	10	8	9	8	9	1	2	1	0	4	5
35-	2,471	1,778	55	38	40	29	34	25	32	24	5	1	1	-	7	4
45-	7,330	4,381	129	54	95	31	87	25	83	25	14	4	6	1	14	12
55-	21,336	10,285	275	87	196	41	183	33	161	31	43	16	27	7	18	17
65-	52,006	28,196	554	131	382	58	363	48	321	44	131	38	91	24	16	18
75-	115,844	78,823	714	272	431	114	414	78	379	77	187	101	140	82	42	32
85 and over	234,000	190,332	697	315	431	70	390	62	359	62	164	112	123	100	92	116

Causes of death	NEOPLASMS II 140-239 Neoplasms		140-205 Malignant neoplasms including neoplasms of lymphatic and haemato-poietic tissues		140-148 Malignant neoplasm of buccal cavity and pharynx		141 Tongue		150-159 Malignant neoplasm of digestive organs and peritoneum		150 Oesophagus		151 Stomach		153 Large intestine except rectum	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**2,472**	**2,021**	**2,441**	**1,989**	**44**	**27**	**13**	**6**	**827**	**755**	**59**	**49**	**325**	**229**	**157**	**225**
0-	88	105	60	83	-	-	-	-	-	2	-	-	-	-	-	-
1-	110	90	102	82	-	1	-	-	3	2	-	-	-	-	1	-
5-	82	60	75	55	1	0	-	-	2	1	-	-	-	-	1	0
15-	99	71	92	64	1	1	-	0	5	3	-	-	1	1	1	1
25-	196	186	184	176	3	2	1	1	31	30	0	1	6	8	8	10
35-	575	765	554	743	6	10	0	1	164	118	6	10	59	29	34	42
45-	2,028	2,005	1,991	1,961	29	21	10	4	599	423	41	31	250	110	109	133
55-	6,092	3,659	6,020	3,605	79	47	18	7	1,827	1,104	138	69	778	305	298	326
65-	12,471	6,227	12,380	6,146	214	79	51	13	4,297	2,520	273	163	1,733	787	760	722
75-	18,437	10,164	18,311	10,069	471	148	182	43	7,624	5,296	618	330	2,797	1,704	1,685	1,553
85 and over	20,800	13,802	20,564	13,636	954	265	297	66	8,995	7,396	728	514	2,595	2,260	2,421	2,425

Causes of death	NEOPLASMS 153·3 Sigmoid colon		153·8 Large intestine (including colon), part unspecified		153·0-2;7;9 Others included under 153		154 Rectum		155 Biliary passages and of liver (stated to be primary site		155·0 Liver		155·1;8 Others included under 155		156 Liver (secondary and unspecified)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**51**	**69**	**26**	**33**	**80**	**123**	**128**	**107**	**27**	**36**	**11**	**7**	**15**	**29**	**15**	**13**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
1-	-	-	-	-	1	-	-	-	2	1	2	1	-	-	1	-
5-	0	-	-	-	0	0	0	-	0	-	0	-	-	-	-	0
15-	0	-	0	-	1	1	-	-	2	0	2	0	-	-	1	0
25-	1	3	2	2	5	5	7	7	3	2	3	2	1	0	1	0
35-	8	12	6	6	20	24	24	16	10	4	6	2	4	2	4	2
45-	33	50	17	16	59	66	76	62	21	18	11	3	9	15	11	6
55-	100	121	47	46	151	159	248	158	58	66	25	16	33	50	31	20
65-	267	220	121	105	372	397	696	349	132	118	53	22	79	95	84	46
75-	562	428	285	258	839	867	1,290	752	232	251	76	31	157	220	131	87
85 and over	615	589	482	311	1,323	1,526	1,887	1,036	185	253	41	37	144	216	123	133

TABLE 17A - *continued*

Causes of death	NEOPLASMS															
	157 Pancreas		160-165 Malignant neoplasm of respiratory system		161 Larynx		162 Bronchus and trachea, and of lung specified as primary		162·1 Bronchus and lung		163 Lung unspecified as to whether primary or secondary		170-181 Malignant neoplasm of breast and genito-urinary organs		170 Breast	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**102**	**83**	**965**	**172**	**25**	**6**	**654**	**108**	**652**	**107**	**278**	**52**	**321**	**783**	**4**	**405**
0-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-
1-	-	-	1	1	-	-	-	-	-	-	-	1	15	12	-	-
5-	1	0	-	0	-	-	-	-	-	-	-	0	2	4	-	-
15-	-	0	4	2	0	-	2	1	2	1	1	1	11	7	-	2
25-	3	1	20	8	-	0	14	6	14	6	6	2	28	63	0	39
35-	23	9	165	55	2	2	113	35	113	35	47	16	34	437	0	233
45-	75	50	933	195	15	6	651	128	647	128	259	53	136	1,081	3	588
55-	249	134	3,021	414	64	12	2,079	263	2,076	261	855	130	492	1,608	12	852
65-	561	281	5,212	574	133	18	3,522	362	3,516	361	1,519	179	1,644	2,235	16	1,100
75-	776	557	4,795	650	212	28	3,058	391	3,054	389	1,470	194	4,004	2,962	20	1,455
85 and over	964	713	2,523	560	246	46	1,497	303	1,477	303	728	191	6,287	4,208	51	2,347

Causes of death	NEOPLASMS															
	171 Cervix uteri		172 Corpus uteri		174 Uterus unspecified		175 Ovary, Fallopian tube and broad ligament		175·0 Ovary		176 Other and unspecified female genital organs		176·0 Vulva		177 Prostate	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	-	**106**	-	**45**	-	**12**	-	**129**	-	**129**	-	**21**	-	**15**	**162**	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
1-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
5-	-	-	-	-	-	-	-	2	-	2	-	0	-	-	-	-
15-	-	1	-	-	-	0	-	3	-	3	-	-	-	-	0	-
25-	-	11	-	0	-	0	-	11	-	11	-	0	-	-	0	-
35-	-	105	-	8	-	2	-	69	-	68	-	6	-	4	1	-
45-	-	202	-	35	-	9	-	200	-	198	-	9	-	7	15	-
55-	-	187	-	99	-	23	-	325	-	324	-	26	-	20	151	-
65-	-	262	-	178	-	47	-	361	-	360	-	67	-	49	861	-
75-	-	326	-	211	-	55	-	363	-	362	-	152	-	100	2,669	-
85 and over	-	311	-	195	-	46	-	394	-	394	-	278	-	191	4,328	-

Causes of death	NEOPLASMS															
	180 Kidney		181 Bladder and other urinary organs		181·0;8 Bladder		190-199 Malignant neoplasm of other and unspecified sites		190 Malignant melanoma of skin		193 Brain and other parts of nervous system		193·0 Brain		194 Thyroid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**37**	**23**	**103**	**41**	**103**	**40**	**141**	**142**	**8**	**11**	**51**	**33**	**46**	**29**	**4**	**12**
0-	2	-	-	-	-	-	23	34	-	-	14	27	2	7	-	-
1-	12	10	2	-	2	-	35	25	-	-	25	16	11	11	-	-
5-	2	2	-	-	-	-	24	20	0	-	19	12	14	9	-	-
15-	2	0	-	-	-	-	26	23	1	3	10	10	8	6	-	0
25-	2	1	1	-	1	-	43	31	7	4	23	14	22	12	0	1
35-	10	7	9	6	9	6	88	74	9	14	52	33	49	29	2	2
45-	46	18	55	18	53	18	157	146	15	18	78	56	73	50	5	6
55-	91	40	224	53	223	51	322	249	12	17	138	74	131	67	9	20
65-	189	77	540	140	538	135	511	412	23	23	110	65	102	57	23	44
75-	194	113	1,064	286	1,062	285	699	559	37	35	29	19	20	14	27	66
85 and over	103	112	1,579	527	1,579	527	1,046	837	51	46	10	4	10	4	31	95

TABLE 17A - *continued*

Causes of death	NEOPLASMS															
	196 Bone		199 Other and unspecified sites		200-205 Neoplasms of lymphatic and haemato-poietic tissues		200 Lympho-sarcoma and reticulo-sarcoma		200·0 Reticulum-cell sarcoma		200·1 Lympho-sarcoma		201 Hodgkin's disease		203 Multiple myeloma (plasmo-cytoma)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**11**	**10**	**44**	**55**	**143**	**111**	**31**	**20**	**11**	**9**	**18**	**10**	**21**	**14**	**17**	**18**
0-	2	-	-	2	32	46	2	2	-	-	2	2	-	-	-	-
1-	2	1	2	1	47	40	4	-	1	-	3	-	1	-	-	-
5-	2	5	1	1	45	30	9	5	2	1	8	4	4	2	-	-
15-	9	5	1	1	46	29	10	5	3	2	7	3	12	8	-	-
25-	4	4	4	3	59	41	14	4	8	2	5	2	23	16	1	1
35-	4	4	12	14	96	49	18	10	9	6	8	4	30	11	6	2
45-	8	6	33	44	137	95	34	20	12	9	19	10	25	13	17	17
55-	20	12	107	100	279	183	71	37	26	18	41	19	33	25	54	35
65-	42	31	232	187	501	325	111	66	40	29	65	31	51	33	79	71
75-	81	48	337	290	717	455	130	78	35	26	88	47	45	40	106	85
85 and over	113	70	421	419	759	369	123	50	62	21	51	21	31	29	31	29

Causes of death	NEOPLASMS														III 240-289 Allergic, endocrine system, metabolic, and nutritional diseases	
	204 Leukaemia and aleukaemia		204·0 Lymphatic leukaemia		204·1 Myeloid leukaemia		204·3 Acute leukaemia		210-229 Benign neoplasm		230-239 Neoplasm of unspecified nature		237 Unspecified nature of brain and other parts of nervous system			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**68**	**53**	**15**	**10**	**12**	**12**	**34**	**26**	**15**	**19**	**16**	**13**	**12**	**9**	**115**	**186**
0-	25	29	-	-	-	5	18	22	23	10	5	12	2	2	115	68
1-	39	38	-	2	2	1	35	30	4	3	5	5	4	5	18	11
5-	32	23	1	1	1	0	27	20	3	2	4	4	4	4	20	14
15-	22	15	1	1	1	1	16	13	5	6	2	2	2	2	21	24
25-	20	19	0	0	4	3	15	13	7	8	5	2	4	2	35	43
35-	39	25	2	1	11	5	22	15	12	16	9	5	9	3	52	63
45-	56	41	8	6	14	11	28	19	16	25	21	19	20	16	97	98
55-	112	75	31	10	18	22	48	36	30	30	41	25	34	21	205	249
65-	244	139	76	34	51	36	93	58	38	52	53	28	33	19	458	641
75-	407	233	152	78	77	58	135	71	62	53	64	42	13	10	906	1,161
85 and over	523	228	236	87	92	46	154	70	133	87	103	79	10	4	1,108	1,144

Causes of death	240-245 Allergic disorders		241 Asthma		250-254 Diseases of thyroid gland		253 Myxoedema and cretinism		260 Diabetes mellitus		280-289 Avita-minoses, and other metabolic diseases		IV 290-299 Diseases of the blood and blood-forming organs		290 Pernicious and other hyperchromic anaemias	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**35**	**43**	**34**	**42**	**4**	**22**	**2**	**11**	**61**	**104**	**10**	**13**	**34**	**52**	**8**	**18**
0-	18	12	-	5	2	2	2	2	5	5	32	12	46	32	-	-
1-	7	5	7	5	-	-	-	-	4	1	4	5	9	8	-	-
5-	13	9	13	9	-	0	-	0	3	2	3	2	3	3	-	-
15-	16	18	16	18	0	1	-	-	3	2	0	2	3	1	-	-
25-	20	33	19	32	0	2	-	-	8	4	4	2	2	4	-	0
35-	22	42	21	41	1	4	0	2	20	9	6	5	5	9	0	0
45-	49	48	49	47	2	11	1	3	31	26	10	8	14	10	1	1
55-	72	78	69	76	7	29	2	9	97	107	19	23	50	49	7	7
65-	96	92	95	90	25	78	12	39	286	413	33	42	134	133	32	44
75-	106	99	104	98	30	148	24	100	722	848	32	55	429	446	145	200
85 and over	72	79	72	79	82	191	72	158	903	833	51	41	697	833	287	415

TABLE 17A - continued

Causes of death	290·0 Pernicious anaemia		292 Other anaemias of specified type		V 300–326 Mental, psycho-neurotic and personality disorders		300–309 Psychoses		304 304 Senile psychosis		VI 330–398 Diseases of the nervous system and sense organs		330–334 Vascular lesions affecting central nervous system		330 Subarachnoid haemorrhage	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	7	16	9	11	20	27	15	23	10	17	1,414	1,943	1,204	1,812	63	98
0–	-	-	9	5	39	29	-	-	-	-	494	450	37	29	9	12
1–	-	-	3	5	5	6	-	-	-	-	68	47	4	3	1	-
5–	-	-	1	2	1	2	-	-	-	-	32	23	4	5	4	2
15–	-	-	1	1	5	1	1	0	-	-	50	35	17	13	12	8
25–	-	-	0	1	5	4	1	2	-	-	72	65	37	32	24	23
35–	0	0	1	3	7	5	2	1	-	-	172	173	115	111	54	63
45–	1	0	4	4	8	7	3	4	-	-	551	548	448	448	100	146
55–	6	4	17	16	24	24	18	19	1	1	1,931	1,468	1,755	1,318	161	207
65–	28	34	44	30	68	47	60	42	37	25	6,545	5,353	5,117	5,009	170	279
75–	128	179	106	67	231	202	226	196	219	185	18,631	17,017	17,348	16,329	202	292
85 and over	267	357	72	100	585	659	574	655	523	634	38,113	37,450	37,128	36,600	155	257

Causes of death	331 Cerebral haemorrhage		332 Cerebral embolism and thrombosis		334 Other and ill-defined vascular lesions affecting central nervous system		340–345 Inflammatory diseases of central nervous sustem		340 Meningitis except meningococcal and tuberculosis		345 Multiple sclerosis		350–357 Other diseases of central nervous system		350 Paralysis agitans	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	494	683	589	828	148	203	33	36	11	8	14	22	81	88	20	38
0–	21	7	7	10	-	-	293	267	229	209	-	-	72	80	-	-
1–	1	3	1	-	1	1	32	19	17	6	-	1	24	19	-	-
5–	0	2	-	0	-	-	12	5	4	2	0	-	14	12	-	-
15–	4	2	1	1	0	1	8	7	2	2	1	3	24	14	-	-
25–	12	6	2	2	-	0	11	14	1	2	7	9	22	19	-	-
35–	52	39	9	8	1	1	27	38	3	3	19	32	26	21	0	1
45–	235	237	93	58	11	6	49	61	7	2	35	54	53	38	5	4
55–	885	707	619	350	90	53	51	55	11	5	35	46	116	90	33	26
65–	2,592	2,256	2,813	2,112	542	362	51	55	16	17	29	32	363	271	180	143
75–	5,740	5,659	9,338	8,354	2,568	2,022	39	39	15	18	7	16	716	623	443	384
85 and over	8,974	9,432	19,703	19,959	8,246	6,953	62	37	51	29	10	-	882	771	441	361

Causes of death	352 Other cerebral paralysis		353 Epilepsy		356 Motor neurone disease and muscular atrophy		VII 400–468 Diseases of the circulatory system		410–416 410–416 Chronic rheumatic heart disease		410 410 Diseases of mitral valve		411 411 Diseases of aortic valve specified as rheumatic		416 416 Other heart disease specified as rheumatic	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	11	17	15	11	15	11	4,424	3,953	92	166	56	119	14	8	16	30
0–	-	-	7	17	21	27	44	49	-	-	-	-	-	-	-	-
1–	-	-	12	10	2	1	7	6	-	-	-	-	-	-	-	-
5–	-	-	7	6	0	-	7	8	1	1	-	1	0	-	-	-
15–	0	0	19	11	0	0	35	24	8	5	4	1	2	1	1	2
25–	-	0	18	13	1	1	149	87	35	38	19	29	6	1	7	7
35–	0	-	17	14	4	2	819	284	70	103	41	77	10	3	14	19
45–	3	2	16	11	18	13	2,933	852	150	215	91	154	22	7	27	39
55–	12	9	10	11	46	25	8,353	2,989	223	352	129	253	39	13	37	69
65–	65	54	16	14	74	38	20,263	10,806	302	464	190	317	40	28	49	90
75–	165	167	24	7	47	32	46,814	33,970	384	595	256	435	52	41	57	82
85 and over	287	299	21	8	41	8	102,513	88,201	472	717	308	572	82	46	51	70

TABLE 17A - *continued*

Causes of death	420-422 Arterio-sclerotic and degenerative heart disease		420 Arterio-sclerotic heart disease, including coronary disease		420·0 Arterio-sclerotic heart disease so described		420·1 Heart disease specified as involving coronary arteries		421 Chronic endocarditis not specified as rheumatic		421·1 of aortic valve, not specified as rheumatic		422 Other myocardial degeneration		422·1 With arterio-sclerosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**3,459**	**2,698**	**2,824**	**1,692**	**30**	**34**	**2,790**	**1,654**	**62**	**53**	**52**	**37**	**573**	**953**	**282**	**441**
0-	7	7	2	-	-	-	2	-	-	-	-	-	5	7	-	-
1-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
5-	2	1	-	-	-	-	-	-	0	0	0	-	1	1	-	-
15-	10	3	3	1	-	-	3	1	3	0	3	-	4	2	-	-
25-	73	16	62	13	-	-	62	13	4	-	4	-	7	2	-	-
35-	633	96	596	83	0	-	596	83	20	5	18	3	16	7	3	-
45-	2,447	417	2,350	368	2	1	2,346	367	50	18	46	12	48	30	14	5
55-	6,928	1,939	6,576	1,738	19	12	6,548	1,721	134	49	118	36	217	152	93	60
65-	16,073	7,577	14,134	6,144	108	69	14,007	6,064	287	169	241	116	1,652	1,265	874	611
75-	34,831	23,497	24,115	13,991	599	356	23,464	13,599	544	430	423	317	10,172	9,077	5,243	4,337
85 and over	74,308	62,413	33,364	21,853	1,251	987	32,021	20,813	831	896	626	601	40,113	39,664	18,379	17,732

Causes of death	422·2 Other diseases included under 422		430-434 Other diseases of heart		433 Functional disease of heart		434 Other and unspecified diseases of heart		434·1 Congestive heart failure		434·2 Left ventricular failure		434·3;4 Others included under 434		440-443 Hypertensive heart disease	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**290**	**510**	**262**	**315**	**67**	**110**	**183**	**197**	**119**	**155**	**22**	**22**	**41**	**17**	**149**	**215**
0-	5	7	32	34	2	5	14	17	12	5	-	-	2	12	-	-
1-	-	2	4	-	-	-	2	-	1	-	-	-	2	-	1	-
5-	1	1	2	4	0	-	1	3	0	0	-	0	0	2	-	-
15-	4	2	8	4	0	1	4	1	1	-	0	-	3	1	0	-
25-	6	2	17	11	1	1	6	6	1	2	1	0	3	3	3	1
35-	13	6	31	27	2	3	17	18	5	7	2	1	9	7	15	7
45-	32	21	79	53	12	12	55	30	18	13	7	2	27	13	51	35
55-	121	86	333	193	60	58	250	122	109	80	30	14	106	25	262	162
65-	774	644	1,184	801	299	275	852	502	524	377	106	66	218	50	792	683
75-	4,917	4,720	3,635	2,948	1,130	1,095	2,472	1,836	1,872	1,542	305	186	288	100	1,829	2,052
85 and over	21,703	21,915	8,133	6,957	2,277	2,496	5,826	4,386	4,903	3,735	595	518	328	124	2,718	3,284

Causes of death	443 Other and unspecified hypertensive heart disease		444-447 Other hypertensive disease		444 Essential benign hypertension		445 Essential malignant hypertension		446 Hypertension With arteriolar nephro-sclerosis		450-456 Diseases of arteries		450 General arterio-sclerosis		450·0 Without mention of gangrene	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**142**	**208**	**94**	**97**	**60**	**73**	**22**	**10**	**12**	**14**	**288**	**343**	**189**	**269**	**169**	**247**
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	1
5-	-	-	0	-	-	-	0	-	-	-	1	1	-	-	-	-
15-	-	-	3	1	0	0	3	1	0	-	3	7	-	-	-	-
25-	2	1	9	4	1	1	8	3	1	0	7	9	-	-	-	2
35-	11	7	34	13	6	2	27	9	1	1	18	14	3	2	3	4
45-	45	32	91	42	35	15	52	24	4	3	67	34	10	4	9	4
55-	246	151	176	82	106	59	62	20	8	3	285	130	81	37	71	33
65-	767	666	394	275	308	227	33	17	51	30	1,118	601	562	372	491	341
75-	1,785	1,990	865	802	668	662	12	16	184	122	4,401	3,188	3,428	2,665	3,068	2,451
85 and over	2,626	3,188	1,908	1,750	1,344	1,273	-	4	564	473	13,662	11,696	12,585	10,775	11,600	9,876

TABLE 17A - *continued*

Causes of death	450·1 With mention of gangrene as a consequence		451 Aortic aneurysm, non-syphilitic and dissecting aneurysm		460-468 Diseases of veins and other diseases of circulatory system		465 Pulmonary embolism and infarction		466 Other venous embolism and thrombosis		VIII 470-527 Diseases of the respiratory system		480-483 Influenza		480 Influenza with pneumonia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**19**	**22**	**81**	**54**	**79**	**118**	**37**	**47**	**31**	**51**	**1,671**	**1,062**	**21**	**23**	**14**	**14**
0-	-	-	-	-	*5*	*5*	*2*	-	-	*5*	**3,089**	**2,349**	*30*	*15*	*21*	*12*
1-	-	-	-	-	*1*	*3*	*1*	-	*1*	*1*	**151**	**154**	*2*	*1*	*1*	*1*
5-	-	-	-	-	*1*	*1*	-	-	*0*	*0*	**29**	**29**	*1*	*2*	*1*	*1*
15-	-	-	*1*	*0*	*2*	*3*	*1*	*1*	*1*	*1*	**48**	**29**	*3*	*1*	*2*	*1*
25-	-	-	*3*	*1*	*5*	*7*	*1*	*4*	*3*	*3*	**45**	**31**	*4*	*1*	*2*	*1*
35-	-	-	*9*	*4*	*16*	*24*	*7*	*10*	*6*	*7*	**138**	**96**	*6*	*4*	*4*	*4*
45-	*1*	-	*38*	*17*	*47*	*54*	*21*	*19*	*17*	*25*	**606**	**242**	*15*	*5*	*11*	*3*
55-	*10*	*4*	*159*	*62*	*144*	*130*	*67*	*57*	*57*	*50*	**2,697**	**700**	*32*	*15*	*21*	*9*
65-	*71*	*31*	*498*	*181*	*397*	*400*	*192*	*146*	*153*	*182*	**7,968**	**2,444**	*68*	*58*	*46*	*34*
75-	*360*	*214*	*833*	*437*	*862*	*882*	*402*	*385*	*342*	*359*	**19,288**	**8,583**	*261*	*186*	*152*	*107*
85 and over	*985*	*900*	*759*	*730*	*1,313*	*1,381*	*667*	*468*	*533*	*701*	**39,928**	**25,493**	*533*	*473*	*308*	*303*

Causes of death	490-493 Pneumonia		490 Lobar pneumonia		491 Broncho-pneumonia		493 Pneumonia, other and unspecified		500-502 Bronchitis		500 Acute bronchitis		501 Bronchitis, unqualified		502 Chronic bronchitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**600**	**644**	**71**	**56**	**493**	**557**	**27**	**24**	**901**	**327**	**46**	**48**	**33**	**30**	**823**	**249**
0-	2,401	1,828	88	56	1,993	1,534	143	109	506	355	381	265	102	75	*23*	*15*
1-	104	97	*6*	*6*	84	80	*5*	*4*	29	42	20	33	*7*	*7*	*2*	*1*
5-	19	21	*1*	*1*	16	18	*2*	*2*	*5*	*3*	*3*	*1*	*1*	*1*	*1*	*1*
15-	28	17	*5*	*1*	18	13	*2*	*1*	7	6	*2*	*2*	*1*	*0*	*4*	*3*
25-	23	13	*2*	*3*	16	7	*1*	*2*	9	7	*1*	*2*	*1*	*1*	7	*4*
35-	50	42	14	10	31	27	*2*	*2*	51	29	*5*	7	*2*	*4*	44	17
45-	159	93	49	17	94	68	10	*6*	346	101	15	9	10	6	320	85
55-	551	309	117	52	394	238	31	14	1,794	305	45	25	45	17	1,704	263
65-	2,122	1,266	323	144	1,691	1,058	96	53	5,030	966	156	92	111	70	4,763	804
75-	8,217	5,428	761	438	7,138	4,778	296	197	9,598	2,571	509	329	413	240	8,677	2,002
85 and over	23,426	17,993	1,497	1,099	20,913	16,368	954	498	13,805	5,647	1,374	1,206	1,241	763	11,190	3,677

Causes of death	502·0 Bronchitis with emphysema		502·1 Other		510-527 Other diseases of respiratory system		522 Pulmonary congestion and hypostasis		523 Pneumo-coniosis due to silica and silicates (occupa-tional)		525 Other chronic interstitial pneumonia		526 Bronchiectasis		527 Other diseases of lung and pleural cavity	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**421**	**75**	**402**	**174**	**146**	**66**	**11**	**19**	**29**	**0**	**13**	**7**	**40**	**22**	**44**	**13**
0-	-	*2*	*23*	*12*	120	112	*2*	*2*	-	-	*30*	*12*	*2*	-	74	85
1-	-	-	*2*	*1*	*10*	*9*	-	-	-	-	*1*	*1*	*2*	*1*	*2*	*3*
5-	*0*	-	*1*	*1*	*3*	*2*	-	-	-	-	*0*	-	*1*	*1*	*1*	*1*
15-	*2*	*1*	*2*	*2*	*9*	*4*	-	-	-	-	*1*	-	*3*	*2*	*1*	*0*
25-	*3*	-	*5*	*4*	*9*	*9*	*0*	-	-	-	*1*	*0*	*6*	*7*	*0*	*2*
35-	*23*	*7*	*21*	*10*	*30*	*20*	*1*	*0*	*0*	*0*	*3*	*2*	*15*	*12*	*6*	*4*
45-	*190*	*34*	*130*	*51*	*86*	*42*	*1*	*1*	*16*	*1*	*8*	*7*	*29*	*20*	*25*	*9*
55-	*1,018*	*107*	*686*	*156*	*319*	*69*	*3*	*3*	*79*	*1*	*29*	*10*	*83*	*38*	*105*	*14*
65-	*2,570*	*265*	*2,193*	*539*	*745*	*152*	*17*	*11*	*175*	*2*	*64*	*27*	*208*	*59*	*239*	*41*
75-	*3,721*	*538*	*4,955*	*1,463*	*1,207*	*391*	*168*	*152*	*219*	-	*103*	*31*	*310*	*117*	*347*	*65*
85 and over	*3,395*	*750*	*7,795*	*2,927*	*2,154*	*1,347*	*1,036*	*1,032*	*144*	-	*113*	*29*	*369*	*141*	*431*	*91*

TABLE 17A - *continued*

Causes of death	527·1 Emphysema without mention of bronchitis		IX 530-587 Diseases of the digestive system		540-545 Diseases of stomach and duodenum		540 Ulcer of stomach		540·0 Without mention of perforation		540·1 With perforation		541 Ulcer of duodenum		541·0 Without mention of perforation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**39**	**9**	**322**	**308**	**119**	**60**	**54**	**35**	**42**	**27**	**12**	**8**	**58**	**21**	**35**	**12**
0-	2	24	1,002	722	16	7	7	5	2	-	5	5	2	-	-	-
1-	-	-	74	61	1	1	1	1	1	1	-	-	-	-	-	-
5-	0	0	17	14	1	-	0	-	-	-	0	-	1	-	0	-
15-	1	0	17	15	2	0	1	0	1	0	0	-	1	-	-	-
25-	0	1	31	29	7	3	3	1	2	0	1	0	4	2	3	1
35-	4	3	84	52	31	9	12	4	9	2	3	2	15	5	6	3
45-	22	6	199	137	68	23	30	14	25	9	5	5	32	8	22	5
55-	95	11	552	318	232	56	104	31	76	21	28	10	114	21	68	10
65-	228	35	1,376	900	565	191	256	111	194	86	62	25	277	71	160	38
75-	315	53	2,963	2,123	1,222	464	547	276	456	223	91	53	620	162	399	108
85 and over	308	75	5,415	4,167	2,174	995	1,118	593	974	493	144	100	933	323	595	166

Causes of death	541·1 With perforation		550-553 Appendicitis		560, 561 Hernia of abdominal cavity		560 Hernia of abdominal cavity without mention of obstruction		561 Hernia of abdominal cavity with obstruction		561·0 Inguinal		570-578 Other diseases of intestines and peritoneum		570 Intestinal obstruction without mention of hernia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	FF	M	F	M	F
All ages	**23**	**9**	**12**	**9**	**30**	**33**	**12**	**12**	**18**	**21**	**11**	**2**	**87**	**112**	**31**	**35**
0-	2	-	7	2	263	151	212	143	51	7	32	-	584	438	72	49
1-	-	-	4	4	3	3	1	2	2	1	1	-	51	34	9	5
5-	0	-	5	4	-	-	-	-	-	-	-	-	3	3	1	1
15-	1	-	3	2	1	0	0	0	0	-	-	-	8	5	2	2
25-	1	1	2	2	1	0	1	0	0	-	-	-	14	13	5	3
35-	9	2	4	2	1	1	1	-	1	1	0	-	21	21	5	6
45-	10	4	9	4	9	9	5	2	4	7	2	-	47	46	14	15
55-	47	11	15	9	26	22	11	8	15	14	9	2	135	98	56	33
65-	117	33	51	23	111	94	38	25	74	68	44	4	328	305	141	95
75-	221	54	101	63	374	269	88	90	286	179	184	25	674	798	295	273
85 and over	338	158	154	95	810	514	256	158	554	357	349	54	1,374	1,493	503	464

Causes of death	570·2 Mesenteric infarction		571 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		572 Chronic enteritis and ulcerative colitis		572·1 Diverticulitis		580-587 Diseases of liver, gallbladder and pancreas		581 Cirrhosis of liver		584 Cholelithiasis		585 Cholecystitis Cholecystitis and cholangitis, without mention of calculi	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**11**	**14**	**19**	**22**	**25**	**43**	**15**	**31**	**70**	**87**	**29**	**27**	**9**	**19**	**7**	**13**
0-	-	-	483	379	-	2	-	-	125	117	5	10	-	-	-	-
1-	1	-	42	27	-	-	-	-	14	19	3	1	-	-	-	1
5-	-	0	2	1	-	1	-	0	7	6	1	1	-	-	-	-
15-	-	1	1	1	3	2	-	-	3	7	2	3	-	1	-	-
25-	1	1	1	2	6	5	-	-	6	10	2	2	0	1	-	-
35-	2	1	2	3	11	9	2	1	25	20	13	9	1	2	1	1
45-	7	7	4	6	17	17	6	8	63	54	36	29	4	6	2	1
55-	25	17	9	8	48	42	30	23	138	125	82	55	10	20	9	10
65-	53	41	24	30	113	143	81	105	299	272	126	89	44	65	26	36
75-	113	118	91	115	200	323	153	275	547	481	123	108	148	142	123	104
85 and over	164	129	287	315	400	539	379	493	718	954	72	108	226	274	226	328

TABLE 17A - *continued*

Causes of death	587 Diseases of pancreas		587·0 Acute pancreatitis		X 590-637 Diseases of the genito-urinary system		590-594 Nephritis and nephrosis		592 Chronic nephritis		593 Nephritis not specified as acute or chronic		600-609 Other diseases of urinary system		600 Infections of kidney	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**16**	**17**	**11**	**13**	**245**	**165**	**66**	**58**	**45**	**39**	**13**	**13**	**75**	**100**	**50**	**77**
0-	111	92	-	-	**102**	**66**	*18*	*15*	-	*2*	*5*	*5*	*81*	*51*	*35*	*32*
1-	*9*	*17*	-	-	**10**	**10**	*4*	*5*	*1*	-	-	-	*6*	*5*	*1*	*3*
5-	*6*	*4*	-	-	**8**	**7**	*7*	*5*	*3*	*1*	*1*	*1*	*2*	*2*	*1*	*2*
15-	*1*	*2*	*0*	*1*	**25**	**19**	*19*	*14*	*11*	*9*	*1*	*2*	*6*	*5*	*3*	*4*
25-	*2*	*3*	*1*	*3*	**36**	**28**	*28*	*18*	*23*	*15*	*1*	*1*	*8*	*9*	*5*	*8*
35-	*6*	*4*	*5*	*3*	**53**	**53**	*41*	*21*	*31*	*15*	*6*	*3*	*12*	*24*	*9*	*19*
45-	*14*	*9*	*12*	*9*	**109**	**98**	*70*	*37*	*47*	*25*	*14*	*8*	*35*	*55*	*23*	*45*
55-	*23*	*22*	*22*	*20*	**258**	**198**	*122*	*79*	*79*	*54*	*29*	*18*	*94*	*108*	*58*	*90*
65-	*64*	*44*	*55*	*39*	**895**	**457**	*217*	*160*	*155*	*109*	*38*	*34*	*297*	*285*	*198*	*214*
75-	*89*	*71*	*74*	*67*	**3,400**	**1,058**	*441*	*334*	*312*	*228*	*114*	*80*	*975*	*694*	*655*	*533*
85 and over	*72*	*153*	*51*	*137*	**8,615**	**2,218**	*821*	*539*	*503*	*377*	*277*	*141*	*2,328*	*1,588*	*1,744*	*1,194*

Causes of death	600·0 Pyelitis, pyelocystitis and pyelo-nephritis		610-617 Diseases of male genital organs		610 Hyperplasia of prostate		XIIII 720-749 Diseases of the bones and organs of movement		720-727 Arthritis and rheumatism, except rheumatic fever		722 Rheumatoid arthritis and allied conditions		722·0 Rheumatoid arthritis		XIV 750-759 Congenital malformations	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**49**	**76**	**104**	-	**101**	-	**27**	**57**	**15**	**42**	**10**	**30**	**9**	**30**	**119**	**99**
0-	*32*	*29*	*2*	-	-	-	**23**	**17**	-	*2*	-	-	-	-	**4,459**	**4,143**
1-	*1*	*3*	-	-	-	-	**4**	**2**	*1*	-	-	-	-	-	**111**	**118**
5-	*1*	*2*	-	-	-	-	**4**	**2**	-	*0*	-	-	-	-	**32**	**32**
15-	*3*	*4*	-	-	-	-	**13**	**2**	*0*	*1*	-	*1*	-	*1*	**24**	**22**
25-	*5*	*8*	*0*	-	-	-	**3**	**4**	*1*	*1*	*0*	*1*	*0*	*1*	**22**	**15**
35-	*9*	*19*	-	-	-	-	**6**	**6**	*2*	*2*	*2*	*2*	*1*	*2*	**20**	**15**
45-	*23*	*44*	*5*	-	*4*	-	**17**	**18**	*9*	*10*	*8*	*9*	*5*	*8*	**37**	**27**
55-	*55*	*88*	*43*	-	*41*	-	**45**	**58**	*32*	*45*	*25*	*39*	*22*	*37*	**35**	**26**
65-	*193*	*209*	*381*	-	*368*	-	**105**	**176**	*70*	*142*	*43*	*116*	*38*	*116*	**41**	**25**
75-	*648*	*522*	*1,983*	-	*1,948*	-	**253**	**455**	*167*	*347*	*89*	*228*	*86*	*225*	**57**	**35**
85 and over	*1,703*	*1,182*	*5,467*	-	*5,344*	-	**503**	**854**	*236*	*609*	*92*	*282*	*92*	*278*	**82**	**17**

Causes of death	751 Spina bifida and meningocele		754 Congenital malformations of circulatory system		756 Congenital malformations of digestive system		756·2 Other congenital malformations of digestive system		757 Congenital malformations of genito-urinary system		759 Other and unspecified congenital malformations not elsewhere classified		XV 760-776‡ Certain diseases of early infancy		760·5-773·5 With immaturity	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**11**	**18**	**57**	**43**	**13**	**8**	**11**	**7**	**13**	**8**	**11**	**7**	**234**	**154**	**96**	**58**
0-	*513*	*982*	*2,090*	*1,648*	*529*	*333*	*443*	*319*	*296*	*139*	*480*	*367*	**12,441**	**9,125**	*5,082*	*3,445*
1-	*15*	*22*	*55*	*58*	*13*	*5*	*12*	*5*	*5*	*1*	*4*	*5*	*4*	*1*	-	-
5-	*0*	*2*	*21*	*18*	*2*	*2*	*2*	*2*	*2*	*2*	*2*	*2*	*0*	*0*	-	-
15-	-	-	*16*	*17*	*1*	-	*1*	-	*2*	*2*	*1*	-	-	-	-	-
25-	-	-	*14*	*10*	*1*	*0*	*1*	*0*	*4*	*2*	*0*	*1*	-	-	-	-
35-	-	*1*	*12*	*7*	-	-	-	-	*6*	*6*	*0*	*1*	-	-	-	-
45-	*0*	-	*17*	*11*	*1*	*1*	*1*	*1*	*14*	*12*	*2*	*1*	-	-	-	-
55-	-	-	*12*	*14*	*2*	*1*	*2*	*1*	*15*	*9*	*4*	*1*	-	-	-	-
65-	-	-	*12*	*10*	*6*	*3*	*6*	*3*	*19*	*9*	*3*	*3*	-	-	-	-
75-	-	-	*19*	*10*	*13*	*12*	*13*	*12*	*13*	*9*	*10*	*2*	-	-	-	-
85 and over	-	-	*21*	*4*	*31*	*8*	*31*	*8*	*21*	-	*10*	-	-	-	-	-

‡ Note: The group 760-776 relates particularly to the causes of death within the first 28 days of life, but it includes also some deaths from the causes specified at all ages.

TABLE 17A - *continued*

Causes of death	760-769 Birth injuries, asphyxia and infections of newborn		760 Intra-cranial and spinal injury at birth		761 Other birth injury		762 Postnatal asphyxia and atelectasis		763 Pneumonia of newborn		770-776 Other diseases peculiar to early infancy		773 Ill-defined diseases peculiar to early infancy		776 Immaturity, unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**144**	**91**	**38**	**21**	**14**	**9**	**68**	**44**	**15**	**9**	**90**	**63**	**14**	**7**	**64**	**45**
0-	7,666	5,400	2,018	1,272	760	520	3,602	2,623	817	557	4,775	3,725	723	442	3,383	2,662
1-	*1*	*1*	-	-	*1*	-	*1*	-	-	-	*2*	-	*1*	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	*0*	*0*	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of death	XVI 780-795 Symptoms, senility and ill-defined conditions		790-795 Senility and ill-defined diseases		794 Senility without mention of psychosis		XVII E800-E999 Accidents, poisonings and violence (external cause)		MOTOR VEHICLE TRAFFIC ACCIDENTS E810-E825 Motor vehicle traffic accidents		E812 to pedestrian		E813 to pedal cyclist		E815 to rider or passenger of motorcycle in collision with other motor vehicle	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**75**	**141**	**70**	**137**	**66**	**134**	**618**	**424**	**224**	**83**	**70**	**50**	**19**	**3**	**36**	**3**
0-	**48**	**36**	*35*	*29*	-	-	**887**	**698**	*18*	*19*	*5*	*5*	-	-	-	-
1-	**4**	**2**	-	*1*	-	-	**252**	**171**	89	56	79	48	*2*	*3*	*1*	-
5-	**0**	**0**	-	*0*	-	-	**186**	**80**	89	48	51	33	27	*4*	*1*	*2*
15-	**1**	**1**	*0*	*1*	-	-	**680**	**152**	455	87	29	12	18	*4*	155	14
25-	**3**	**0**	*2*	*0*	-	-	**475**	**146**	199	41	22	8	8	*1*	30	*1*
35-	**3**	**2**	*3*	*1*	-	-	**478**	**196**	148	39	26	9	9	*3*	18	*3*
45-	**7**	**2**	*4*	*1*	-	-	**589**	**275**	173	55	45	23	19	*4*	22	*1*
55-	**11**	**9**	*7*	*4*	*0*	-	**793**	**437**	217	83	80	52	32	*2*	23	*2*
65-	**57**	**49**	39	39	28	35	**1,037**	**782**	302	177	191	145	35	1	10	-
75-	**1,152**	**975**	1,113	944	1,081	926	**2,514**	**2,300**	699	328	562	292	45	1	3	-
85 and over	**8,790**	**8,976**	8,626	8,889	8,574	8,852	**5,990**	**6,053**	964	269	872	249	*10*	-	-	-

Causes of death	MOTOR VEHICLE TRAFFIC ACCIDENTS E816 Other motor vehicle traffic accident involving two or more motor vehicles		E821 to rider of motorcycle not involving collision		E823 involving running off roadway		ACCIDENTAL POISONING E870-E888 Accidental poisoning by solid and liquid substances		E871 by barbituric acid and derivatives		E890-E895 Accidental poisoning by gases and vapours		E890 by utility (illuminating) gas		E900-E904 Accidental falls	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**50**	**17**	**17**	**1**	**22**	**6**	**13**	**17**	**8**	**13**	**20**	**23**	**17**	**22**	**81**	**141**
0-	9	7	-	-	*5*	*5*	*9*	-	-	-	*5*	*2*	*5*	*2*	*16*	*34*
1-	4	6	*1*	-	*1*	-	12	*10*	*1*	-	*7*	*5*	*7*	*3*	19	*9*
5-	5	6	-	*0*	*2*	*1*	*1*	*1*	*0*	*0*	*1*	*1*	*1*	*1*	12	*4*
15-	87	27	79	7	62	16	*4*	*7*	*1*	*4*	*8*	*5*	*5*	*4*	21	*2*
25-	76	18	16	*1*	38	*9*	12	*8*	*7*	*6*	12	*2*	*7*	*1*	26	*2*
35-	57	15	*9*	*1*	22	*6*	15	19	11	14	12	*5*	*8*	*4*	26	*6*
45-	55	20	*8*	-	14	*4*	20	27	15	21	15	*6*	10	*6*	43	12
55-	50	18	*6*	*0*	16	*5*	22	32	16	27	29	18	25	17	82	46
65-	46	21	*3*	-	*10*	*4*	32	34	23	25	58	54	54	52	180	215
75-	52	24	*2*	-	*13*	*4*	22	34	*17*	29	168	196	160	191	978	1,363
85 and over	51	8	-	-	-	*4*	*31*	*25*	-	*21*	462	406	462	402	3,733	4,888

TABLE 17A - *continued*

Causes of death	E900 Fall on stairs		E902 Other falls from one level to another		E903 Fall on same level		E904 Unspecified falls		E910-E936 Other accidents		E916 Accident caused by fire and explosion of combustible material		E921 Inhalation and ingestion of food causing obstruction or suffocation		E929 Accidental drowning and submersion	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**14**	**19**	**18**	**8**	**31**	**74**	**15**	**39**	**107**	**50**	**14**	**19**	**13**	**10**	**28**	**8**
0-	5	5	5	19	-	2	7	7	794	593	39	41	441	289	12	15
1-	4	3	11	5	1	1	3	1	115	81	26	32	7	12	43	18
5-	0	1	10	1	1	1	1	1	69	19	6	8	2	2	41	4
15-	1	-	15	1	1	1	3	0	88	12	5	3	3	1	28	3
25-	2	1	17	1	1	0	4	-	79	17	7	6	3	3	16	3
35-	6	2	16	1	1	1	2	1	84	16	7	6	6	3	16	3
45-	10	4	18	3	5	4	5	2	85	22	12	8	5	4	19	8
55-	19	14	28	3	17	22	8	7	111	43	8	17	7	5	30	11
65-	39	42	18	12	85	111	33	49	109	77	24	36	12	10	44	15
75-	168	173	69	64	514	736	217	386	207	176	81	110	13	13	57	15
85 and over	472	431	226	207	2,103	2,682	923	1,563	441	340	287	199	10	25	10	17

Causes of death	E970-E979 Suicide and self-inflicted injury		E970 Suicide and self-inflicted poisoning by analgesic and soporific substances		E972 Suicide and self-inflicted poisoning by gases in domestic use		E974 Suicide and self-inflicted injury by hanging and strangulation		**XVII E800-N999 Alternative classification of accidents, poisonings and violence (nature of injury)**		**FRACTURES** N800-N809 of skull, spine and trunk		N801 of base of skull		N803 Other and unqualified skull fractures	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**138**	**98**	**32**	**43**	**52**	**37**	**20**	**5**	**618**	**424**	**181**	**68**	**21**	**6**	**79**	**26**
0-	-	-	-	-	-	-	-	-	**887**	**698**	42	46	-	2	39	34
1-	-	-	-	-	-	-	-	-	**252**	**171**	75	42	10	3	49	29
5-	1	1	-	0	-	0	1	-	**186**	**80**	66	32	10	3	38	19
15-	63	27	9	10	29	12	10	1	**680**	**152**	292	52	41	7	150	28
25-	115	68	30	31	44	22	13	3	**475**	**146**	152	27	21	4	72	12
35-	151	103	45	46	53	36	18	5	**478**	**196**	126	26	12	2	51	11
45-	213	146	57	70	75	49	30	8	**589**	**275**	166	41	20	7	74	14
55-	287	206	66	96	103	75	47	9	**793**	**437**	220	63	23	5	80	24
65-	310	215	63	89	119	90	48	10	**1,037**	**782**	242	140	26	9	89	46
75-	389	181	61	64	163	85	64	13	**2,514**	**2,300**	636	331	54	23	168	93
85 and over	287	95	31	29	133	46	51	-	**5,990**	**6,053**	1,138	593	72	37	328	124

Causes of death	**FRACTURES** N804 Multiple fractures involving skull or face with other bones		N805 Fracture and fracture dislocation of vertebral column, without mention of spinal cord lesion		N820-N829 Fracture of lower limb		N820 Fracture of neck of femur		N821 Fracture of other and unspecified parts of femur		N850-N856 Head injury (excluding skull fracture)		N853 Cerebral laceration and contusion		N856 Head injury of other and unspecified nature	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**38**	**12**	**12**	**6**	**46**	**112**	**18**	**58**	**18**	**44**	**43**	**21**	**16**	**7**	**14**	**5**
0-	-	5	-	-	-	-	-	-	-	-	18	15	5	5	-	-
1-	10	3	1	3	1	-	-	-	-	-	20	14	7	5	4	6
5-	11	5	3	1	1	1	-	-	-	0	16	10	8	4	5	4
15-	63	9	15	2	11	4	-	-	5	1	68	14	33	7	21	4
25-	34	7	10	3	7	-	-	-	1	-	27	4	11	1	12	2
35-	32	5	9	3	6	2	0	-	0	1	28	9	10	3	14	2
45-	33	10	13	3	9	4	0	0	2	0	26	9	9	4	11	2
55-	49	14	23	6	25	27	7	10	6	7	61	16	20	6	20	5
65-	49	30	15	15	117	168	45	75	42	63	82	44	20	12	27	11
75-	135	48	39	28	754	1,107	342	577	312	449	163	127	64	39	35	17
85 and over	226	70	103	54	2,800	4,129	1,354	2,338	1,282	1,617	369	203	92	58	31	21

TABLE 17A - *continued*

Causes of death	N860-N869 Internal injury of chest, abdomen, and pelvis		N861 Injury to heart and lung		N862 Injury to other and unspecified intrathoracic organs		N869 Internal injury, unspecified or involving intrathoracic with intra-abdominal organs		N930-N936 Effects of foreign body entering through orifice		N933 Foreign body in pharynx and larynx		N940-N949 Burns		N960-N979 Effects of poisons	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	**66**	**17**	**12**	**2**	**22**	**5**	**11**	**3**	**15**	**11**	**14**	**10**	**11**	**17**	**133**	**128**
0-	2	15	2	-	-	2	-	2	448	294	443	292	28	27	30	29
1-	19	8	4	-	4	1	1	1	8	14	7	14	18	25	36	32
5-	23	9	4	2	4	1	4	2	3	2	3	2	4	8	6	4
15-	121	18	24	2	37	4	24	5	5	3	5	2	7	3	57	36
25-	75	13	12	2	26	4	15	1	4	5	3	3	6	5	112	68
35-	69	12	11	2	24	4	12	2	6	4	6	3	6	6	140	111
45-	66	13	13	1	25	4	12	3	7	4	6	4	7	9	190	157
55-	64	21	13	3	22	8	10	4	9	6	7	5	9	15	239	228
65-	71	27	15	4	30	7	7	5	15	12	12	10	18	31	297	281
75-	83	48	12	6	25	21	13	7	13	13	13	13	77	100	448	402
85 and over	113	29	41	4	10	8	-	4	10	25	10	21	256	195	728	535

Causes of death	POISONING N968 by carbon monoxide		POISONING N971 by barbituric acid and derivatives		N990-N999 Other and unspecified injuries and reactions		N990 Drowning		N991 Asphyxia and strangualtion		N996 Injury of other and unspecified nature	
Ages at death	M	FF	M	F	M	F	M	F	M	F	M	F
All ages	**81**	**64**	**35**	**49**	**99**	**36**	**41**	**14**	**31**	**11**	**20**	**8**
0-	16	24	-	-	309	272	12	19	247	187	5	2
1-	21	18	1	-	73	31	45	19	20	5	3	3
5-	5	2	0	0	60	12	46	5	8	5	4	1
15-	40	17	8	11	97	17	44	5	17	4	26	7
25-	62	25	32	32	77	18	25	8	19	4	26	3
35-	74	43	46	54	77	23	27	10	23	7	20	6
45-	103	57	59	80	92	31	32	15	33	9	22	5
55-	144	96	71	107	134	47	54	26	50	12	25	8
65-	186	151	79	103	149	57	71	29	47	12	26	13
75-	350	294	69	76	224	91	98	26	67	17	59	44
85 and over	656	464	21	46	215	83	41	21	51	8	123	54

BLE 18A. Accidental poisoning and other non-transport accidents by place of occurrence, by sex and age, 1964

England and Wales

Note. The deaths in this table have been classified to the several forms of violence in accordance with the information furnished by H.M. Coroners. 'Open verdicts' are normally included with accidental deaths.

Deaths from poisoning will be analysed periodically in the *Statistical Review, Part III, Commentary*, to distinguish individual poisons stated to be responsible. These details can be obtained on request from the General Register Office.

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E870-E936. Non-transport accidents																								
All ages	5,113	5,641	989	45	2,377	3,853	118	7	216	2	514	9	58	12	191	160	121	75	352	788	775	169	391	566
0-	607	422	-	-	491	358	5	2	-	-	2	-	1	2	7	1	-	3	11	9	57	24	33	23
5-	286	81	2	-	56	48	10	-	8	1	12	-	18	3	4	3	4	4	3	2	158	18	13	2
15-	1,250	313	523	15	314	186	58	2	105	1	268	3	27	1	38	4	39	10	26	23	287	29	88	54
45-	1,142	625	409	20	411	432	30	-	100	-	212	5	8	5	41	18	46	18	46	46	162	50	86	51
and over	1,828	4,200	55	10	1,105	2,829	15	3	3	-	20	1	4	1	101	134	32	40	266	708	111	48	171	436
E870. Accidental poisoning by morphine and other opium derivatives																								
All ages	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
E871. Accidental poisoning by barbituric acid and derivatives																								
All ages	192	314	-	2	130	235	-	-	-	-	-	-	-	1	1	1	7	5	3	1	7	3	44	68
0-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
15-	58	75	-	1	43	50	-	-	-	-	-	-	-	-	-	-	2	3	1	-	2	1	10	21
45-	88	145	-	1	60	116	-	-	-	-	-	-	-	1	1	1	4	1	1	1	4	2	18	23
and over	44	93	-	-	26	68	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	15	24
E872. Accidental poisoning by aspirin and salicylates																								
All ages	27	30	-	-	16	17	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	9	11
0-	8	5	-	-	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
15-	6	7	-	-	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3
45-	6	11	-	-	2	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3	5
and over	6	7	-	-	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3
E873. Accidental poisoning by bromides																								
All ages	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E874. Accidental poisoning by other analgesic and soporific drugs																								
All ages	18	21	-	-	11	12	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	5	7
0-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	10	7	-	-	5	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	4	3
45-	6	6	-	-	4	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1
and over	1	8	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
E875. Accidental poisoning by sulphonamides																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 18A - *continued*

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specifie	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E876. Accidental poisoning by strychnine																								
All ages	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E877. Accidental poisoning by belladonna, hyoscine and atropine																								
All ages	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E878. Accidental poisoning by other and unspecified drugs																								
All ages	**27**	**33**	-	-	**21**	**24**	-	-	-	-	-	-	-	-	-	-	-	-	**2**	-	-	-	**4**	-
0-	7	5	-	-	6	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
5-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	10	10	-	-	7	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-
45-	4	11	-	-	2	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
65 and over	6	6	-	-	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E879. Accidental poisoning by noxious foodstuffs																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E880. Accidental poisoning by alcohol																								
All ages	**15**	**6**	-	-	**8**	**5**	-	-	-	-	-	-	-	-	**1**	-	**1**	-	**1**	-	**3**	-	**1**	-
0-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-
15-	6	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-
45-	9	3	-	-	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E881. Accidental poisoning by petroleum products																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E882. Accidental poisoning by industrial solvents																								
All ages	**3**	**2**	**2**	-	**1**	**2**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	**2**	-	-	-
0-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E883. Accidental poisoning by corrosive aromatics, acids and caustic alkalis																								
All ages	**8**	**5**	**1**	-	**4**	**2**	-	-	-	-	-	-	-	-	**1**	**1**	**1**	-	**1**	-	-	-	**1**	-
0-	3	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
5-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
15-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
65 and over	1	3	-	-	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E884. Accidental poisoning by mercury and its compounds																								
All ages	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 18A - *continued*

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E885. Accidental poisoning by lead and its compounds																								
All ages	3	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	2	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E886. Accidental poisoning by arsenic and antimony and their compounds																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E887. Accidental poisoning by fluorides																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E888. Accidental poisoning by other and unspecified solid and liquid substances																								
All ages	12	8	3	-	4	6	-	-	-	-	2	-	-	-	1	-	-	-	1	2	1	-	3	-
0-	2	2	-	-	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	4	3	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	3	2	2	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	1	1	-	-	-
5 and over	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
																							2	-
E890. Accidental poisoning by utility (illuminating) gas																								
All ages	395	540	15	2	365	531	-	-	-	-	7	-	-	-	1	-	5	3	2	1	3	-	12	5
0-	13	6	-	-	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	2	2	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	63	33	2	1	51	31	-	-	-	-	3	-	-	-	-	-	2	-	1	1	1	-	5	1
45-	98	71	9	1	86	68	-	-	-	-	3	-	-	-	1	-	2	1	-	-	1	-	5	2
and over	219	428	3	-	213	424	-	-	-	-	1	-	-	-	-	-	1	2	1	-	1	-	2	2
E891. Accidental poisoning by motor vehicle exhaust gas																								
All ages	26	-	1	-	17	-	1	-	-	-	-	-	-	-	1	-	3	-	-	-	3	-	1	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	13	-	-	-	7	-	1	-	-	-	-	-	-	-	1	-	2	-	-	-	2	-	-	-
45-	11	-	1	-	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-
and over	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E892. Accidental poisoning by other carbon monoxide gas																								
All ages	36	18	4	-	28	18	-	-	-	-	2	-	-	-	-	-	1	-	2	-	1	-	2	-
0-	1	3	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	3	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	16	3	2	-	11	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	2	-
45-	8	2	1	-	6	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
and over	8	9	1	-	7	9	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E893. Accidental poisoning by cyanide gas																								
All ages	2	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E894. Accidental poisoning by other specified gases and vapours																								
All ages	10	1	7	-	2	1	-	-	-	-	5	-	-	-	1	-	1	-	-	-	1	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	6	-	4	-	1	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	1	-	-	-
45-	4	-	3	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 18A - *continued*

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E895. Accidental poisoning by unspecified gases and vapours																								
All ages	**2**	-	**1**	-	**1**	-	-	-	-	-	**1**	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	2	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E870-E895. Accidental poisoning																								
All ages	**780**	**982**	**35**	**4**	**615**	**857**	**2**	-	-	-	**18**	-	-	**1**	**8**	**2**	**19**	**10**	**14**	**6**	**21**	**3**	**83**	**103**
0-	38	25	-	-	35	25	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
5-	8	6	1	-	5	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-
15-	199	142	12	2	135	100	2	-	-	-	6	-	-	-	3	-	9	4	8	3	10	1	26	34
45-	242	253	17	2	178	207	-	-	-	-	9	-	-	1	3	1	8	3	2	3	9	2	33	36
65 and over	293	556	5	-	262	519	-	-	-	-	3	-	-	-	-	1	2	3	2	-	2	-	22	33
E900. Fall on stairs																								
All ages	**324**	**463**	**12**	**8**	**273**	**414**	**1**	-	-	-	**5**	**1**	-	**1**	**5**	**8**	**23**	**20**	**16**	**18**	**1**	-	-	**1**
0-	8	7	-	-	8	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
15-	29	7	1	1	23	5	-	-	-	-	1	-	-	-	1	1	4	1	-	-	-	-	-	-
45-	83	54	8	5	67	44	1	-	-	-	2	1	-	1	-	-	9	7	4	1	-	-	-	-
65 and over	203	392	3	2	174	356	-	-	-	-	2	-	-	-	4	7	10	11	12	17	1	-	-	1
E901. Fall from ladders																								
All ages	**65**	**7**	**46**	**1**	**30**	**6**	**3**	-	-	-	**17**	-	**1**	-	**5**	-	**4**	-	**1**	**1**	**3**	-	**1**	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	12	1	10	1	5	-	-	-	-	-	5	-	1	-	-	-	1	-	-	1	-	-	-	-
45-	38	-	29	-	16	-	2	-	-	-	12	-	-	-	3	-	3	-	1	-	1	-	-	-
65 and over	15	6	7	-	9	6	1	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	1	-
E902. Other falls from one level to another																								
All ages	**426**	**197**	**198**	**3**	**110**	**115**	**10**	-	**12**	**1**	**139**	**1**	**9**	**1**	**13**	**4**	**18**	**2**	**43**	**62**	**70**	**9**	**2**	**2**
0-	20	15	-	-	18	12	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	-	-
5-	35	3	-	-	6	1	1	-	1	1	2	-	6	-	1	-	-	-	1	-	17	1	-	-
15-	155	11	99	-	19	5	4	-	6	-	71	-	2	-	6	-	7	-	4	3	36	2	-	1
45-	126	18	90	2	21	7	3	-	4	-	63	1	1	-	5	-	7	1	10	5	11	4	1	-
65 and over	90	150	9	1	46	90	2	-	1	-	3	-	-	-	1	4	4	1	28	53	4	1	1	1
E903. Fall on same level																								
All ages	**712**	**1,814**	**18**	**7**	**363**	**1,083**	**4**	-	**2**	-	**7**	**2**	**1**	**4**	**104**	**130**	**25**	**24**	**196**	**565**	**6**	**4**	**4**	**2**
0-	2	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	3	4	-	-	1	1	-	-	1	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
15-	10	7	2	1	1	2	-	-	-	-	-	1	-	-	5	2	2	1	1	1	1	-	-	-
45-	63	76	6	2	21	42	-	-	1	-	3	1	-	2	12	14	10	3	13	14	2	-	1	-
65 and over	634	1,725	10	4	338	1,036	4	-	-	-	4	-	1	1	87	113	12	19	182	550	3	4	3	2
E904. Unspecified falls																								
All ages	**346**	**960**	**8**	**3**	**152**	**513**	-	**1**	**3**	-	**7**	-	-	-	**11**	**7**	**2**	**8**	**14**	**50**	**7**	**5**	**150**	**376**
0-	8	4	-	-	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	2
5-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1
15-	31	5	3	-	4	1	-	-	2	-	2	-	-	-	2	-	1	-	-	-	2	2	18	2
45-	38	27	5	3	9	16	-	-	1	-	5	-	-	-	6	1	-	4	-	1	3	1	14	4
65 and over	267	922	-	-	134	495	-	1	-	-	-	-	-	-	3	5	1	3	14	49	2	2	113	367
E900-E904. Accidental falls																								
All ages	**1,873**	**3,441**	**282**	**22**	**928**	**2,131**	**18**	**1**	**17**	**1**	**175**	**4**	**11**	**6**	**138**	**149**	**72**	**54**	**270**	**696**	**87**	**18**	**157**	**381**
0-	38	28	-	-	33	22	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	1	3	1
5-	41	12	-	-	8	4	1	-	2	1	2	-	6	1	1	1	1	3	1	-	17	1	2	1
15-	237	31	115	3	52	13	4	-	8	-	79	1	3	-	14	3	15	2	5	5	39	4	18	3
45-	348	175	138	12	134	109	6	-	6	-	85	3	1	3	26	15	29	15	28	21	17	5	16	4
65 and over	1,209	3,195	29	7	701	1,983	7	1	1	-	9	-	1	1	97	129	27	34	236	669	12	7	118	371
E910. Blow from falling object																								
All ages	**241**	**11**	**196**	**1**	**14**	**7**	**10**	-	**81**	-	**96**	**1**	**5**	**1**	**12**	**1**	**2**	-	**2**	-	**18**	**1**	**1**	-
0-	8	1	-	-	5	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
5-	13	4	-	-	1	2	2	-	3	-	3	-	-	1	1	-	-	-	-	-	3	1	-	-
15-	127	2	116	-	3	1	4	-	46	-	53	-	4	-	5	1	1	-	1	-	10	-	-	-
45-	84	2	75	1	2	1	3	-	32	-	36	1	1	-	4	-	1	-	-	-	4	-	1	-
65 and over	9	2	5	-	3	2	-	-	-	-	4	-	-	-	1	-	-	-	-	-	1	-	-	-

TABLE 18A - *continued*

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E911. Accident caused by vehicle																								
All ages	39	1	36	-	2	-	-	1	29	-	7	-	-	-	1	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	17	-	14	-	2	-	-	-	11	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-
45-	22	-	22	-	-	-	-	-	18	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E912. Accident caused by machinery																								
All ages	234	4	215	2	3	-	52	2	55	-	102	2	-	-	2	-	1	-	-	-	18	-	1	-
0-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	10	-	1	-	2	-	5	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-
15-	130	1	127	1	1	-	31	-	23	-	60	1	-	-	2	-	-	-	-	-	12	-	1	-
45-	87	-	81	-	-	-	12	-	31	-	38	-	-	-	-	-	1	-	-	-	5	-	-	-
and over	7	1	6	1	-	-	4	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
E913. Accident caused by cutting and piercing instruments																								
All ages	7	6	-	-	5	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1
45-	2	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	2	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E914. Accident caused by electric current																								
All ages	112	17	65	3	30	13	10	1	1	-	37	-	1	-	9	-	2	1	-	-	21	2	1	-
0-	9	4	-	-	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
5-	6	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4	1	-	-
15-	71	5	48	2	15	3	9	1	1	-	25	-	1	-	6	-	2	1	-	-	12	-	-	-
45-	25	4	17	1	5	4	1	-	-	-	11	-	-	-	3	-	-	-	-	-	4	-	1	-
and over	1	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
E915. Accident caused by explosion of pressure vessel																								
All ages	8	-	5	-	1	-	-	-	-	-	5	-	-	-	1	-	1	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	5	-	3	-	-	-	-	-	-	-	3	-	-	-	1	-	1	-	-	-	-	-	-	-
45-	3	-	2	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*** E916. Accident caused by fire and explosion of combustible material**																								
All ages	314	466	44	8	240	448	1	-	5	-	33	2	1	-	1	-	6	5	12	7	8	2	7	2
0-	60	66	-	-	60	65	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
5-	22	27	-	-	15	26	1	-	-	-	1	-	-	-	-	-	-	-	-	-	3	1	2	-
15-	64	46	30	6	30	41	-	-	3	-	22	1	-	-	-	-	4	2	1	2	4	-	-	-
45-	57	75	13	2	37	71	-	-	2	-	9	1	1	-	1	-	2	-	3	2	-	1	2	-
and over	111	252	1	-	98	245	-	-	-	-	1	-	-	-	-	-	-	2	8	3	1	-	3	2
† E917. Accident caused by hot substance, corrosive liquid, and steam																								
All ages	44	39	11	-	26	26	-	-	1	-	11	-	-	-	-	-	-	-	1	11	-	1	5	1
0-	11	9	-	-	10	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
5-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
15-	7	2	4	-	2	-	-	-	-	-	4	-	-	-	-	-	-	-	-	1	-	-	1	1
45-	12	5	7	-	3	3	-	-	1	-	7	-	-	-	-	-	-	-	-	1	-	1	1	-
and over	12	22	-	-	11	14	-	-	-	-	-	-	-	-	-	-	-	-	1	8	-	-	-	-
E918. Accident caused by radiation																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E919. Accident caused by firearm																								
All ages	54	6	13	-	22	4	8	-	4	-	1	-	1	1	4	1	1	-	-	-	11	-	2	-
0-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	6	2	-	-	4	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-
15-	31	2	9	-	9	2	4	-	3	-	1	-	-	-	3	-	1	-	-	-	8	-	2	-
45-	11	1	3	-	5	-	2	-	1	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-
and over	5	1	1	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

E916 Including burns by clothing: domestic fire M14, F55; gas fire M6, F23; electric fire M7, F49; other M35, F101. Burns by falling to fire: open fire M17, F26; electric fire M5, F9; other M4, F2. Conflagration M74, F67; other and unspecified means M152, F134.
E917 including scalds M23, F29.

TABLE 18A - *continued*

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E920. Foreign body entering eye and adnexa																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E921. Inhalation and ingestion of food causing obstruction or suffocation																								
All ages	**306**	**238**	**1**	**3**	**231**	**164**	**-**	**1**	**-**	**-**	**2**	**-**	**1**	**-**	**6**	**2**	**7**	**1**	**27**	**46**	**6**	**3**	**26**	**2**
0-	202	138	-	-	179	123	-	-	-	-	-	-	-	-	2	-	-	-	5	4	-	2	16	
5-	7	6	-	-	1	4	-	-	-	-	1	-	-	-	1	1	1	1	1	-	1	-	1	
15-	37	23	-	1	24	10	-	1	-	-	-	-	1	-	1	-	2	-	4	9	2	1	3	
45-	33	29	1	1	15	10	-	-	-	-	1	-	-	-	2	-	3	-	9	17	2	-	1	
65 and over	27	42	-	1	12	17	-	-	-	-	-	-	-	-	-	1	1	-	8	16	1	-	5	
E922. Inhalation and ingestion of other object causing obstruction or suffocation																								
All ages	**13**	**8**	**1**	**-**	**5**	**4**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**1**	**-**	**2**	**1**	**1**	**2**	**1**	**-**	**2**	
0-	3	4	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
15-	2	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	
45-	5	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	
65 and over	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
E923. Foreign body entering other orifice																								
All ages	**16**	**16**	**1**	**-**	**4**	**7**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**3**	**2**	**1**	**1**	**7**	
0-	3	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15-	3	10	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	
45-	8	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	3	
65 and over	2	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
*** E924. Accidental mechanical suffocation in bed and cradle**																								
All ages	**102**	**67**	**-**	**-**	**98**	**64**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**4**	**3**	**-**	**-**	**-**	
0-	100	63	-	-	97	60	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	
5-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
45-	-	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E925. Accidental mechanical suffocation in other and unspecified circumstances																								
All ages	**57**	**8**	**25**	**-**	**27**	**6**	**2**	**-**	**12**	**-**	**8**	**-**	**-**	**-**	**1**	**-**	**1**	**-**	**-**	**-**	**5**	**2**	**1**	
0-	14	5	-	-	13	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
5-	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	
15-	32	1	19	-	11	1	2	-	8	-	7	-	-	-	-	-	1	-	-	-	3	-	-	
45-	8	-	6	-	2	-	-	-	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
65 and over	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
E926. Lack of care of infants under 1 year of age																								
Under 1 year	**16**	**25**	**-**	**-**	**12**	**15**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**3**	**3**	**1**	
E927. Accidents caused by bites and stings of venomous animals and insects																								
All ages	**1**	**1**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	
0-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E928. Other accidents caused by animals																								
All ages	**13**	**10**	**10**	**1**	**-**	**6**	**4**	**-**	**1**	**-**	**-**	**-**	**2**	**-**	**-**	**2**	**1**	**-**	**-**	**-**	**3**	**1**	**2**	
0-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
45-	8	3	6	1	-	2	3	-	1	-	-	-	1	-	-	1	-	-	-	-	2	-	1	
65 and over	5	5	4	-	-	3	1	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	1	

* **E924** Including accidental mechanical suffocation: in bed M20, F12; in cot, cradle, etc. M82, F55.

TABLE 18A - *continued*

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E929. Accidental drowning and submersion																								
All ages	647	187	39	-	30	57	5	-	7	-	14	-	28	2	-	-	1	1	5	-	546	124	11	3
0-	75	34	-	-	16	15	4	-	-	-	2	-	1	1	-	-	-	1	-	-	51	17	1	-
5-	141	14	-	-	1	1	-	-	3	-	2	-	12	1	-	-	-	-	-	-	123	12	-	-
15-	196	30	20	-	4	8	-	-	2	-	1	-	11	-	-	-	-	-	2	-	171	21	5	1
45-	135	56	16	-	5	16	1	-	1	-	8	-	3	-	-	-	-	-	1	-	111	39	5	1
and over	100	53	3	-	4	17	-	-	1	-	1	-	1	-	-	-	1	-	2	-	90	35	-	1
E930. High and low air pressure																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E931. Excessive heat and insolation																								
All ages	3	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
0-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
and over	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E932. Excessive cold																								
All ages	11	17	-	-	3	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	3	3
0-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	6	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	1
and over	6	10	-	-	3	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2
E933. Hunger, thirst, and exposure																								
All ages	26	6	-	-	6	2	1	1	-	-	-	-	1	-	2	-	-	-	1	1	10	2	5	-
0-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	6	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	-	-	-
45-	10	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	9	6	-	-	1	2	-	1	-	-	-	-	1	-	1	-	-	-	1	1	2	2	3	-
E934. Cataclysm																								
All ages	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E935. Lightning																								
All ages	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
E936. Other and unspecified accidents																								
All ages	193	82	10	1	73	23	4	-	3	1	4	-	6	1	5	3	4	1	10	14	9	2	75	37
0-	26	15	-	-	17	8	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	7	5
5-	24	4	-	-	15	3	1	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	4	1
15-	74	12	5	-	22	2	2	-	-	1	3	-	6	1	1	-	2	-	2	-	6	-	30	8
45-	41	9	4	-	16	1	-	-	3	-	1	-	-	-	-	1	-	-	1	2	-	-	20	5
and over	28	42	1	1	3	9	1	-	-	-	-	-	-	-	2	2	-	1	7	11	1	1	14	18
E910-E936. Other accidents																								
All ages	2,460	1,218	672	19	834	865	98	6	199	1	321	5	47	5	45	9	30	11	68	86	667	148	151	82
0-	531	369	-	-	423	311	5	2	-	-	2	-	1	1	5	-	-	3	10	8	55	23	30	21
5-	237	63	1	-	43	38	9	-	6	-	10	-	12	2	3	2	3	1	1	2	141	17	9	1
15-	814	140	396	10	127	73	52	2	97	1	183	2	24	1	21	1	15	4	13	15	238	24	44	17
45-	552	197	254	6	99	116	24	-	94	-	118	2	7	1	12	2	9	-	16	22	136	43	37	11
and over	326	449	21	3	142	327	8	2	2	-	8	1	3	-	4	4	3	3	28	39	97	41	31	32

TABLE 18C. Deaths from violent causes - External cause according to nature of injury, 1964 England and Wales

Intermediate List No.	External cause of injury		Nature of injury (Intermediate List)													
			Total	AN 138 Fracture of skull	AN 139 Fracture of spine and trunk	AN 140 Fracture of limbs	AN 141 Dislocation without fracture	AN 142 Sprains and strains of joints and adjacent muscles	AN 143 Head injury (excluding fracture)	AN 144 Internal injury of chest, abdomen and pelvis	AN 145 Laceration and open wounds	AN 146 Superficial injury, contusion and crushing with intact skin surface	AN 147 Effects of foreign body entering through orifice	AN 148 Burns	AN 149 Effects of poisons	AN 150 All other unspecified effects of external causes
	Total	**M**	**14,244**	**3,282**	**888**	**1,125**	**32**	**3**	**994**	**1,512**	**345**	**34**	**343**	**262**	**3,060**	**2,364**
		F	**10,316**	**1,122**	**541**	**2,835**	**28**	**3**	**513**	**404**	**115**	**40**	**265**	**422**	**3,117**	**911**
AE 138	Motor vehicle accidents (E810-E835)	M	**5,238**	2,397	524	237	17	-	560	1,074	104	10	7	15	3	290
		F	**2,033**	835	297	135	14	-	254	321	47	7	-	2	-	121
	to pedestrian (E812)	M	**1,606**	735	222	131	4	-	185	222	31	3	1	-	-	72
		F	**1,213**	527	209	99	5	-	149	132	22	4	-	-	-	66
	to pedal cyclist (E813)	M	**431**	260	41	12	1	-	44	52	5	1	1	-	-	14
		F	**68**	42	5	1	-	-	10	7	1	-	-	-	-	2
	to rider or passenger of motorcycle in collision with non-motor vehicle or object (E814)	M	**47**	30	2	1	-	-	4	8	1	-	-	-	-	1
		F	**2**	2	-	-	-	-	-	-	-	-	-	-	-	-
	to rider or pass'r of motorcycle in collision with other motor vehicle (E815)	M	**827**	427	55	33	-	-	102	144	21	1	-	1	-	43
		F	**76**	42	6	6	1	-	7	9	2	-	-	-	-	3
	Other motor vehicle traffic accident involving two or more motor vehicles (E816)	M	**1,141**	379	102	32	6	-	105	369	33	4	-	12	2	97
		F	**412**	112	51	15	6	-	62	121	12	2	-	1	-	30
	to rider of m/cycle without antecedent collision (E821)	M	**392**	247	18	5	-	-	44	64	3	-	1	-	-	10
		F	**33**	24	1	2	-	-	2	2	-	-	-	-	-	2
	involving overturning in roadway (E822)	M	**61**	25	10	1	1	-	9	11	1	-	1	1	-	1
		F	**25**	9	5	1	-	-	2	5	1	-	-	-	-	2
	involving running off roadway (E823)	M	**518**	198	59	13	3	-	43	157	2	1	3	1	-	38
		F	**143**	56	18	2	1	-	12	37	4	1	-	1	-	11
	Other non-collision motor vehicle traffic acc: (E824)	M	**48**	26	1	-	-	-	7	12	-	-	-	-	1	1
		F	**15**	9	-	2	-	-	3	1	-	-	-	-	-	-
	Remainder of E810-E835	M	**167**	70	14	9	2	-	17	35	7	-	-	-	-	13
		F	**46**	12	2	7	1	-	7	7	5	-	-	-	-	5
AE 139	Other transport accidents	M	**471**	124	32	8	-	-	37	64	17	1	-	3	8	177
		F	**81**	39	5	9	-	-	8	3	4	-	-	3	-	10
AE 140	Accidental poisoning	M	**780**	-	-	-	-	-	-	-	-	-	-	-	780	-
		F	**982**	-	-	-	-	-	-	-	-	-	-	-	982	-
AE 141	Accidental falls	M	**1,873**	505	200	853	8	2	174	60	15	14	4	-	-	38
		F	**3,441**	209	224	2,667	11	1	208	39	8	28	-	-	-	46
AE 142	Accident caused by machinery	M	**234**	63	38	8	1	-	12	82	10	-	-	-	-	20
		F	**4**	2	-	-	-	-	-	1	-	-	-	-	-	1
AE 143	Accident caused by fire and explosion of combustible material	M	**314**	6	1	-	-	-	-	6	1	-	-	189	110	1
		F	**466**	1	-	-	-	-	1	-	-	-	-	364	100	-
AE 144	Accident caused by hot substance, corrosive liquid, steam and radiation	M	**44**	-	-	-	-	-	-	-	-	-	-	44	-	-
		F	**39**	-	-	-	-	-	-	-	-	-	-	39	-	-
AE 145	Accident caused by firearm	M	**54**	8	-	-	-	-	27	7	12	-	-	-	-	-
		F	**6**	1	-	-	-	-	2	2	1	-	-	-	-	-
AE 146	Accidental drowning and submersion	M	**647**	-	-	-	-	-	-	-	-	-	-	-	-	647
		F	**187**	-	-	-	-	-	-	-	-	-	-	-	-	187
AE 147	All other accidental causes	M	**1,258**	109	80	16	3	1	70	161	18	8	332	3	3	454
		F	**550**	10	4	23	1	2	24	12	14	4	263	1	1	191
AE 148	Suicide and self-inflicted injury	M	**3,175**	46	10	3	3	-	97	29	137	1	-	5	2,139	705
		F	**2,391**	11	11	1	2	-	8	9	23	-	-	13	2,020	293
AE 149	Homicide and injury purposely inflicted by other persons (not in war)	M	**128**	24	2	-	-	-	15	25	22	-	-	2	13	25
		F	**136**	14	-	-	-	-	8	17	18	1	2	-	14	62
AE 150	Injury resulting from operations of war	M	**28**	-	1	-	-	-	2	4	9	-	-	1	4	7
		F	**-**	-	-	-	-	-	-	-	-	-	-	-	-	-

BLE 18D. Deaths from road traffic accidents and from accidental falls - Nature of injury according to external cause, sex and age, 1964

England and Wales

Nature of injury (Intermediate List)		External cause of injury by age							
		All ages	0-	5-	15-	25-	45-	65-	75 and over
		Road vehicle accidents to pedestrians (ICD Nos. E812,E840,E842,E844)							
Total	**M**	**1,617**	**131**	**178**	**99**	**152**	**352**	**281**	**424**
	F	**1,234**	**76**	**110**	**39**	**51**	**230**	**322**	**406**
38 Fracture of skull	M	740	79	84	49	77	176	111	164
	F	538	40	60	27	33	104	141	133
39 Fracture of spine and trunk	M	222	5	15	9	15	41	49	88
	F	211	7	7	2	3	43	56	93
40 Fracture of limbs	M	134	1	2	3	5	24	32	67
	F	105	-	2	1	1	15	35	51
41 Dislocation without fracture	M	4	1	-	-	-	2	-	1
	F	5	-	1	-	1	1	2	-
42 Sprains and strains of joints and adjacent muscle	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
43 Head injury (excluding fracture)	M	187	17	23	14	11	44	30	48
	F	151	12	16	6	3	20	41	53
44 Internal injury of chest, abdomen, and pelvis	M	222	22	44	18	32	44	33	29
	F	132	12	19	-	6	31	27	37
45 Laceration and open wounds	M	31	1	2	4	3	10	7	4
	F	22	1	2	1	-	4	8	6
46 Superficial injury, contusion and crushing with intact skin surface	M	3	-	1	-	-	2	-	-
	F	4	-	-	-	-	1	-	3
47 Effects of foreign body entering through orifice	M	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
48 Burns	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
49 Effects of poisons	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
50 All other and unspecified effects of external causes	M	73	5	6	2	9	9	19	23
	F	66	4	3	2	4	11	12	30
		Road accidents to pedal cyclists (ICD Nos. E813,E843)							
Total	**M**	**488**	**3**	**101**	**73**	**57**	**158**	**63**	**33**
	F	**78**	**4**	**15**	**16**	**16**	**21**	**5**	**1**
38 Fracture of skull	M	294	2	67	44	33	99	33	16
	F	48	4	9	8	11	13	2	1
39 Fracture of spine and trunk	M	46	-	2	3	8	23	7	3
	F	6	-	-	1	1	4	-	-
40 Fracture of limbs	M	14	-	-	1	-	5	3	5
	F	1	-	-	1	-	-	-	-
41 Dislocation without fracture	M	1	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-
42 Sprains and strains of joints and adjacent muscle	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
43 Head injury (excluding fracture)	M	56	-	12	13	8	10	8	5
	F	13	-	4	2	3	2	2	-
44 Internal injury of chest, abdomen, and pelvis	M	53	1	15	10	4	12	8	3
	F	7	-	1	4	-	1	1	-
45 Laceration and open wounds	M	6	-	2	1	1	1	-	1
	F	1	-	1	-	-	-	-	-
46 Superficial injury, contusion and crushing with intact skin surface	M	1	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-
47 Effects of foreign body entering through orifice	M	1	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-
48 Burns	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
49 Effects of poisons	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
50 All other and unspecified effects of external causes	M	16	-	3	1	3	7	2	-
	F	2	-	-	-	1	1	-	-

TABLE 18D - *continued*

Nature of injury (Intermediate List)		External cause of injury by age							
		All ages	0-	5-	15-	25-	45-	65-	75 and over
Accident to rider or passenger of motor cycle (ICD Nos. E814, E815, E82									
Total	**M**	**1,266**	**2**	**3**	**826**	**234**	**177**	**21**	
	F	**111**	**-**	**6**	**74**	**20**	**11**	**-**	
AN138 Fracture of skull	M	704	1	3	450	135	100	14	
	F	68	-	4	47	13	4	-	
AN139 Fracture of spine and trunk	M	75	1	-	44	16	13	1	
	F	7	-	-	4	2	1	-	
AN140 Fracture of limbs	M	39	-	-	21	8	8	1	
	F	8	-	-	7	1	-	-	
AN141 Dislocation without fracture	M	-	-	-	-	-	-	-	
	F	1	-	-	-	1	-	-	
AN142 Sprains and strains of joints and adjacent muscle	M	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	
AN143 Head injury (excluding fracture)	M	150	-	-	104	23	21	2	
	F	9	-	1	5	1	2	-	
AN144 Internal injury of chest, abdomen, and pelvis	M	216	-	-	156	31	26	2	
	F	11	-	1	7	1	2	-	
AN145 Laceration and open wounds	M	25	-	-	17	7	1	-	
	F	2	-	-	1	-	1	-	
AN146 Superficial injury, contusion and crushing with intact skin surface	M	1	-	-	1	-	-	-	
	F	-	-	-	-	-	-	-	
AN147 Effects of foreign body entering through orifice	M	1	-	-	-	1	-	-	
	F	-	-	-	-	-	-	-	
AN148 Burns	M	1	-	-	1	-	-	-	
	F	-	-	-	-	-	-	-	
AN149 Effects of poisons	M	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	
AN150 All other and unspecified effects of external causes	M	54	-	-	32	13	8	1	
	F	5	-	-	3	1	1	-	
Motor vehicle traffic accidents (ICD Nos. E810, E811, E816-E819, E822, E823)									
Total	**M**	**1,745**	**15**	**27**	**550**	**625**	**399**	**84**	
	F	**589**	**15**	**26**	**157**	**149**	**152**	**56**	
AN138 Fracture of skull	M	618	12	12	233	225	112	15	
	F	178	10	13	54	45	43	8	
AN139 Fracture of spine and trunk	M	175	-	2	30	54	62	16	
	F	74	-	1	12	22	19	10	
AN140 Fracture of limbs	M	47	-	-	12	14	10	5	
	F	21	-	1	4	-	3	9	
AN141 Dislocation without fracture	M	10	-	-	4	2	2	1	
	F	8	-	-	2	3	3	-	
AN142 Sprains and strains of joints and adjacent muscle	M	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	
AN143 Head injury (excluding fracture)	M	157	-	4	59	49	32	9	
	F	78	1	5	28	14	20	8	
AN144 Internal injury of chest, abdomen, and pelvis	M	538	2	3	152	211	133	29	
	F	164	1	2	37	50	46	19	
AN145 Laceration and open wounds	M	39	-	4	8	12	11	3	
	F	17	1	2	6	3	3	1	
AN146 Superficial injury, contusion and crushing with intact skin surface	M	5	-	-	-	1	2	1	
	F	3	-	-	-	-	2	1	
AN147 Effects of foreign body entering through orifice	M	4	-	1	3	-	-	-	
	F	-	-	-	-	-	-	-	
AN148 Burns	M	14	-	-	10	3	-	-	
	F	2	-	-	1	1	-	-	
AN149 Effects of poisons	M	2	1	-	-	-	1	-	
	F	-	-	-	-	-	-	-	
AN150 All other and unspecified effects of external causes	M	136	-	1	39	54	34	5	
	F	44	2	2	13	11	13	-	

TABLE 18D - *continued*

Nature of injury (Intermediate List)		External cause of injury by age							
		All ages	0-	5-	15-	25-	45-	65-	75 and over
		Accidental falls (ICD Nos. E900-E904)							
Total	**M**	**1,873**	**38**	**41**	**73**	**164**	**348**	**264**	**945**
	F	**3,441**	**28**	**12**	**7**	**24**	**175**	**469**	**2,726**
138 Fracture of skull	M	505	22	28	44	100	172	58	81
	F	209	16	4	3	8	46	31	101
139 Fracture of spine and trunk	M	200	1	-	5	21	51	23	99
	F	224	-	-	1	3	11	45	164
140 Fracture of limbs	M	853	-	2	2	8	46	132	663
	F	2,667	-	-	-	3	74	329	2,261
141 Dislocation without fracture	M	8	-	-	-	-	2	3	3
	F	11	-	-	1	-	1	3	6
142 Sprains and strains of joints and adjacent muscle	M	2	-	-	-	-	1	-	1
	F	1	-	-	-	-	-	-	1
143 Head injury (excluding fracture)	M	174	12	6	9	15	42	29	61
	F	208	10	4	-	6	22	39	127
144 Internal injury of chest, abdomen, and pelvis	M	60	2	2	9	8	16	10	13
	F	39	2	3	2	2	8	7	15
145 Laceration and open wounds	M	15	1	2	1	2	4	2	3
	F	8	-	-	-	-	2	2	4
146 Superficial injury, contusion and crushing with intact skin surface	M	14	-	-	1	1	2	3	7
	F	28	-	1	-	1	6	4	16
147 Effects of foreign body entering through orifice	M	4	-	-	1	2	1	-	-
	F	-	-	-	-	-	-	-	-
148 Burns	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
149 Effects of poisons	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
150 All other and unspecified effects of external causes	M	38	-	1	1	7	11	4	14
	F	46	-	-	-	1	5	9	31

TABLE 19. Causes of death at different periods of life and Standardised Mortality Ratios, by sex, 1964

Classified in accordance with the International Abbreviated List with certain sub-divisions.

Abbreviated List No.	Causes of death		England and Wales									
			Age									
			All ages	Under 1 year	Years							
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over
	ALL CAUSES	M	274,773	10,011	1,414	1,495	3,550	3,309	8,027	21,763	57,333	76,256	91,615
		F	259,964	7,434	1,138	939	1,428	2,040	5,713	13,589	30,786	61,517	135,380
B1	Tuberculosis of respiratory system	M	1,711	-	3	1	8	25	110	257	491	532	284
		F	498	1	4	1	2	25	79	79	98	105	104
B2	Tuberculosis, other forms	M	142	1	4	3	3	7	21	25	36	28	14
		F	133	-	5	2	3	5	13	18	24	21	42
B3	Syphilis and its sequelae	M	496	-	-	-	-	4	15	43	115	192	127
		F	295	1	-	1	-	5	4	12	47	83	142
B4	Typhoid fever	M	1	-	-	-	1	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	7	-	-	-	1	-	-	-	2	2	2
		F	10	2	1	1	-	-	1	-	2	1	2
B7	Scarlet fever and streptococcal sore throat	M	8	3	3	1	-	-	-	-	-	-	1
		F	2	-	-	-	-	1	-	-	-	1	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	22	18	4	-	-	-	-	-	-	-	-
		F	22	14	5	1	-	-	-	-	-	-	2
B10	Meningococcal infections	M	53	24	15	3	1	1	-	4	4	-	1
		F	45	11	15	6	2	1	1	1	4	2	2
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	2	-	-	1	-	-	1	-	-	-	-
		F	2	-	1	-	-	-	-	1	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	30	5	17	7	-	-	-	1	-	-	-
		F	43	8	21	8	4	1	-	-	-	1	-
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	2	-	-	-	-	-	-	2	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	430	46	25	19	22	20	33	52	92	58	63
		F	444	38	26	10	21	19	24	57	86	72	91
	Malignant neoplasm: (140-205)	M	56,247	26	165	259	317	558	1,800	5,911	16,178	18,153	12,880
		F	48,451	34	126	181	214	509	2,388	6,083	10,789	13,409	14,718
	stomach (151)	M	7,500	-	-	-	2	19	192	742	2,090	2,541	1,914
		F	5,569	-	-	-	2	23	94	342	912	1,717	2,479
	trachea, bronchus and lung (162, 163)	M	21,476	-	-	-	11	60	521	2,701	7,885	7,392	2,906
		F	3,895	-	1	1	5	23	165	562	1,175	1,180	783
B18	breast (170)	M	84	-	-	-	-	1	1	9	33	23	17
		F	9,860	-	-	-	6	114	750	1,823	2,549	2,400	2,218
	uterus (171-174)	F	3,989	-	1	-	4	34	373	769	934	1,068	806
	Leukaemia and aleukaemia (204)	M	1,564	11	64	109	75	61	126	167	300	358	293
		F	1,303	12	58	76	50	55	79	126	225	303	319
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	25,623	15	101	150	229	417	960	2,292	5,870	7,839	7,750
		F	23,835	22	66	104	147	260	927	2,461	4,994	6,741	8,113
B19	Benign and unspecified neoplasms	M	712	12	14	26	24	35	68	110	192	133	98
		F	784	9	12	17	25	31	69	134	163	176	148
B20	Diabetes mellitus	M	1,409	2	7	9	10	24	66	93	261	420	517
		F	2,522	2	2	5	8	13	28	81	319	901	1,163
B21	Anaemias	M	565	5	6	5	5	1	6	20	80	145	292
		F	1,078	5	10	6	3	6	15	20	107	248	658
B22	Vascular lesions affecting central nervous system	M	29,818	16	6	14	60	113	374	1,330	4,715	8,970	14,220
		F	44,147	12	5	16	42	92	357	1,388	3,944	10,928	27,363
B23	Non-meningococcal meningitis	M	251	99	28	14	8	4	9	21	30	24	14
		F	204	86	9	5	6	6	9	5	14	37	27
B24	Rheumatic fever	M	30	-	-	3	1	-	4	4	9	5	4
		F	31	1	-	3	1	-	-	3	3	12	8
B25	Chronic rheumatic heart disease	M	2,126	-	-	2	28	107	229	444	599	443	274
		F	4,045	-	-	4	18	111	331	667	1,054	1,012	848

England and Wales - *continued*

Abbreviated List No.	Causes of death		Age: All ages	Age: Under 1 year	Age: Years 1-	5-	15-	25-	35-	45-	55-	65-	75 and over
26	Arteriosclerotic heart disease including coronary disease (420)	M	65,082	1	-	-	9	188	1,937	6,976	17,672	20,724	17,575
		F	41,208	-	-	-	2	38	268	1,142	5,201	13,405	21,152
	Degenerative heart disease (421, 422)	M	14,617	2	-	6	24	32	119	290	944	2,844	10,356
		F	24,519	3	3	3	7	7	41	150	604	3,127	20,574
27	Other diseases of heart	M	6,031	14	7	7	29	52	102	236	896	1,736	2,952
		F	7,671	14	-	12	14	31	87	165	577	1,747	5,024
28	Hypertension with heart disease	M	3,427	-	1	-	1	10	48	152	703	1,161	1,351
		F	5,232	-	-	-	-	4	23	110	484	1,490	3,121
29	Hypertension without mention of heart	M	2,171	-	1	1	11	27	112	270	472	577	700
		F	2,365	-	-	-	5	12	41	130	246	599	1,332
46 (Pt.)	Other circulatory diseases (450-468)	M	8,472	2	2	6	19	36	110	337	1,152	2,222	4,586
		F	11,226	2	6	5	33	48	122	274	778	2,184	7,774
30	Influenza	M	494	13	3	3	9	11	19	44	86	99	207
		F	549	6	2	5	5	4	13	17	46	126	325
31	Pneumonia	M	13,830	1,040	169	67	95	70	162	471	1,481	3,111	7,164
		F	15,679	752	149	70	57	39	136	289	924	2,762	10,501
32	Bronchitis	M	20,773	219	47	17	25	28	167	1,027	4,821	7,376	7,046
		F	7,967	146	64	11	19	21	92	313	914	2,107	4,280
46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	3,413	66	27	13	35	27	100	257	859	1,098	931
		F	1,672	62	23	11	15	27	68	131	211	338	786
33	Ulcer of stomach and duodenum	M	2,568	4	1	3	6	20	87	186	587	781	893
		F	1,376	2	1	-	1	7	27	67	156	397	718
34	Appendicitis	M	274	3	7	19	10	5	13	28	39	75	75
		F	224	1	6	12	7	7	7	11	28	51	94
35	Intestinal obstruction and hernia	M	1,401	145	19	3	10	19	21	69	220	370	525
		F	1,638	82	12	2	8	11	21	74	165	412	851
36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	1,046	210	69	7	14	21	47	63	156	204	255
		F	1,611	158	42	7	8	20	39	72	154	381	730
37	Cirrhosis of liver	M	657	2	5	2	6	7	43	107	220	185	80
		F	652	4	1	3	9	6	30	91	164	195	149
38	Nephritis and nephrosis	M	1,518	8	7	23	67	85	134	207	327	318	342
		F	1,404	6	7	17	46	52	66	116	236	349	509
39	Hyperplasia of prostate	M	2,338	-	-	-	-	-	-	11	110	539	1,678
40	Complications of pregnancy, childbirth and puerperium	F	227	-	-	-	59	110	55	3	-	-	-
41	Congenital malformations	M	2,741	1,931	181	110	83	66	65	110	93	60	42
		F	2,417	1,704	182	106	74	44	47	83	79	54	44
42	Birth injuries, postnatal asphyxia and atelectasis	M	2,765	2,763	2	-	-	-	-	-	-	-	-
		F	1,816	1,816	-	-	-	-	-	-	-	-	-
43	Diarrhoea of newborn (764)	M	33	33	-	-	-	-	-	-	-	-	-
		F	22	22	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	398	398	-	-	-	-	-	-	-	-	-
		F	261	260	1	-	-	-	-	-	-	-	-
44	Other diseases of early infancy and immaturity unqualified	M	2,199	2,194	4	1	-	-	-	-	-	-	-
		F	1,656	1,655	-	1	-	-	-	-	-	-	-
45	Senility without mention of psychosis, ill-defined and unknown causes	M	1,725	21	6	1	3	9	11	20	30	83	1,541
		F	3,444	15	3	1	4	1	6	7	28	107	3,272
46 (Rem.)	All other diseases (Remainder 001-795)	M	8,494	301	149	196	267	259	440	837	1,530	2,067	2,448
		F	12,055	213	131	143	195	304	574	942	1,828	2,970	4,755
47	Motor vehicle accidents	M	5,238	9	147	311	1,582	613	500	530	591	444	511
		F	2,033	8	87	157	292	118	126	171	250	387	437
48	All other accidents	M	5,675	360	255	320	515	448	538	570	761	606	1,302
		F	5,756	259	165	90	107	88	155	221	428	843	3,400
49	Suicide and self-inflicted injury	M	3,175	-	-	2	215	349	492	632	771	455	259
		F	2,391	-	-	2	91	198	332	452	618	469	229
50	Homicide and operations of war	M	156	15	8	10	26	28	24	16	8	16	5
		F	136	20	11	14	20	18	18	9	13	8	5
47	Fractures, head injuries and internal injuries	M	7,801	27	186	369	1,695	791	743	797	998	755	1,440
		F	5,415	31	99	170	294	127	153	209	380	841	3,111
48	Burns	M	262	12	29	15	25	18	21	21	23	27	71
		F	422	11	39	26	10	15	18	28	46	68	161
49	Effects of poisons	M	3,060	13	59	22	195	338	456	564	641	435	337
		F	3,117	12	49	13	121	197	356	488	683	613	585
50	All other injuries	M	3,121	332	136	237	423	291	334	366	469	304	229
		F	1,362	233	76	54	85	83	104	128	200	185	214

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Northern Region											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	20,135	781	95	122	252	242	647	1,652	4,343	5,611	6,390	108
		F	17,389	560	79	69	104	149	436	957	2,274	4,407	8,354	109
B1	Tuberculosis of respiratory system	M	139	-	-	-	-	2	9	17	43	49	19	120
		F	28	-	-	1	-	5	5	4	5	6	2	87
B2	Tuberculosis, other forms	M	10	-	1	-	-	1	1	3	1	2	1	103
		F	10	-	-	1	-	-	2	-	2	3	2	117
B3	Syphilis and its sequelae	M	34	-	-	-	-	-	2	3	8	15	6	101
		F	15	-	-	-	-	1	-	-	1	2	11	82
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	1	-	-	-	-	-	-	212
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	2	1	-	-	-	-	-	-	-	-	1	345
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	127
B10	Meningococcal infections	M	5	4	-	-	-	-	-	-	1	-	-	131
		F	3	-	1	-	-	1	-	-	1	-	-	94
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	1	-	1	-	-	-	-	-	-	-	-	45
		F	1	-	-	1	-	-	-	-	-	-	-	32
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	24	4	4	-	1	2	-	2	2	3	6	81
		F	20	2	1	-	3	1	2	2	4	3	2	68
	Malignant neoplasm: (140-205)	M	4,052	1	15	14	18	31	130	448	1,229	1,329	837	106
		F	3,068	4	5	16	15	33	173	377	709	863	873	100
	stomach (151)	M	646	-	-	-	-	4	17	68	188	199	170	128
		F	436	-	-	-	-	1	10	28	68	142	187	127
	trachea, bronchus and lung (162, 163)	M	1,542	-	-	-	1	3	42	219	619	504	154	106
		F	238	-	-	-	1	3	12	37	67	78	40	95
B18	breast (170)	M	9	-	-	-	-	-	-	1	3	3	2	159
		F	571	-	-	-	1	5	48	108	159	142	108	91
	uterus (171-174)	F	301	-	-	-	-	3	32	48	97	76	45	118
	Leukaemia and aleukaemia (204)	M	91	-	5	4	-	4	9	9	21	22	17	85
		F	73	2	1	5	1	4	5	6	15	14	20	86
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,764	1	10	10	17	20	62	151	398	601	494	102
		F	1,449	2	4	11	12	17	66	150	303	411	473	97
B19	Benign and unspecified neoplasms	M	42	1	1	3	-	-	3	7	14	6	7	86
		F	47	1	-	2	4	1	3	9	12	10	5	92
B20	Diabetes mellitus	M	108	1	1	-	-	2	6	9	19	31	39	113
		F	186	1	-	1	1	1	2	4	29	81	66	120
B21	Anaemias	M	38	-	-	-	-	-	-	1	10	12	15	100
		F	74	-	1	-	-	-	2	1	10	13	47	113
B22	Vascular lesions affecting central nervous system	M	2,362	2	1	2	10	14	25	89	369	709	1,141	118
		F	3,044	1	-	-	1	10	33	110	295	811	1,783	114
B23	Non-meningococcal meningitis	M	24	14	3	2	1	-	-	1	2	1	-	135
		F	16	7	-	1	-	1	1	1	-	2	3	115
B24	Rheumatic fever	M	2	-	-	-	-	-	-	-	1	-	1	97
		F	3	-	-	-	1	-	-	-	-	2	-	150
B25	Chronic rheumatic heart disease	M	142	-	-	-	1	12	13	35	38	27	16	98
		F	299	-	-	-	2	12	27	75	85	54	44	115

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Northern Region - *continued*											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420)	M	4,991	-	-	-	-	21	173	537	1,410	1,573	1,277	114
		F	3,181	-	-	-	-	8	29	110	495	1,107	1,432	126
	Degenerative heart disease (421, 422)	M	934	-	-	-	-	3	6	20	51	175	679	96
		F	1,431	1	-	1	1	-	2	8	35	217	1,166	99
B27	Other diseases of heart	M	467	3	-	1	3	2	13	23	74	134	214	115
		F	440	1	-	2	1	2	11	11	38	106	268	95
B28	Hypertension with heart disease	M	224	-	-	-	-	1	2	10	45	77	89	97
		F	370	-	-	-	-	-	-	6	48	104	212	117
B29	Hypertension without mention of heart	M	124	-	-	-	-	1	9	18	28	31	37	85
		F	140	-	-	-	1	1	1	7	12	47	71	97
B46 (Pt.)	Other circulatory diseases (450-468)	M	623	-	-	-	1	-	7	22	72	159	362	110
		F	702	-	2	1	2	-	6	6	50	146	489	104
B30	Influenza	M	23	1	2	-	-	-	2	3	5	5	5	69
		F	24	-	-	-	1	-	2	1	4	8	8	72
B31	Pneumonia	M	958	85	10	8	10	7	10	34	113	214	467	103
		F	952	62	12	4	3	2	12	27	69	202	559	100
B32	Bronchitis	M	1,444	12	2	2	2	3	12	92	374	517	428	103
		F	521	7	4	-	1	1	11	27	61	158	251	107
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	225	4	1	-	3	2	6	15	61	75	58	97
		F	115	5	4	-	1	-	4	12	16	22	51	110
B33	Ulcer of stomach and duodenum	M	179	-	-	-	1	-	7	18	37	61	55	103
		F	78	1	-	-	-	-	4	2	13	19	39	93
B34	Appendicitis	M	18	-	1	3	1	-	2	2	1	4	4	96
		F	16	-	-	-	1	-	1	-	2	6	6	113
B35	Intestinal obstruction and hernia	M	98	9	-	-	1	1	3	2	23	31	28	103
		F	98	6	-	-	-	-	3	5	12	24	48	97
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	55	12	4	-	-	2	3	6	4	15	9	76
		F	101	11	3	2	-	6	3	6	7	23	40	100
B37	Cirrhosis of liver	M	48	-	-	-	-	-	3	7	16	14	8	108
		F	41	-	1	-	-	-	3	6	9	13	9	98
B38	Nephritis and nephrosis	M	121	1	1	3	8	3	11	13	26	25	30	117
		F	106	-	2	-	5	3	4	14	20	23	35	119
B39	Hyperplasia of prostate	M	170	-	-	-	-	-	-	-	6	46	118	109
B40	Complications of pregnancy, childbirth and puerperium	F	13	-	-	-	6	4	3	-	-	-	-	81
B41	Congenital malformations	M	194	146	12	5	2	7	5	7	5	3	2	98
		F	179	127	11	6	6	2	4	7	8	4	4	103
B42	Birth injuries, postnatal asphyxia and atelectasis	M	197	196	1	-	-	-	-	-	-	-	-	98
		F	134	134	-	-	-	-	-	-	-	-	-	102
B43	Diarrhoea of newborn (764)	M	4	4	-	-	-	-	-	-	-	-	-	167
		F	1	1	-	-	-	-	-	-	-	-	-	63
	Other infections of newborn (763, 765-768)	M	27	27	-	-	-	-	† -	-	-	-	-	93
		F	21	21	-	-	-	-	-	-	-	-	-	111
B44	Other diseases of early infancy and immaturity unqualified	M	176	174	1	1	-	-	-	-	-	-	-	110
		F	118	118	-	-	-	-	-	-	-	-	-	98
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	143	3	-	-	-	2	3	5	4	7	119	125
		F	247	6	1	-	-	-	-	1	2	11	226	124
B46 (Rem.)	All other diseases (Remainder 001-795)	M	557	28	6	11	17	18	26	59	98	148	146	96
		F	793	15	9	11	10	18	46	73	125	198	288	105
BE47	Motor vehicle accidents	M	394	3	16	27	113	44	57	42	30	30	32	109
		F	136	-	10	12	18	7	8	9	14	24	34	101
BE48	All other accidents	M	520	45	11	39	43	34	60	54	70	54	110	133
		F	476	25	12	6	12	8	17	14	34	74	274	134
BE49	Suicide and self-inflicted injury	M	226	-	-	1	13	23	38	46	53	28	24	104
		F	135	-	-	-	8	20	12	22	47	20	6	86
BE50	Homicide and operations of war	M	9	-	-	-	2	4	-	2	-	1	-	82
		F	4	1	-	1	-	1	-	-	-	1	-	42
BN47	Fractures, head injuries and internal injuries	M	659	6	19	35	125	60	94	73	80	50	117	123
		F	442	1	9	12	20	8	11	10	25	73	273	132
BN48	Burns	M	25	-	-	3	5	1	3	1	1	4	7	138
		F	31	1	4	1	-	2	2	1	4	2	14	114
BN49	Effects of poisons	M	195	-	2	1	12	24	31	38	38	27	22	93
		F	188	-	3	2	13	20	18	29	56	32	15	93
BN50	All other injuries	M	270	42	6	28	29	20	27	32	34	32	20	124
		F	90	24	6	4	5	6	6	5	10	12	12	98

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Tyneside Conurbation											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	**M**	**5,175**	**207**	**20**	**27**	**57**	**65**	**178**	**496**	**1,145**	**1,449**	**1,531**	**112**
		F	**4,410**	**143**	**20**	**12**	**27**	**39**	**106**	**254**	**633**	**1,123**	**2,053**	**105**
B1	Tuberculosis of respiratory system	M	37	-	-	-	-	-	3	7	10	12	5	126
		F	7	-	-	-	-	2	1	1	1	1	1	82
B2	Tuberculosis, other forms	M	1	-	-	-	-	-	-	1	-	-	-	40
		F	4	-	-	1	-	-	-	-	1	1	1	178
B3	Syphilis and its sequelae	M	10	-	-	-	-	-	-	1	1	4	4	119
		F	5	-	-	-	-	1	-	-	-	1	3	105
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	249
B10	Meningococcal infections	M	2	1	-	-	-	-	-	-	1	-	-	206
		F	-	-	-	-	-	-	-	-	-	-	-	-
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	6	1	1	-	-	1	-	-	-	1	2	80
		F	3	-	1	-	1	-	-	1	-	-	-	39
	Malignant neoplasm: (140-205)	M	1,125	-	3	5	2	8	33	150	355	371	198	117
		F	785	1	1	2	4	9	42	103	193	221	209	97
	stomach (151)	M	158	-	-	-	-	-	5	20	44	57	32	124
		F	101	-	-	-	-	-	4	4	20	35	38	112
	trachea, bronchus and lung (162, 163)	M	481	-	-	-	-	1	10	78	198	148	46	130
		F	90	-	-	-	1	-	7	13	25	32	12	136
B18	breast (170)	M	1	-	-	-	-	-	-	1	-	-	-	70
		F	150	-	-	-	-	-	9	30	49	36	26	90
	uterus (171-174)	F	77	-	-	-	-	2	4	11	25	20	15	114
	Leukaemia and aleukaemia (204)	M	19	-	1	-	-	-	2	3	4	5	4	70
		F	25	1	-	1	1	2	2	3	4	1	10	112
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	466	-	2	5	2	7	16	48	109	161	116	108
		F	342	-	1	1	2	5	16	42	70	97	108	87
B19	Benign and unspecified neoplasms	M	7	1	1	1	-	-	1	-	1	2	-	57
		F	11	1	-	-	1	1	1	3	2	1	1	82
B20	Diabetes mellitus	M	26	-	-	-	-	-	3	2	4	7	10	110
		F	39	-	-	-	-	-	1	-	5	17	16	96
B21	Anaemias	M	8	-	-	-	-	-	-	-	2	1	5	86
		F	15	-	-	-	-	-	-	-	1	2	12	88
B22	Vascular lesions affecting central nervous system	M	564	-	1	1	3	5	7	23	97	175	252	114
		F	707	1	-	-	-	2	10	22	79	190	403	102
B23	Non-meningococcal meningitis	M	10	6	1	1	-	-	-	1	1	-	-	221
		F	5	2	-	1	-	-	-	-	-	1	1	138
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	37	-	-	-	-	3	3	13	6	6	6	101
		F	85	-	-	-	-	3	9	14	26	20	13	124

TABLE 19 - *continued*

Tyneside Conurbation - *continued*

Abbreviated List No.	Causes of death		Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
B26	Arteriosclerotic heart disease including coronary disease (420)	M	1,219	-	-	-	-	6	45	142	334	387	305	111
		F	806	-	-	-	-	3	6	34	141	266	356	122
	Degenerative heart disease (421, 422)	M	211	-	-	-	-	1	3	5	17	37	148	89
		F	347	-	-	-	-	-	1	2	10	61	273	93
B27	Other diseases of heart	M	112	-	-	-	1	1	3	5	24	33	45	112
		F	119	1	-	1	1	-	2	3	9	33	69	99
B28	Hypertension with heart disease	M	46	-	-	-	-	-	-	2	11	16	17	80
		F	105	-	-	-	-	-	-	1	13	24	67	127
B29	Hypertension without mention of heart	M	33	-	-	-	-	-	3	1	13	9	7	90
		F	39	-	-	-	-	-	-	2	7	11	19	104
B46 (Pt.)	Other circulatory diseases (450-468)	M	166	-	-	-	-	-	2	11	21	35	97	119
		F	214	-	-	-	2	-	-	1	15	44	152	122
B30	Influenza	M	10	-	-	-	-	-	1	2	2	4	1	121
		F	4	-	-	-	-	-	-	-	-	2	2	46
B31	Pneumonia	M	229	20	-	1	-	1	3	11	31	49	113	100
		F	259	13	3	-	-	-	5	6	16	62	154	105
B32	Bronchitis	M	439	3	1	-	-	-	1	39	106	154	135	126
		F	161	2	1	-	1	1	3	9	22	49	73	126
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	51	1	-	-	-	1	4	1	12	18	14	88
		F	31	2	1	-	1	-	1	5	6	3	12	114
B33	Ulcer of stomach and duodenum	M	51	-	-	-	1	-	1	11	11	14	13	118
		F	24	1	-	-	-	-	2	-	3	7	11	109
B34	Appendicitis	M	5	-	-	-	-	-	-	-	-	3	2	107
		F	4	-	-	-	-	-	-	-	1	2	1	108
B35	Intestinal obstruction and hernia	M	28	1	-	-	-	-	2	-	9	9	7	118
		F	25	4	-	-	-	-	2	2	-	7	10	95
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	17	3	1	-	-	-	1	2	2	6	2	94
		F	26	2	1	-	-	1	1	1	2	4	14	99
B37	Cirrhosis of liver	M	19	-	-	-	-	-	2	5	5	5	2	167
		F	13	-	-	-	-	-	2	3	5	1	2	118
B38	Nephritis and nephrosis	M	34	-	-	-	4	1	3	1	9	6	10	131
		F	26	-	-	-	2	-	1	3	6	6	8	112
B39	Hyperplasia of prostate	M	42	-	-	-	-	-	-	-	-	9	33	112
B40	Complications of pregnancy, childbirth and puerperium	F	2	-	-	-	1	1	-	-	-	-	-	48
B41	Congenital malformations	M	47	38	1	-	-	3	1	4	-	-	-	93
		F	42	32	2	1	2	-	1	3	1	-	-	94
B42	Birth injuries, postnatal asphyxia and atelectasis	M	39	39	-	-	-	-	-	-	-	-	-	76
		F	36	36	-	-	-	-	-	-	-	-	-	107
B43	Diarrhoea of newborn (764)	M	3	3	-	-	-	-	-	-	-	-	-	490
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	3	3	-	-	-	-	-	-	-	-	-	41
		F	2	2	-	-	-	-	-	-	-	-	-	41
B44	Other diseases of early infancy and immaturity unqualified	M	59	59	-	-	-	-	-	-	-	-	-	144
		F	26	26	-	-	-	-	-	-	-	-	-	85
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	27	2	-	-	-	1	2	3	1	2	16	99
		F	56	4	-	-	-	-	-	-	-	3	49	109
B46 (Rem.)	All other diseases (Remainder 001-795)	M	144	6	2	2	8	5	5	18	25	39	34	99
		F	177	5	3	2	3	4	7	20	35	45	53	89
BE47	Motor vehicle accidents	M	86	-	4	7	21	9	13	9	5	8	10	94
		F	46	-	5	3	3	2	2	3	3	9	16	131
BE48	All other accidents	M	146	20	4	8	14	8	17	12	16	15	32	148
		F	104	7	2	1	2	2	4	3	14	20	49	113
BE49	Suicide and self-inflicted injury	M	72	-	-	1	2	9	16	14	13	11	6	130
		F	47	-	-	-	3	6	2	9	16	8	3	113
BE50	Homicide and operations of war	M	4	-	-	-	1	2	-	-	-	1	-	144
		F	2	-	-	-	-	1	-	-	-	1	-	81
BN47	Fractures, head injuries and internal injuries	M	154	1	4	9	23	14	22	15	14	16	36	114
		F	98	1	4	3	3	1	2	3	8	18	55	112
BN48	Burns	M	7	-	-	1	1	-	1	-	-	2	2	154
		F	7	-	1	-	-	1	-	1	1	1	2	99
BN49	Effects of poisons	M	69	-	2	-	3	11	13	12	12	10	6	129
		F	66	-	-	-	3	7	4	9	22	14	7	123
BN50	All other injuries	M	78	19	2	6	11	3	10	8	8	7	4	141
		F	28	6	2	1	2	2	2	2	2	5	4	117

TABLE 19 - *continued*

Abbrevi-ated List No.	Causes of death		East and West Ridings Region										S.M.R. (England and Wales = 100
			Age										
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	25,987	1,049	118	157	339	300	741	2,056	5,647	7,389	8,191	107
		F	24,169	736	107	89	147	211	527	1,297	2,923	6,151	11,981	107
B1	Tuberculosis of respiratory system	M	197	-	-	-	1	4	11	29	56	59	37	129
		F	35	-	-	-	1	4	5	4	10	8	3	79
B2	Tuberculosis, other forms	M	15	-	1	-	1	-	5	4	2	2	-	118
		F	10	-	-	-	1	1	1	2	3	1	1	85
B3	Syphilis and its sequelae	M	38	-	-	-	-	-	2	3	10	18	5	86
		F	21	-	-	-	-	-	-	-	7	8	6	82
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	-	1	-	163
		F	1	-	1	-	-	-	-	-	-	-	-	112
B7	Scarlet fever and streptococcal sore throat	M	2	-	2	-	-	-	-	-	-	-	-	280
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	51
		F	1	1	-	-	-	-	-	-	-	-	-	51
B10	Meningococcal infections	M	3	1	-	-	-	-	-	1	1	-	-	63
		F	2	-	1	-	-	-	-	-	1	-	-	49
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	4	1	1	2	-	-	-	-	-	-	-	148
		F	9	3	1	1	3	1	-	-	-	-	-	232
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	31	7	1	1	-	1	1	12	4	3	1	81
		F	42	2	1	1	4	3	2	6	6	9	8	106
	Malignant neoplasm: (140-205)	M	4,943	5	11	25	30	50	153	531	1,459	1,619	1,060	99
		F	4,290	3	11	14	21	56	216	575	914	1,231	1,249	100
	stomach (151)	M	691	-	-	-	-	-	18	75	201	253	144	104
		F	506	-	-	-	1	1	6	35	91	144	228	104
	trachea, bronchus and lung (162, 163)	M	1,839	-	-	-	2	4	45	231	698	630	229	95
		F	306	-	-	-	1	3	17	54	90	90	51	88
B18	breast (170)	M	7	-	-	-	-	-	-	-	2	1	4	93
		F	797	-	-	-	1	12	58	134	201	207	184	91
	uterus (171-174)	F	402	-	-	-	-	5	29	69	97	121	81	113
	Leukaemia and aleukaemia (204)	M	147	3	5	12	5	11	11	12	25	38	25	106
		F	132	1	3	8	6	9	11	21	18	30	25	114
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,259	2	6	13	23	35	79	213	533	697	658	100
		F	2,147	2	8	6	12	26	95	262	417	639	680	102
B19	Benign and unspecified neoplasms	M	70	4	-	2	3	3	8	8	17	15	10	110
		F	66	1	1	2	3	4	7	9	9	18	12	95
B20	Diabetes mellitus	M	138	-	1	1	1	5	8	7	25	44	46	112
		F	241	-	-	-	-	3	3	3	28	89	115	110
B21	Anaemias	M	43	-	-	1	1	-	-	1	11	11	18	88
		F	115	1	1	1	-	2	2	3	10	28	67	124
B22	Vascular lesions affecting central nervous system	M	2,918	3	-	2	5	7	35	121	462	908	1,375	112
		F	4,087	4	1	1	2	4	31	122	411	1,088	2,423	108
B23	Non-meningococcal meningitis	M	20	9	1	2	2	1	1	2	1	1	-	89
		F	19	9	-	-	2	-	2	-	1	3	2	105
B24	Rheumatic fever	M	3	-	-	1	-	-	-	-	1	1	-	111
		F	4	1	-	-	-	-	-	-	1	1	1	146
B25	Chronic rheumatic heart disease	M	220	-	-	-	2	12	30	47	71	34	24	115
		F	392	-	-	1	2	13	37	89	103	88	59	109

TABLE 19 - *continued*

East and West Ridings Region - *continued*

Abbreviated List No.	Causes of death		Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
B26	Arteriosclerotic heart disease including coronary disease (420)	M	6,360	-	-	-	2	12	189	717	1,851	1,996	1,593	110
		F	4,220	-	-	-	1	6	25	104	549	1,544	1,991	118
	Degenerative heart disease (421, 422)	M	1,325	-	-	1	2	1	5	23	97	305	891	106
		F	2,056	-	-	-	3	-	3	13	56	301	1,680	100
B27	Other diseases of heart	M	503	-	1	-	2	1	8	19	77	157	238	96
		F	662	1	-	-	1	3	7	13	52	172	413	101
B28	Hypertension with heart disease	M	304	-	-	-	-	-	3	7	64	114	116	101
		F	446	-	-	-	-	1	2	8	36	136	263	99
B29	Hypertension without mention of heart	M	199	-	-	1	-	4	13	22	40	60	59	104
		F	213	-	-	-	-	1	3	8	27	54	120	104
B46 (Pt.)	Other circulatory diseases (450-468)	M	830	2	-	-	-	4	6	23	98	198	499	113
		F	1,223	-	-	-	6	5	10	21	58	223	900	128
B30	Influenza	M	35	-	-	1	1	-	1	4	10	9	9	81
		F	48	-	1	-	1	-	-	1	8	9	28	102
B31	Pneumonia	M	1,293	135	10	8	8	5	14	52	146	313	602	108
		F	1,342	107	12	6	4	1	11	27	97	224	853	100
B32	Bronchitis	M	2,319	26	7	1	2	3	18	104	569	846	743	127
		F	891	16	6	1	6	4	11	54	130	231	432	129
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	292	21	3	2	5	3	13	23	71	96	55	97
		F	148	19	1	-	2	3	11	14	18	28	52	102
B33	Ulcer of stomach and duodenum	M	240	-	-	-	-	2	10	22	60	81	65	106
		F	124	-	-	-	-	1	1	6	10	51	55	104
B34	Appendicitis	M	29	-	1	5	-	-	3	1	3	12	4	120
		F	19	-	1	1	1	-	-	-	4	5	7	97
B35	Intestinal obstruction and hernia	M	133	21	4	1	-	4	3	9	22	34	35	108
		F	124	5	-	-	-	1	2	5	18	28	65	87
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	105	30	12	4	1	2	2	5	15	15	19	113
		F	155	26	10	-	-	1	5	2	13	38	60	111
B37	Cirrhosis of liver	M	57	-	-	-	-	-	3	7	24	17	6	96
		F	71	-	-	-	-	3	3	8	15	25	17	123
B38	Nephritis and nephrosis	M	129	-	2	-	6	8	15	18	27	25	28	96
		F	157	1	-	2	2	5	11	9	21	44	62	127
B39	Hyperplasia of prostate	M	184	-	-	-	-	-	-	-	11	47	126	92
B40	Complications of pregnancy, childbirth and puerperium	F	21	-	-	-	7	10	3	1	-	-	-	104
B41	Congenital malformations	M	236	171	12	13	9	6	9	5	5	4	2	96
		F	221	156	19	9	6	3	5	7	7	5	4	102
B42	Birth injuries, postnatal asphyxia and atelectasis	M	299	299	-	-	-	-	-	-	-	-	-	120
		F	168	168	-	-	-	-	-	-	-	-	-	103
B43	Diarrhoea of newborn (764)	M	9	9	-	-	-	-	-	-	-	-	-	303
		F	2	2	-	-	-	-	-	-	-	-	-	101
	Other infections of newborn (763, 765-768)	M	38	38	-	-	-	-	-	-	-	-	-	106
		F	31	31	-	-	-	-	-	-	-	-	-	132
B44	Other diseases of early infancy and immaturity unqualified	M	210	210	-	-	-	-	-	-	-	-	-	106
		F	141	141	-	-	-	-	-	-	-	-	-	95
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	121	3	1	-	-	1	-	1	3	4	108	84
		F	206	-	-	1	-	-	-	-	1	8	196	72
B46 (Rem.)	All other diseases (Remainder 001-795)	M	707	26	13	23	20	18	30	72	128	183	194	94
		F	1,091	16	16	14	24	28	55	100	163	269	406	103
BE47	Motor vehicle accidents	M	503	1	13	27	155	63	48	45	50	44	57	109
		F	226	-	10	19	23	16	12	22	38	43	43	126
BE48	All other accidents	M	590	26	21	32	60	48	48	54	93	67	141	118
		F	606	22	12	12	8	6	18	25	38	94	371	122
BE49	Suicide and self-inflicted injury	M	275	-	-	-	18	31	39	56	63	43	25	97
		F	210	-	-	-	11	20	21	36	59	46	17	98
BE50	Homicide and operations of war	M	15	-	-	1	2	1	7	1	-	3	-	108
		F	12	-	1	3	2	2	2	-	1	1	-	99
BN47	Fractures, head injuries and internal injuries	M	792	1	16	34	174	82	72	74	99	74	166	115
		F	600	3	10	22	23	14	15	24	44	105	340	129
BN48	Burns	M	24	1	-	1	3	2	2	4	5	2	4	104
		F	47	1	4	3	1	3	2	3	6	5	19	127
BN49	Effects of poisons	M	286	-	6	1	12	35	39	51	65	46	31	105
		F	290	1	1	1	9	18	30	47	69	63	51	105
BN50	All other injuries	M	281	25	12	24	46	24	29	27	37	35	22	101
		F	117	17	8	8	11	9	6	9	17	11	21	97

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		West Yorkshire Conurbation										
			Age										
			All ages	Under 1 year	Years								S.M.R. (England and Wales = 100)
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	10,932	459	40	52	126	114	325	896	2,502	3,202	3,216	113
		F	10,779	309	48	41	47	88	224	557	1,342	2,800	5,323	110
B1	Tuberculosis of respiratory system	M	91	-	-	-	1	1	6	16	27	26	14	147
		F	21	-	-	-	-	3	4	3	7	3	1	111
B2	Tuberculosis, other forms	M	9	-	1	-	1	-	4	2	-	1	-	174
		F	5	-	-	-	-	-	-	2	1	1	1	100
B3	Syphilis and its sequelae	M	17	-	-	-	-	-	-	1	4	10	2	96
		F	8	-	-	-	-	-	-	-	1	3	4	71
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	266
B7	Scarlet fever and streptococcal sore throat	M	1	-	1	-	-	-	-	-	-	-	-	346
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	124
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	60
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	2	-	-	2	-	-	-	-	-	-	-	182
		F	1	-	-	1	-	-	-	-	-	-	-	64
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	15	5	-	-	-	1	1	4	1	2	1	97
		F	21	1	-	1	1	2	1	4	2	3	6	125
	Malignant neoplasm: (140-205)	M	2,053	1	5	6	9	24	67	204	616	722	399	102
		F	1,923	-	5	7	4	22	83	248	410	547	597	104
	stomach (151)	M	272	-	-	-	-	-	8	32	72	106	54	101
		F	229	-	-	-	1	1	2	15	40	67	103	108
	trachea, bronchus and lung (162, 163)	M	800	-	-	-	1	3	18	94	307	289	88	102
		F	137	-	-	-	-	2	6	23	43	36	27	91
B18	breast (170)	M	3	-	-	-	-	-	-	-	1	1	1	98
		F	353	-	-	-	-	3	23	54	85	101	87	93
	uterus (171-174)	F	183	-	-	-	-	3	15	35	44	53	33	120
	Leukaemia and aleukaemia (204)	M	61	1	3	4	3	6	3	3	11	17	10	109
		F	61	-	2	4	1	4	2	11	10	14	13	124
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	917	-	2	2	5	15	38	75	225	309	246	101
		F	960	-	3	3	2	9	35	110	188	276	334	105
B19	Benign and unspecified neoplasms	M	36	1	-	1	1	2	4	4	11	7	5	140
		F	36	-	1	1	1	2	4	4	6	10	7	121
B20	Diabetes mellitus	M	53	-	1	-	-	1	4	4	10	17	16	107
		F	103	-	-	-	-	2	2	1	11	45	42	107
B21	Anaemias	M	20	-	-	-	1	-	-	-	7	7	5	103
		F	60	-	1	1	-	-	-	1	6	13	38	148
B22	Vascular lesions affecting central nervous system	M	1,227	1	-	-	2	1	11	49	200	382	581	119
		F	1,861	2	-	-	2	-	17	52	197	487	1,104	112
B23	Non-meningococcal meningitis	M	8	5	-	-	-	-	-	1	1	1	-	88
		F	9	5	-	-	1	-	1	-	1	-	1	118
B24	Rheumatic fever	M	1	-	-	-	-	-	-	-	-	1	-	92
		F	1	-	-	-	-	-	-	-	1	-	-	85
B25	Chronic rheumatic heart disease	M	102	-	-	-	1	3	18	23	32	15	10	132
		F	180	-	-	1	-	6	22	33	42	44	32	116

TABLE 19 - *continued*

Abbrevi-ated List No.	Causes of death		West Yorkshire Conurbation - *continued*											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	2,920	-	-	-	-	6	95	340	877	896	706	125
		F	2,052	-	-	-	1	3	13	43	259	750	983	131
		M	494	-	-	-	1	-	2	9	45	123	314	101
		F	809	-	-	-	1	-	1	6	26	124	651	89
B27	Other diseases of heart	M	228	-	1	-	1	1	3	11	50	71	90	110
		F	297	-	-	-	-	-	-	7	29	79	182	103
B28	Hypertension with heart disease	M	125	-	-	-	-	-	1	4	35	39	46	104
		F	183	-	-	-	-	-	-	3	18	63	99	93
B29	Hypertension without mention of heart	M	96	-	-	1	-	2	5	13	21	32	22	125
		F	79	-	-	-	-	-	1	1	12	19	46	88
B46 (Pt.)	Other circulatory diseases (450-468)	M	279	1	-	-	-	-	2	10	45	80	141	96
		F	489	-	-	-	2	3	4	8	29	105	338	116
B30	Influenza	M	6	-	-	-	-	-	-	-	2	2	2	35
		F	8	-	-	-	-	-	-	1	-	4	3	39
B31	Pneumonia	M	555	68	4	3	4	4	8	18	73	143	230	117
		F	627	59	5	2	1	1	2	11	41	105	400	107
B32	Bronchitis	M	935	6	1	-	2	2	6	51	210	353	304	127
		F	366	1	1	-	1	1	5	22	53	88	194	121
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	87	7	1	1	2	1	2	5	22	34	12	71
		F	61	3	-	-	2	-	4	7	14	14	17	97
B33	Ulcer of stomach and duodenum	M	108	-	-	-	-	2	2	10	28	37	29	119
		F	59	-	-	-	-	1	1	2	6	22	27	113
B34	Appendicitis	M	9	-	-	1	-	-	1	1	1	2	3	93
		F	12	-	1	1	1	-	-	-	1	3	5	142
B35	Intestinal obstruction and hernia	M	46	11	-	-	-	-	1	2	10	10	12	94
		F	62	2	-	-	-	1	1	2	11	14	31	100
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	43	9	5	2	1	1	2	2	7	5	9	115
		F	63	11	5	-	-	-	-	-	9	14	24	104
B37	Cirrhosis of liver	M	23	-	-	-	-	-	3	2	10	5	3	96
		F	31	-	-	-	-	2	-	4	5	13	7	123
B38	Nephritis and nephrosis	M	51	-	-	-	4	3	9	6	9	10	10	94
		F	67	1	-	1	-	1	5	2	10	17	30	126
B39	Hyperplasia of prostate	M	80	-	-	-	-	-	-	-	3	24	53	103
B40	Complications of pregnancy, childbirth and puerperium	F	11	-	-	-	4	4	2	1	-	-	-	138
B41	Congenital malformations	M	102	77	5	5	3	2	2	-	4	3	1	102
		F	90	61	11	5	1	-	-	4	4	2	2	101
B42	Birth injuries, postnatal asphyxia and atelectasis	M	131	131	-	-	-	-	-	-	-	-	-	129
		F	64	64	-	-	-	-	-	-	-	-	-	96
B43	Diarrhoea of newborn (764)	M	3	3	-	-	-	-	-	-	-	-	-	248
		F	1	1	-	-	-	-	-	-	-	-	-	124
	Other infections of newborn (763, 765-768)	M	15	15	-	-	-	-	-	-	-	-	-	103
		F	10	10	-	-	-	-	-	-	-	-	-	104
B44	Other diseases of early infancy and immaturity unqualified	M	89	89	-	-	-	-	-	-	-	-	-	110
		F	66	66	-	-	-	-	-	-	-	-	-	109
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	40	1	-	-	-	-	-	-	1	2	36	71
		F	86	-	-	1	-	-	-	-	-	3	82	68
B46 (Rem.)	All other diseases (Remainder 001-795)	M	284	16	3	7	4	8	11	33	50	74	78	95
		F	492	11	7	5	8	13	29	46	76	113	184	108
BE47	Motor vehicle accidents	M	204	-	3	12	53	29	23	21	24	18	21	112
		F	109	-	2	10	12	6	6	11	15	22	25	144
BE48	All other accidents	M	227	11	9	11	26	9	13	23	44	29	52	114
		F	254	11	8	4	-	5	9	13	16	40	148	119
BE49	Suicide and self-inflicted injury	M	114	-	-	-	9	11	18	26	22	19	9	100
		F	97	-	-	-	4	9	7	15	21	29	12	107
BE50	Homicide and operations of war	M	2	-	-	-	-	-	1	1	-	-	-	36
		F	3	-	-	-	-	1	-	-	1	1	-	60
BN47	Fractures, head injuries and internal injuries	M	293	-	4	15	62	26	25	31	43	28	59	108
		F	236	1	3	10	10	5	6	12	18	39	132	117
BN48	Burns	M	12	1	-	-	1	1	-	3	3	1	2	131
		F	24	-	3	1	-	2	-	-	3	4	11	152
BN49	Effects of poisons	M	130	-	3	1	5	15	15	24	29	25	13	118
		F	145	1	-	1	3	9	14	22	24	42	29	123
BN50	All other injuries	M	112	10	5	7	20	7	15	13	15	12	8	100
		F	58	9	4	2	3	5	2	5	8	7	13	114

TABLE 19 - *continued*

Abbrev-iated List No.	Causes of death		North Western Region											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	41,418	1,633	227	248	462	469	1,370	3,513	9,426	11,706	12,364	111
		F	39,869	1,240	173	137	175	306	858	2,171	5,096	10,236	19,477	110
B1	Tuberculosis of respiratory system	M	294	-	2	-	1	8	12	43	83	104	41	125
		F	82	-	1	-	-	3	17	20	14	16	11	116
B2	Tuberculosis, other forms	M	19	1	-	1	-	-	3	3	6	3	2	97
		F	17	-	-	-	-	-	2	3	4	2	6	91
B3	Syphilis and its sequelae	M	66	-	-	-	-	1	-	9	10	28	18	98
		F	49	-	-	-	-	-	1	2	6	19	21	119
B4	Typhoid fever	M	1	-	-	-	1	-	-	-	-	-	-	761
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	2	-	-	-	-	-	-	-	1	-	1	213
		F	5	2	-	1	-	-	-	-	1	1	-	348
B7	Scarlet fever and streptococcal sore throat	M	1	1	-	-	-	-	-	-	-	-	-	86
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	62
		F	2	2	-	-	-	-	-	-	-	-	-	62
B10	Meningococcal infections	M	9	6	1	1	-	-	-	1	-	-	-	117
		F	7	4	1	2	-	-	-	-	-	-	-	107
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	9	-	8	-	-	-	-	1	-	-	-	205
		F	13	4	6	2	-	-	-	-	-	1	-	207
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	54	5	-	5	2	3	6	11	6	9	7	91
		F	53	4	4	2	3	3	2	11	4	8	12	84
	Malignant neoplasm: (140-205)	M	8,197	3	21	40	48	70	294	913	2,550	2,672	1,586	107
		F	6,907	4	25	20	31	67	308	891	1,629	1,970	1,962	100
	stomach (151)	M	1,165	-	-	-	1	2	25	106	356	406	269	114
		F	969	-	-	-	-	3	13	70	154	332	397	124
	trachea, bronchus and lung (162, 163)	M	3,331	-	-	-	3	10	102	460	1,286	1,081	389	112
		F	552	-	-	-	1	2	30	77	183	169	90	99
B18	breast (170)	M	12	-	-	-	-	-	-	2	2	4	4	104
		F	1,287	-	-	-	-	16	83	244	344	316	284	91
	uterus (171-174)	F	636	-	1	-	1	5	54	140	156	150	129	112
	Leukaemia and aleukaemia (204)	M	211	-	7	17	15	8	20	21	56	41	26	98
		F	171	1	11	8	10	8	7	15	36	37	38	92
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	3,478	3	14	23	29	50	147	324	850	1,140	898	100
		F	3,292	3	13	12	19	33	121	345	756	966	1,024	98
B19	Benign and unspecified neoplasms	M	126	2	1	5	7	5	12	19	33	24	18	128
		F	125	-	1	2	2	4	14	24	22	31	25	112
B20	Diabetes mellitus	M	172	-	1	4	-	1	11	7	42	44	62	91
		F	375	-	-	1	3	-	5	13	48	152	153	106
B21	Anaemias	M	93	-	2	1	-	-	2	-	10	32	46	124
		F	202	1	1	2	2	-	3	4	19	57	113	135
B22	Vascular lesions affecting central nervous system	M	4,746	3	1	4	12	14	73	230	816	1,522	2,071	120
		F	6,852	2	1	3	9	12	63	239	641	1,923	3,959	112
B23	Non-meningococcal meningitis	M	39	13	5	-	1	-	-	4	6	8	2	109
		F	35	17	1	-	2	1	1	1	4	7	1	119
B24	Rheumatic fever	M	5	-	-	1	-	-	-	1	2	-	1	120
		F	5	-	-	1	-	-	-	1	-	1	2	113
B25	Chronic rheumatic heart disease	M	301	-	-	-	7	21	41	59	88	57	28	103
		F	731	-	-	1	1	27	74	132	209	178	109	127

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		North Western Region - *continued*											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420)	M	10,076	-	-	-	1	25	364	1,170	2,955	3,207	2,354	114
		F	6,374	-	-	-	-	8	50	215	968	2,263	2,870	111
	Degenerative heart disease (421, 422)	M	2,144	-	-	1	2	6	27	39	167	458	1,444	113
		F	3,750	1	-	-	2	3	7	26	127	565	3,019	113
B27	Other diseases of heart	M	954	5	-	2	2	8	18	37	189	307	386	119
		F	1,399	1	-	2	1	5	18	39	114	367	852	132
B28	Hypertension with heart disease	M	451	-	-	-	-	3	11	25	111	154	147	98
		F	743	-	-	-	-	2	4	18	70	236	413	102
B29	Hypertension without mention of heart	M	264	-	-	-	4	4	25	40	60	67	64	90
		F	275	-	-	-	1	-	9	17	33	77	138	84
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,208	-	-	2	6	5	14	46	168	295	672	108
		F	1,609	1	1	-	4	9	10	36	113	311	1,124	104
B30	Influenza	M	55	1	1	-	1	1	1	4	10	8	28	83
		F	59	1	-	2	1	1	1	3	5	13	32	78
B31	Pneumonia	M	1,862	170	45	13	16	11	27	80	244	456	800	101
		F	2,301	144	26	11	8	3	15	43	154	446	1,451	107
B32	Bronchitis	M	3,380	45	5	2	4	2	31	208	890	1,197	996	120
		F	1,470	34	5	1	3	1	17	64	200	450	695	132
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	465	5	2	4	3	5	13	47	127	153	106	100
		F	249	2	3	3	2	8	13	26	31	47	114	106
B33	Ulcer of stomach and duodenum	M	366	-	-	1	1	2	14	28	92	115	113	106
		F	176	-	-	-	-	-	9	8	30	48	81	92
B34	Appendicitis	M	44	1	-	3	1	1	2	8	5	10	13	118
		F	29	-	1	4	-	-	1	1	4	8	10	92
B35	Intestinal obstruction and hernia	M	181	12	-	1	3	3	4	13	37	42	66	96
		F	226	12	1	-	2	1	4	24	30	54	98	99
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	161	46	11	1	4	4	11	10	23	30	21	111
		F	223	38	5	2	2	4	5	15	19	50	83	99
B37	Cirrhosis of liver	M	93	1	1	-	-	-	5	11	43	26	6	102
		F	87	2	-	-	2	-	1	13	22	29	18	93
B38	Nephritis and nephrosis	M	225	3	1	2	8	14	24	33	49	47	44	109
		F	196	1	1	3	7	2	10	18	35	53	66	99
B39	Hyperplasia of prostate	M	313	-	-	-	-	-	-	2	15	90	206	104
B40	Complications of pregnancy, childbirth and puerperium	F	37	-	-	-	9	18	10	-	-	-	-	118
B41	Congenital malformations	M	399	316	23	17	9	7	10	5	6	4	2	100
		F	353	261	20	22	10	5	10	8	9	4	4	100
B42	Birth injuries, postnatal asphyxia and atelectasis	M	497	497	-	-	-	-	-	-	-	-	-	122
		F	317	317	-	-	-	-	-	-	-	-	-	119
B43	Diarrhoea of newborn (764)	M	5	5	-	-	-	-	-	-	-	-	-	103
		F	4	4	-	-	-	-	-	-	-	-	-	123
	Other infections of newborn (763, 765-768)	M	75	75	-	-	-	-	-	-	-	-	-	128
		F	34	34	-	-	-	-	-	-	-	-	-	88
B44	Other diseases of early infancy and immaturity unqualified	M	316	316	-	-	-	-	-	-	-	-	-	98
		F	253	253	-	-	-	-	-	-	-	-	-	104
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	412	1	1	-	-	2	1	1	4	26	376	188
		F	791	2	-	-	-	-	1	1	1	39	747	171
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,211	34	21	33	35	40	70	128	242	285	323	105
		F	1,794	33	13	18	20	53	82	132	321	506	616	106
BE47	Motor vehicle accidents	M	774	-	30	50	202	102	80	82	96	66	66	109
		F	335	1	18	20	28	23	15	29	44	85	72	116
BE48	All other accidents	M	857	64	41	52	46	55	85	104	111	89	210	111
		F	954	54	33	10	8	19	26	35	70	143	556	120
BE49	Suicide and self-inflicted injury	M	461	-	-	-	29	45	71	87	127	66	36	106
		F	348	-	-	1	10	22	48	58	90	76	43	102
BE50	Homicide and operations of war	M	33	-	3	2	6	1	8	4	2	5	2	153
		F	23	4	5	1	2	2	2	1	5	-	1	119
BN47	Fractures, head injuries and internal injuries	M	1,181	1	33	56	216	124	111	132	162	116	230	112
		F	904	4	19	22	27	25	19	33	73	163	519	121
BN48	Burns	M	40	1	11	1	3	2	3	3	3	5	8	112
		F	77	1	10	4	-	3	2	3	11	17	26	130
BN49	Effects of poisons	M	457	4	8	3	28	44	75	87	105	60	43	109
		F	463	2	14	2	11	25	53	66	98	97	95	104
BN50	All other injuries	M	447	58	22	44	36	33	55	55	66	45	33	103
		F	216	52	13	4	10	13	17	21	27	27	32	111

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		South East Lancashire Conurbation										
			Age										S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over
	ALL CAUSES	M	15,116	661	86	84	144	189	536	1,338	3,616	4,179	4,283	114
		F	14,608	508	65	50	62	107	322	831	1,896	3,782	6,985	111
B1	Tuberculosis of respiratory system	M	114	-	2	-	-	1	5	23	30	40	13	134
		F	37	-	1	-	-	2	7	13	4	5	5	143
B2	Tuberculosis, other forms	M	7	1	-	-	-	-	-	1	2	1	2	97
		F	7	-	-	-	-	-	1	2	-	-	4	102
B3	Syphilis and its sequelae	M	23	-	-	-	-	-	-	4	1	9	9	95
		F	20	-	-	-	-	-	1	-	3	11	5	134
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	-	-	1	298
		F	2	-	-	-	-	-	-	-	1	1	-	381
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	168
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	3	2	1	-	-	-	-	-	-	-	-	106
		F	-	-	-	-	-	-	-	-	-	-	-	-
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	2	-	2	-	-	-	-	-	-	-	-	124
		F	6	2	3	1	-	-	-	-	-	-	-	261
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	18	3	-	2	1	1	2	2	2	4	1	83
		F	23	2	3	-	2	-	1	5	-	3	7	99
B18	Malignant neoplasm: (140-205)	M	3,105	1	6	15	16	30	120	334	1,020	1,011	552	112
		F	2,574	3	6	9	10	27	117	352	618	715	717	102
	stomach (151)	M	444	-	-	-	-	2	9	31	144	157	101	121
		F	361	-	-	-	-	1	5	26	60	132	137	127
	trachea, bronchus and lung (162, 163)	M	1,301	-	-	-	1	5	48	188	511	404	144	121
		F	200	-	-	-	-	1	13	27	68	54	37	98
	breast (170)	M	6	-	-	-	-	-	-	1	1	2	2	144
		F	469	-	-	-	-	5	29	93	113	121	108	91
	uterus (171-174)	F	225	-	1	-	-	2	16	56	52	55	43	108
	Leukaemia and aleukaemia (204)	M	68	-	3	6	5	4	5	12	13	15	5	88
		F	58	1	2	4	3	6	2	4	13	10	13	86
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,286	1	3	9	10	19	58	102	351	433	300	103
		F	1,261	2	3	5	7	12	52	146	312	343	379	103
B19	Benign and unspecified neoplasms	M	44	-	-	1	3	1	5	7	11	10	6	123
		F	53	-	-	-	1	-	7	13	11	9	12	129
B20	Diabetes mellitus	M	55	-	1	1	-	-	3	-	14	12	24	81
		F	137	-	-	1	-	-	1	4	16	57	58	107
B21	Anaemias	M	28	-	1	1	-	-	-	-	3	10	13	106
		F	67	1	1	-	-	-	1	-	6	19	39	124
B22	Vascular lesions affecting central nervous system	M	1,728	1	1	2	3	5	38	95	307	536	740	123
		F	2,540	-	1	1	2	5	21	96	238	730	1,446	115
B23	Non-meningococcal meningitis	M	15	8	-	-	-	-	-	2	3	2	-	114
		F	18	9	-	-	1	-	-	1	3	3	1	167
B24	Rheumatic fever	M	1	-	-	-	-	-	-	-	1	-	-	66
		F	4	-	-	-	-	-	-	1	-	1	2	249
B25	Chronic rheumatic heart disease	M	118	-	-	-	-	8	14	29	35	23	9	110
		F	301	-	-	1	-	10	34	59	85	76	36	142

TABLE 19 - *continued*

South East Lancashire Conurbation - *continued*

Abbreviated List No.	Causes of death		All ages	Age: Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
B26	Arteriosclerotic heart disease including coronary disease (420)	M	3,469	-	-	-	1	10	144	441	1,055	1,068	750	109
		F	2,139	-	-	-	-	3	20	83	335	768	930	103
	Degenerative heart disease (421, 422)	M	821	-	-	1	1	2	8	18	62	184	545	124
		F	1,474	-	-	-	1	-	-	5	50	253	1,165	123
B27	Other diseases of heart	M	353	5	-	1	1	1	7	14	80	108	136	125
		F	514	1	-	-	1	2	4	19	46	145	296	135
B28	Hypertension with heart disease	M	149	-	-	-	-	3	4	6	46	48	42	91
		F	258	-	-	-	-	2	2	4	29	76	145	98
B29	Hypertension without mention of heart	M	95	-	-	-	1	2	9	16	26	21	20	90
		F	94	-	-	-	1	-	1	4	10	28	50	79
B46 (Pt.)	Other circulatory diseases (450-468)	M	467	-	-	-	3	2	5	16	75	106	260	119
		F	647	-	1	-	2	5	2	12	36	104	485	116
B30	Influenza	M	17	1	1	-	-	1	-	2	2	3	7	72
		F	18	-	-	1	-	1	-	1	-	5	10	66
B31	Pneumonia	M	584	79	14	5	6	5	7	33	77	132	226	90
		F	696	62	11	1	1	1	2	9	46	138	425	89
B32	Bronchitis	M	1,424	12	1	-	3	1	16	89	400	493	409	143
		F	626	14	1	1	1	1	6	23	94	206	279	156
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	157	1	-	1	1	-	4	10	46	51	43	94
		F	98	1	1	2	1	2	5	8	12	19	47	115
B33	Ulcer of stomach and duodenum	M	151	-	-	-	-	-	5	14	40	42	50	122
		F	89	-	-	-	-	-	5	4	13	28	39	128
B34	Appendicitis	M	16	-	-	-	-	1	1	4	3	4	3	120
		F	10	-	-	-	-	-	1	-	2	3	4	88
B35	Intestinal obstruction and hernia	M	74	5	-	-	1	1	2	10	14	13	28	110
		F	104	4	1	-	1	-	3	13	11	29	42	126
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	65	20	5	-	2	2	6	4	8	11	7	125
		F	89	18	4	1	-	1	1	3	9	23	29	108
B37	Cirrhosis of liver	M	32	1	1	-	-	-	2	3	15	8	2	97
		F	33	2	-	-	2	-	-	5	6	11	7	97
B38	Nephritis and nephrosis	M	63	1	1	-	2	5	6	14	17	14	3	84
		F	56	-	-	1	2	1	3	7	11	12	19	78
B39	Hyperplasia of prostate	M	101	-	-	-	-	-	-	1	5	28	67	96
B40	Complications of pregnancy, childbirth and puerperium	F	16	-	-	-	6	4	6	-	-	-	-	139
B41	Congenital malformations	M	149	122	10	6	1	1	3	-	3	2	1	102
		F	117	91	6	7	4	1	5	1	1	1	-	90
B42	Birth injuries, postnatal asphyxia and atelectasis	M	220	220	-	-	-	-	-	-	-	-	-	147
		F	156	156	-	-	-	-	-	-	-	-	-	159
B43	Diarrhoea of newborn (764)	M	3	3	-	-	-	-	-	-	-	-	-	168
		F	2	2	-	-	-	-	-	-	-	-	-	168
	Other infections of newborn (763, 765-768)	M	24	24	-	-	-	-	-	-	-	-	-	111
		F	14	14	-	-	-	-	-	-	-	-	-	99
B44	Other diseases of early infancy and immaturity unqualified	M	115	115	-	-	-	-	-	-	-	-	-	97
		F	96	96	-	-	-	-	-	-	-	-	-	107
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	126	-	-	-	-	-	-	1	1	9	115	166
		F	253	-	-	-	-	-	-	-	-	12	241	153
B46 (Rem.)	All other diseases (Remainder 001-795)	M	433	12	6	11	10	22	24	49	81	111	107	104
		F	617	9	4	7	6	19	29	36	111	181	215	100
BE47	Motor vehicle accidents	M	264	-	12	21	57	41	30	25	35	25	18	102
		F	135	1	7	11	7	4	3	12	19	37	34	129
BE48	All other accidents	M	286	22	20	15	19	25	30	36	42	18	59	102
		F	304	19	13	5	4	7	9	13	25	40	169	105
BE49	Suicide and self-inflicted injury	M	180	-	-	-	10	17	32	33	53	20	15	112
		F	156	-	-	-	5	8	22	22	44	33	22	124
BE50	Homicide and operations of war	M	14	-	1	1	2	1	4	2	1	2	-	177
		F	8	1	1	-	1	1	2	1	1	-	-	112
BN47	Fractures, head injuries and internal injuries	M	386	-	11	22	65	52	43	47	53	32	61	101
		F	299	2	7	10	6	6	6	14	32	56	160	110
BN48	Burns	M	15	-	10	1	1	-	1	-	-	-	2	116
		F	28	1	5	3	-	2	-	-	4	5	8	130
BN49	Effects of poisons	M	186	2	5	1	7	20	31	33	48	19	20	121
		F	199	-	6	-	5	8	24	27	43	38	48	122
BN50	All other injuries	M	157	20	7	13	15	12	21	16	30	14	9	99
		F	77	18	3	3	6	4	6	7	10	11	9	108

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Merseyside Conurbation											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	7,610	338	48	41	79	80	266	716	1,783	2,115	2,144	111
		F	7,451	280	37	26	26	63	176	434	953	1,818	3,638	106
B1	Tuberculosis of respiratory system	M	56	-	-	-	1	1	-	3	18	24	9	129
		F	18	-	-	-	-	-	5	2	4	5	2	131
B2	Tuberculosis, other forms	M	4	-	-	-	-	-	1	1	1	1	-	107
		F	1	-	-	-	-	-	-	-	-	-	1	27
B3	Syphilis and its sequelae	M	13	-	-	-	-	-	-	1	4	3	5	106
		F	10	-	-	-	-	-	-	1	1	3	5	127
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	1	-	-	569
		F	2	1	-	1	-	-	-	-	-	-	-	675
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	138
B10	Meningococcal infections	M	1	1	-	-	-	-	-	-	-	-	-	59
		F	4	3	-	1	-	-	-	-	-	-	-	278
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	3	-	3	-	-	-	-	-	-	-	-	301
		F	1	1	-	-	-	-	-	-	-	-	-	70
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	10	1	-	-	-	1	2	3	-	1	2	85
		F	10	-	-	-	-	-	-	3	2	3	2	79
	Malignant neoplasm: (140-205)	M	1,739	1	4	8	10	13	55	214	525	569	340	123
		F	1,402	-	6	2	8	14	74	174	324	382	418	107
	stomach (151)	M	229	-	-	-	-	-	6	24	79	79	41	123
		F	185	-	-	-	-	1	-	15	32	60	77	124
	trachea, bronchus and lung (162, 163)	M	777	-	-	-	1	1	21	114	284	260	96	143
		F	134	-	-	-	1	-	9	24	39	37	24	126
B18	breast (170)	M	1	-	-	-	-	-	-	-	-	-	1	47
		F	247	-	-	-	-	5	18	51	67	55	51	92
	uterus (171-174)	F	123	-	-	-	-	-	14	27	27	29	26	113
	Leukaemia and aleukaemia (204)	M	43	-	1	2	3	1	6	3	12	10	5	104
		F	31	-	4	-	2	-	1	3	4	7	10	85
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	689	1	3	6	6	11	22	73	150	220	197	108
		F	682	-	2	2	5	8	32	54	155	194	230	106
B19	Benign and unspecified neoplasms	M	27	1	-	2	1	1	2	4	10	2	4	144
		F	25	-	1	2	-	2	3	5	1	6	5	115
B20	Diabetes mellitus	M	25	-	-	-	-	-	1	3	8	5	8	72
		F	60	-	-	-	-	-	-	3	8	28	21	89
B21	Anaemias	M	13	-	-	-	-	-	1	-	1	6	5	96
		F	48	-	-	1	-	-	1	1	5	10	30	167
B22	Vascular lesions affecting central nervous system	M	700	1	-	-	1	2	12	38	117	238	291	98
		F	1,097	1	-	1	2	2	10	41	116	306	618	94
B23	Non-meningococcal meningitis	M	6	1	1	-	-	-	-	2	-	2	-	79
		F	9	5	-	-	-	1	1	-	-	2	-	145
B24	Rheumatic fever	M	1	-	-	1	-	-	-	-	-	-	-	126
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	47	-	-	-	1	5	8	10	13	8	2	86
		F	120	-	-	-	1	5	14	33	29	26	12	108

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Merseyside Conurbation - *continued*											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	1,900	-	-	-	-	4	69	232	571	567	457	118
		F	1,320	-	-	-	-	3	9	41	190	435	642	120
		M	244	-	-	-	-	2	5	9	23	48	157	72
		F	512	-	-	-	1	-	2	8	11	53	437	80
B27	Other diseases of heart	M	176	-	-	-	-	3	3	10	29	52	79	122
		F	266	-	-	-	-	-	2	8	15	65	176	131
B28	Hypertension with heart disease	M	109	-	-	-	-	-	4	6	28	33	38	131
		F	154	-	-	-	-	-	1	3	16	38	96	111
B29	Hypertension without mention of heart	M	49	-	-	-	1	2	6	9	10	12	9	91
		F	43	-	-	-	-	-	2	7	3	13	18	68
B46 (Pt.)	Other circulatory diseases (450-468)	M	158	-	-	1	1	-	2	10	22	43	79	79
		F	233	-	-	-	-	2	2	7	21	54	147	78
B30	Influenza	M	11	-	-	-	-	-	-	-	3	-	8	90
		F	11	-	-	1	-	-	-	-	1	2	7	75
B31	Pneumonia	M	486	33	8	4	-	-	5	9	56	126	245	143
		F	726	37	4	4	-	1	5	13	37	129	496	172
B32	Bronchitis	M	618	21	1	1	-	1	6	39	169	206	174	121
		F	277	11	1	-	-	-	2	15	41	75	132	130
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	72	1	1	1	1	3	3	10	14	22	16	84
		F	44	-	1	-	1	3	2	2	8	8	19	97
B33	Ulcer of stomach and duodenum	M	57	-	-	-	-	1	4	3	17	15	17	90
		F	27	-	-	-	-	-	1	1	5	5	15	74
B34	Appendicitis	M	12	-	-	1	-	-	-	2	1	3	5	170
		F	5	-	1	1	-	-	-	-	1	2	-	81
B35	Intestinal obstruction and hernia	M	20	-	-	-	-	-	1	1	6	5	7	56
		F	40	3	-	-	-	-	-	7	7	7	16	90
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	31	11	2	-	-	-	2	2	4	5	5	109
		F	47	10	-	-	-	-	1	3	4	10	19	106
B37	Cirrhosis of liver	M	24	-	-	-	-	-	-	5	11	7	1	142
		F	15	-	-	-	-	-	-	3	4	6	2	84
B38	Nephritis and nephrosis	M	36	-	-	1	3	2	4	4	7	8	7	92
		F	39	1	-	1	-	-	3	4	5	8	17	102
B39	Hyperplasia of prostate	M	45	-	-	-	-	-	-	-	5	11	29	84
B40	Complications of pregnancy, childbirth and puerperium	F	5	-	-	-	-	4	1	-	-	-	-	74
B41	Congenital malformations	M	88	71	4	2	2	-	4	3	-	1	1	99
		F	82	65	5	2	1	1	1	2	1	1	3	104
B42	Birth injuries, postnatal asphyxia and atelectasis	M	79	79	-	-	-	-	-	-	-	-	-	85
		F	51	51	-	-	-	-	-	-	-	-	-	83
B43	Diarrhoea of newborn (764)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	135
	Other infections of newborn (763, 765-768)	M	22	22	-	-	-	-	-	-	-	-	-	164
		F	8	8	-	-	-	-	-	-	-	-	-	91
B44	Other diseases of early infancy and immaturity unqualified	M	69	69	-	-	-	-	-	-	-	-	-	93
		F	60	60	-	-	-	-	-	-	-	-	-	108
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	25	-	1	-	-	1	-	-	-	3	20	64
		F	72	-	-	-	-	-	-	1	-	4	67	80
B46 (Rem.)	All other diseases (Remainder 001-795)	M	235	7	6	7	5	3	11	21	51	49	75	108
		F	312	8	3	6	4	10	18	23	59	73	108	95
BE47	Motor vehicle accidents	M	139	-	10	4	34	12	14	22	21	9	13	95
		F	59	-	6	1	6	7	3	6	9	14	7	101
BE48	All other accidents	M	166	18	6	7	9	14	22	24	14	18	34	108
		F	173	11	6	-	-	3	3	7	12	36	95	110
BE49	Suicide and self-inflicted injury	M	81	-	-	-	7	9	16	14	22	11	2	96
		F	52	-	-	1	1	4	10	10	13	9	4	78
BE50	Homicide and operations of war	M	12	-	1	1	2	-	3	2	1	2	-	268
		F	9	2	3	1	1	1	-	-	-	-	1	217
BN47	Fractures, head injuries and internal injuries	M	231	-	10	7	40	18	23	35	31	24	43	110
		F	161	-	6	1	7	8	3	8	14	31	83	109
BN48	Burns	M	5	-	-	-	-	1	-	1	-	1	2	70
		F	19	-	3	-	-	1	-	1	1	7	6	160
BN49	Effects of poisons	M	84	-	3	1	5	8	20	13	19	11	4	103
		F	81	-	5	2	1	4	10	10	18	19	12	93
BN50	All other injuries	M	78	18	4	4	7	8	12	13	8	4	-	88
		F	32	13	1	-	-	2	3	4	1	2	6	80

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		North Midland Region										S.M.R. (England and Wales = 100)
			Age										
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	21,273	761	123	115	309	252	605	1,606	4,263	5,819	7,420	97
		F	19,363	588	109	82	115	153	418	1,011	2,249	4,613	10,025	101
B1	Tuberculosis of respiratory system	M	103	-	-	-	2	1	9	16	31	31	13	76
		F	52	-	-	-	-	3	5	12	9	14	9	139
B2	Tuberculosis, other forms	M	6	-	1	-	-	2	-	-	2	-	1	53
		F	12	-	-	-	-	1	1	1	3	1	5	120
B3	Syphilis and its sequelae	M	43	-	-	-	-	2	2	3	12	18	6	109
		F	26	1	-	-	-	1	1	-	3	7	13	120
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	3	3	-	-	-	-	-	-	-	-	-	167
		F	2	-	1	-	-	-	-	-	-	-	1	112
B10	Meningococcal infections	M	4	3	1	-	-	-	-	-	-	-	-	93
		F	7	-	5	-	-	-	-	-	-	1	1	194
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	1	-	-	-	-	-	1	-	-	-	-	601
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	4	-	1	3	-	-	-	-	-	-	-	163
		F	8	1	4	3	-	-	-	-	-	-	-	229
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	42	7	3	1	3	3	2	4	9	4	6	122
		F	31	3	2	-	2	3	2	-	6	6	7	92
	Malignant neoplasm: (140-205)	M	4,024	-	7	19	25	40	138	434	1,126	1,308	927	90
		F	3,469	5	16	18	14	35	174	469	745	957	1,036	97
	stomach (151)	M	540	-	-	-	-	1	12	52	138	211	126	91
		F	421	-	-	-	-	2	6	28	74	129	182	103
	trachea, bronchus and lung (162, 163)	M	1,424	-	-	-	1	4	42	197	517	498	165	84
		F	234	-	1	-	-	1	9	31	67	67	58	81
B18	breast (170)	M	5	-	-	-	-	-	-	1	4	-	-	75
		F	723	-	-	-	-	5	59	129	181	177	172	98
	uterus (171-174)	F	319	-	-	-	1	2	31	89	51	73	72	107
	Leukaemia and aleukaemia (204)	M	107	-	1	13	6	6	7	12	21	23	18	86
		F	97	2	8	9	2	2	5	12	18	25	14	99
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,948	-	6	6	18	29	77	172	446	576	618	96
		F	1,675	3	7	9	11	23	64	180	354	486	538	95
B19	Benign and unspecified neoplasms	M	46	-	1	5	1	1	6	9	10	8	5	81
		F	65	2	1	-	1	4	5	8	15	14	15	110
B20	Diabetes mellitus	M	121	-	1	-	-	-	4	9	28	36	43	108
		F	216	-	-	1	3	3	-	9	28	75	97	117
B21	Anaemias	M	48	1	1	-	-	-	-	-	7	7	32	107
		F	77	1	2	1	-	-	1	2	6	17	47	98
B22	Vascular lesions affecting central nervous system	M	2,579	2	2	1	5	6	25	104	368	753	1,313	109
		F	3,314	-	1	3	5	7	22	112	302	843	2,019	103
B23	Non-meningococcal meningitis	M	24	7	2	-	1	2	-	5	5	-	2	118
		F	16	2	1	-	1	1	-	2	2	6	1	100
B24	Rheumatic fever	M	2	-	-	-	-	-	1	-	1	-	-	83
		F	3	-	-	-	-	-	-	-	-	-	3	130
B25	Chronic rheumatic heart disease	M	163	-	-	-	2	4	16	41	46	32	22	96
		F	296	-	-	-	2	9	31	49	85	68	52	98

TABLE 19 - *continued*

North Midland Region - *continued*

Abbreviated List No.	Causes of death		Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
B26	Arteriosclerotic heart disease including coronary disease (420)	M	4,636	1	-	-	1	14	151	481	1,270	1,456	1,262	90
		F	2,776	-	-	-	-	3	18	70	368	922	1,395	92
	Degenerative heart disease (421, 422)	M	1,327	-	-	1	5	1	5	28	75	250	962	113
		F	2,024	-	1	-	-	1	4	14	53	275	1,676	115
B27	Other diseases of heart	M	515	-	-	-	1	5	7	17	64	164	257	107
		F	657	1	-	1	1	3	7	13	54	156	421	118
B28	Hypertension with heart disease	M	294	-	-	-	-	4	2	10	63	98	117	108
		F	454	-	-	-	-	-	-	10	50	130	264	119
B29	Hypertension without mention of heart	M	191	-	1	-	-	2	5	24	29	62	68	111
		F	191	-	-	-	-	1	5	8	22	51	104	111
B46 (Pt.)	Other circulatory diseases (450-468)	M	662	-	-	1	2	3	12	23	95	165	361	98
		F	800	-	-	1	1	3	16	20	46	169	544	98
B30	Influenza	M	71	1	-	-	-	-	-	4	12	11	43	180
		F	103	1	-	1	-	-	3	1	5	25	67	257
B31	Pneumonia	M	1,032	66	17	6	13	4	20	35	107	245	519	93
		F	1,041	55	14	4	7	3	9	27	85	190	647	91
B32	Bronchitis	M	1,755	26	8	4	-	3	21	59	390	628	616	106
		F	625	12	6	1	1	4	7	23	66	169	336	107
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	229	9	1	1	3	2	11	13	59	64	66	84
		F	164	12	2	-	-	3	5	11	11	33	87	133
B33	Ulcer of stomach and duodenum	M	214	1	-	1	-	2	4	13	44	63	86	105
		F	111	-	-	-	-	-	2	7	12	31	59	110
B34	Appendicitis	M	12	-	1	-	-	1	-	1	1	3	5	55
		F	21	1	-	1	1	1	-	3	2	1	11	126
B35	Intestinal obstruction and hernia	M	107	7	2	1	1	2	3	7	20	28	36	96
		F	111	9	2	1	-	1	3	3	10	26	56	92
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	94	15	7	-	1	2	4	3	18	15	29	112
		F	110	9	2	-	-	-	3	4	13	30	49	92
B37	Cirrhosis of liver	M	45	-	-	-	1	1	5	9	15	9	5	86
		F	49	-	-	1	-	-	6	3	13	13	13	101
B38	Nephritis and nephrosis	M	130	-	-	5	2	8	3	23	37	27	25	107
		F	108	-	-	3	7	4	6	12	18	19	39	104
B39	Hyperplasia of prostate	M	189	-	-	-	-	-	-	3	7	46	133	101
B40	Complications of pregnancy, childbirth and puerperium	F	12	-	-	-	3	7	2	-	-	-	-	66
B41	Congenital malformations	M	198	139	15	7	6	2	4	8	11	4	2	89
		F	201	148	12	12	6	3	4	6	3	5	2	103
B42	Birth injuries, postnatal asphyxia and atelectasis	M	201	201	-	-	-	-	-	-	-	-	-	89
		F	127	127	-	-	-	-	-	-	-	-	-	85
B43	Diarrhoea of newborn (764)	M	3	3	-	-	-	-	-	-	-	-	-	111
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	44	44	-	-	-	-	-	-	-	-	-	135
		F	26	26	-	-	-	-	-	-	-	-	-	122
B44	Other diseases of early infancy and immaturity unqualified	M	173	173	-	-	-	-	-	-	-	-	-	96
		F	136	136	-	-	-	-	-	-	-	-	-	100
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	155	1	-	1	-	-	-	3	4	9	137	112
		F	320	-	1	-	-	-	-	1	5	10	303	129
B46 (Rem.)	All other diseases (Remainder 001-795)	M	631	20	15	9	27	18	32	76	123	136	175	93
		F	861	18	10	7	20	22	39	63	131	214	337	96
BE47	Motor vehicle accidents	M	461	1	20	30	152	53	42	51	43	43	26	110
		F	157	1	9	16	30	9	9	10	15	34	24	101
BE48	All other accidents	M	438	26	15	19	41	46	37	45	62	49	98	96
		F	436	17	16	7	7	5	9	16	25	65	269	103
BE49	Suicide and self-inflicted injury	M	243	-	-	-	14	16	32	45	68	47	21	96
		F	142	-	-	-	2	10	18	22	38	36	16	78
BE50	Homicide and operations of war	M	10	4	1	-	-	2	1	-	1	-	1	79
		F	6	-	1	-	1	3	1	-	-	-	-	56
BN47	Fractures, head injuries and internal injuries	M	653	3	21	31	149	75	56	73	83	60	102	104
		F	414	3	9	12	26	9	10	10	22	59	254	104
BN48	Burns	M	22	-	3	1	4	2	1	-	4	4	3	104
		F	39	2	3	3	3	1	-	2	2	11	12	123
BN49	Effects of poisons	M	199	2	1	3	13	18	26	38	43	38	17	81
		F	170	-	3	2	3	12	18	24	40	40	28	72
BN50	All other injuries	M	278	26	11	14	41	22	29	30	44	37	24	111
		F	118	13	11	6	8	5	9	12	14	25	15	112

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Midland Region											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	26,845	1,094	159	180	410	382	879	2,459	5,873	7,277	8,132	104
		F	23,833	813	137	103	155	210	626	1,440	2,949	5,636	11,764	103
B1	Tuberculosis of respiratory system	M	189	-	-	-	-	-	19	32	64	48	26	115
		F	57	1	-	-	-	2	9	9	10	14	12	121
B2	Tuberculosis, other forms	M	9	-	-	-	-	1	3	1	1	3	-	63
		F	11	-	2	-	1	1	1	1	1	1	3	88
B3	Syphilis and its sequelae	M	42	-	-	-	-	-	1	7	11	14	9	90
		F	23	-	-	-	-	-	-	1	5	8	9	88
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	1	-	-	1	-	-	-	-	-	-	-	118
		F	1	-	-	-	-	1	-	-	-	-	-	507
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	5	4	1	-	-	-	-	-	-	-	-	209
		F	6	6	-	-	-	-	-	-	-	-	-	257
B10	Meningococcal infections	M	9	3	5	-	1	-	-	-	-	-	-	158
		F	6	3	1	1	-	-	-	1	-	-	-	127
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	4	2	2	-	-	-	-	-	-	-	-	123
		F	3	-	3	-	-	-	-	-	-	-	-	65
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	48	6	4	3	1	1	6	6	9	6	6	111
		F	51	7	6	3	1	1	3	9	7	6	8	119
	Malignant neoplasm: (140-205)	M	5,274	1	15	29	39	45	209	662	1,609	1,626	1,039	99
		F	4,439	7	11	16	25	58	262	651	1,009	1,190	1,210	100
	stomach (151)	M	715	-	-	-	-	1	19	89	218	217	171	101
		F	525	-	-	-	1	4	11	39	100	177	193	106
	trachea, bronchus and lung (162, 163)	M	2,022	-	-	-	2	9	54	297	778	668	214	98
		F	286	-	-	1	-	1	14	44	107	72	47	80
B18	breast (170)	M	7	-	-	-	-	-	-	3	3	1	-	88
		F	983	-	-	-	1	12	99	205	258	219	189	107
	uterus (171-174)	F	355	-	-	-	1	4	46	67	84	91	62	95
	Leukaemia and aleukaemia (204)	M	144	1	6	8	13	1	10	24	23	32	26	94
		F	124	3	7	6	5	5	6	15	15	33	29	101
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,386	-	9	21	24	34	126	249	587	708	628	99
		F	2,166	4	4	9	17	32	86	281	445	598	690	100
B19	Benign and unspecified neoplasms	M	77	-	2	4	2	6	7	15	22	9	10	109
		F	58	1	-	3	-	1	9	12	14	12	6	78
B20	Diabetes mellitus	M	160	-	2	3	1	3	11	13	37	44	46	122
		F	260	-	1	2	-	1	5	13	35	94	109	117
B21	Anaemias	M	47	-	1	1	2	1	1	3	5	14	19	91
		F	115	-	-	1	-	2	-	2	9	34	67	122
B22	Vascular lesions affecting central nervous system	M	2,949	2	2	2	6	12	38	151	540	896	1,300	109
		F	4,174	2	-	3	3	11	39	176	420	1,031	2,489	108
B23	Non-meningococcal meningitis	M	24	11	4	1	-	-	-	1	3	3	1	92
		F	14	8	2	-	-	-	1	-	-	2	1	68
B24	Rheumatic fever	M	5	-	-	1	-	-	2	1	1	-	-	167
		F	5	-	-	-	-	-	-	1	-	3	1	175
B25	Chronic rheumatic heart disease	M	204	-	-	-	4	16	25	44	59	40	16	97
		F	379	-	-	1	2	10	41	65	91	99	70	100

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Midland Region - *continued*											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	5,678	-	-	-	-	26	198	738	1,572	1,755	1,389	93
		F	3,361	-	-	-	-	3	28	97	452	1,105	1,676	93
		M	1,481	-	-	1	5	9	11	43	98	335	979	114
		F	2,346	-	1	-	-	-	3	21	60	341	1,920	112
B27	Other diseases of heart	M	625	3	1	1	5	8	11	32	106	167	291	114
		F	680	2	-	1	-	6	7	23	59	177	405	102
B28	Hypertension with heart disease	M	371	-	-	-	-	2	8	15	91	130	125	118
		F	486	-	-	-	-	-	2	13	56	144	271	107
B29	Hypertension without mention of heart	M	216	-	-	-	1	2	11	33	46	55	68	105
		F	174	-	-	-	1	1	3	12	17	45	95	84
B46 (Pt.)	Other circulatory diseases (450-468)	M	716	-	1	1	1	6	16	51	124	184	332	93
		F	851	-	1	-	3	8	18	31	81	156	553	87
B30	Influenza	M	119	6	-	-	3	4	6	15	18	25	42	256
		F	75	2	1	1	-	1	3	1	9	16	41	155
B31	Pneumonia	M	1,452	102	13	5	7	5	20	67	192	349	692	114
		F	1,499	78	17	8	7	5	24	23	98	293	946	109
B32	Bronchitis	M	2,291	19	6	1	4	5	24	145	610	775	702	119
		F	860	14	8	1	1	5	10	32	104	237	448	122
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	370	1	2	2	4	2	7	38	86	151	77	115
		F	140	2	1	2	-	4	5	13	9	36	68	92
B33	Ulcer of stomach and duodenum	M	274	1	1	-	-	6	8	23	69	86	80	115
		F	125	-	-	-	-	-	1	5	21	36	62	103
B34	Appendicitis	M	32	1	-	4	4	1	2	2	5	9	4	122
		F	20	-	1	-	1	3	-	-	2	3	10	97
B35	Intestinal obstruction and hernia	M	153	19	2	-	1	-	2	10	18	35	66	116
		F	160	6	1	1	2	2	2	11	15	38	82	109
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	120	40	3	-	1	1	2	8	17	22	26	117
		F	145	24	9	2	-	-	7	7	18	29	49	99
B37	Cirrhosis of liver	M	80	-	-	-	-	-	8	13	20	29	10	125
		F	76	1	-	1	2	-	2	10	26	17	17	126
B38	Nephritis and nephrosis	M	149	1	-	3	11	10	19	32	34	21	18	100
		F	136	1	1	2	6	8	9	11	31	32	35	106
B39	Hyperplasia of prostate	M	236	-	-	-	-	-	-	2	12	55	167	114
B40	Complications of pregnancy, childbirth and puerperium	F	24	-	-	-	3	15	5	1	-	-	-	98
B41	Congenital malformations	M	308	223	24	11	13	6	7	11	10	2	1	105
		F	280	198	26	9	10	10	3	7	5	10	2	108
B42	Birth injuries, postnatal asphyxia and atelectasis	M	297	296	1	-	-	-	-	-	-	-	-	99
		F	195	195	-	-	-	-	-	-	-	-	-	99
B43	Diarrhoea of newborn (764)	M	3	3	-	-	-	-	-	-	-	-	-	84
		F	4	4	-	-	-	-	-	-	-	-	-	167
	Other infections of newborn (763, 765-768)	M	44	44	-	-	-	-	-	-	-	-	-	102
		F	26	26	-	-	-	-	-	-	-	-	-	92
B44	Other diseases of early infancy and immaturity unqualified	M	226	225	1	-	-	-	-	-	-	-	-	95
		F	174	173	-	1	-	-	-	-	-	-	-	97
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	142	4	1	-	1	-	-	1	1	6	128	94
		F	300	3	-	-	-	-	-	-	1	9	287	102
B46 (Rem.)	All other diseases (Remainder 001-795)	M	855	45	14	27	31	43	43	68	144	212	228	105
		F	1,067	24	12	16	17	28	48	100	164	259	399	97
BE47	Motor vehicle accidents	M	618	1	14	33	188	87	53	54	73	52	63	113
		F	194	-	8	17	46	8	20	15	16	29	35	99
BE48	All other accidents	M	600	30	36	46	52	39	57	55	77	59	149	105
		F	609	24	23	10	14	3	10	24	50	88	363	118
BE49	Suicide and self-inflicted injury	M	325	-	-	-	19	30	43	65	88	58	22	100
		F	210	-	-	-	9	11	44	38	53	41	14	91
BE50	Homicide and operations of war	M	17	1	1	-	3	5	1	2	1	2	1	103
		F	14	1	1	1	1	1	2	4	1	1	1	99
BN47	Fractures, head injuries and internal injuries	M	919	3	20	46	208	99	80	81	120	90	172	115
		F	584	-	12	19	45	9	24	25	39	80	331	120
BN48	Burns	M	36	2	5	1	4	1	1	6	5	1	10	137
		F	45	2	7	4	2	-	-	7	4	5	14	114
BN49	Effects of poisons	M	328	1	12	2	20	34	37	60	73	56	33	105
		F	273	1	7	2	11	12	36	42	57	60	45	92
BN50	All other injuries	M	277	26	14	30	30	27	36	29	41	24	20	85
		F	125	22	6	3	12	2	16	7	20	14	23	93

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		West Midlands Conurbation										S.M.R. (England and Wales = 100)
			Age										
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	12,941	554	87	77	200	200	451	1,261	2,990	3,442	3,679	108
		F	11,270	417	57	45	77	109	301	745	1,328	2,693	5,498	102
B1	Tuberculosis of respiratory system	M	93	-	-	-	-	-	13	20	33	18	9	120
		F	24	1	-	-	-	-	5	5	4	6	1	105
B2	Tuberculosis, other forms	M	4	-	-	-	-	2	1	1	-	1	-	59
		F	5	-	1	-	1	1	-	-	-	1	1	83
B3	Syphilis and its sequelae	M	16	-	-	-	-	-	1	4	4	5	2	74
		F	8	-	-	-	-	-	-	1	1	3	3	64
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	4	3	1	-	-	-	-	-	-	-	-	344
		F	6	6	-	-	-	-	-	-	-	-	-	529
B10	Meningococcal infections	M	4	1	3	-	-	-	-	-	-	-	-	145
		F	1	1	-	-	-	-	-	-	-	-	-	44
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	4	2	2	-	-	-	-	-	-	-	-	255
		F	1	-	1	-	-	-	-	-	-	-	-	44
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	19	4	2	2	-	-	3	3	3	-	2	92
		F	20	5	2	2	-	-	3	3	1	1	3	96
	Malignant neoplasm: (140-205)	M	2,607	-	7	11	24	25	110	343	829	784	474	105
		F	2,138	4	6	9	13	26	122	333	453	578	594	100
	stomach (151)	M	332	-	-	-	-	1	12	48	99	96	76	101
		F	287	-	-	-	1	3	7	21	45	102	108	121
	trachea, bronchus and lung (162, 163)	M	1,067	-	-	-	2	6	29	162	418	346	104	111
		F	132	-	-	-	-	-	6	26	47	30	23	76
B18	breast (170)	M	6	-	-	-	-	-	-	3	2	1	-	160
		F	453	-	-	-	1	8	43	90	102	107	102	102
	uterus (171-174)	F	167	-	-	-	1	1	18	33	45	42	27	93
	Leukaemia and aleukaemia (204)	M	63	-	4	4	8	1	6	9	9	11	11	87
		F	53	1	4	4	1	2	1	8	6	17	9	89
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,139	-	3	7	14	17	63	121	301	330	283	102
		F	1,046	3	2	5	9	12	47	155	208	280	325	100
B19	Benign and unspecified neoplasms	M	45	-	2	1	1	5	5	9	16	4	2	134
		F	30	-	-	1	-	1	7	6	7	4	4	83
B20	Diabetes mellitus	M	74	-	-	2	-	1	7	3	12	24	25	122
		F	119	-	-	1	-	1	3	6	12	45	51	112
B21	Anaemias	M	23	-	-	1	1	-	-	2	4	7	8	98
		F	58	-	-	-	-	2	-	2	2	16	36	129
B22	Vascular lesions affecting central nervous system	M	1,398	1	1	-	4	8	17	76	278	421	592	113
		F	1,952	1	-	1	1	4	17	93	188	461	1,186	107
B23	Non-meningococcal meningitis	M	15	6	3	1	-	-	-	1	3	-	1	119
		F	3	2	-	-	-	-	-	-	-	-	1	30
B24	Rheumatic fever	M	2	-	-	-	-	-	1	1	-	-	-	141
		F	1	-	-	-	-	-	-	-	-	-	1	73
B25	Chronic rheumatic heart disease	M	108	-	-	-	3	11	11	25	31	19	8	108
		F	196	-	-	1	1	6	18	34	49	55	32	107

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		West Midlands Conurbation - *continued*											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	2,708	-	-	-	-	14	94	386	775	805	634	95
		F	1,621	-	-	-	-	2	13	54	200	536	816	94
		M	629	-	-	-	3	4	3	18	44	151	406	109
		F	1,027	-	1	-	-	-	2	9	24	153	838	104
B27	Other diseases of heart	M	251	1	1	1	2	3	7	15	52	74	95	100
		F	274	-	-	1	-	1	4	14	26	74	154	86
B28	Hypertension with heart disease	M	199	-	-	-	-	2	4	11	48	74	60	138
		F	255	-	-	-	-	-	1	9	22	75	148	118
B29	Hypertension without mention of heart	M	101	-	-	-	1	1	6	18	25	23	27	106
		F	86	-	-	-	1	-	2	4	9	22	48	87
B46 (Pt.)	Other circulatory diseases (450-468)	M	301	-	-	1	1	5	5	17	60	78	134	87
		F	336	-	1	-	2	3	6	10	27	62	225	73
B30	Influenza	M	63	6	-	-	3	1	5	10	13	11	14	294
		F	38	1	1	-	-	-	3	-	7	7	19	165
B31	Pneumonia	M	778	44	6	2	4	2	14	45	121	171	369	134
		F	770	40	10	2	2	1	14	13	48	160	480	118
B32	Bronchitis	M	1,219	17	2	1	2	4	12	85	343	398	355	138
		F	450	12	2	-	1	4	5	20	55	133	218	134
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	131	1	1	-	1	-	5	18	30	45	30	88
		F	66	1	-	2	-	2	2	6	4	18	31	91
B33	Ulcer of stomach and duodenum	M	138	1	-	-	-	3	4	11	34	44	41	125
		F	78	-	-	-	-	-	1	4	13	22	38	135
B34	Appendicitis	M	14	1	-	-	2	1	2	-	2	3	3	114
		F	8	-	-	-	1	2	-	-	-	1	4	81
B35	Intestinal obstruction and hernia	M	82	12	1	-	1	-	1	3	8	18	38	135
		F	84	4	-	-	-	1	2	8	11	21	37	120
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	68	24	2	-	1	-	1	3	11	15	11	141
		F	81	15	7	1	-	-	3	4	13	13	25	115
B37	Cirrhosis of liver	M	32	-	-	-	-	-	6	4	8	10	4	106
		F	34	-	-	-	1	-	1	8	9	6	9	117
B38	Nephritis and nephrosis	M	69	-	-	1	6	5	8	15	16	9	9	99
		F	64	-	-	-	4	6	3	7	18	13	13	103
B39	Hyperplasia of prostate	M	107	-	-	-	-	-	-	-	7	32	68	117
B40	Complications of pregnancy, childbirth and puerperium	F	11	-	-	-	-	7	3	1	-	-	-	93
B41	Congenital malformations	M	143	101	12	5	7	4	2	6	5	1	-	100
		F	127	95	5	3	5	5	1	2	1	8	2	101
B42	Birth injuries, postnatal asphyxia and atelectasis	M	154	153	1	-	-	-	-	-	-	-	-	105
		F	107	107	-	-	-	-	-	-	-	-	-	111
B43	Diarrhoea of newborn (764)	M	1	1	-	-	-	-	-	-	-	-	-	57
		F	2	2	-	-	-	-	-	-	-	-	-	172
	Other infections of newborn (763, 765-768)	M	18	18	-	-	-	-	-	-	-	-	-	85
		F	13	13	-	-	-	-	-	-	-	-	-	94
B44	Other diseases of early infancy and immaturity unqualified	M	112	112	-	-	-	-	-	-	-	-	-	96
		F	81	81	-	-	-	-	-	-	-	-	-	92
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	47	1	1	-	-	-	-	-	-	3	42	70
		F	105	3	-	-	-	-	-	-	1	5	96	76
B46 (Rem.)	All other diseases (Remainder 001-795)	M	391	26	4	9	13	24	24	37	66	100	88	103
		F	505	9	5	8	12	16	21	46	76	116	196	96
BE47	Motor vehicle accidents	M	297	1	7	14	88	39	29	21	32	30	36	113
		F	80	-	1	8	17	5	6	5	4	15	19	84
BE48	All other accidents	M	303	16	27	25	23	19	29	20	36	29	79	112
		F	287	14	13	4	9	2	4	13	24	42	162	116
BE49	Suicide and self-inflicted injury	M	157	-	-	-	7	14	20	29	41	33	13	101
		F	111	-	-	-	6	8	28	23	19	20	7	99
BE50	Homicide and operations of war	M	12	1	1	-	2	4	1	1	-	2	-	150
		F	7	-	1	1	-	1	1	2	-	1	-	102
BN47	Fractures, head injuries and internal injuries	M	435	2	11	21	92	46	39	31	53	46	94	115
		F	244	-	4	7	17	6	7	9	13	38	143	105
BN48	Burns	M	20	1	3	-	4	1	1	3	2	-	5	162
		F	24	1	4	2	2	-	-	2	3	3	7	126
BN49	Effects of poisons	M	188	1	11	2	9	20	19	28	43	38	17	126
		F	157	1	5	2	7	8	25	28	25	30	26	109
BN50	All other injuries	M	126	14	10	16	15	9	20	9	11	10	12	81
		F	60	12	2	2	6	2	7	4	6	7	12	92

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Eastern Region											S.M. (Engl ar Wal = 1
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	20,699	699	119	129	280	246	579	1,516	3,764	5,562	7,805	8
		F	19,850	484	96	80	127	156	449	984	2,110	4,401	10,963	9
B1	Tuberculosis of respiratory system	M	85	-	-	-	-	-	7	17	18	28	15	6
		F	23	-	1	-	-	-	2	4	1	7	8	5
B2	Tuberculosis, other forms	M	8	-	-	-	-	-	1	1	4	1	1	6
		F	8	-	-	1	-	-	1	1	2	1	2	7
B3	Syphilis and its sequelae	M	36	-	-	-	-	-	-	4	4	16	12	8
		F	18	-	-	-	-	-	-	4	1	3	10	7
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	6	4	2	-	-	-	-	-	-	-	-	30
		F	1	-	1	-	-	-	-	-	-	-	-	5
B10	Meningococcal infections	M	4	1	2	1	-	-	-	-	-	-	-	8
		F	1	-	1	-	-	-	-	-	-	-	-	2
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	
		F	2	-	1	-	1	-	-	-	-	-	-	5
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	28	2	-	1	-	-	4	3	9	7	2	7
		F	42	2	3	1	3	-	4	7	8	8	6	11
	Malignant neoplasm: (140-205)	M	4,332	1	20	26	22	58	136	431	1,101	1,364	1,173	9
		F	3,784	2	11	16	24	51	199	470	790	1,036	1,185	9
	stomach (151)	M	538	-	-	-	-	2	13	44	136	180	163	8
		F	379	-	-	-	-	2	9	20	53	109	186	8
	trachea, bronchus and lung (162, 163)	M	1,560	-	-	-	1	7	43	203	508	558	240	8
		F	327	-	-	-	-	4	14	45	93	111	60	10
B18	breast (170)	M	7	-	-	-	-	1	-	-	2	3	1	10
		F	771	-	-	-	-	21	63	147	163	211	166	9
	uterus (171-174)	F	275	-	-	-	-	4	31	50	56	74	60	8
	Leukaemia and aleukaemia (204)	M	131	-	8	13	4	4	15	13	19	25	30	9
		F	101	1	3	9	4	4	8	11	21	17	23	9
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,096	1	12	13	17	44	65	171	436	598	739	9
		F	1,931	1	8	7	20	16	74	197	404	514	690	10
B19	Benign and unspecified neoplasms	M	63	1	5	1	5	2	6	8	14	12	9	10
		F	55	-	2	1	2	2	4	8	9	14	13	8
B20	Diabetes mellitus	M	128	-	-	-	1	2	4	4	20	41	56	10
		F	221	-	-	-	-	1	1	4	24	78	113	10
B21	Anaemias	M	34	2	-	-	-	-	-	2	1	9	20	7
		F	60	-	-	-	-	1	-	2	3	14	40	6
B22	Vascular lesions affecting central nervous system	M	2,307	1	-	-	2	3	23	89	288	678	1,223	9
		F	3,529	-	-	-	3	3	28	92	293	783	2,327	9
B23	Non-meningococcal meningitis	M	22	7	3	3	-	-	2	3	1	1	2	10
		F	14	6	-	1	-	-	1	-	-	1	5	8
B24	Rheumatic fever	M	1	-	-	-	-	-	-	-	-	1	-	4
		F	1	-	-	-	-	-	-	-	-	-	1	4
B25	Chronic rheumatic heart disease	M	152	-	-	1	1	5	9	39	38	33	26	8
		F	231	-	-	1	2	7	13	35	50	57	66	7

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Eastern Region - *continued*										
			Age										S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
26	Arteriosclerotic heart disease including coronary disease (420)	M	4,980	-	-	-	1	17	126	482	1,227	1,557	1,570	92
		F	3,188	-	-	-	-	1	14	69	317	961	1,826	96
	Degenerative heart disease (421, 422)	M	1,117	-	-	1	2	-	10	28	64	182	830	87
		F	1,670	-	-	1	-	-	5	11	33	196	1,424	82
27	Other diseases of heart	M	474	1	-	-	1	3	8	22	45	117	277	91
		F	568	4	-	-	2	-	6	7	42	101	406	91
28	Hypertension with heart disease	M	203	-	-	-	-	-	1	7	34	74	87	70
		F	371	-	-	-	-	1	1	5	27	95	242	87
29	Hypertension without mention of heart	M	145	-	-	-	1	1	7	16	32	37	51	79
		F	154	-	-	-	-	1	2	10	12	34	95	80
46 (Pt.)	Other circulatory diseases (450-468)	M	630	-	-	-	-	1	12	27	77	164	349	86
		F	863	1	-	-	4	3	13	23	57	146	616	94
30	Influenza	M	23	-	-	-	1	-	1	1	5	7	8	54
		F	28	-	-	-	-	-	-	1	2	5	20	62
31	Pneumonia	M	1,090	62	15	6	14	10	15	31	86	221	630	91
		F	1,313	36	10	4	7	5	19	38	68	198	928	102
32	Bronchitis	M	1,391	8	5	2	3	-	8	63	265	494	543	79
		F	509	12	7	-	1	2	-	15	52	118	302	79
46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	212	6	4	-	-	1	8	14	40	67	72	74
		F	120	4	7	-	2	1	2	5	14	32	53	88
33	Ulcer of stomach and duodenum	M	186	-	-	-	2	1	8	10	40	53	72	86
		F	101	-	-	-	-	1	1	3	8	28	60	91
34	Appendicitis	M	23	-	-	1	1	-	1	-	8	4	8	99
		F	18	-	-	1	-	-	-	1	3	5	8	98
35	Intestinal obstruction and hernia	M	109	10	1	-	2	1	1	6	18	19	51	91
		F	163	11	1	-	2	1	3	5	14	48	78	122
36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	70	9	3	-	1	-	-	4	13	16	24	78
		F	125	6	4	-	-	1	4	8	11	32	59	94
37	Cirrhosis of liver	M	39	-	2	-	2	1	3	6	7	13	5	72
		F	46	1	-	-	-	-	3	2	12	17	11	89
38	Nephritis and nephrosis	M	110	-	-	3	3	2	8	16	17	28	33	86
		F	102	-	-	1	5	6	5	8	16	34	27	90
39	Hyperplasia of prostate	M	199	-	-	-	-	-	-	1	8	34	156	96
40	Complications of pregnancy, childbirth and puerperium	F	15	-	-	-	6	5	4	-	-	-	-	77
41	Congenital malformations	M	244	167	22	12	7	4	2	11	6	6	7	101
		F	165	116	16	9	5	2	3	5	3	2	4	78
42	Birth injuries, postnatal asphyxia and atelectasis	M	173	173	-	-	-	-	-	-	-	-	-	70
		F	111	111	-	-	-	-	-	-	-	-	-	69
43	Diarrhoea of newborn (764)	M	2	2	-	-	-	-	-	-	-	-	-	68
		F	1	1	-	-	-	-	-	-	-	-	-	51
	Other infections of newborn (763, 765-768)	M	24	24	-	-	-	-	-	-	-	-	-	68
		F	9	9	-	-	-	-	-	-	-	-	-	39
44	Other diseases of early infancy and immaturity unqualified	M	179	179	-	-	-	-	-	-	-	-	-	92
		F	121	121	-	-	-	-	-	-	-	-	-	82
45	Senility without mention of psychosis, ill-defined and unknown causes	M	119	3	-	-	1	-	2	-	3	5	105	76
		F	247	1	1	-	-	-	1	-	1	3	240	86
46 (Rem.)	All other diseases (Remainder 001-795)	M	691	17	12	22	18	21	39	63	124	153	222	96
		F	973	14	12	18	17	20	52	66	145	213	416	100
BE47	Motor vehicle accidents	M	424	-	5	28	133	50	52	39	54	27	36	96
		F	164	2	8	15	23	8	11	22	18	29	28	99
BE48	All other accidents	M	408	15	17	21	46	33	38	30	46	53	109	84
		F	488	24	8	8	8	5	16	10	30	64	315	103
BE49	Suicide and self-inflicted injury	M	218	-	-	-	8	29	37	37	47	39	21	82
		F	218	-	-	-	10	26	30	43	43	38	28	114
BE50	Homicide and operations of war	M	10	4	1	-	2	1	-	1	-	1	-	75
		F	9	-	2	2	-	2	1	-	1	-	1	79
BN47	Fractures, head injuries and internal injuries	M	599	1	9	28	133	63	60	50	72	68	115	90
		F	467	3	8	17	23	9	14	26	27	67	273	105
BN48	Burns	M	17	-	-	4	-	1	4	2	-	2	4	75
		F	19	-	1	1	1	1	3	1	2	4	5	55
BN49	Effects of poisons	M	182	-	1	-	11	22	26	31	37	30	24	71
		F	263	-	2	-	14	25	30	38	45	41	68	105
BN50	All other injuries	M	262	18	13	17	45	27	37	24	38	20	23	99
		F	130	23	7	7	3	6	11	10	18	19	26	115

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		London and South Eastern Region										
			Age										S.M. (Eng. a Wa.
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over
	ALL CAUSES	M	**63,385**	**2,106**	**275**	**309**	**785**	**775**	**1,740**	**5,044**	**13,316**	**17,308**	**21,727**
		F	**63,901**	**1,635**	**225**	**198**	**324**	**480**	**1,337**	**3,241**	**7,285**	**13,881**	**35,295**
B1	Tuberculosis of respiratory system	M	**384**	-	1	1	3	6	26	55	103	124	65
		F	**116**	-	1	-	-	2	18	15	29	23	28
B2	Tuberculosis, other forms	M	**40**	-	-	-	2	1	5	8	13	5	6
		F	**37**	-	2	-	-	1	2	8	6	3	15
B3	Syphilis and its sequelae	M	**142**	-	-	-	-	1	6	7	35	52	41
		F	**91**	-	-	1	-	3	2	4	12	23	46
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-
		F	**1**	-	-	-	1	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	**1**	-	-	-	-	-	-	-	-	1	-
		F	**1**	-	-	-	-	-	-	-	-	-	1
B7	Scarlet fever and streptococcal sore throat	M	**2**	1	1	-	-	-	-	-	-	-	-
		F	**1**	-	-	-	-	-	-	-	-	1	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	**2**	2	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	**8**	2	3	1	-	1	-	-	1	-	-
		F	**10**	3	1	2	1	-	1	-	1	1	-
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	**1**	-	-	1	-	-	-	-	-	-	-
		F	**1**	-	1	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	**4**	-	2	2	-	-	-	-	-	-	-
		F	**3**	-	3	-	-	-	-	-	-	-	-
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	**1**	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	**109**	7	10	5	8	6	6	9	28	12	18
		F	**116**	12	7	3	3	8	3	12	25	15	28
B18	Malignant neoplasm: (140-205)	M	**14,771**	12	36	66	77	148	420	1,517	4,273	4,655	3,567
		F	**12,925**	5	25	38	42	117	596	1,541	2,906	3,471	4,184
	stomach (151)	M	**1,685**	-	-	-	1	5	53	179	468	533	446
		F	**1,238**	-	-	-	-	5	20	75	193	350	595
	trachea, bronchus and lung (162, 163)	M	**6,116**	-	-	-	1	17	119	694	2,174	2,097	1,014
		F	**1,321**	-	-	-	1	7	50	185	370	404	304
	breast (170)	M	**20**	-	-	-	-	-	1	1	10	6	2
		F	**2,720**	-	-	-	2	23	191	510	739	624	631
	uterus (171-174)	F	**872**	-	-	-	1	8	69	140	214	245	195
	Leukaemia and aleukaemia (204)	M	**405**	5	15	30	17	14	28	48	73	91	84
		F	**341**	2	12	15	11	12	21	30	63	72	103
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	**6,545**	7	21	36	58	112	219	595	1,548	1,928	2,021
		F	**6,433**	3	13	23	27	62	245	601	1,327	1,776	2,356
B19	Benign and unspecified neoplasms	M	**156**	1	1	2	5	10	15	24	52	30	16
		F	**223**	1	5	4	5	10	19	38	53	47	41
B20	Diabetes mellitus	M	**283**	1	1	1	4	9	16	21	48	73	109
		F	**543**	1	-	-	-	3	6	17	69	155	292
B21	Anaemias	M	**133**	2	1	1	2	-	3	6	18	31	69
		F	**226**	1	4	-	1	1	4	5	28	38	144
B22	Vascular lesions affecting central nervous system	M	**5,735**	2	-	2	13	35	70	269	914	1,647	2,783
		F	**10,041**	2	1	3	11	22	76	286	827	2,177	6,636
B23	Non-meningococcal meningitis	M	**49**	19	6	1	1	1	3	3	5	4	6
		F	**50**	19	2	2	-	2	2	-	4	8	11
B24	Rheumatic fever	M	**4**	-	-	-	1	-	-	1	-	1	1
		F	**5**	-	-	1	-	-	-	-	1	3	-
B25	Chronic rheumatic heart disease	M	**529**	-	-	1	6	19	53	97	138	120	95
		F	**1,012**	-	-	-	2	16	58	127	251	268	290

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		London and South Eastern Region - *continued*											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420)	M	15,155	-	-	-	2	38	383	1,591	4,092	4,755	4,294	95
		F	10,097	-	-	-	-	7	59	245	1,068	2,987	5,731	92
	Degenerative heart disease (421, 422)	M	2,773	1	-	-	3	6	25	54	163	445	2,076	77
		F	5,625	1	1	1	1	2	10	28	91	546	4,944	84
B27	Other diseases of heart	M	1,358	-	-	2	8	17	20	47	183	366	715	92
		F	1,847	3	-	4	4	5	15	31	112	354	1,319	89
B28	Hypertension with heart disease	M	701	-	-	-	1	-	10	32	121	215	322	83
		F	1,198	-	-	-	-	-	7	15	78	280	818	85
B29	Hypertension without mention of heart	M	604	-	-	-	4	10	19	75	133	155	208	114
		F	728	-	-	-	1	5	6	38	77	164	437	115
B46 (Pt.)	Other circulatory diseases (450-468)	M	2,099	-	-	1	6	8	25	91	306	605	1,057	101
		F	3,052	-	2	1	5	12	24	96	219	598	2,095	101
B30	Influenza	M	57	1	-	2	2	5	2	5	7	11	22	47
		F	65	2	-	1	1	-	2	5	3	9	42	44
B31	Pneumonia	M	3,514	234	33	13	18	18	25	86	323	789	1,975	104
		F	4,318	147	32	14	12	10	20	62	190	681	3,150	103
B32	Bronchitis	M	4,605	57	5	1	4	5	30	207	932	1,622	1,742	91
		F	1,872	34	13	5	3	2	17	50	176	425	1,147	88
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	706	12	6	4	10	6	23	51	168	197	229	85
		F	390	14	2	2	4	-	14	25	53	71	205	89
B33	Ulcer of stomach and duodenum	M	631	1	-	-	1	5	19	34	132	180	259	100
		F	411	-	-	-	1	4	6	19	37	111	233	112
B34	Appendicitis	M	63	1	2	1	2	-	-	5	9	24	19	95
		F	52	-	1	3	2	1	2	-	8	11	24	89
B35	Intestinal obstruction and hernia	M	332	25	7	-	-	6	2	11	46	98	137	98
		F	442	16	2	-	1	2	1	11	35	104	270	102
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	238	29	10	1	4	6	10	13	36	56	73	96
		F	418	23	-	1	2	6	9	20	39	92	226	100
B37	Cirrhosis of liver	M	139	-	-	2	3	3	9	25	43	32	22	87
		F	147	-	-	-	3	2	6	23	35	38	40	87
B38	Nephritis and nephrosis	M	331	2	2	3	11	18	24	37	69	75	90	90
		F	332	1	-	4	7	12	11	22	43	88	144	91
B39	Hyperplasia of prostate	M	502	-	-	-	-	-	-	1	30	94	377	87
B40	Complications of pregnancy, childbirth and puerperium	F	59	-	-	-	17	29	12	1	-	-	-	108
B41	Congenital malformations	M	623	410	38	25	21	18	17	34	25	21	14	103
		F	547	352	45	23	17	10	11	24	31	17	17	101
B42	Birth injuries, postnatal asphyxia and atelectasis	M	607	607	-	-	-	-	-	-	-	-	-	101
		F	437	437	-	-	-	-	-	-	-	-	-	111
B43	Diarrhoea of newborn (764)	M	2	2	-	-	-	-	-	-	-	-	-	28
		F	5	5	-	-	-	-	-	-	-	-	-	104
	Other infections of newborn (763, 765-768)	M	77	77	-	-	-	-	-	-	-	-	-	89
		F	53	53	-	-	-	-	-	-	-	-	-	93
B44	Other diseases of early infancy and immaturity unqualified	M	460	459	1	-	-	-	-	-	-	-	-	96
		F	392	392	-	-	-	-	-	-	-	-	-	109
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	263	3	1	-	1	2	2	4	8	14	228	62
		F	585	3	-	-	2	-	1	3	10	6	560	62
B46 (Rem.)	All other diseases (Remainder 001-795)	M	2,095	68	34	45	70	50	112	209	365	509	633	102
		F	3,107	53	35	30	37	73	151	229	420	693	1,386	99
BE47	Motor vehicle accidents	M	1,033	1	16	57	299	96	81	108	136	103	136	84
		F	483	3	10	31	66	23	30	44	61	89	126	94
BE48	All other accidents	M	1,168	62	57	60	111	110	117	124	167	110	250	87
		F	1,109	43	30	20	38	28	33	57	106	159	595	73
BE49	Suicide and self-inflicted injury	M	850	-	-	1	72	103	156	178	192	76	72	111
		F	691	-	-	1	28	57	98	137	178	123	69	114
BE50	Homicide and operations of war	M	45	5	1	7	10	8	6	4	2	1	1	124
		F	37	9	-	3	6	5	5	3	3	2	1	114
BN47	Fractures, head injuries and internal injuries	M	1,516	6	26	70	328	144	131	163	212	152	284	82
		F	1,009	12	15	36	73	30	36	51	83	154	519	70
BN48	Burns	M	49	6	5	2	5	2	2	2	2	6	17	79
		F	73	1	2	6	2	3	5	5	9	8	32	68
BN49	Effects of poisons	M	902	3	13	11	71	98	154	159	182	92	119	122
		F	932	6	14	3	42	56	101	151	204	168	187	117
BN50	All other injuries	M	629	53	30	42	88	73	73	90	101	40	39	86
		F	306	36	9	10	21	24	24	34	52	43	53	91

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Greater London										S.M.R. (England and Wales = 100)
			Age										
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	**44,410**	**1,587**	**191**	**205**	**564**	**577**	**1,313**	**3,866**	**10,039**	**11,969**	**14,099**	**97**
		F	**43,409**	**1,215**	**159**	**138**	**242**	**366**	**985**	**2,414**	**5,197**	**9,434**	**23,259**	**93**
B1	Tuberculosis of respiratory system	M	289	-	1	-	2	4	21	38	84	87	52	98
		F	83	-	1	-	-	1	16	10	18	16	21	92
B2	Tuberculosis, other forms	M	29	-	-	-	1	1	4	6	10	3	4	118
		F	28	-	2	-	-	1	1	5	5	3	11	117
B3	Syphilis and its sequelae	M	105	-	-	-	-	1	4	6	27	35	32	126
		F	71	-	-	1	-	1	1	3	12	17	36	134
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	535
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	-	1	-	85
		F	1	-	-	-	-	-	-	-	-	-	1	59
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	284
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	29
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	6	1	2	1	-	1	-	-	1	-	-	70
		F	7	3	1	1	1	-	1	-	-	-	-	95
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	1	-	-	1	-	-	-	-	-	-	-	310
		F	1	-	1	-	-	-	-	-	-	-	-	288
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	1	-	-	1	-	-	-	-	-	-	-	21
		F	2	-	2	-	-	-	-	-	-	-	-	29
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	-	-	1	-	-	-	269
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	71	4	6	3	6	2	5	6	22	6	11	98
		F	68	5	5	3	1	6	2	4	17	10	15	86
B18	Malignant neoplasm: (140-205)	M	10,818	12	25	41	64	112	326	1,203	3,289	3,298	2,448	113
		F	9,212	3	16	28	35	96	443	1,165	2,101	2,423	2,902	106
	stomach (151)	M	1,241	-	-	-	1	5	40	151	347	399	298	98
		F	904	-	-	-	-	3	14	63	146	252	426	90
	trachea, bronchus and lung (162, 163)	M	4,643	-	-	-	1	15	96	559	1,724	1,502	746	126
		F	1,035	-	-	-	1	7	42	146	280	311	248	147
	breast (170)	M	14	-	-	-	-	-	1	1	6	4	2	97
		F	1,950	-	-	-	2	15	140	394	539	429	431	109
	uterus (171-174)	F	620	-	-	-	1	6	46	102	153	176	136	86
	Leukaemia and aleukaemia (204)	M	294	5	12	18	13	13	20	31	58	65	59	112
		F	251	2	10	9	9	11	16	26	45	49	74	109
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	4,626	7	13	23	49	79	169	461	1,154	1,328	1,343	107
		F	4,452	1	6	19	22	54	185	434	938	1,206	1,587	104
B19	Benign and unspecified neoplasms	M	112	1	-	2	4	6	9	17	40	21	12	91
		F	161	1	3	2	3	6	11	25	41	36	33	114
B20	Diabetes mellitus	M	196	1	1	-	2	6	8	16	32	56	74	83
		F	371	1	-	-	-	1	6	15	58	95	195	82
B21	Anaemias	M	89	2	1	-	2	-	3	4	14	20	43	96
		F	164	1	4	-	1	-	2	3	24	24	105	85
B22	Vascular lesions affecting central nervous system	M	3,517	1	-	2	10	26	51	197	623	1,020	1,587	72
		F	6,285	2	1	2	11	18	56	210	567	1,394	4,024	79
B23	Non-meningococcal meningitis	M	37	16	5	-	1	-	2	2	3	3	5	90
		F	34	12	1	1	-	2	1	-	3	7	7	99
B24	Rheumatic fever	M	4	-	-	-	1	-	-	1	-	1	1	78
		F	4	-	-	1	-	-	-	-	1	2	-	74
B25	Chronic rheumatic heart disease	M	412	-	-	1	5	17	41	76	110	91	71	111
		F	826	-	-	-	2	15	46	113	198	216	236	113

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Greater London - *continued*										S.M.R. (England and Wales = 100)
			Age										
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
326	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	10,667	-	-	-	2	32	293	1,228	3,114	3,215	2,783	97
		F	6,957	-	-	-	-	2	44	201	745	2,060	3,905	94
		M	1,608	1	-	-	2	5	22	40	110	282	1,146	68
		F	3,294	1	1	-	1	2	5	19	57	309	2,899	74
327	Other diseases of heart	M	875	-	-	1	7	13	17	32	125	250	430	88
		F	1,198	2	-	1	3	4	10	23	74	221	860	87
328	Hypertension with heart disease	M	459	-	-	-	1	-	7	24	82	144	201	81
		F	799	-	-	-	-	-	3	8	50	183	555	85
329	Hypertension without mention of heart	M	446	-	-	-	3	7	11	59	98	117	151	122
		F	566	-	-	-	1	4	5	27	63	130	336	133
346 (Pt.)	Other circulatory diseases (450-468)	M	1,455	-	-	-	3	7	20	73	224	420	708	105
		F	2,218	-	2	1	5	8	17	71	163	420	1,531	109
330	Influenza	M	39	1	-	1	1	4	2	3	5	9	13	47
		F	39	2	-	-	1	-	2	3	2	6	23	40
331	Pneumonia	M	2,557	191	25	7	12	11	16	69	254	593	1,379	113
		F	2,997	120	18	9	8	6	13	34	127	478	2,184	107
332	Bronchitis	M	3,391	48	5	1	4	3	22	146	710	1,183	1,269	98
		F	1,384	23	12	3	1	2	12	36	136	289	870	97
346 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	493	8	2	3	6	4	16	37	131	128	158	86
		F	265	8	1	1	3	-	7	17	40	47	141	88
333	Ulcer of stomach and duodenum	M	462	-	-	-	-	3	12	29	102	140	176	107
		F	288	-	-	-	1	2	5	13	25	85	157	116
334	Appendicitis	M	44	1	1	1	1	-	-	4	6	17	13	96
		F	35	-	1	3	1	1	1	-	5	5	18	88
335	Intestinal obstruction and hernia	M	236	18	3	-	-	5	2	7	34	72	95	102
		F	306	9	2	-	1	-	-	8	26	78	182	105
336	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	170	22	6	1	3	4	7	10	29	39	49	98
		F	286	19	-	1	1	4	8	11	24	64	154	100
337	Cirrhosis of liver	M	109	-	-	1	3	3	6	21	36	22	17	96
		F	100	-	-	-	1	-	5	15	26	24	29	85
338	Nephritis and nephrosis	M	241	2	2	2	10	12	19	30	52	58	54	93
		F	215	-	-	3	6	10	8	15	28	56	89	85
339	Hyperplasia of prostate	M	343	-	-	-	-	-	-	1	23	67	252	91
340	Complications of pregnancy, childbirth and puerperium	F	44	-	-	-	11	23	9	1	-	-	-	108
341	Congenital malformations	M	448	302	29	15	15	11	15	20	15	16	10	102
		F	394	255	29	20	9	8	8	18	22	12	13	101
342	Birth injuries, postnatal asphyxia and atelectasis	M	471	471	-	-	-	-	-	-	-	-	-	108
		F	350	350	-	-	-	-	-	-	-	-	-	123
343	Diarrhoea of newborn (764)	M	2	2	-	-	-	-	-	-	-	-	-	39
		F	2	2	-	-	-	-	-	-	-	-	-	58
	Other infections of newborn (763, 765-768)	M	60	60	-	-	-	-	-	-	-	-	-	96
		F	42	42	-	-	-	-	-	-	-	-	-	102
344	Other diseases of early infancy and immaturity unqualified	M	334	333	1	-	-	-	-	-	-	-	-	97
		F	271	271	-	-	-	-	-	-	-	-	-	104
345	Senility without mention of psychosis, ill-defined and unknown causes	M	133	2	-	-	1	-	1	2	7	9	111	48
		F	331	2	-	-	2	-	1	2	7	4	313	53
346 (Rem.)	All other diseases (Remainder 001-795)	M	1,458	50	20	25	48	34	83	161	270	338	429	102
		F	2,130	43	25	20	23	55	110	172	298	456	928	99
BE47	Motor vehicle accidents	M	740	1	11	48	209	64	59	76	101	77	94	83
		F	344	3	8	24	47	15	18	27	44	71	87	95
BE48	All other accidents	M	788	32	45	40	60	83	80	82	118	78	170	83
		F	724	27	23	11	30	24	27	41	81	107	353	70
BE49	Suicide and self-inflicted injury	M	652	-	-	1	65	89	123	136	136	52	50	117
		F	483	-	-	1	25	45	78	97	108	83	46	112
BE50	Homicide and operations of war	M	39	3	-	6	10	7	6	3	2	1	1	147
		F	27	8	-	1	6	4	3	2	1	2	-	115
BN47	Fractures, head injuries and internal injuries	M	1,057	4	19	57	223	99	94	115	154	107	185	80
		F	645	9	12	26	53	21	25	35	62	110	292	66
BN48	Burns	M	37	5	4	2	5	2	1	1	2	4	11	85
		F	59	-	1	4	2	2	3	5	7	7	28	79
BN49	Effects of poisons	M	711	3	12	9	63	84	123	123	134	68	92	134
		F	675	5	12	1	38	46	81	104	137	117	134	120
BN50	All other injuries	M	414	24	21	27	53	58	50	58	67	29	27	78
		F	199	24	6	6	15	19	17	23	28	29	32	84

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Southern Region											S.M. (England and Wales = 1
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	15,985	604	101	81	244	193	432	1,140	3,094	4,329	5,767	8
		F	15,448	421	74	70	95	119	352	715	1,624	3,422	8,556	9
B1	Tuberculosis of respiratory system	M	75	-	-	-	1	-	5	12	19	20	18	6
		F	33	-	-	-	-	2	3	1	7	8	12	10
B2	Tuberculosis, other forms	M	10	-	-	1	-	2	-	1	3	3	-	11
		F	8	-	-	-	-	-	1	-	2	1	4	9
B3	Syphilis and its sequelae	M	33	-	-	-	-	-	-	1	12	10	10	10
		F	18	-	-	-	-	-	-	1	2	6	9	9
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	1	15
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	
		F	3	-	2	1	-	-	-	-	-	-	-	20
B10	Meningococcal infections	M	4	1	-	-	-	-	-	1	1	-	1	11
		F	1	-	-	1	-	-	-	-	-	-	-	3
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	
		F	3	-	3	-	-	-	-	-	-	-	-	10
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	32	3	1	1	2	2	3	2	6	6	6	11
		F	24	1	-	-	2	-	3	3	7	1	7	8
B18	Malignant neoplasm: (140-205)	M	3,307	-	13	16	18	31	96	297	890	1,060	886	9
		F	2,993	2	10	17	11	28	172	335	622	850	946	9
	stomach (151)	M	367	-	-	-	-	-	7	30	94	124	112	7
		F	299	-	-	-	-	3	10	15	47	84	140	8
	trachea, bronchus and lung (162, 163)	M	1,222	-	-	-	-	1	28	133	461	413	186	9
		F	250	-	-	-	1	1	7	29	67	85	60	10
	breast (170)	M	4	-	-	-	-	-	-	-	-	2	2	7
		F	655	-	-	-	-	7	63	105	164	158	158	10
	uterus (171-174)	F	218	-	-	-	-	1	22	39	32	79	45	8
	Leukaemia and aleukaemia (204)	M	95	-	6	4	4	4	4	10	17	21	25	9
		F	85	-	4	6	3	3	6	5	10	20	28	10
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,619	-	7	12	14	26	57	124	318	500	561	9
		F	1,486	2	6	11	7	13	64	142	302	424	515	9
B19	Benign and unspecified neoplasms	M	45	2	2	2	1	1	4	3	7	12	11	9
		F	44	-	1	3	3	1	3	6	6	12	9	8
B20	Diabetes mellitus	M	83	-	-	-	1	1	2	10	9	25	35	9
		F	136	-	1	-	-	-	4	6	14	41	70	8
B21	Anaemias	M	36	-	1	1	-	-	-	3	3	7	21	9
		F	79	-	-	-	-	-	1	1	6	14	57	11
B22	Vascular lesions affecting central nervous system	M	1,683	1	-	1	2	3	17	74	260	491	834	8
		F	2,663	1	1	2	2	6	18	65	196	599	1,773	9
B23	Non-meningococcal meningitis	M	16	7	-	1	-	-	1	-	4	3	-	9
		F	13	8	2	-	-	-	-	-	1	1	1	9
B24	Rheumatic fever	M	4	-	-	-	-	-	-	1	2	-	1	21
		F	1	-	-	-	-	-	-	1	-	-	-	5
B25	Chronic rheumatic heart disease	M	120	-	-	-	1	2	8	29	33	36	11	9
		F	174	-	-	-	-	2	8	22	45	54	43	6

TABLE 19 - *continued*

Southern Region - *continued*

Abbreviated List No.	Causes of death		Age: All ages	Age: Under 1 year	Age: Years 1-	Age: Years 5-	Age: Years 15-	Age: Years 25-	Age: Years 35-	Age: Years 45-	Age: Years 55-	Age: Years 65-	Age: Years 75 and over	S.M.R. (England and Wales = 100)
6	Arteriosclerotic heart disease including coronary disease (420)	M	3,971	-	-	-	-	9	108	372	948	1,267	1,267	95
		F	2,489	-	-	-	1	-	6	71	260	752	1,399	92
	Degenerative heart disease (421, 422)	M	825	-	-	-	3	1	12	16	46	163	584	83
		F	1,526	-	-	-	-	1	4	7	21	163	1,330	92
7	Other diseases of heart	M	340	1	-	1	3	3	3	9	48	94	178	85
		F	412	-	-	-	2	1	5	8	26	85	285	81
8	Hypertension with heart disease	M	241	-	-	-	-	-	4	11	33	76	117	108
		F	309	-	-	-	-	-	3	11	29	78	188	90
9	Hypertension without mention of heart	M	91	-	-	-	-	1	6	6	22	30	26	65
		F	125	-	-	-	-	2	5	6	12	35	65	81
6 (Pt.)	Other circulatory diseases (450-468)	M	498	-	1	1	-	3	3	13	64	135	278	88
		F	581	-	-	1	2	3	7	11	42	118	397	78
0	Influenza	M	12	-	-	-	-	-	1	1	1	2	7	37
		F	14	-	-	-	-	-	-	-	2	7	5	39
1	Pneumonia	M	860	41	6	4	6	3	8	21	86	168	517	93
		F	1,003	26	6	9	3	6	5	7	43	150	748	96
2	Bronchitis	M	948	9	5	1	1	2	6	33	227	334	330	70
		F	351	5	7	1	-	-	1	11	29	75	222	67
6 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	173	2	3	-	1	4	8	11	46	50	48	79
		F	72	2	2	3	2	1	2	6	12	14	28	66
3	Ulcer of stomach and duodenum	M	127	-	-	1	-	-	5	10	31	44	36	76
		F	69	-	1	-	-	-	-	5	7	13	43	77
4	Appendicitis	M	10	-	-	-	-	-	-	2	1	4	3	56
		F	15	-	-	-	1	1	1	-	1	6	5	103
5	Intestinal obstruction and hernia	M	80	14	-	-	-	1	-	4	13	16	32	87
		F	120	7	1	-	-	1	1	5	13	27	65	112
6	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	64	9	11	-	-	2	5	1	9	9	18	93
		F	106	13	-	-	1	1	2	3	9	25	52	100
7	Cirrhosis of liver	M	38	1	-	-	-	-	-	4	11	13	9	92
		F	35	-	-	-	-	1	2	3	9	12	8	85
8	Nephritis and nephrosis	M	88	1	-	2	5	10	7	8	19	17	19	90
		F	72	1	-	-	4	4	5	5	10	11	32	80
9	Hyperplasia of prostate	M	128	-	-	-	-	-	-	-	5	30	93	81
0	Complications of pregnancy, childbirth and puerperium	F	16	-	-	-	3	6	7	-	-	-	-	112
1	Congenital malformations	M	173	123	8	6	3	1	5	10	7	6	4	95
		F	147	108	12	5	5	4	1	5	5	1	1	92
2	Birth injuries, postnatal asphyxia and atelectasis	M	147	147	-	-	-	-	-	-	-	-	-	79
		F	102	102	-	-	-	-	-	-	-	-	-	84
3	Diarrhoea of newborn (764)	M	2	2	-	-	-	-	-	-	-	-	-	90
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	18	18	-	-	-	-	-	-	-	-	-	67
		F	14	13	1	-	-	-	-	-	-	-	-	80
4	Other diseases of early infancy and immaturity unqualified	M	173	173	-	-	-	-	-	-	-	-	-	117
		F	106	106	-	-	-	-	-	-	-	-	-	95
5	Senility without mention of psychosis, ill-defined and unknown causes	M	75	1	1	-	-	1	-	1	-	2	69	63
		F	177	-	-	-	1	1	1	-	3	2	169	75
6 (Rem.)	All other diseases (Remainder 001-795)	M	541	14	9	7	22	19	36	52	95	113	174	98
		F	744	13	10	10	20	15	37	56	103	176	304	96
47	Motor vehicle accidents	M	373	-	15	19	122	38	33	46	44	31	25	106
		F	117	1	4	11	18	10	5	5	19	18	26	90
48	All other accidents	M	352	34	24	16	40	26	19	29	46	30	88	94
		F	351	10	9	6	3	6	11	9	17	40	240	92
49	Suicide and self-inflicted injury	M	184	-	-	-	12	26	26	45	42	22	11	91
		F	168	-	-	-	7	14	26	39	44	26	12	114
50	Homicide and operations of war	M	5	-	1	-	-	1	1	1	1	-	-	48
		F	13	2	1	-	4	2	2	1	-	1	-	150
47	Fractures, head injuries and internal injuries	M	490	1	18	18	128	40	41	53	63	44	84	94
		F	327	1	5	13	16	12	7	8	20	39	206	91
48	Burns	M	20	1	2	2	-	5	1	1	1	-	7	115
		F	29	-	-	1	-	-	2	2	3	4	17	105
49	Effects of poisons	M	197	1	7	1	10	23	26	43	39	25	22	101
		F	210	2	3	1	8	16	27	37	42	29	45	107
50	All other injuries	M	207	31	13	14	36	23	11	24	30	14	11	101
		F	83	10	6	2	8	4	8	7	15	13	10	95

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		South Western Region										
			Age										S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over
	ALL CAUSES	M	21,439	632	116	90	282	252	521	1,379	4,000	6,055	8,112	94
		F	21,003	455	72	68	96	137	391	940	2,408	4,889	11,547	97
B1	Tuberculosis of respiratory system	M	98	-	-	-	-	2	7	12	27	24	26	71
		F	30	-	1	-	-	3	7	5	2	4	8	76
B2	Tuberculosis, other forms	M	11	-	1	1	-	-	2	2	2	2	1	100
		F	12	-	-	-	-	1	1	1	1	6	2	113
B3	Syphilis and its sequelae	M	44	-	-	-	-	-	1	3	9	14	17	107
		F	20	-	-	-	-	-	-	-	5	3	12	81
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	1	-	-	259
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	64
		F	2	1	-	-	-	-	-	-	-	-	1	125
B10	Meningococcal infections	M	6	2	3	-	-	-	-	1	-	-	-	157
		F	4	-	3	-	1	-	-	-	-	-	-	121
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	1	1	-	-	-	-	-	-	-	-	-	46
		F	-	-	-	-	-	-	-	-	-	-	-	-
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	-	-	1	-	-	-	701
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	38	3	-	2	3	1	4	1	12	4	8	114
		F	40	3	1	-	-	-	-	2	13	10	11	115
	Malignant neoplasm: (140-205)	M	4,145	3	16	19	25	50	130	373	1,068	1,382	1,079	90
		F	3,903	2	6	18	14	39	174	430	869	1,081	1,270	99
	stomach (151)	M	556	-	-	-	-	2	16	42	136	187	173	90
		F	412	-	-	-	-	1	7	14	71	120	199	89
	trachea, bronchus and lung (162, 163)	M	1,347	-	-	-	-	2	23	151	478	519	174	78
		F	258	-	-	-	-	1	9	32	92	73	51	82
B18	breast (170)	M	7	-	-	-	-	-	-	-	4	1	2	103
		F	839	-	-	-	1	5	51	131	219	224	208	106
	uterus (171-174)	F	342	-	-	-	-	1	29	70	78	95	69	108
	Leukaemia and aleukaemia (204)	M	143	2	7	7	6	6	14	11	27	34	29	115
		F	112	-	4	8	4	6	10	5	14	37	24	108
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,092	1	9	12	19	40	77	169	423	641	701	98
		F	1,940	2	2	10	9	25	68	178	395	532	719	99
B19	Benign and unspecified neoplasms	M	50	1	1	-	-	5	5	7	14	7	10	90
		F	61	2	1	-	4	2	2	9	14	10	17	99
B20	Diabetes mellitus	M	133	-	-	-	2	-	3	7	17	52	52	113
		F	163	-	-	-	1	1	1	7	21	57	75	77
B21	Anaemias	M	55	-	-	-	-	-	-	3	10	12	30	113
		F	60	1	1	1	-	-	2	-	4	11	40	66
B22	Vascular lesions affecting central nervous system	M	2,532	-	-	-	1	10	29	97	378	743	1,274	99
		F	3,800	-	-	1	4	7	25	95	310	940	2,418	101
B23	Non-meningococcal meningitis	M	17	6	3	2	2	-	1	1	1	-	1	91
		F	12	4	-	1	-	1	-	1	2	3	-	77
B24	Rheumatic fever	M	2	-	-	-	-	-	-	-	1	1	-	85
		F	3	-	-	1	-	-	-	-	1	1	-	119
B25	Chronic rheumatic heart disease	M	143	-	-	-	1	6	11	24	45	32	24	86
		F	246	-	-	-	2	4	14	22	63	80	61	76

TABLE 19 - *continued*

South Western Region - *continued*

Abbreviated List No.	Causes of death		Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
326	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	4,942	-	-	-	1	7	107	397	1,228	1,714	1,488	92
		F	3,013	-	-	-	-	-	16	66	392	915	1,624	86
		M	1,722	-	-	-	1	4	13	23	121	330	1,230	133
		F	2,680	-	-	-	-	-	1	12	77	325	2,265	126
327	Other diseases of heart	M	442	1	3	-	1	1	6	16	57	126	231	85
		F	574	-	-	1	1	3	4	9	46	117	393	88
328	Hypertension with heart disease	M	338	-	-	-	-	-	3	17	72	120	126	116
		F	476	-	-	-	-	-	2	14	45	159	256	107
329	Hypertension without mention of heart	M	179	-	-	-	-	-	9	23	53	46	48	100
		F	193	-	-	-	-	-	6	12	18	52	105	97
346 (Pt.)	Other circulatory diseases (450-468)	M	729	-	-	-	1	3	7	22	85	192	419	100
		F	958	-	-	1	4	3	12	19	69	197	653	100
330	Influenza	M	41	1	-	-	-	-	2	1	7	7	23	99
		F	63	-	-	-	-	-	-	3	3	16	41	136
331	Pneumonia	M	1,075	71	12	3	2	5	15	41	109	209	608	91
		F	1,174	40	9	4	2	3	14	22	77	224	779	88
332	Bronchitis	M	1,193	5	3	1	3	5	9	47	243	416	461	68
		F	438	5	2	1	1	1	10	20	53	127	218	65
346 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	286	3	4	-	5	1	7	15	64	89	98	101
		F	158	1	-	1	2	3	8	11	24	25	83	115
333	Ulcer of stomach and duodenum	M	222	-	-	-	1	1	7	15	49	58	91	103
		F	112	-	-	-	-	1	1	5	7	34	64	97
334	Appendicitis	M	25	-	1	1	-	2	1	4	3	4	9	111
		F	22	-	1	2	-	1	2	5	-	4	7	120
335	Intestinal obstruction and hernia	M	129	15	-	-	2	-	1	6	14	44	47	111
		F	116	5	3	-	1	1	1	-	9	36	60	85
336	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	78	7	5	-	-	-	6	5	14	17	24	94
		F	144	5	6	-	-	1	1	4	16	35	76	109
337	Cirrhosis of liver	M	62	-	1	-	-	-	5	13	17	19	7	119
		F	51	-	-	1	1	-	2	13	10	17	7	97
338	Nephritis and nephrosis	M	120	-	-	-	7	8	10	15	23	28	29	99
		F	94	-	2	1	2	3	2	9	18	21	36	82
339	Hyperplasia of prostate	M	237	-	-	-	-	-	-	1	10	49	177	114
340	Complications of pregnancy, childbirth and puerperium	F	13	-	-	-	2	7	4	-	-	-	-	81
341	Congenital malformations	M	194	124	15	7	8	12	4	10	6	3	5	98
		F	178	122	14	5	5	3	4	8	6	6	5	102
342	Birth injuries, postnatal asphyxia and atelectasis	M	177	177	-	-	-	-	-	-	-	-	-	90
		F	111	111	-	-	-	-	-	-	-	-	-	86
343	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	1	1	-	-	-	-	-	-	-	-	-	43
		F	3	3	-	-	-	-	-	-	-	-	-	192
		M	27	27	-	-	-	-	-	-	-	-	-	95
		F	20	20	-	-	-	-	-	-	-	-	-	108
344	Other diseases of early infancy and immaturity unqualified	M	120	119	1	-	-	-	-	-	-	-	-	77
		F	92	92	-	-	-	-	-	-	-	-	-	78
345	Senility without mention of psychosis, ill-defined and unknown causes	M	159	-	1	-	-	-	2	2	2	5	147	103
		F	346	-	-	-	1	-	-	-	1	7	337	115
346 (Rem.)	All other diseases (Remainder 001-795)	M	643	26	12	10	18	21	21	65	112	171	187	93
		F	908	16	5	12	17	27	35	68	135	237	356	92
E47	Motor vehicle accidents	M	393	1	12	25	139	49	29	36	29	29	44	97
		F	126	-	6	10	21	9	12	10	16	20	22	79
E48	All other accidents	M	390	36	22	19	44	30	37	31	43	53	75	87
		F	392	21	11	6	5	3	6	18	32	65	225	82
E49	Suicide and self-inflicted injury	M	231	-	-	-	15	27	27	41	55	50	16	95
		F	182	-	-	-	4	10	20	40	47	42	19	99
E50	Homicide and operations of war	M	7	1	-	-	-	2	-	1	-	3	-	60
		F	8	1	-	1	1	-	1	-	1	2	1	80
N47	Fractures, head injuries and internal injuries	M	551	2	16	31	147	59	47	50	47	58	94	90
		F	361	-	6	9	20	6	10	16	31	59	204	80
N48	Burns	M	11	1	3	-	-	1	1	-	-	1	4	53
		F	22	2	4	2	-	1	2	1	-	3	7	65
N49	Effects of poisons	M	197	2	6	-	8	22	26	33	37	44	19	83
		F	217	-	1	-	5	5	22	34	50	57	43	89
N50	All other injuries	M	262	33	9	13	43	26	19	26	43	32	18	110
		F	108	20	6	6	6	10	5	17	15	10	13	103

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Wales I (South East)										
			Age										
			All ages	Under 1 year	Years								S.M. (Eng. and Wal. = 1
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	12,503	503	64	50	132	137	388	1,037	2,643	3,703	3,846	11
		F	10,329	389	44	29	66	82	241	598	1,336	2,677	4,867	10
B1	Tuberculosis of respiratory system	M	105	-	-	-	-	2	3	17	32	38	13	14
		F	23	-	-	-	1	-	6	4	6	-	6	12
B2	Tuberculosis, other forms	M	11	-	-	-	-	-	1	1	2	5	2	18
		F	2	-	1	-	-	-	-	1	-	-	-	4
B3	Syphilis and its sequelae	M	12	-	-	-	-	-	1	1	2	6	2	5
		F	10	-	-	-	-	-	-	-	3	3	4	9
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	-	-	1	35
		F	-	-	-	-	-	-	-	-	-	-	-	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	2	1	1	-	-	-	-	-	-	-	-	22
		F	1	1	-	-	-	-	-	-	-	-	-	11
B10	Meningococcal infections	M	1	1	-	-	-	-	-	-	-	-	-	4
		F	3	1	1	-	-	-	-	-	-	-	1	16
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	1	-	-	-	26
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	1	1	-	-	-	-	-	-	-	-	-	8
		F	-	-	-	-	-	-	-	-	-	-	-	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	15	1	2	-	1	1	-	2	3	3	2	8
		F	15	2	-	-	-	-	2	2	3	5	1	6
	Malignant neoplasm: (140-205)	M	2,245	-	10	5	11	28	68	225	625	786	487	9
		F	1,766	-	4	7	10	16	81	235	412	491	510	9
	stomach (151)	M	405	-	-	-	-	1	11	41	107	159	86	13
		F	250	-	-	-	-	1	-	14	42	79	114	12
	trachea, bronchus and lung (162, 163)	M	790	-	-	-	-	2	16	89	270	307	106	8
		F	77	-	-	-	-	-	2	19	25	17	14	5
B18	breast (170)	M	4	-	-	-	-	-	-	-	2	2	-	11
		F	331	-	-	-	-	4	25	77	79	77	69	8
	uterus (171-174)	F	185	-	-	-	-	-	23	36	51	41	34	12
	Leukaemia and aleukaemia (204)	M	63	-	4	1	3	2	8	6	13	20	6	9
		F	46	-	3	2	2	2	-	3	14	10	10	9
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	983	-	6	4	8	23	33	89	233	298	289	9
		F	877	-	1	5	8	9	31	86	201	267	269	9
B19	Benign and unspecified neoplasms	M	30	-	-	2	-	2	2	8	8	6	2	10
		F	29	1	-	-	-	2	2	8	9	4	3	9
B20	Diabetes mellitus	M	54	-	-	-	-	-	-	2	14	17	21	9
		F	125	-	-	-	-	-	1	3	16	55	50	13
B21	Anaemias	M	28	-	-	-	-	-	-	1	2	7	18	12
		F	48	-	-	-	-	-	-	-	7	16	25	12
B22	Vascular lesions affecting central nervous system	M	1,276	-	-	-	3	6	22	72	211	415	547	10
		F	1,663	-	-	-	2	8	19	68	171	480	915	10
B23	Non-meningococcal meningitis	M	11	4	1	1	-	-	1	1	2	1	-	10
		F	12	4	1	-	1	-	-	-	-	4	2	15
B24	Rheumatic fever	M	2	-	-	-	-	-	1	-	-	1	-	16
		F	1	-	-	-	-	-	-	-	-	1	-	8
B25	Chronic rheumatic heart disease	M	111	-	-	-	2	8	19	18	33	20	11	12
		F	229	-	-	-	3	8	25	41	59	56	37	14

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Wales I (South East) - *continued*											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420)	M	3,108	-	-	-	1	16	105	377	828	1,050	731	116
		F	1,831	-	-	-	-	1	20	72	256	619	863	123
	Degenerative heart disease (421, 422)	M	658	1	-	1	-	-	5	13	40	149	449	114
		F	939	-	-	-	-	-	2	9	30	137	761	112
B27	Other diseases of heart	M	230	-	1	-	3	3	8	7	43	68	97	95
		F	274	1	-	1	1	3	5	7	23	74	159	101
B28	Hypertension with heart disease	M	238	-	-	-	-	-	2	14	58	85	79	171
		F	288	-	-	-	-	-	2	10	34	104	138	154
B29	Hypertension without mention of heart	M	111	-	-	-	-	2	5	10	17	25	52	125
		F	123	-	-	-	-	-	-	7	14	33	69	144
B46 (Pt.)	Other circulatory diseases (450-468)	M	326	-	-	-	1	2	6	14	43	85	175	96
		F	382	-	-	-	2	1	4	8	32	78	257	97
B30	Influenza	M	40	2	-	-	-	-	2	4	8	11	13	201
		F	45	-	-	-	1	2	2	-	4	12	24	228
B31	Pneumonia	M	517	60	7	1	1	2	5	19	63	106	253	93
		F	561	47	10	3	4	1	5	10	38	115	328	101
B32	Bronchitis	M	1,125	10	-	1	2	-	6	59	260	414	373	133
		F	305	6	4	-	2	1	4	11	30	84	163	106
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	385	3	1	-	1	1	4	29	123	124	99	275
		F	79	-	1	-	-	1	3	6	15	16	37	129
B33	Ulcer of stomach and duodenum	M	89	1	-	-	-	1	4	8	20	32	23	85
		F	39	1	-	-	-	-	2	4	7	13	12	78
B34	Appendicitis	M	13	-	-	1	1	-	2	3	2	-	4	116
		F	5	-	-	-	-	-	-	1	1	1	2	60
B35	Intestinal obstruction and hernia	M	48	10	1	-	-	-	-	1	5	11	20	85
		F	44	5	-	-	-	-	1	4	4	19	11	74
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	36	8	2	1	1	2	3	4	5	4	6	85
		F	54	3	2	-	3	-	-	3	5	16	22	91
B37	Cirrhosis of liver	M	36	-	1	-	-	2	1	8	18	5	1	132
		F	37	-	-	-	1	-	2	6	9	11	8	148
B38	Nephritis and nephrosis	M	73	-	1	2	2	3	10	9	14	18	14	118
		F	71	-	-	1	-	5	2	8	16	15	24	135
B39	Hyperplasia of prostate	M	113	-	-	-	-	-	-	-	4	30	79	122
B40	Complications of pregnancy, childbirth and puerperium	F	11	-	-	-	2	5	4	-	-	-	-	120
B41	Congenital malformations	M	124	80	10	3	4	3	1	7	11	3	2	112
		F	111	97	2	3	2	1	1	3	1	-	1	114
B42	Birth injuries, postnatal asphyxia and atelectasis	M	130	130	-	-	-	-	-	-	-	-	-	117
		F	85	85	-	-	-	-	-	-	-	-	-	116
B43	Diarrhoea of newborn (764)	M	1	1	-	-	-	-	-	-	-	-	-	75
		F	1	1	-	-	-	-	-	-	-	-	-	113
	Other infections of newborn (763, 765-768)	M	20	20	-	-	-	-	-	-	-	-	-	125
		F	22	22	-	-	-	-	-	-	-	-	-	209
B44	Other diseases of early infancy and immaturity unqualified	M	127	127	-	-	-	-	-	-	-	-	-	143
		F	87	87	-	-	-	-	-	-	-	-	-	130
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	99	1	-	-	-	1	1	2	-	3	91	148
		F	156	-	-	-	-	-	1	1	1	8	145	134
B46 (Rem.)	All other diseases (Remainder 001-795)	M	401	20	11	8	8	7	25	30	65	120	107	116
		F	485	8	8	3	12	15	21	42	87	144	145	108
BE47	Motor vehicle accidents	M	193	1	6	14	57	20	22	19	26	13	15	91
		F	69	-	2	5	13	3	4	3	9	11	19	88
BE48	All other accidents	M	252	20	9	10	25	13	33	31	36	25	50	110
		F	224	15	8	4	2	3	6	8	19	37	122	108
BE49	Suicide and self-inflicted injury	M	100	-	-	-	7	9	20	21	19	17	7	77
		F	64	-	-	-	1	6	13	12	14	15	3	68
BE50	Homicide and operations of war	M	5	-	-	-	1	3	-	-	1	-	-	79
		F	9	2	-	2	3	-	1	-	1	-	-	165
BN47	Fractures, head injuries and internal injuries	M	313	2	8	17	61	26	44	37	45	23	50	99
		F	210	3	3	6	15	3	6	4	13	33	124	107
BN48	Burns	M	13	-	-	-	1	1	2	1	-	2	6	123
		F	34	1	4	1	1	1	-	3	4	7	12	215
BN49	Effects of poisons	M	77	-	1	-	6	8	15	18	16	11	2	61
		F	76	-	-	-	2	6	18	13	16	18	3	63
BN50	All other injuries	M	147	19	6	7	22	10	14	15	21	19	14	115
		F	46	13	3	4	1	2	-	3	10	5	5	86

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Wales II (remainder)											
			Age											
			All ages	Under 1 year	Years									S.M. (Eng. and Wales = 1
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	5,104	149	17	14	55	61	125	361	964	1,497	1,861	10
		F	4,810	113	22	14	24	37	78	235	532	1,204	2,551	10
B1	Tuberculosis of respiratory system	M	42	-	-	-	-	-	2	7	15	7	11	14
		F	19	-	-	-	-	1	2	1	5	5	5	22
B2	Tuberculosis, other forms	M	3	-	-	-	-	-	-	1	-	2	-	12
		F	6	-	-	-	1	-	1	-	-	2	2	26
B3	Syphilis and its sequelae	M	6	-	-	-	-	-	-	2	2	1	1	6
		F	4	-	-	-	-	-	-	-	2	1	1	7
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	1	-	-	79
		F	-	-	-	-	-	-	-	-	-	-	-	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	
		F	2	1	1	-	-	-	-	-	-	-	-	59
B10	Meningococcal infections	M	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	1	-	-	142
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	2	-	2	-	-	-	-	-	-	-	-	438
		F	1	-	-	1	-	-	-	-	-	-	-	154
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	9	1	-	-	1	-	1	-	4	1	1	125
		F	10	-	1	-	-	-	1	3	3	1	1	133
	Malignant neoplasm: (140-205)	M	957	-	1	-	4	7	26	80	248	352	239	95
		F	907	-	2	1	7	9	33	109	184	269	293	106
	stomach (151)	M	192	-	-	-	-	1	1	16	48	72	54	142
		F	134	-	-	-	-	-	2	4	19	51	58	133
	trachea, bronchus and lung (162, 163)	M	283	-	-	-	-	1	7	27	96	117	35	75
		F	46	-	-	-	-	-	1	9	14	14	8	67
B18	breast (170)	M	2	-	-	-	-	-	-	1	1	-	-	134
		F	183	-	-	-	-	4	10	33	42	45	49	106
	uterus (171-174)	F	84	-	-	-	-	1	7	21	18	23	14	121
	Leukaemia and aleukaemia (204)	M	27	-	-	-	2	1	-	1	5	11	7	100
		F	21	-	2	-	2	-	-	3	1	8	5	94
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	453	-	1	-	2	4	18	35	98	152	143	98
		F	439	-	-	1	5	4	13	39	90	128	159	104
B19	Benign and unspecified neoplasms	M	7	-	-	-	-	-	-	2	1	4	-	58
		F	11	-	-	-	1	-	1	3	-	4	2	82
B20	Diabetes mellitus	M	29	-	-	-	-	1	1	4	2	13	8	113
		F	56	-	-	-	-	-	-	2	7	24	23	122
B21	Anaemias	M	10	-	-	-	-	-	-	-	3	3	4	94
		F	22	-	-	-	-	-	-	-	5	6	11	112
B22	Vascular lesions affecting central nervous system	M	731	-	-	-	1	3	17	34	109	208	359	131
		F	980	-	-	-	-	2	3	23	78	253	621	121
B23	Non-meningococcal meningitis	M	5	2	-	1	-	-	-	-	-	2	-	125
		F	3	2	-	-	-	-	1	-	-	-	-	90
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	41	-	-	-	1	2	4	11	10	12	1	114
		F	56	-	-	-	-	3	3	10	13	10	17	80

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Wales II (remainder) - *continued*											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	1,185	-	-	-	-	3	33	114	291	394	350	101
		F	678	-	-	-	-	1	3	23	76	230	345	90
		M	311	-	-	-	1	1	-	3	22	52	232	110
		F	472	-	-	-	-	-	-	1	21	61	389	104
B27	Other diseases of heart	M	123	-	1	-	-	1	-	7	10	36	68	109
		F	158	-	-	-	-	-	2	4	11	38	103	113
B28	Hypertension with heart disease	M	62	-	1	-	-	-	2	4	11	18	26	97
		F	91	-	-	-	-	-	-	-	11	24	56	95
B29	Hypertension without mention of heart	M	47	-	-	-	1	-	3	3	12	9	19	120
		F	49	-	-	-	1	-	1	5	2	7	33	114
B46 (Pt.)	Other circulatory diseases (450-468)	M	151	-	-	-	1	1	2	5	20	40	82	94
		F	205	-	-	-	-	1	2	3	11	42	146	100
B30	Influenza	M	18	-	-	-	1	1	1	2	3	3	7	201
		F	25	-	-	-	-	-	-	1	1	6	17	251
B31	Pneumonia	M	177	14	1	-	-	-	3	5	12	41	101	69
		F	175	10	1	3	-	-	2	3	5	39	112	62
B32	Bronchitis	M	322	2	1	1	-	-	2	10	61	133	112	84
		F	125	1	2	-	-	-	4	6	13	33	66	87
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	70	-	-	-	-	-	-	1	14	32	23	114
		F	37	1	-	-	-	3	1	2	8	14	8	125
B33	Ulcer of stomach and duodenum	M	40	-	-	-	-	-	1	5	13	8	13	85
		F	30	-	-	-	-	-	-	3	4	13	10	120
B34	Appendicitis	M	5	-	1	-	-	-	-	-	1	1	2	103
		F	7	-	1	-	-	-	-	-	1	1	4	177
B35	Intestinal obstruction and hernia	M	31	3	2	-	-	1	2	-	4	12	7	122
		F	34	-	1	-	-	1	-	1	5	8	18	115
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	25	5	1	-	1	-	1	4	2	5	6	139
		F	30	-	1	-	-	-	-	-	4	11	14	105
B37	Cirrhosis of liver	M	20	-	-	-	-	-	1	4	6	8	1	176
		F	12	-	-	-	-	-	-	4	4	3	1	105
B38	Nephritis and nephrosis	M	42	-	-	-	4	1	3	3	12	7	12	160
		F	30	1	1	-	1	-	1	-	8	9	9	121
B39	Hyperplasia of prostate	M	67	-	-	-	-	-	-	1	2	18	46	147
B40	Complications of pregnancy, childbirth and puerperium	F	6	-	-	-	1	4	1	-	-	-	-	179
B41	Congenital malformations	M	48	32	2	4	1	-	1	2	1	4	1	115
		F	35	19	5	3	2	1	1	3	1	-	-	95
B42	Birth injuries, postnatal asphyxia and atelectasis	M	40	40	-	-	-	-	-	-	-	-	-	97
		F	29	29	-	-	-	-	-	-	-	-	-	107
B43	Diarrhoea of newborn (764)	M	1	1	-	-	-	-	-	-	-	-	-	203
		F	1	1	-	-	-	-	-	-	-	-	-	304
	Other infections of newborn (763, 765-768)	M	4	4	-	-	-	-	-	-	-	-	-	67
		F	5	5	-	-	-	-	-	-	-	-	-	128
B44	Other diseases of early infancy and immaturity unqualified	M	39	39	-	-	-	-	-	-	-	-	-	119
		F	36	36	-	-	-	-	-	-	-	-	-	145
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	37	1	-	-	-	-	-	-	1	2	33	110
		F	69	-	-	-	-	-	1	-	2	4	62	108
B46 (Rem.)	All other diseases (Remainder 001-795)	M	162	3	2	1	1	4	6	15	34	37	59	108
		F	232	3	1	4	1	5	8	13	34	61	102	109
BE47	Motor vehicle accidents	M	72	-	-	1	22	11	3	8	10	6	11	84
		F	26	-	2	1	6	2	-	2	-	5	8	76
BE48	All other accidents	M	100	2	2	6	7	14	7	13	10	17	22	105
		F	111	4	3	1	2	2	3	5	7	14	70	108
BE49	Suicide and self-inflicted injury	M	62	-	-	-	8	10	3	11	17	9	4	119
		F	23	-	-	-	1	2	2	5	5	6	2	57
BE50	Homicide and operations of war	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	47
BN47	Fractures, head injuries and internal injuries	M	128	1	-	3	26	19	7	11	15	20	26	98
		F	97	1	3	2	6	2	1	2	3	9	68	101
BN48	Burns	M	5	-	-	-	-	-	1	1	2	-	1	112
		F	6	-	-	-	-	-	-	-	1	2	3	82
BN49	Effects of poisons	M	40	-	2	-	4	10	1	6	6	6	5	79
		F	35	-	1	-	3	2	3	7	6	8	5	66
BN50	All other injuries	M	61	1	-	4	7	6	4	14	14	6	5	121
		F	23	3	1	-	-	2	2	3	2	6	4	102

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Conurbations											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	**M**	**96,184**	**3,806**	**472**	**486**	**1,170**	**1,225**	**3,069**	**8,573**	**22,075**	**26,356**	**28,952**	**104**
		F	**91,927**	**2,872**	**386**	**312**	**481**	**772**	**2,114**	**5,235**	**11,349**	**21,650**	**46,756**	**100**
B1	Tuberculosis of respiratory system	M	680	-	3	-	4	7	48	107	202	207	102	115
		F	190	1	2	-	-	10	38	34	38	36	31	106
B2	Tuberculosis, other forms	M	54	1	1	-	2	2	10	12	13	7	6	108
		F	50	-	3	1	1	2	2	9	7	6	19	105
B3	Syphilis and its sequelae	M	184	-	-	-	-	1	5	17	41	66	54	110
		F	122	-	-	1	-	2	2	5	18	38	56	117
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	265
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	3	-	-	-	-	-	-	-	1	1	1	127
		F	6	1	1	1	-	-	-	-	1	1	1	169
B7	Scarlet fever and streptococcal sore throat	M	1	-	1	-	-	-	-	-	-	-	-	36
		F	1	-	-	-	-	-	-	-	-	1	-	139
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	8	7	1	-	-	-	-	-	-	-	-	103
		F	8	8	-	-	-	-	-	-	-	-	-	103
B10	Meningococcal infections	M	16	6	6	1	-	1	-	-	2	-	-	85
		F	13	7	1	2	1	-	1	-	1	-	-	81
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	1	-	-	1	-	-	-	-	-	-	-	142
		F	1	-	1	-	-	-	-	-	-	-	-	138
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	12	2	7	3	-	-	-	-	-	-	-	114
		F	11	3	6	2	-	-	-	-	-	-	-	72
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	-	-	1	-	-	-	135
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	139	18	9	7	7	6	13	18	28	14	19	93
		F	145	13	11	6	5	8	7	20	22	20	33	91
B18	Malignant neoplasm: (140-205)	M	21,447	15	50	86	125	212	711	2,448	6,634	6,755	4,411	112
		F	18,034	11	40	57	74	194	881	2,375	4,099	4,866	5,437	104
	stomach (151)	M	2,676	-	-	-	1	8	80	306	785	894	602	105
		F	2,067	-	-	-	2	9	32	144	343	648	889	105
	trachea, bronchus and lung (162, 163)	M	9,069	-	-	-	6	31	222	1,195	3,442	2,949	1,224	122
		F	1,728	-	-	-	3	10	83	259	502	500	371	123
	breast (170)	M	31	-	-	-	-	-	1	6	10	8	6	107
		F	3,622	-	-	-	3	36	262	712	955	849	805	102
	uterus (171-174)	F	1,395	-	1	-	2	14	113	264	346	375	280	97
	Leukaemia and aleukaemia (204)	M	548	6	24	34	32	25	42	61	107	123	94	102
		F	479	5	22	22	17	25	24	55	82	98	129	103
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	9,123	9	26	52	86	148	366	880	2,290	2,781	2,485	105
		F	8,743	6	17	35	47	100	367	941	1,871	2,396	2,963	103
B19	Benign and unspecified neoplasms	M	271	4	3	8	10	15	26	41	89	46	29	109
		F	316	2	5	6	6	12	33	56	68	66	62	112
B20	Diabetes mellitus	M	429	1	3	3	2	8	26	28	80	121	157	91
		F	829	1	-	2	-	4	13	29	110	287	383	93
B21	Anaemias	M	181	2	2	2	4	-	4	6	31	51	79	98
		F	412	2	6	2	1	2	4	7	44	84	260	109
B22	Vascular lesions affecting central nervous system	M	9,134	5	3	5	23	47	136	478	1,622	2,772	4,043	93
		F	14,442	7	2	5	18	31	131	514	1,385	3,568	8,781	93
B23	Non-meningococcal meningitis	M	91	42	10	2	1	-	2	9	11	8	6	103
		F	78	35	1	2	2	3	3	1	7	13	11	108
B24	Rheumatic fever	M	9	-	-	1	1	-	1	2	1	2	1	86
		F	10	-	-	1	-	-	-	1	2	3	3	91
B25	Chronic rheumatic heart disease	M	824	-	-	1	10	47	95	176	227	162	106	110
		F	1,708	-	-	3	4	45	143	286	429	437	361	117

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Conurbations - *continued*										
			Age										S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over
B26	Arteriosclerotic heart disease including coronary disease (420)	M	22,883	-	-	-	3	72	740	2,769	6,726	6,938	5,635	104
		F	14,895	-	-	-	1	16	105	456	1,870	4,815	7,632	103
	Degenerative heart disease (421, 422)	M	4,007	1	-	1	7	14	43	99	301	825	2,716	86
		F	7,463	1	2	-	4	2	11	49	178	953	6,263	97
B27	Other diseases of heart	M	1,995	6	2	3	12	22	40	87	360	588	875	101
		F	2,668	4	-	3	5	7	22	74	199	617	1,737	99
B28	Hypertension with heart disease	M	1,087	-	-	-	1	5	20	53	250	354	404	96
		F	1,754	-	-	-	-	2	7	28	148	459	1,110	95
B29	Hypertension without mention of heart	M	820	-	-	1	6	14	40	116	193	214	236	112
		F	907	-	-	-	3	4	11	45	104	223	517	109
B46 (Pt.)	Other circulatory diseases (450-468)	M	2,826	1	-	2	8	14	36	137	447	762	1,419	102
		F	4,137	-	4	1	13	21	31	109	291	789	2,878	105
B30	Influenza	M	146	8	1	1	4	6	8	17	27	29	45	88
		F	118	3	1	2	1	1	5	5	10	26	64	61
B31	Pneumonia	M	5,189	435	57	22	26	23	53	185	612	1,214	2,562	115
		F	6,075	331	51	18	12	10	41	86	315	1,072	4,139	110
B32	Bronchitis	M	8,026	107	11	3	11	11	63	449	1,938	2,787	2,646	116
		F	3,264	63	18	4	5	9	33	125	401	840	1,766	116
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	991	19	5	6	11	9	34	81	255	298	273	86
		F	565	15	4	5	8	7	21	45	84	109	267	95
B33	Ulcer of stomach and duodenum	M	967	1	-	-	1	9	28	78	232	292	326	112
		F	565	1	-	-	1	3	15	24	65	169	287	116
B34	Appendicitis	M	100	2	1	3	3	2	4	11	13	32	29	108
		F	74	-	3	5	3	3	2	-	10	16	32	93
B35	Intestinal obstruction and hernia	M	486	47	4	-	2	6	9	23	81	127	187	104
		F	621	26	3	-	2	2	8	40	66	156	318	107
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	394	89	21	3	7	7	19	23	61	81	83	110
		F	592	75	17	3	1	6	14	22	61	128	265	104
B37	Cirrhosis of liver	M	239	1	1	1	3	3	19	40	85	57	29	104
		F	226	2	-	-	4	2	8	38	55	61	56	96
B38	Nephritis and nephrosis	M	494	3	3	4	29	28	49	70	110	105	93	94
		F	467	2	-	6	14	18	23	38	78	112	176	93
B39	Hyperplasia of prostate	M	718	-	-	-	-	-	-	2	43	171	502	97
B40	Complications of pregnancy, childbirth and puerperium	F	89	-	-	-	22	43	21	3	-	-	-	107
B41	Congenital malformations	M	977	711	61	33	28	21	27	33	27	23	13	101
		F	852	599	58	38	22	15	16	30	30	24	20	99
B42	Birth injuries, postnatal asphyxia and atelectasis	M	1,094	1,093	1	-	-	-	-	-	-	-	-	112
		F	764	764	-	-	-	-	-	-	-	-	-	119
B43	Diarrhoea of newborn (764)	M	12	12	-	-	-	-	-	-	-	-	-	103
		F	8	8	-	-	-	-	-	-	-	-	-	103
	Other infections of newborn (763, 765-768)	M	142	142	-	-	-	-	-	-	-	-	-	101
		F	89	89	-	-	-	-	-	-	-	-	-	97
B44	Other diseases of early infancy and immaturity unqualified	M	778	777	1	-	-	-	-	-	-	-	-	100
		F	600	600	-	-	-	-	-	-	-	-	-	103
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	398	6	2	-	1	2	3	6	10	28	340	73
		F	903	9	-	1	2	-	1	3	8	31	848	75
B46 (Rem.)	All other diseases (Remainder 001-795)	M	2,945	117	41	61	88	96	158	319	543	711	811	102
		F	4,233	85	47	48	56	117	214	343	655	984	1,684	99
BE47	Motor vehicle accidents	M	1,730	2	47	106	462	194	168	174	218	167	192	94
		F	773	4	29	57	92	39	38	64	94	168	188	106
BE48	All other accidents	M	1,916	119	111	106	151	158	191	197	270	187	426	98
		F	1,846	89	65	25	45	43	56	90	172	285	976	91
BE49	Suicide and self-inflicted injury	M	1,256	-	-	2	100	149	225	252	287	146	95	112
		F	946	-	-	2	44	80	147	176	221	182	94	109
BE50	Homicide and operations of war	M	83	4	3	8	17	14	15	9	4	8	1	151
		F	56	11	5	3	8	9	6	5	3	5	1	114
BN47	Fractures, head injuries and internal injuries	M	2,556	7	59	131	505	255	246	274	348	253	478	94
		F	1,683	13	36	57	96	47	49	81	147	292	865	88
BN48	Burns	M	96	7	17	4	12	5	4	8	7	8	24	107
		F	161	2	17	10	4	8	3	9	19	27	62	108
BN49	Effects of poisons	M	1,368	6	36	14	92	158	221	233	285	171	152	127
		F	1,323	7	28	6	57	82	158	200	269	260	256	117
BN50	All other injuries	M	965	105	49	73	121	97	128	117	139	76	60	88
		F	454	82	18	14	32	34	37	45	55	61	76	93

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations of 100,000 and over											S.M.R. (England and Wales = 100
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	37,637	1,337	200	168	412	458	1,085	3,101	8,196	10,745	11,935	106
		F	35,158	964	167	113	207	265	823	1,852	4,214	8,610	17,943	102
B1	Tuberculosis of respiratory system	M	300	-	-	-	1	8	19	41	81	100	50	134
		F	91	-	1	-	-	4	8	8	23	25	22	138
B2	Tuberculosis, other forms	M	15	-	1	-	-	1	2	2	4	5	-	80
		F	18	-	-	-	1	1	3	-	5	4	4	102
B3	Syphilis and its sequelae	M	70	-	-	-	-	-	2	5	25	23	15	108
		F	38	1	-	-	-	-	1	1	7	8	20	97
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	-	1	-	109
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	377
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	3	2	1	-	-	-	-	-	-	-	-	105
		F	2	2	-	-	-	-	-	-	-	-	-	70
B10	Meningococcal infections	M	8	5	1	-	1	-	-	1	-	-	-	116
		F	6	-	3	-	1	-	-	-	-	1	1	101
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	7	1	2	4	-	-	-	-	-	-	-	179
		F	7	-	2	-	4	1	-	-	-	-	-	124
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	60	9	4	3	4	4	5	6	10	7	8	107
		F	59	6	4	1	3	2	3	8	13	10	9	100
	Malignant neoplasm: (140-205)	M	7,833	3	23	28	35	86	250	851	2,302	2,531	1,724	107
		F	6,593	2	18	14	31	63	354	816	1,404	1,937	1,954	102
	stomach (151)	M	1,140	-	-	-	-	2	27	112	324	401	274	117
		F	809	-	-	-	-	3	14	49	139	243	361	109
	trachea, bronchus and lung (162, 163)	M	3,028	-	-	-	3	8	72	402	1,129	1,034	380	107
		F	507	-	-	-	2	1	15	75	144	168	102	97
B18	breast (170)	M	6	-	-	-	-	-	-	-	2	2	2	55
		F	1,340	-	-	-	1	15	119	247	320	348	290	102
	uterus (171-174)	F	535	-	-	-	1	2	69	100	103	146	114	101
	Leukaemia and aleukaemia (204)	M	201	-	8	12	12	13	17	22	40	39	38	98
		F	179	1	7	5	8	8	10	17	35	56	32	103
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	3,458	3	15	16	20	63	134	315	807	1,055	1,030	104
		F	3,223	1	11	9	19	34	127	328	663	976	1,055	101
B19	Benign and unspecified neoplasms	M	89	2	1	3	4	4	6	13	24	17	15	95
		F	92	1	2	2	3	5	6	18	17	20	18	88
B20	Diabetes mellitus	M	156	-	-	-	-	3	8	14	27	44	60	85
		F	324	-	-	1	2	-	1	7	44	119	150	96
B21	Anaemias	M	86	1	1	-	-	-	1	3	13	17	50	118
		F	146	1	1	1	-	-	1	3	13	37	89	102
B22	Vascular lesions affecting central nervous system	M	4,018	3	-	1	6	12	42	196	668	1,256	1,854	105
		F	5,906	-	-	2	7	9	49	178	528	1,473	3,660	101
B23	Non-meningococcal meningitis	M	27	8	3	1	3	-	1	2	3	4	2	82
		F	36	14	4	1	1	1	1	1	4	5	4	134
B24	Rheumatic fever	M	4	-	-	1	-	-	-	-	3	-	-	101
		F	4	1	-	1	-	-	-	-	-	-	2	96
B25	Chronic rheumatic heart disease	M	315	-	-	-	4	16	34	77	101	60	23	113
		F	572	-	-	1	3	12	55	93	150	139	119	106

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations of 100,000 and over - *continued*											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420)	M	9,000	-	-	-	2	36	275	998	2,476	2,927	2,286	106
		F	5,867	-	-	-	1	8	40	175	750	1,949	2,944	107
	Degenerative heart disease (421, 422)	M	1,821	-	-	1	2	4	17	39	129	340	1,289	98
		F	3,132	-	-	-	-	1	8	19	70	383	2,651	97
B27	Other diseases of heart	M	739	-	2	-	3	5	14	32	109	221	353	95
		F	970	1	-	1	3	6	16	17	71	238	617	95
B28	Hypertension with heart disease	M	534	-	-	-	-	-	5	21	105	193	210	120
		F	786	-	-	-	-	2	3	15	71	219	476	113
B29	Hypertension without mention of heart	M	254	-	-	-	1	5	11	30	41	64	102	90
		F	271	-	-	-	-	2	7	13	23	69	157	86
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,188	1	1	1	2	4	20	53	178	296	632	109
		F	1,596	-	-	3	6	4	22	52	115	323	1,071	107
B30	Influenza	M	52	-	-	-	1	-	2	8	8	14	19	81
		F	65	-	-	-	1	-	2	2	7	10	43	89
B31	Pneumonia	M	1,982	164	29	5	13	5	18	68	207	490	983	112
		F	2,079	108	27	12	7	1	29	50	151	365	1,329	100
B32	Bronchitis	M	3,209	34	12	2	3	6	24	169	795	1,176	988	119
		F	1,179	28	9	2	5	4	14	52	130	317	618	111
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	477	10	3	-	5	2	16	42	115	160	124	107
		F	218	11	8	1	1	8	8	17	23	45	96	98
B33	Ulcer of stomach and duodenum	M	347	1	-	1	-	4	10	22	96	100	113	104
		F	172	-	-	-	-	1	5	10	24	52	80	94
B34	Appendicitis	M	41	-	3	-	1	-	2	5	7	15	8	115
		F	31	-	-	1	2	-	1	-	3	11	13	104
B35	Intestinal obstruction and hernia	M	194	26	3	1	-	4	1	11	30	51	67	107
		F	203	16	1	-	2	1	2	10	16	49	106	93
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	137	30	12	1	1	3	6	8	32	17	27	101
		F	201	14	6	-	1	3	5	8	15	58	91	94
B37	Cirrhosis of liver	M	81	-	1	-	-	1	5	14	31	21	8	94
		F	110	-	1	-	-	-	7	13	33	31	25	126
B38	Nephritis and nephrosis	M	199	2	-	4	9	10	17	29	44	39	45	100
		F	205	-	1	4	9	9	11	14	42	54	61	110
B39	Hyperplasia of prostate	M	288	-	-	-	-	-	-	2	15	62	209	97
B40	Complications of pregnancy, childbirth and puerperium	F	24	-	-	-	5	11	8	-	-	-	-	81
B41	Congenital malformations	M	346	231	26	16	10	13	8	17	10	8	7	97
		F	325	231	28	11	12	4	4	16	9	5	5	103
B42	Birth injuries, postnatal asphyxia and atelectasis	M	342	341	1	-	-	-	-	-	-	-	-	95
		F	231	231	-	-	-	-	-	-	-	-	-	98
B43	Diarrhoea of newborn (764)	M	5	5	-	-	-	-	-	-	-	-	-	117
		F	5	5	-	-	-	-	-	-	-	-	-	175
	Other infections of newborn (763, 765-768)	M	62	62	-	-	-	-	-	-	-	-	-	120
		F	45	45	-	-	-	-	-	-	-	-	-	133
B44	Other diseases of early infancy and immaturity unqualified	M	306	306	-	-	-	-	-	-	-	-	-	107
		F	193	192	-	1	-	-	-	-	-	-	-	90
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	154	2	1	-	-	1	-	4	5	9	132	71
		F	339	1	-	-	1	-	1	-	2	14	320	75
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,063	42	17	20	41	31	55	101	206	266	284	96
		F	1,532	26	22	21	29	40	61	115	249	395	574	96
BE47	Motor vehicle accidents	M	592	1	21	36	167	65	55	54	81	48	64	85
		F	297	1	13	19	40	15	16	20	49	54	70	110
BE48	All other accidents	M	737	43	30	39	64	58	79	76	106	81	161	99
		F	794	24	15	11	8	9	19	32	48	113	515	104
BE49	Suicide and self-inflicted injury	M	477	-	-	-	26	61	72	87	108	81	42	114
		F	375	-	-	-	14	33	49	68	104	78	29	118
BE50	Homicide and operations of war	M	18	2	1	-	3	6	3	-	1	1	1	87
		F	18	2	1	2	4	4	3	1	1	-	-	100
BN47	Fractures, head injuries and internal injuries	M	947	4	28	41	187	93	96	90	138	91	179	92
		F	790	4	16	22	34	18	20	29	59	118	470	110
BN48	Burns	M	36	-	3	4	1	3	4	1	4	7	9	105
		F	64	3	8	4	2	2	3	6	8	8	20	114
BN49	Effects of poisons	M	470	1	4	2	22	60	70	88	95	73	55	117
		F	482	-	1	1	17	32	50	75	107	98	101	116
BN50	All other injuries	M	371	41	17	28	50	34	39	38	59	40	25	90
		F	148	20	4	5	13	9	14	11	28	21	23	82

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations of 50,000 and under 100,000										
			Age										
			All ages	Under 1 year	Years								S.M.R. (England and Wales = 100)
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	25,359	973	137	164	314	253	742	1,934	5,081	7,125	8,636	101
		F	24,739	744	119	90	128	194	574	1,236	2,787	5,785	13,082	99
B1	Tuberculosis of respiratory system	M	146	-	-	-	2	3	14	16	42	45	24	94
		F	51	-	-	-	-	1	9	10	9	9	13	109
B2	Tuberculosis, other forms	M	10	-	2	1	-	-	1	1	5	-	-	77
		F	14	-	1	-	-	1	2	3	2	2	3	111
B3	Syphilis and its sequelae	M	48	-	-	-	-	1	2	4	10	17	14	106
		F	33	-	-	-	-	1	-	1	5	6	20	116
B4	Typhoid fever	M	1	-	-	-	1	-	-	-	-	-	-	88
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	105
B7	Scarlet fever and streptococcal sore throat	M	1	1	-	-	-	-	-	-	-	-	-	130
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	47
		F	1	-	-	1	-	-	-	-	-	-	-	47
B10	Meningococcal infections	M	3	2	1	-	-	-	-	-	-	-	-	60
		F	4	-	2	-	-	-	-	-	1	1	-	93
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	1	-	-	-	-	-	1	-	-	-	-	526
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	1	4	-	-	-	-	-	-	-	-	121
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	26	1	1	2	5	1	1	4	4	5	2	66
		F	29	2	1	-	2	1	1	4	4	6	8	69
	Malignant neoplasm: (140-205)	M	5,066	1	20	30	42	40	165	502	1,372	1,725	1,169	99
		F	4,609	6	11	23	29	48	231	527	1,014	1,292	1,428	100
	stomach (151)	M	655	-	-	-	-	1	20	60	181	233	160	96
		F	501	-	-	-	-	3	11	21	83	161	222	94
	trachea, bronchus and lung (162, 163)	M	1,850	-	-	-	1	3	43	235	642	694	232	95
		F	368	-	-	-	-	5	21	38	103	125	76	101
B18	breast (170)	M	7	-	-	-	-	-	-	-	2	3	2	92
		F	927	-	-	-	-	10	69	170	258	228	192	100
	uterus (171-174)	F	371	-	-	-	-	3	31	64	87	110	76	99
	Leukaemia and aleukaemia (204)	M	142	1	7	17	9	3	17	17	18	29	24	99
		F	148	4	7	10	9	6	12	13	32	29	26	120
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,412	-	13	13	32	33	85	190	529	766	751	103
		F	2,294	2	4	13	20	21	87	221	451	639	836	101
B19	Benign and unspecified neoplasms	M	63	-	5	2	1	3	5	11	13	15	8	97
		F	68	-	1	-	2	3	10	8	14	16	14	92
B20	Diabetes mellitus	M	139	-	-	2	2	-	8	9	27	42	49	108
		F	235	-	-	-	2	1	2	11	35	83	101	97
B21	Anaemias	M	55	1	1	1	-	-	-	3	7	12	30	105
		F	108	1	-	-	2	1	6	2	10	21	65	103
B22	Vascular lesions affecting central nervous system	M	2,833	2	1	5	5	8	47	121	472	817	1,355	103
		F	4,249	1	-	1	4	8	32	137	334	1,013	2,719	99
B23	Non-meningococcal meningitis	M	20	8	1	1	-	-	1	1	4	2	2	85
		F	17	7	-	1	-	1	-	-	1	4	3	87
B24	Rheumatic fever	M	6	-	-	-	-	-	2	-	1	1	2	220
		F	2	-	-	-	-	-	-	-	-	-	2	68
B25	Chronic rheumatic heart disease	M	182	-	-	-	3	9	25	38	45	40	22	95
		F	341	-	-	-	2	10	33	56	100	75	65	90

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations of 50,000 and under 100,000 - *continued*											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420)	M	6,034	-	-	-	1	8	176	598	1,600	1,957	1,694	102
		F	3,973	-	-	-	-	3	30	104	477	1,272	2,097	100
	Degenerative heart disease (421, 422)	M	1,354	-	-	1	1	1	10	21	78	250	992	100
		F	2,297	1	1	1	-	1	4	17	56	269	1,947	96
B27	Other diseases of heart	M	540	-	-	2	3	2	10	16	86	152	269	97
		F	790	2	-	1	2	7	13	13	61	174	517	106
B28	Hypertension with heart disease	M	318	-	-	-	-	1	2	14	67	119	115	101
		F	468	-	-	-	-	-	1	15	44	149	259	92
B29	Hypertension without mention of heart	M	180	-	-	-	1	1	9	28	41	42	58	91
		F	199	-	-	-	-	3	7	14	19	44	112	87
B46 (Pt.)	Other circulatory diseases (450-468)	M	747	-	1	-	2	3	12	31	104	187	407	96
		F	1,046	1	1	-	3	5	11	26	67	227	705	96
B30	Influenza	M	21	-	-	1	-	-	-	1	8	4	7	46
		F	33	1	1	-	-	-	1	2	2	7	19	62
B31	Pneumonia	M	1,265	92	10	4	11	7	17	47	120	304	653	99
		F	1,410	67	20	3	6	4	14	26	89	245	936	92
B32	Bronchitis	M	1,923	17	5	4	2	1	13	90	407	699	685	101
		F	723	9	8	1	1	3	7	41	68	203	382	94
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	331	8	3	-	1	1	10	29	78	108	93	106
		F	160	12	3	1	1	-	9	11	11	33	79	100
B33	Ulcer of stomach and duodenum	M	246	1	-	1	-	1	12	17	57	71	86	105
		F	136	-	1	-	-	2	1	10	15	30	77	103
B34	Appendicitis	M	20	-	-	-	1	-	-	5	2	7	5	79
		F	25	-	-	3	-	-	2	2	2	6	10	116
B35	Intestinal obstruction and hernia	M	148	20	5	-	2	2	2	5	26	45	41	114
		F	153	5	2	1	1	-	2	3	16	31	92	97
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	99	24	7	-	-	2	3	4	12	21	26	102
		F	159	20	5	-	-	3	5	7	12	42	65	102
B37	Cirrhosis of liver	M	62	-	-	-	-	1	6	10	23	16	6	104
		F	55	-	-	-	2	1	3	6	13	16	14	89
B38	Nephritis and nephrosis	M	136	2	-	-	-	11	10	25	28	24	36	98
		F	124	1	1	-	5	7	3	13	20	30	44	93
B39	Hyperplasia of prostate	M	212	-	-	-	-	-	-	1	5	51	155	98
B40	Complications of pregnancy, childbirth and puerperium	F	22	-	-	-	5	10	7	-	-	-	-	103
B41	Congenital malformations	M	277	198	22	12	10	7	5	8	7	4	4	106
		F	240	162	18	15	6	1	8	8	9	8	5	103
B42	Birth injuries, postnatal asphyxia and atelectasis	M	236	236	-	-	-	-	-	-	-	-	-	89
		F	164	164	-	-	-	-	-	-	-	-	-	93
B43	Diarrhoea of newborn (764)	M	3	3	-	-	-	-	-	-	-	-	-	94
		F	3	3	-	-	-	-	-	-	-	-	-	140
	Other infections of newborn (763, 765-768)	M	41	41	-	-	-	-	-	-	-	-	-	107
		F	17	17	-	-	-	-	-	-	-	-	-	67
B44	Other diseases of early infancy and immaturity unqualified	M	239	239	-	-	-	-	-	-	-	-	-	113
		F	200	200	-	-	-	-	-	-	-	-	-	124
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	188	3	-	-	-	1	1	2	4	5	172	117
		F	340	2	1	-	1	-	1	-	-	16	319	101
B46 (Rem.)	All other diseases (Remainder 001-795)	M	793	31	11	23	19	22	38	79	144	179	247	102
		F	1,157	20	15	13	14	29	52	75	150	296	493	100
BE47	Motor vehicle accidents	M	499	-	15	38	130	61	53	65	50	38	49	103
		F	164	-	5	10	17	9	10	16	19	32	46	85
BE48	All other accidents	M	563	39	25	34	49	33	41	61	68	69	144	107
		F	650	36	15	14	12	8	19	28	35	78	405	117
BE49	Suicide and self-inflicted injury	M	277	-	-	-	20	22	40	64	64	52	15	96
		F	246	-	-	-	8	20	37	38	67	49	27	110
BE50	Homicide and operations of war	M	6	2	1	-	-	-	-	3	-	-	-	41
		F	18	2	2	1	1	2	1	2	6	-	1	140
BN47	Fractures, head injuries and internal injuries	M	736	2	21	42	140	75	68	82	83	68	155	102
		F	564	3	4	13	20	12	12	22	24	78	376	108
BN48	Burns	M	25	3	-	-	4	1	5	2	3	2	5	103
		F	34	-	4	6	-	-	4	3	3	3	11	84
BN49	Effects of poisons	M	298	-	5	2	24	23	38	60	60	50	36	107
		F	330	4	3	1	13	21	42	48	73	60	65	113
BN50	All other injuries	M	286	36	15	28	31	17	23	49	36	39	12	99
		F	150	31	11	5	5	6	9	11	27	18	27	116

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations under 50,000										S.M.R. (England and Wales = 100)
			Age										
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	60,708	2,021	305	311	748	642	1,659	4,362	11,829	17,203	21,628	101
		F	58,330	1,515	241	203	311	424	1,171	2,812	6,589	14,026	31,038	101
B1	Tuberculosis of respiratory system	M	320	-	-	-	1	3	21	55	90	88	62	87
		F	88	-	-	-	2	7	13	18	17	14	17	82
B2	Tuberculosis, other forms	M	30	-	-	1	1	3	4	4	6	7	4	100
		F	21	-	-	1	-	-	2	3	5	3	7	73
B3	Syphilis and its sequelae	M	105	-	-	-	-	1	5	10	20	48	21	96
		F	55	-	-	-	-	1	-	2	10	18	24	84
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	2	-	-	-	-	-	-	-	1	-	1	131
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	2	2	-	-	-	-	-	-	-	-	-	119
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	4	3	1	-	-	-	-	-	-	-	-	89
		F	5	2	2	-	-	-	-	-	-	-	1	109
B10	Meningococcal infections	M	17	5	4	2	-	-	-	3	2	-	1	155
		F	12	3	3	2	-	-	-	1	2	-	1	127
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	244
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	8	1	7	-	-	-	-	-	-	-	-	129
		F	12	3	5	3	-	-	-	-	-	1	-	134
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	108	10	7	3	4	3	7	12	21	17	24	118
		F	112	9	7	1	7	3	8	9	24	20	24	118
	Malignant neoplasm: (140-205)	M	11,582	4	28	53	61	102	334	1,126	3,114	3,870	2,890	94
		F	10,295	6	32	46	41	111	469	1,249	2,220	2,891	3,230	97
	stomach (151)	M	1,613	-	-	-	1	6	43	145	431	531	456	98
		F	1,206	-	-	-	-	3	24	67	187	388	537	98
	trachea, bronchus and lung (162, 163)	M	4,067	-	-	-	1	8	94	461	1,427	1,501	575	88
		F	694	-	-	-	-	5	22	115	209	220	123	82
B18	breast (170)	M	24	-	-	-	-	1	-	1	13	6	3	132
		F	2,121	-	-	-	1	27	162	365	543	518	505	99
	uterus (171-174)	F	923	-	-	-	1	8	83	183	217	244	187	107
	Leukaemia and aleukaemia (204)	M	327	3	8	21	12	9	25	33	66	86	64	97
		F	251	-	13	18	7	10	11	15	42	66	69	89
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	5,551	1	20	32	47	78	172	486	1,177	1,746	1,792	99
		F	5,100	6	19	28	32	58	167	504	1,022	1,455	1,809	98
B19	Benign and unspecified neoplasms	M	154	2	1	9	5	7	18	28	39	28	17	102
		F	154	-	3	5	6	4	10	28	35	39	24	91
B20	Diabetes mellitus	M	371	-	2	3	3	5	16	21	78	108	135	119
		F	599	1	-	-	3	4	6	16	66	214	289	107
B21	Anaemias	M	118	-	1	1	1	1	1	4	16	31	62	93
		F	232	1	2	1	-	3	3	6	19	59	138	97
B22	Vascular lesions affecting central nervous system	M	7,368	3	2	3	18	25	88	273	1,072	2,232	3,652	110
		F	10,602	3	2	1	7	20	79	316	889	2,676	6,609	108
B23	Non-meningococcal meningitis	M	47	20	7	5	-	1	2	5	5	2	-	90
		F	40	17	3	1	1	-	2	2	-	9	5	92
B24	Rheumatic fever	M	6	-	-	-	-	-	1	1	4	-	-	94
		F	7	-	-	1	1	-	-	1	1	3	-	103
B25	Chronic rheumatic heart disease	M	419	-	-	1	7	20	38	75	121	107	50	93
		F	788	-	-	-	3	24	64	131	206	201	159	90

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations under 50,000 - *continued*										
			Age										
			All ages	Under 1 year	Years								S.M.R. (England and Wales =100)
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420)	M	14,512	-	-	-	2	43	414	1,432	3,767	4,755	4,099	102
		F	9,034	-	-	-	-	6	54	225	1,142	3,047	4,560	98
	Degenerative heart disease (421, 422)	M	3,823	1	-	1	7	10	38	60	224	764	2,718	115
		F	6,346	1	-	1	3	2	8	28	169	852	5,282	115
B27	Other diseases of heart	M	1,432	2	1	-	5	10	23	57	185	429	720	106
		F	1,690	4	-	5	2	4	22	36	127	392	1,098	99
B28	Hypertension with heart disease	M	751	-	1	-	-	2	8	31	143	244	322	98
		F	1,187	-	-	-	-	-	10	25	120	358	674	102
B29	Hypertension without mention of heart	M	468	-	-	-	1	5	27	41	93	145	156	98
		F	536	-	-	-	1	2	6	31	43	149	304	102
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,913	-	-	2	3	8	24	57	207	515	1,097	100
		F	2,414	1	-	-	8	7	29	43	155	464	1,707	96
B30	Influenza	M	142	4	-	-	1	2	6	9	25	28	67	130
		F	182	2	-	-	1	-	3	5	13	44	114	149
B31	Pneumonia	M	2,712	197	48	11	20	13	34	87	290	550	1,462	88
		F	3,105	143	32	21	15	11	30	60	192	542	2,059	89
B32	Bronchitis	M	4,316	28	10	4	4	9	41	201	980	1,553	1,486	94
		F	1,627	27	18	2	5	2	21	58	206	425	863	92
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	830	16	7	3	7	6	19	57	218	281	216	111
		F	384	7	5	1	2	9	17	33	43	74	193	104
B33	Ulcer of stomach and duodenum	M	546	-	1	-	3	2	14	45	111	182	188	96
		F	266	1	-	-	-	1	2	14	31	73	144	87
B34	Appendicitis	M	62	1	1	9	4	-	3	5	7	13	19	104
		F	49	-	-	3	1	1	-	4	9	9	22	100
B35	Intestinal obstruction and hernia	M	293	32	3	1	2	3	4	19	40	75	114	95
		F	350	20	1	-	2	5	3	13	39	108	159	97
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	198	30	13	2	4	6	7	12	28	39	57	88
		F	370	27	7	3	5	5	8	17	38	84	176	104
B37	Cirrhosis of liver	M	134	1	2	1	-	1	5	23	40	45	16	95
		F	134	-	-	2	1	3	4	16	34	43	31	94
B38	Nephritis and nephrosis	M	378	-	2	7	19	22	28	50	86	76	88	116
		F	347	1	1	4	7	4	17	30	60	84	139	113
B39	Hyperplasia of prostate	M	595	-	-	-	-	-	-	2	24	143	426	111
B40	Complications of pregnancy, childbirth and puerperium	F	64	-	-	-	20	31	13	-	-	-	-	137
B41	Congenital malformations	M	604	414	42	23	19	15	14	26	29	18	4	107
		F	503	361	39	17	16	14	9	15	18	9	5	100
B42	Birth injuries, postnatal asphyxia and atelectasis	M	547	547	-	-	-	-	-	-	-	-	-	96
		F	350	350	-	-	-	-	-	-	-	-	-	93
B43	Diarrhoea of newborn (764)	M	8	8	-	-	-	-	-	-	-	-	-	118
		F	4	4	-	-	-	-	-	-	-	-	-	88
	Other infections of newborn (763, 765-768)	M	82	82	-	-	-	-	-	-	-	-	-	100
		F	59	59	-	-	-	-	-	-	-	-	-	110
B44	Other diseases of early infancy and immaturity unqualified	M	461	461	-	-	-	-	-	-	-	-	-	102
		F	357	357	-	-	-	-	-	-	-	-	-	104
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	489	5	3	-	1	5	3	3	6	23	440	123
		F	1,020	2	1	-	-	-	-	4	11	30	972	131
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,820	51	40	48	46	50	94	173	310	465	543	98
		F	2,689	39	22	28	47	55	141	219	381	699	1,058	102
BE47	Motor vehicle accidents	M	1,047	3	32	48	341	119	109	105	110	79	101	96
		F	403	-	23	32	65	27	29	29	44	75	79	92
BE48	All other accidents	M	1,231	83	37	69	116	78	106	132	164	136	310	102
		F	1,325	59	32	20	20	17	30	37	83	207	820	104
BE49	Suicide and self-inflicted injury	M	622	-	-	-	37	58	99	116	152	102	58	93
		F	487	-	-	-	15	39	54	87	136	108	48	95
BE50	Homicide and operations of war	M	31	5	2	1	5	4	4	2	1	5	2	96
		F	25	5	1	2	4	2	5	-	1	2	3	88
BN47	Fractures, head injuries and internal injuries	M	1,605	6	38	60	355	149	158	167	196	142	334	98
		F	1,222	5	23	37	65	26	34	32	65	190	745	102
BN48	Burns	M	47	-	3	4	4	3	3	7	3	4	16	84
		F	93	1	5	3	2	2	4	7	9	20	40	101
BN49	Effects of poisons	M	560	5	5	3	33	47	83	106	123	99	56	87
		F	604	1	7	4	23	37	58	87	139	135	113	90
BN50	All other injuries	M	719	80	25	51	107	60	74	75	105	77	65	110
		F	321	57	21	10	14	20	22	27	51	47	52	111

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Rural districts											
			Age											
			All ages	Under 1 year	Years									S.M.R. (England and Wales =100)
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	**M**	**54,885**	**1,874**	**300**	**366**	**906**	**731**	**1,472**	**3,793**	**10,152**	**14,827**	**20,464**	**90**
		F	**49,810**	**1,339**	**225**	**221**	**301**	**385**	**1,031**	**2,454**	**5,847**	**11,446**	**26,561**	**98**
B1	Tuberculosis of respiratory system	M	265	-	-	1	-	4	8	38	76	92	46	71
		F	78	-	1	1	-	3	11	9	11	21	21	80
B2	Tuberculosis, other forms	M	33	-	-	1	-	1	4	6	8	9	4	109
		F	30	-	1	-	1	1	4	3	5	6	9	114
B3	Syphilis and its sequelae	M	89	-	-	-	-	1	1	7	19	38	23	81
		F	47	-	-	-	-	1	1	3	7	13	22	82
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	1	-	-	-	-	-	-	65
		F	3	-	-	-	-	-	1	-	1	-	1	148
B7	Scarlet fever and streptococcal sore throat	M	4	-	2	1	-	-	-	-	-	-	1	229
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	6	5	1	-	-	-	-	-	-	-	-	127
		F	6	2	3	-	-	-	-	-	-	-	1	129
B10	Meningococcal infections	M	9	6	3	-	-	-	-	-	-	-	-	79
		F	10	1	6	2	-	1	-	-	-	-	-	107
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	3	1	1	-	-	-	-	1	-	-	-	46
		F	8	1	4	3	-	-	-	-	-	-	-	88
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	-	-	1	-	-	-	246
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	97	8	4	4	2	6	7	12	29	15	10	104
		F	99	8	3	2	4	5	5	16	23	16	17	112
B18	Malignant neoplasm: (140-205)	M	10,319	3	44	62	54	118	340	984	2,756	3,272	2,686	84
		F	8,920	9	25	41	39	93	453	1,116	2,052	2,423	2,669	94
	stomach (151)	M	1,416	-	-	-	-	2	22	119	369	482	422	86
		F	986	-	-	-	-	5	13	61	160	277	470	91
	trachea, bronchus and lung (162, 163)	M	3,462	-	-	-	-	10	90	408	1,245	1,214	495	75
		F	598	-	1	1	-	2	24	75	217	167	111	79
	breast (170)	M	16	-	-	-	-	-	-	2	6	4	4	88
		F	1,850	-	-	-	1	26	138	329	473	457	426	96
	uterus (171-174)	F	765	-	-	-	-	7	77	158	181	193	149	98
	Leukaemia and aleukaemia (204)	M	346	1	17	25	10	11	25	34	69	81	73	101
		F	246	2	9	21	9	6	22	26	34	54	63	96
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	5,079	2	27	37	44	95	203	421	1,067	1,491	1,692	90
		F	4,475	7	15	19	29	47	179	467	987	1,275	1,450	96
B19	Benign and unspecified neoplasms	M	135	4	4	4	4	6	13	17	27	27	29	88
		F	154	6	1	4	8	7	10	24	29	35	30	100
B20	Diabetes mellitus	M	314	1	2	1	3	8	8	21	49	105	116	100
		F	535	-	2	2	1	4	6	18	64	198	240	109
B21	Anaemias	M	125	1	1	1	-	-	-	4	13	34	71	97
		F	180	-	1	2	-	-	1	2	21	47	106	85
B22	Vascular lesions affecting central nervous system	M	6,465	3	-	-	8	21	61	262	881	1,893	3,336	96
		F	8,948	1	1	7	6	24	66	243	808	2,198	5,594	104
B23	Non-meningococcal meningitis	M	66	21	7	5	4	3	3	4	7	8	4	122
		F	33	13	1	-	2	1	3	1	2	6	4	79
B24	Rheumatic fever	M	5	-	-	1	-	-	-	1	-	2	1	77
		F	8	-	-	-	-	-	-	1	-	6	1	131
B25	Chronic rheumatic heart disease	M	386	-	-	-	4	15	37	78	105	74	73	85
		F	636	-	-	-	6	20	36	101	169	160	144	80

TABLE 19 - *continued*

Rural districts - *continued*

Abbreviated List No.	Causes of death		Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales =100)
326	Arteriosclerotic heart disease including coronary disease (420)	M	12,653	1	-	-	1	29	332	1,179	3,103	4,147	3,861	88
		F	7,439	-	-	-	-	5	39	182	962	2,322	3,929	92
	Degenerative heart disease (421, 422)	M	3,612	-	-	2	7	3	11	71	212	665	2,641	106
		F	5,281	-	-	1	-	1	10	37	131	670	4,431	110
327	Other diseases of heart	M	1,325	6	2	2	6	13	15	44	156	346	735	97
		F	1,553	3	-	2	2	7	14	25	119	326	1,055	103
328	Hypertension with heart disease	M	737	-	-	-	-	2	13	33	138	251	300	96
		F	1,037	-	-	-	-	-	2	27	101	305	602	101
329	Hypertension without mention of heart	M	449	-	1	-	2	2	25	55	104	112	148	94
		F	452	-	-	-	1	1	10	27	57	114	242	98
346 (Pt.)	Other circulatory diseases (450-468)	M	1,798	-	-	1	4	7	18	59	216	462	1,031	93
		F	2,033	-	1	1	3	11	29	44	150	381	1,413	93
330	Influenza	M	133	1	2	1	3	3	3	9	18	24	69	120
		F	151	-	-	3	2	3	2	3	14	39	85	140
331	Pneumonia	M	2,682	152	25	25	25	22	40	84	252	553	1,504	85
		F	3,010	103	19	16	17	13	22	67	177	538	2,038	98
332	Bronchitis	M	3,299	33	9	4	5	1	26	118	701	1,161	1,241	71
		F	1,174	19	11	2	3	3	17	37	109	322	651	75
346 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	784	13	9	4	11	9	21	48	193	251	225	104
		F	345	17	3	3	3	3	13	25	50	77	151	105
333	Ulcer of stomach and duodenum	M	462	1	-	1	2	4	23	24	91	136	180	81
		F	237	-	-	-	-	-	4	9	21	73	130	88
334	Appendicitis	M	51	-	2	7	1	3	4	2	10	8	14	84
		F	45	1	3	-	1	3	2	5	4	9	17	102
335	Intestinal obstruction and hernia	M	280	20	4	1	4	4	5	11	43	72	116	89
		F	311	15	5	1	1	3	6	8	28	68	176	97
336	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	218	37	16	1	2	3	12	16	23	46	62	95
		F	289	22	7	1	1	3	7	18	28	69	133	91
337	Cirrhosis of liver	M	141	-	1	-	3	1	8	20	41	46	21	100
		F	127	2	-	1	2	-	8	18	29	44	23	100
338	Nephritis and nephrosis	M	311	1	2	8	10	14	30	33	59	74	80	94
		F	261	2	4	3	11	14	12	21	36	69	89	95
339	Hyperplasia of prostate	M	525	-	-	-	-	-	-	4	23	112	386	96
340	Complications of pregnancy, childbirth and puerperium	F	28	-	-	-	7	15	6	-	-	-	-	61
341	Congenital malformations	M	537	377	30	26	16	10	11	26	20	7	14	91
		F	497	351	39	25	18	10	10	14	13	8	9	98
342	Birth injuries, postnatal asphyxia and atelectasis	M	546	546	-	-	-	-	-	-	-	-	-	92
		F	307	307	-	-	-	-	-	-	-	-	-	79
343	Diarrhoea of newborn (764)	M	5	5	-	-	-	-	-	-	-	-	-	70
		F	2	2	-	-	-	-	-	-	-	-	-	43
	Other infections of newborn (763, 765-768)	M	71	71	-	-	-	-	-	-	-	-	-	83
		F	51	50	1	-	-	-	-	-	-	-	-	92
344	Other diseases of early infancy and immaturity unqualified	M	415	411	3	1	-	-	-	-	-	-	-	88
		F	306	306	-	-	-	-	-	-	-	-	-	87
345	Senility without mention of psychosis, ill-defined and unknown causes	M	496	5	-	1	1	-	4	5	5	19	457	122
		F	842	1	1	-	-	1	3	-	7	16	813	124
346 (Rem.)	All other diseases (Remainder 001-795)	M	1,873	60	40	44	73	60	95	165	327	446	563	100
		F	2,444	43	25	33	49	63	106	190	393	596	946	103
BE47	Motor vehicle accidents	M	1,370	3	32	83	482	174	115	132	132	112	105	121
		F	396	3	17	39	78	28	33	42	44	58	54	98
BE48	All other accidents	M	1,228	76	52	72	135	121	121	104	153	133	261	99
		F	1,141	51	38	20	22	11	31	34	90	160	684	100
BE49	Suicide and self-inflicted injury	M	543	-	-	-	32	59	56	113	160	74	49	80
		F	337	-	-	-	10	26	45	83	90	52	31	72
BE50	Homicide and operations of war	M	18	2	1	1	1	4	2	2	2	2	1	54
		F	19	-	2	6	3	1	3	1	2	1	-	69
BN47	Fractures, head injuries and internal injuries	M	1,957	8	40	95	508	219	175	184	233	201	294	115
		F	1,156	6	20	41	79	24	38	45	85	163	655	108
BN48	Burns	M	58	2	6	3	4	6	5	3	6	6	17	100
		F	70	5	5	3	2	3	4	3	7	10	28	83
BN49	Effects of poisons	M	364	1	9	1	24	50	44	77	78	42	38	56
		F	378	-	10	1	11	25	48	78	95	60	50	62
BN50	All other injuries	M	780	70	30	57	114	83	70	87	130	72	67	116
		F	289	43	22	20	21	14	22	34	39	38	36	106

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Newcastle Hospital Region											
			Age											
			All ages	Under 1 year	Years									S.M.R. (England and Wales =100)
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	18,514	730	88	117	230	226	614	1,544	4,030	5,171	5,764	107
		F	15,757	535	77	64	97	140	410	900	2,083	4,040	7,411	107
B1	Tuberculosis of respiratory system	M	131	-	-	-	-	2	8	15	43	45	18	122
		F	27	-	-	1	-	5	5	4	5	6	1	91
B2	Tuberculosis, other forms	M	8	-	1	-	-	-	1	3	1	2	-	89
		F	10	-	-	1	-	-	2	-	2	3	2	127
B3	Syphilis and its sequelae	M	33	-	-	-	-	-	2	3	8	14	6	106
		F	10	-	-	-	-	1	-	-	-	1	8	60
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	1	-	-	-	-	-	-	229
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	1	1	-	-	-	-	-	-	-	-	-	185
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	137
B10	Meningococcal infections	M	5	4	-	-	-	-	-	-	1	-	-	141
		F	3	-	1	-	-	1	-	-	1	-	-	101
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	1	-	-	-	-	-	-	-	-	-	-	49
		F	1	-	-	1	-	-	-	-	-	-	-	34
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	20	3	4	-	1	2	-	2	2	3	3	72
		F	17	2	1	-	3	-	1	2	4	3	1	63
	Malignant neoplasm: (140-205)	M	3,760	1	14	13	17	29	124	418	1,144	1,242	758	106
		F	2,786	4	5	16	14	32	162	350	643	785	775	99
	stomach (151)	M	613	-	-	-	-	4	17	64	180	190	158	130
		F	403	-	-	-	-	1	10	26	65	135	166	127
	trachea, bronchus and lung (162, 163)	M	1,457	-	-	-	1	3	41	207	583	483	139	108
		F	227	-	-	-	1	3	12	37	62	75	37	99
B18	breast (170)	M	9	-	-	-	-	-	-	1	3	3	2	171
		F	511	-	-	-	1	4	44	99	145	123	95	88
	uterus (171-174)	F	271	-	-	-	-	3	29	46	82	71	40	115
	Leukaemia and aleukaemia (204)	M	80	-	5	4	-	3	8	9	17	19	15	80
		F	70	2	1	5	1	4	5	6	14	12	20	89
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,601	1	9	9	16	19	58	137	361	547	444	100
		F	1,304	2	4	11	11	17	62	136	275	369	417	94
B19	Benign and unspecified neoplasms	M	38	1	1	3	-	-	2	5	14	5	7	84
		F	41	1	-	2	4	1	2	8	10	9	4	87
B20	Diabetes mellitus	M	99	1	-	-	-	2	6	9	18	29	34	112
		F	174	1	-	-	1	1	2	4	28	79	58	122
B21	Anaemias	M	33	-	-	-	-	-	-	-	9	11	13	93
		F	70	-	1	-	-	-	2	1	8	12	46	116
B22	Vascular lesions affecting central nervous system	M	2,145	2	1	2	10	13	24	81	344	647	1,021	115
		F	2,717	1	-	-	1	9	30	103	265	727	1,581	111
B23	Non-meningococcal meningitis	M	23	13	3	2	1	-	-	1	2	1	-	139
		F	14	6	-	1	-	1	1	1	-	2	2	108
B24	Rheumatic fever	M	2	-	-	-	-	-	-	-	1	-	1	104
		F	3	-	-	-	1	-	-	-	-	2	-	163
B25	Chronic rheumatic heart disease	M	136	-	-	-	1	12	13	33	35	27	15	101
		F	273	-	-	-	2	12	26	69	76	51	37	114

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Newcastle Hospital Region - *continued*											
			Age											
			All ages	Under 1 year	Years									S.M.R. (England and Wales =100)
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420)	M	4,586	-	-	-	-	21	164	504	1,298	1,448	1,151	113
		F	2,901	-	-	-	-	8	29	106	464	1,013	1,281	115
	Degenerative heart disease (421, 422)	M	801	-	-	-	-	3	6	19	47	146	580	88
		F	1,170	1	-	1	1	-	2	8	29	191	937	88
B27	Other diseases of heart	M	420	3	-	1	2	2	13	21	67	124	187	112
		F	413	1	-	2	1	1	11	11	36	100	250	97
B28	Hypertension with heart disease	M	210	-	-	-	-	1	2	9	41	71	86	96
		F	339	-	-	-	-	-	-	5	44	96	194	116
B29	Hypertension without mention of heart	M	120	-	-	-	-	1	9	18	27	31	34	88
		F	129	-	-	-	1	1	1	7	12	45	62	97
B46 (Pt.)	Other circulatory diseases (450-468)	M	555	-	-	-	1	-	6	20	63	140	325	105
		F	647	-	2	1	2	-	5	6	43	135	453	105
B30	Influenza	M	20	1	1	-	-	-	2	3	5	5	3	85
		F	20	-	-	-	1	-	2	1	4	8	4	85
B31	Pneumonia	M	898	81	9	8	10	6	10	31	106	204	433	103
		F	894	60	12	2	2	1	12	27	66	195	517	103
B32	Bronchitis	M	1,352	10	2	2	2	3	12	89	349	477	406	104
		F	486	6	4	-	1	1	9	27	57	149	232	104
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	218	4	1	-	3	2	6	14	59	74	55	102
		F	109	5	4	-	1	-	4	12	14	20	49	113
B33	Ulcer of stomach and duodenum	M	167	-	-	-	1	-	7	18	35	58	48	104
		F	74	1	-	-	-	-	4	2	13	19	35	95
B34	Appendicitis	M	18	-	1	3	1	-	2	2	1	4	4	103
		F	14	-	-	-	1	-	1	-	2	6	4	107
B35	Intestinal obstruction and hernia	M	87	8	-	-	1	1	3	1	22	26	25	98
		F	85	6	-	-	-	-	3	4	11	19	42	91
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	50	11	4	-	-	2	3	5	4	13	8	75
		F	95	10	3	2	-	5	3	5	6	23	38	102
B37	Cirrhosis of liver	M	47	-	-	-	-	-	3	7	16	14	7	114
		F	41	-	1	-	-	-	3	6	9	13	9	107
B38	Nephritis and nephrosis	M	114	1	1	3	7	3	11	13	25	23	27	119
		F	96	-	2	-	5	3	3	14	19	20	30	117
B39	Hyperplasia of prostate	M	154	-	-	-	-	-	-	-	5	41	108	106
B40	Complications of pregnancy, childbirth and puerperium	F	13	-	-	-	6	4	3	-	-	-	-	99
B41	Congenital malformations	M	180	139	10	5	1	7	4	6	5	2	1	98
		F	166	117	10	6	5	2	4	7	7	4	4	103
B42	Birth injuries, postnatal asphyxia and atelectasis	M	181	180	1	-	-	-	-	-	-	-	-	97
		F	129	129	-	-	-	-	-	-	-	-	-	105
B43	Diarrhoea of newborn (764)	M	4	4	-	-	-	-	-	-	-	-	-	179
		F	1	1	-	-	-	-	-	-	-	-	-	67
	Other infections of newborn (763, 765-768)	M	25	25	-	-	-	-	-	-	-	-	-	93
		F	21	21	-	-	-	-	-	-	-	-	-	119
B44	Other diseases of early infancy and immaturity unqualified	M	166	164	1	1	-	-	-	-	-	-	-	112
		F	114	114	-	-	-	-	-	-	-	-	-	102
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	139	3	-	-	-	2	3	5	4	7	115	130
		F	231	6	1	-	-	-	-	1	2	11	210	126
B46 (Rem.)	All other diseases (Remainder 001-795)	M	505	24	6	9	16	17	25	54	92	129	133	94
		F	739	15	9	11	10	18	44	69	116	183	264	106
BE47	Motor vehicle accidents	M	365	3	16	25	100	42	52	40	27	29	31	109
		F	124	-	10	10	17	6	7	8	11	22	33	100
BE48	All other accidents	M	479	43	10	39	39	29	56	49	65	51	98	132
		F	431	24	11	6	10	8	17	12	32	68	243	132
BE49	Suicide and self-inflicted injury	M	209	-	-	1	13	21	35	44	45	27	23	104
		F	123	-	-	-	7	18	10	20	44	19	5	85
BE50	Homicide and operations of war	M	8	-	-	-	2	3	-	2	-	1	-	79
		F	4	1	-	1	-	1	-	-	-	1	-	45
BN47	Fractures, head injuries and internal injuries	M	604	6	19	33	110	54	87	68	73	47	107	121
		F	401	1	9	10	19	7	10	9	21	69	246	130
BN48	Burns	M	23	-	-	3	5	1	2	1	1	4	6	137
		F	29	1	4	1	-	2	2	1	4	2	12	116
BN49	Effects of poisons	M	184	-	2	1	12	22	30	35	34	27	21	95
		F	172	-	3	2	11	19	17	25	54	27	14	92
BN50	All other injuries	M	250	40	5	28	27	18	24	31	29	30	18	124
		F	80	23	5	4	4	5	5	5	8	12	9	95

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Leeds Hospital Region											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	19,534	783	84	103	250	208	536	1,502	4,221	5,583	6,264	108
		F	19,065	535	70	64	102	153	398	967	2,306	4,789	9,681	114
B1	Tuberculosis of respiratory system	M	137	-	-	-	1	2	8	21	38	45	22	120
		F	28	-	-	-	-	4	5	3	8	7	1	85
B2	Tuberculosis, other forms	M	15	-	1	-	1	1	4	3	2	2	1	158
		F	8	-	-	-	-	1	1	2	2	1	1	92
B3	Syphilis and its sequelae	M	27	-	-	-	-	-	-	1	8	15	3	82
		F	22	-	-	-	-	-	-	-	5	8	9	116
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	151
B7	Scarlet fever and streptococcal sore throat	M	2	-	1	-	-	-	-	-	-	-	1	373
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	67
		F	1	1	-	-	-	-	-	-	-	-	-	68
B10	Meningococcal infections	M	3	1	-	-	-	-	-	1	1	-	-	84
		F	2	-	1	-	-	-	-	-	1	-	-	66
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	2	-	-	2	-	-	-	-	-	-	-	99
		F	4	2	1	1	-	-	-	-	-	-	-	138
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	27	7	-	1	-	1	1	9	2	2	4	94
		F	31	1	-	1	3	2	2	4	6	5	7	106
B18	Malignant neoplasm: (140-205)	M	3,663	3	7	15	18	37	110	383	1,057	1,216	817	98
		F	3,415	1	9	9	14	38	162	432	741	974	1,035	108
	stomach (151)	M	484	-	-	-	-	-	11	50	126	186	111	97
		F	389	-	-	-	1	1	3	26	71	109	178	108
	trachea, bronchus and lung (162, 163)	M	1,360	-	-	-	1	4	32	173	515	460	175	94
		F	242	-	-	-	1	2	10	41	74	69	45	94
	breast (170)	M	3	-	-	-	-	-	-	-	1	1	1	54
		F	650	-	-	-	-	7	47	100	162	175	159	100
	uterus (171-174)	F	326	-	-	-	-	4	24	51	86	97	64	124
	Leukaemia and aleukaemia (204)	M	119	2	3	8	4	8	10	10	24	27	23	115
		F	103	-	2	5	5	6	4	16	15	28	22	120
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,697	1	4	7	13	25	57	150	391	542	507	100
		F	1,705	1	7	4	7	18	74	198	333	496	567	110
B19	Benign and unspecified neoplasms	M	59	2	-	2	3	2	7	10	14	12	7	124
		F	54	1	1	1	2	3	6	6	8	16	10	104
B20	Diabetes mellitus	M	110	-	1	-	1	5	5	5	17	34	42	119
		F	180	-	-	1	-	3	2	2	18	61	93	111
B21	Anaemias	M	38	-	-	1	1	-	-	-	9	11	16	104
		F	95	1	1	1	-	2	1	3	9	20	57	139
B22	Vascular lesions affecting central nervous system	M	2,282	3	-	1	4	4	19	83	357	706	1,105	118
		F	3,323	4	-	-	2	3	27	98	332	862	1,995	118
B23	Non-meningococcal meningitis	M	14	7	-	1	1	-	1	2	1	1	-	83
		F	16	9	-	-	2	-	1	-	1	1	2	118
B24	Rheumatic fever	M	1	-	-	-	-	-	-	-	-	1	-	50
		F	4	1	-	-	-	-	-	-	1	1	1	196
B25	Chronic rheumatic heart disease	M	149	-	-	-	2	4	23	31	50	23	16	105
		F	294	-	-	1	1	8	29	66	71	67	51	110

TABLE 19 - *continued*

Leeds Hospital Region - *continued*

Abbreviated List No.	Causes of death		Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales =100)
B26	Arteriosclerotic heart disease including coronary disease (420)	M	4,971	-	-	-	-	7	146	529	1,435	1,559	1,295	115
		F	3,472	-	-	-	1	5	19	71	429	1,255	1,692	131
	Degenerative heart disease (421, 422)	M	1,035	-	-	1	2	1	4	18	76	237	696	111
		F	1,680	-	-	-	1	-	3	11	44	226	1,395	110
B27	Other diseases of heart	M	417	-	1	-	1	1	6	16	71	127	194	107
		F	529	-	-	-	-	2	2	11	47	136	331	109
B28	Hypertension with heart disease	M	223	-	-	-	-	-	2	7	47	83	84	99
		F	335	-	-	-	-	1	2	6	27	96	203	101
B29	Hypertension without mention of heart	M	148	-	-	1	-	3	9	21	33	40	41	104
		F	145	-	-	-	-	-	2	3	18	33	89	96
B46 (Pt.)	Other circulatory diseases (450-468)	M	574	1	-	-	-	-	6	19	80	145	323	105
		F	851	-	-	-	4	4	7	12	55	165	604	120
B30	Influenza	M	17	-	1	-	-	-	1	3	2	3	7	53
		F	28	-	-	-	1	-	-	1	4	5	17	80
B31	Pneumonia	M	986	124	9	5	6	6	11	31	123	243	428	110
		F	1,073	93	6	6	4	2	5	20	63	180	694	108
B32	Bronchitis	M	1,590	13	5	-	2	3	10	76	379	591	511	116
		F	612	7	3	1	2	2	10	37	91	150	309	120
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	170	8	2	1	4	2	5	15	45	59	29	75
		F	103	4	-	-	2	1	6	11	18	23	38	96
B33	Ulcer of stomach and duodenum	M	175	-	-	-	-	2	4	15	46	55	53	104
		F	96	-	-	-	-	1	1	4	9	34	47	109
B34	Appendicitis	M	19	-	1	2	-	-	1	1	2	9	3	105
		F	16	-	1	1	1	-	-	-	3	3	7	110
B35	Intestinal obstruction and hernia	M	97	15	3	-	-	4	2	4	16	25	28	106
		F	100	3	-	-	-	1	2	3	16	22	53	95
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	66	12	7	4	1	2	2	3	11	8	16	95
		F	103	15	6	-	-	1	2	1	11	23	44	99
B37	Cirrhosis of liver	M	42	-	-	-	-	-	3	4	16	14	5	95
		F	49	-	-	-	-	2	2	7	9	17	12	114
B38	Nephritis and nephrosis	M	103	-	-	-	5	5	13	13	23	18	26	103
		F	127	1	-	1	1	3	8	6	16	38	53	139
B39	Hyperplasia of prostate	M	144	-	-	-	-	-	-	-	9	39	96	97
B40	Complications of pregnancy, childbirth and puerperium	F	14	-	-	-	5	6	2	1	-	-	-	93
B41	Congenital malformations	M	180	133	10	8	5	3	7	3	5	4	2	98
		F	173	124	14	7	6	1	1	7	6	3	4	106
B42	Birth injuries, postnatal asphyxia and atelectasis	M	219	219	-	-	-	-	-	-	-	-	-	117
		F	113	113	-	-	-	-	-	-	-	-	-	92
B43	Diarrhoea of newborn (764)	M	7	7	-	-	-	-	-	-	-	-	-	315
		F	2	2	-	-	-	-	-	-	-	-	-	135
	Other infections of newborn (763, 765-768)	M	27	27	-	-	-	-	-	-	-	-	-	101
		F	16	16	-	-	-	-	-	-	-	-	-	91
B44	Other diseases of early infancy and immaturity unqualified	M	155	155	-	-	-	-	-	-	-	-	-	105
		F	107	107	-	-	-	-	-	-	-	-	-	96
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	89	2	1	-	-	1	-	-	2	3	80	82
		F	161	-	-	1	-	-	-	-	1	7	152	76
B46 (Rem.)	All other diseases (Remainder 001-795)	M	524	24	9	17	15	12	23	53	89	136	146	94
		F	866	14	7	7	16	24	42	75	137	211	333	111
BE47	Motor vehicle accidents	M	378	1	8	20	115	45	39	39	37	33	41	110
		F	174	-	5	15	19	11	12	18	29	31	34	130
BE48	All other accidents	M	432	18	17	20	44	30	29	43	69	51	111	115
		F	464	15	13	9	6	5	14	16	25	70	291	127
BE49	Suicide and self-inflicted injury	M	205	-	-	-	17	23	30	39	49	32	15	97
		F	171	-	-	-	9	16	18	30	44	37	17	108
BE50	Homicide and operations of war	M	11	-	-	1	1	2	5	1	-	1	-	106
		F	7	-	1	1	-	1	2	-	1	1	-	77
BN47	Fractures, head injuries and internal injuries	M	597	1	10	23	130	57	51	63	76	57	129	116
		F	446	1	6	17	18	10	14	18	33	68	261	129
BN48	Burns	M	16	1	-	-	1	1	1	3	4	1	4	93
		F	41	1	4	2	-	2	1	2	4	5	20	150
BN49	Effects of poisons	M	207	-	3	1	11	24	28	38	49	35	18	102
		F	231	1	1	1	9	14	24	35	48	56	42	112
BN50	All other injuries	M	206	17	12	17	35	18	23	18	26	24	16	99
		F	98	12	8	5	7	7	7	9	14	10	19	109

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Sheffield Hospital Region											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	**M**	**26,099**	**952**	**143**	**158**	**366**	**335**	**765**	**2,047**	**5,389**	**7,172**	**8,772**	**99**
		F	**22,882**	**715**	**139**	**106**	**152**	**200**	**512**	**1,241**	**2,731**	**5,587**	**11,499**	**101**
B1	Tuberculosis of respiratory system	M	158	-	-	-	2	2	12	23	46	45	28	97
		F	49	-	-	-	1	3	4	10	10	15	6	110
B2	Tuberculosis, other forms	M	7	-	1	-	-	2	1	1	2	-	-	51
		F	12	-	-	-	1	1	1	-	4	1	4	101
B3	Syphilis and its sequelae	M	49	-	-	-	-	1	4	5	13	19	7	104
		F	27	1	-	-	-	1	1	-	6	8	10	105
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	-	1	-	151
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	1	-	1	-	-	-	-	-	-	-	-	127
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	93
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	4	3	1	-	-	-	-	-	-	-	-	77
		F	7	-	5	-	-	-	-	-	-	1	1	162
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	1	-	-	-	-	-	1	-	-	-	-	499
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	6	1	2	3	-	-	-	-	-	-	-	203
		F	13	2	4	3	3	1	-	-	-	-	-	309
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	42	4	4	1	3	3	2	6	9	5	5	102
		F	35	3	3	-	3	4	-	2	5	9	6	87
	Malignant neoplasm: (140-205)	M	4,933	2	11	26	32	50	170	553	1,428	1,566	1,095	92
		F	4,046	7	17	22	18	50	217	562	865	1,122	1,166	95
	stomach (151)	M	696	-	-	-	-	-	18	73	203	251	151	98
		F	503	-	-	-	-	2	7	36	91	141	226	104
	trachea, bronchus and lung (162, 163)	M	1,770	-	-	-	2	4	50	246	649	606	213	87
		F	271	-	1	-	-	2	16	39	74	83	56	79
B18	breast (170)	M	9	-	-	-	-	-	-	1	5	-	3	113
		F	813	-	-	-	1	10	67	152	202	202	179	93
	uterus (171-174)	F	378	-	-	-	1	2	34	95	71	90	85	107
	Leukaemia and aleukaemia (204)	M	130	1	3	15	7	9	8	13	19	33	22	87
		F	117	3	9	11	3	5	12	17	20	22	15	100
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,328	1	8	11	23	37	94	220	552	676	706	95
		F	1,964	4	7	11	13	29	81	223	407	584	605	94
B19	Benign and unspecified neoplasms	M	56	2	-	5	-	2	7	9	11	12	8	82
		F	66	2	1	1	2	4	5	10	13	13	15	94
B20	Diabetes mellitus	M	142	-	1	1	-	-	7	11	33	44	45	105
		F	246	-	-	-	2	3	1	9	34	91	106	112
B21	Anaemias	M	42	-	-	-	-	-	-	1	7	4	30	78
		F	90	-	2	1	-	-	2	2	8	24	51	96
B22	Vascular lesions affecting central nervous system	M	3,044	2	2	2	5	10	41	140	454	898	1,490	107
		F	3,880	-	2	4	2	9	26	129	371	1,026	2,311	102
B23	Non-meningococcal meningitis	M	28	9	3	1	2	3	-	5	4	-	1	115
		F	17	3	1	-	1	1	1	2	1	6	1	89
B24	Rheumatic fever	M	4	-	-	1	-	-	1	-	2	-	-	139
		F	3	-	-	-	-	-	-	-	-	-	3	109
B25	Chronic rheumatic heart disease	M	219	-	-	-	2	12	21	56	61	38	29	108
		F	368	-	-	-	3	14	36	71	114	75	55	102

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Sheffield Hospital Region - *continued*											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	5,687	1	-	-	3	19	183	625	1,617	1,782	1,457	92
		F	3,273	-	-	-	-	4	23	99	462	1,139	1,546	92
		M	1,561	-	-	1	5	1	6	31	92	306	1,119	111
		F	2,285	-	1	-	2	1	4	14	63	337	1,863	109
27	Other diseases of heart	M	572	-	-	-	2	5	8	19	68	184	286	99
		F	720	2	-	1	2	5	11	13	60	176	450	109
28	Hypertension with heart disease	M	341	-	-	-	-	3	3	10	74	122	129	104
		F	508	-	-	-	-	-	-	10	56	153	289	113
29	Hypertension without mention of heart	M	231	-	1	-	-	2	9	23	33	76	87	111
		F	238	-	-	-	-	2	4	12	29	65	126	116
46 (Pt.)	Other circulatory diseases (450-468)	M	895	1	-	1	2	7	11	27	110	216	520	110
		F	1,123	-	-	1	3	3	16	27	53	222	798	116
30	Influenza	M	80	1	-	1	1	-	-	5	19	13	40	169
		F	113	1	1	1	-	-	3	-	9	25	73	237
31	Pneumonia	M	1,251	65	18	8	13	3	21	51	124	296	652	94
		F	1,231	60	20	6	7	3	14	31	116	216	758	90
32	Bronchitis	M	2,338	40	9	4	-	3	25	82	555	847	773	118
		F	871	21	8	1	5	5	8	38	105	244	436	126
46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	336	22	2	1	4	3	16	20	82	99	87	103
		F	196	27	3	-	-	4	10	13	11	36	92	133
33	Ulcer of stomach and duodenum	M	261	1	-	1	-	2	10	20	53	83	91	107
		F	137	-	-	-	-	-	2	9	12	45	69	115
34	Appendicitis	M	20	-	1	3	-	1	2	1	2	5	5	76
		F	20	1	-	-	1	1	-	3	2	3	9	101
35	Intestinal obstruction and hernia	M	141	14	3	2	1	1	4	13	25	39	39	105
		F	128	10	2	1	-	1	3	4	10	33	64	89
36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	122	33	10	-	1	2	3	5	20	23	25	121
		F	151	19	6	-	-	1	6	6	12	42	59	106
37	Cirrhosis of liver	M	53	-	-	-	-	1	4	10	22	10	6	85
		F	67	-	-	1	-	1	7	3	19	20	16	116
38	Nephritis and nephrosis	M	149	-	2	5	3	10	4	25	40	33	27	103
		F	134	-	-	4	8	6	10	15	24	22	45	108
39	Hyperplasia of prostate	M	218	-	-	-	-	-	-	2	7	55	154	97
40	Complications of pregnancy, childbirth and puerperium	F	18	-	-	-	5	10	3	-	-	-	-	83
41	Congenital malformations	M	241	164	18	11	11	5	5	10	10	4	3	90
		F	229	168	15	14	7	4	8	3	4	4	2	98
42	Birth injuries, postnatal asphyxia and atelectasis	M	253	253	-	-	-	-	-	-	-	-	-	93
		F	158	158	-	-	-	-	-	-	-	-	-	88
43	Diarrhoea of newborn (764)	M	5	5	-	-	-	-	-	-	-	-	-	154
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	50	50	-	-	-	-	-	-	-	-	-	128
		F	39	39	-	-	-	-	-	-	-	-	-	152
44	Other diseases of early infancy and immaturity unqualified	M	215	215	-	-	-	-	-	-	-	-	-	99
		F	153	153	-	-	-	-	-	-	-	-	-	94
45	Senility without mention of psychosis, ill-defined and unknown causes	M	176	1	-	1	-	-	-	4	4	9	157	105
		F	341	-	-	-	-	-	-	-	3	11	327	116
46 (Rem.)	All other diseases (Remainder 001-795)	M	757	24	17	16	30	24	34	88	152	173	199	93
		F	993	15	19	14	27	22	49	86	141	242	378	93
E47	Motor vehicle accidents	M	542	1	18	34	175	68	51	55	52	48	40	108
		F	200	1	13	20	33	13	9	15	22	43	31	108
E48	All other accidents	M	568	34	17	29	55	66	57	55	80	62	113	104
		F	526	22	15	9	9	5	9	17	37	81	322	104
E49	Suicide and self-inflicted injury	M	285	-	-	-	13	22	39	56	77	53	25	94
		F	160	-	-	-	4	14	18	26	50	37	11	74
E50	Homicide and operations of war	M	12	2	1	-	1	2	3	-	1	2	-	80
		F	11	-	1	2	3	4	1	-	-	-	-	86
N47	Fractures, head injuries and internal injuries	M	792	3	21	38	177	100	78	83	98	73	121	106
		F	528	5	12	18	30	12	11	16	30	86	308	111
N48	Burns	M	26	-	2	2	6	3	2	1	4	3	3	103
		F	41	2	3	4	2	2	1	1	4	11	11	108
N49	Effects of poisons	M	248	2	4	2	11	28	33	46	53	42	27	84
		F	202	-	2	2	4	15	19	32	59	40	29	72
N50	All other injuries	M	341	32	9	21	50	27	37	36	55	47	27	113
		F	126	16	12	7	13	7	6	9	16	24	16	100

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		East Anglia Hospital Region										
			Age										
			All ages	Under 1 year	Years								S.M.R. (England and Wales =100)
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	9,171	296	43	56	130	99	249	580	1,493	2,420	3,805	97
		F	8,780	194	33	20	49	63	173	387	911	1,965	4,985	103
B1	Tuberculosis of respiratory system	M	31	-	-	-	-	-	-	5	9	10	7	54
		F	9	-	1	-	-	-	-	2	-	2	4	56
B2	Tuberculosis, other forms	M	4	-	-	-	-	-	1	1	-	1	1	84
		F	4	-	-	-	-	-	1	-	1	1	1	92
B3	Syphilis and its sequelae	M	15	-	-	-	-	-	-	2	1	8	4	89
		F	12	-	-	-	-	-	-	2	-	1	9	125
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	3	1	2	-	-	-	-	-	-	-	-	378
		F	1	-	1	-	-	-	-	-	-	-	-	127
B10	Meningococcal infections	M	3	-	2	1	-	-	-	-	-	-	-	160
		F	1	-	1	-	-	-	-	-	-	-	-	64
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	14	1	-	1	-	-	1	2	4	3	2	95
		F	17	-	1	-	1	-	2	-	3	6	4	117
	Malignant neoplasm: (140-205)	M	1,833	-	10	10	10	24	50	165	440	587	537	97
		F	1,682	-	5	3	9	19	80	183	362	486	535	108
	stomach (151)	M	211	-	-	-	-	-	2	13	49	76	71	83
		F	176	-	-	-	-	2	6	9	22	49	88	98
	trachea, bronchus and lung (162, 163)	M	614	-	-	-	-	2	18	74	205	229	86	86
		F	130	-	-	-	-	2	4	14	35	48	27	105
B18	breast (170)	M	4	-	-	-	-	1	-	-	-	2	1	143
		F	337	-	-	-	-	6	21	57	77	99	77	107
	uterus (171-174)	F	138	-	-	-	-	2	19	27	28	38	24	108
	Leukaemia and aleukaemia (204)	M	50	-	4	6	3	3	2	8	7	9	8	94
		F	38	-	-	2	4	2	1	2	9	6	12	89
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	954	-	6	4	7	18	28	70	179	271	371	109
		F	863	-	5	1	5	5	29	74	191	246	307	113
B19	Benign and unspecified neoplasms	M	28	1	1	1	4	1	3	2	6	3	6	117
		F	23	-	-	-	1	1	2	6	2	5	6	91
B20	Diabetes mellitus	M	71	-	-	-	1	1	1	2	9	21	36	146
		F	115	-	-	-	1	-	-	2	14	33	65	141
B21	Anaemias	M	15	-	-	-	-	-	-	1	-	4	10	76
		F	26	-	-	-	-	1	-	1	1	5	18	74
B22	Vascular lesions affecting central nervous system	M	1,060	1	-	-	2	-	11	27	119	306	594	102
		F	1,480	-	-	-	2	2	11	36	126	335	968	103
B23	Non-meningococcal meningitis	M	10	3	2	-	-	-	1	2	1	-	1	114
		F	7	2	-	-	-	-	-	-	-	1	4	100
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	55	-	-	-	1	4	4	10	9	17	10	77
		F	98	-	-	1	2	2	4	17	23	14	35	76

TABLE 19 - *continued*

East Anglia Hospital Region - *continued*

Abbreviated List No.	Causes of death		All ages	Under 1 year	Years 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales =100)
26	Arteriosclerotic heart disease including coronary disease (420)	M	2,134	-	-	-	1	7	50	173	482	664	757	97
		F	1,372	-	-	-	-	-	4	22	131	421	794	103
	Degenerative heart disease (421, 422)	M	613	-	-	-	1	-	6	10	25	109	462	117
		F	876	-	-	-	-	-	5	6	16	103	746	108
27	Other diseases of heart	M	236	-	-	-	-	2	5	11	21	61	136	112
		F	266	-	-	-	1	-	2	3	23	50	187	106
28	Hypertension with heart disease	M	90	-	-	-	-	-	1	2	16	36	35	76
		F	150	-	-	-	-	1	-	1	11	38	99	88
29	Hypertension without mention of heart	M	58	-	-	-	-	-	2	6	14	12	24	78
		F	61	-	-	-	-	-	1	3	4	18	35	79
46 (Pt.)	Other circulatory diseases (450-468)	M	282	-	-	-	-	-	6	11	28	65	172	95
		F	427	-	-	-	-	2	3	7	24	61	330	116
30	Influenza	M	10	-	-	-	-	-	1	-	2	4	3	58
		F	15	-	-	-	-	-	-	-	1	5	9	83
31	Pneumonia	M	531	35	3	4	6	4	9	15	32	103	320	109
		F	604	22	4	1	4	-	6	18	34	91	424	116
32	Bronchitis	M	544	-	1	1	2	-	3	25	101	180	231	77
		F	193	-	2	-	-	-	-	6	17	39	129	74
46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	82	-	1	-	-	-	6	7	12	22	34	71
		F	40	-	-	-	-	-	-	4	7	9	20	73
33	Ulcer of stomach and duodenum	M	99	-	-	-	1	-	6	3	20	27	42	113
		F	53	-	-	-	-	1	1	2	5	12	32	118
34	Appendicitis	M	9	-	-	1	-	-	1	-	4	-	3	96
		F	5	-	-	-	-	-	-	-	1	2	2	68
35	Intestinal obstruction and hernia	M	49	5	-	-	-	-	-	3	5	10	26	101
		F	69	6	-	-	1	-	2	2	5	21	32	128
36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	26	3	-	-	1	-	-	-	5	6	11	71
		F	50	2	2	-	-	-	1	4	3	20	18	94
37	Cirrhosis of liver	M	16	-	1	-	-	-	2	3	2	5	3	73
		F	18	-	-	-	-	-	2	1	4	7	4	86
38	Nephritis and nephrosis	M	49	-	-	-	1	2	1	3	7	5	12	18	95
		F	43	-	-	-	1	1	1	4	7	15	14	94
39	Hyperplasia of prostate	M	106	-	-	-	-	-	-	1	3	17	85	126
40	Complications of pregnancy, childbirth and puerperium	F	8	-	-	-	2	3	3	-	-	-	-	102
41	Congenital malformations	M	105	70	5	8	4	1	1	7	4	1	4	107
		F	66	44	6	4	2	2	1	1	1	2	3	77
42	Birth injuries, postnatal asphyxia and atelectasis	M	78	78	-	-	-	-	-	-	-	-	-	78
		F	45	45	-	-	-	-	-	-	-	-	-	69
43	Diarrhoea of newborn (764)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	10	10	-	-	-	-	-	-	-	-	-	70
		F	6	6	-	-	-	-	-	-	-	-	-	64
44	Other diseases of early infancy and immaturity unqualified	M	71	71	-	-	-	-	-	-	-	-	-	89
		F	53	53	-	-	-	-	-	-	-	-	-	89
45	Senility without mention of psychosis, ill-defined and unknown causes	M	56	3	-	-	-	-	1	-	-	3	49	89
		F	110	-	-	-	-	-	-	-	1	1	108	96
46 (Rem.)	All other diseases (Remainder 001-795)	M	290	5	4	5	6	8	17	27	51	71	96	99
		F	384	6	4	5	4	11	16	18	54	93	173	98
247	Motor vehicle accidents	M	194	-	4	13	63	17	23	17	24	13	20	108
		F	69	-	2	4	11	5	6	9	10	15	7	103
248	All other accidents	M	186	6	6	10	21	15	17	16	20	20	55	94
		F	243	8	4	2	3	3	7	9	10	38	159	127
249	Suicide and self-inflicted injury	M	100	-	-	-	4	14	17	17	19	18	11	93
		F	76	-	-	-	4	7	12	18	9	15	11	99
250	Homicide and operations of war	M	5	3	1	-	-	-	-	-	-	1	-	92
		F	3	-	-	-	-	2	-	-	1	-	-	65
147	Fractures, head injuries and internal injuries	M	269	-	5	12	63	24	22	23	33	30	57	100
		F	229	1	2	4	10	6	6	13	13	42	132	128
148	Burns	M	9	-	-	4	-	-	1	1	-	1	2	98
		F	10	-	1	-	-	1	1	1	-	1	5	71
149	Effects of poisons	M	82	-	-	-	4	9	14	17	14	10	14	79
		F	98	-	-	-	6	8	13	14	10	15	32	97
150	All other injuries	M	125	9	6	7	21	13	20	9	16	11	13	117
		F	54	7	3	2	2	2	5	8	7	10	8	119

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		North West Metropolitan Hospital Region										
			Age										
			All ages	Under 1 year	Years								S.M.R. (England and Wales =100)
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	20,688	768	102	107	298	299	647	1,847	4,689	5,385	6,546	83
		F	19,941	590	92	83	155	190	473	1,161	2,356	4,282	10,559	79
B1	Tuberculosis of respiratory system	M	99	-	1	-	-	1	9	23	24	30	11	64
		F	30	-	-	-	-	2	6	3	4	8	7	64
B2	Tuberculosis, other forms	M	14	-	-	-	-	-	3	2	6	1	2	110
		F	15	-	-	-	-	1	1	3	2	-	8	119
B3	Syphilis and its sequelae	M	37	-	-	-	-	-	-	1	14	10	12	82
		F	14	-	-	1	-	-	-	1	4	2	6	49
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	102
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	544
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	3	-	1	-	-	1	-	1	-	-	-	68
		F	-	-	-	-	-	-	-	-	-	-	-	-
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	1	-	-	1	-	-	-	-	-	-	-	41
		F	1	-	1	-	-	-	-	-	-	-	-	28
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	33	-	-	1	2	2	4	2	11	6	5	87
		F	42	3	3	3	4	2	2	3	12	4	6	102
	Malignant neoplasm: (140-205)	M	4,901	3	10	25	30	65	161	551	1,537	1,424	1,095	96
		F	4,166	1	10	19	24	51	223	587	937	1,076	1,238	90
	stomach (151)	M	561	-	-	-	-	4	22	56	154	168	157	82
		F	385	-	-	-	-	2	4	31	63	106	179	71
	trachea, bronchus and lung (162, 163)	M	2,030	-	-	-	-	10	37	273	779	632	299	104
		F	451	-	-	-	1	2	20	73	120	138	97	121
B18	breast (170)	M	4	-	-	-	-	-	-	-	1	3	-	52
		F	876	-	-	-	1	15	71	191	234	194	170	93
	uterus (171-174)	F	285	-	-	-	-	-	18	48	79	72	68	75
	Leukaemia and aleukaemia (204)	M	140	2	9	9	3	5	19	15	30	25	23	101
		F	124	-	7	7	3	8	8	12	22	19	38	102
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,166	1	1	16	27	46	83	207	573	596	616	93
		F	2,045	1	3	12	19	24	102	232	419	547	686	89
B19	Benign and unspecified neoplasms	M	45	-	2	2	-	3	6	6	15	6	5	71
		F	85	1	2	1	3	4	2	11	20	21	20	115
B20	Diabetes mellitus	M	88	-	-	-	2	3	7	5	16	30	25	69
		F	173	1	-	-	-	1	4	6	25	51	85	70
B21	Anaemias	M	36	1	1	-	1	-	1	2	6	9	15	70
		F	65	-	2	-	1	-	2	2	8	11	39	61
B22	Vascular lesions affecting central nervous system	M	1,760	1	-	-	5	9	27	102	332	488	796	65
		F	3,052	1	1	1	9	8	25	98	278	656	1,975	70
B23	Non-meningococcal meningitis	M	14	8	2	-	-	-	-	1	1	-	2	66
		F	11	7	-	-	-	-	-	-	-	3	1	61
B24	Rheumatic fever	M	2	-	-	-	1	-	-	-	-	1	-	75
		F	2	-	-	-	-	-	-	1	-	-	1	69
B25	Chronic rheumatic heart disease	M	196	-	-	1	4	6	14	34	55	39	43	102
		F	354	-	-	-	1	7	14	39	84	96	113	92

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		North West Metropolitan Hospital Region - *continued*										
			Age										
			All ages	Under 1 year	Years								S.M.R. (England and Wales =100)
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420)	M	5,106	-	-	-	1	25	139	594	1,449	1,603	1,295	86
		F	3,173	-	-	-	-	2	17	89	331	937	1,797	79
	Degenerative heart disease (421, 422)	M	813	1	-	1	2	1	9	30	68	129	572	61
		F	1,444	-	-	1	1	1	2	8	33	135	1,263	59
B27	Other diseases of heart	M	425	-	-	1	4	4	7	17	68	114	210	77
		F	563	2	-	1	1	1	4	10	38	99	407	74
B28	Hypertension with heart disease	M	221	-	-	-	1	-	7	11	37	69	96	71
		F	404	-	-	-	-	-	-	6	27	94	277	78
B29	Hypertension without mention of heart	M	202	-	-	-	2	4	6	26	41	64	59	102
		F	260	-	-	-	-	1	2	14	30	63	150	112
B46 (Pt.)	Other circulatory diseases (450-468)	M	683	-	1	1	-	5	8	29	105	199	335	88
		F	977	-	2	1	4	4	14	30	66	183	673	88
B30	Influenza	M	20	-	-	1	-	2	1	1	5	3	7	45
		F	15	-	-	-	-	-	-	1	1	3	10	28
B31	Pneumonia	M	1,127	85	17	2	5	10	11	31	116	233	617	90
		F	1,332	54	9	4	7	7	11	17	58	215	950	86
B32	Bronchitis	M	1,381	15	3	1	3	1	7	71	301	457	522	73
		F	595	9	6	-	1	3	4	18	61	139	354	76
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	241	9	4	1	-	3	5	14	69	56	80	78
		F	134	8	2	1	2	-	4	7	13	29	68	83
B33	Ulcer of stomach and duodenum	M	201	-	-	-	1	1	7	15	52	55	70	86
		F	123	-	1	-	1	1	-	4	15	37	64	91
B34	Appendicitis	M	17	-	-	-	-	-	-	1	3	9	4	69
		F	20	-	1	2	1	1	1	1	2	3	8	93
B35	Intestinal obstruction and hernia	M	108	11	-	-	2	1	1	3	19	30	41	86
		F	143	4	1	-	-	-	-	2	12	36	88	90
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	68	7	3	1	2	2	2	5	9	15	22	74
		F	131	10	-	-	1	2	4	9	13	25	67	85
B37	Cirrhosis of liver	M	49	-	-	-	1	1	4	10	14	12	7	82
		F	43	-	-	-	1	-	2	5	13	11	11	69
B38	Nephritis and nephrosis	M	99	-	1	-	3	4	9	14	21	24	23	72
		F	113	-	-	2	5	6	3	9	12	25	51	84
B39	Hyperplasia of prostate	M	154	-	-	-	-	-	-	-	11	23	120	72
B40	Complications of pregnancy, childbirth and puerperium	F	19	-	-	-	4	11	4	-	-	-	-	94
B41	Congenital malformations	M	230	153	21	9	10	2	8	12	7	4	4	102
		F	187	122	18	12	5	3	2	11	3	6	5	93
B42	Birth injuries, postnatal asphyxia and atelectasis	M	254	254	-	-	-	-	-	-	-	-	-	113
		F	176	176	-	-	-	-	-	-	-	-	-	120
B43	Diarrhoea of newborn (764)	M	1	1	-	-	-	-	-	-	-	-	-	37
		F	2	2	-	-	-	-	-	-	-	-	-	112
	Other infections of newborn (763, 765-768)	M	24	24	-	-	-	-	-	-	-	-	-	74
		F	20	20	-	-	-	-	-	-	-	-	-	95
B44	Other diseases of early infancy and immaturity unqualified	M	154	154	-	-	-	-	-	-	-	-	-	86
		F	127	127	-	-	-	-	-	-	-	-	-	95
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	77	1	-	-	-	1	2	2	5	3	63	49
		F	165	2	-	-	1	-	-	1	1	1	159	47
B46 (Rem.)	All other diseases (Remainder 001-795)	M	712	19	14	15	31	22	47	79	119	142	224	93
		F	933	23	12	12	19	26	46	79	134	189	393	81
BE47	Motor vehicle accidents	M	387	-	1	22	121	33	38	49	51	35	37	85
		F	189	1	6	15	28	7	9	22	29	37	35	100
BE48	All other accidents	M	402	20	20	22	35	41	44	32	39	39	110	80
		F	402	15	14	7	11	10	15	17	42	62	209	72
BE49	Suicide and self-inflicted injury	M	290	-	-	-	24	44	51	69	63	23	16	102
		F	229	-	-	-	15	27	48	47	47	24	21	102
BE50	Homicide and operations of war	M	13	1	-	-	5	2	2	2	-	-	1	97
		F	10	1	1	-	4	1	2	-	1	-	-	84
BN47	Fractures, head injuries and internal injuries	M	560	2	5	28	126	52	58	59	67	51	112	81
		F	376	2	9	17	24	10	14	27	34	66	173	71
BN48	Burns	M	17	1	-	1	1	-	2	2	1	4	5	74
		F	28	-	1	2	1	-	1	-	6	4	13	71
BN49	Effects of poisons	M	297	1	5	1	23	35	60	52	59	28	33	109
		F	310	1	6	-	19	26	51	45	62	40	60	106
BN50	All other injuries	M	218	17	11	14	35	33	15	39	26	14	14	80
		F	116	14	5	3	14	9	8	14	17	13	19	94

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		North East Metropolitan Hospital Region											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	**M**	**17,577**	**605**	**87**	**93**	**210**	**201**	**517**	**1,450**	**3,734**	**4,902**	**5,778**	**90**
		F	**16,701**	**472**	**76**	**63**	**95**	**122**	**426**	**912**	**2,001**	**3,834**	**8,700**	**84**
B1	Tuberculosis of respiratory system	M	120	-	-	-	1	1	9	12	28	43	26	98
		F	28	-	-	-	-	1	2	4	5	9	7	75
B2	Tuberculosis, other forms	M	6	-	-	-	1	1	1	-	3	-	-	60
		F	7	-	1	1	-	-	-	-	2	1	2	70
B3	Syphilis and its sequelae	M	34	-	-	-	-	-	1	2	8	9	14	96
		F	22	-	-	-	-	1	1	4	3	4	9	97
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	141
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	4	4	-	-	-	-	-	-	-	-	-	284
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	2	1	1	-	-	-	-	-	-	-	-	58
		F	1	-	-	1	-	-	-	-	-	-	-	33
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	724
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	1	-	1	-	-	-	-	-	-	72
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	27	2	-	1	1	-	3	3	11	1	5	90
		F	27	2	3	1	-	2	1	6	4	4	4	83
B18	Malignant neoplasm: (140-205)	M	4,168	5	16	19	27	41	136	434	1,165	1,337	988	103
		F	3,441	1	7	13	16	39	187	436	751	931	1,060	94
	stomach (151)	M	520	-	-	-	-	1	14	66	149	164	126	97
		F	359	-	-	-	-	-	8	22	59	104	166	84
	trachea, bronchus and lung (162, 163)	M	1,708	-	-	-	2	5	48	202	590	576	285	111
		F	346	-	-	-	-	3	20	60	99	100	64	118
	breast (170)	M	7	-	-	-	-	-	1	1	3	1	1	116
		F	705	-	-	-	1	11	54	136	181	168	154	95
	uterus (171-174)	F	228	-	-	-	-	2	20	41	44	68	53	76
	Leukaemia and aleukaemia (204)	M	129	1	6	11	6	3	10	9	27	28	28	117
		F	94	1	5	5	2	5	10	15	14	22	15	97
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,804	4	10	8	19	32	63	156	396	568	548	98
		F	1,709	-	2	8	13	18	75	162	354	469	608	94
B19	Benign and unspecified neoplasms	M	59	-	2	-	2	1	5	11	21	11	6	117
		F	52	-	2	1	1	1	5	8	14	10	10	89
B20	Diabetes mellitus	M	91	1	1	-	-	2	1	6	19	29	32	90
		F	184	-	-	-	-	1	2	8	26	60	87	95
B21	Anaemias	M	36	1	-	-	1	-	-	1	5	7	21	89
		F	60	1	1	-	-	-	-	1	7	12	38	72
B22	Vascular lesions affecting central nervous system	M	1,587	-	-	-	3	11	22	70	234	497	750	74
		F	2,696	-	-	-	2	8	27	87	228	617	1,727	78
B23	Non-meningococcal meningitis	M	17	7	1	3	-	-	1	2	-	2	1	101
		F	8	3	-	1	-	-	1	-	1	1	1	56
B24	Rheumatic fever	M	1	-	-	-	-	-	-	1	-	-	-	47
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	151	-	-	-	1	6	14	32	41	38	19	100
		F	290	-	-	-	1	3	19	48	63	89	67	95

TABLE 19 - *continued*

North East Metropolitan Hospital Region - *continued*

Abbreviated List No.	Causes of death		All ages	Age: Under 1 year	Age: Years 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales =100)
26	Arteriosclerotic heart disease including coronary disease (420)	M	4,327	-	-	-	1	6	137	488	1,192	1,304	1,199	93
		F	2,796	-	-	-	-	1	20	74	339	881	1,481	88
	Degenerative heart disease (421, 422)	M	603	-	-	-	1	-	9	17	39	111	426	57
		F	1,102	-	-	-	-	-	1	10	15	115	961	57
27	Other diseases of heart	M	334	1	-	-	3	4	5	10	37	88	186	77
		F	443	4	-	-	2	2	7	7	31	82	308	74
28	Hypertension with heart disease	M	177	-	-	-	-	-	-	12	27	58	80	72
		F	307	-	-	-	-	-	2	1	24	74	206	75
29	Hypertension without mention of heart	M	156	-	-	-	1	-	6	22	35	37	55	100
		F	188	-	-	-	1	2	-	9	24	38	114	102
46 (Pt.)	Other circulatory diseases (450-468)	M	562	-	-	-	-	1	9	30	85	153	284	92
		F	795	1	-	-	3	-	10	24	62	157	538	90
30	Influenza	M	19	1	-	-	1	1	-	1	2	7	6	54
		F	16	1	-	-	-	-	1	1	1	2	10	38
31	Pneumonia	M	949	67	11	6	9	6	3	28	107	217	495	96
		F	1,072	39	4	3	2	4	11	26	49	169	765	88
32	Bronchitis	M	1,446	15	3	1	1	2	9	52	270	526	567	97
		F	548	16	7	1	-	-	3	18	44	129	330	89
46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	178	2	-	-	2	2	7	11	45	59	50	73
		F	103	2	5	-	2	1	4	5	11	22	51	81
33	Ulcer of stomach and duodenum	M	160	-	-	-	-	1	2	14	33	52	58	87
		F	80	-	-	-	-	-	-	5	4	21	50	75
34	Appendicitis	M	21	1	1	1	1	-	-	1	2	6	8	109
		F	13	-	-	2	-	-	-	-	2	2	7	77
35	Intestinal obstruction and hernia	M	105	6	3	-	-	1	1	3	23	25	43	106
		F	137	8	-	-	1	1	1	4	12	39	71	109
36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	58	8	4	-	-	2	2	5	9	13	15	80
		F	114	5	2	1	-	1	4	3	11	26	61	94
37	Cirrhosis of liver	M	35	-	1	-	2	2	1	6	9	9	5	75
		F	38	1	-	-	-	-	2	4	11	10	10	77
38	Nephritis and nephrosis	M	90	1	-	4	3	3	6	14	15	20	24	83
		F	87	-	-	-	3	8	8	5	16	30	17	82
39	Hyperplasia of prostate	M	122	-	-	-	-	-	-	-	6	23	93	72
40	Complications of pregnancy, childbirth and puerperium	F	11	-	-	-	4	5	2	-	-	-	-	69
41	Congenital malformations	M	177	127	13	5	2	6	3	5	4	8	4	99
		F	157	108	14	5	6	1	5	1	11	3	3	99
42	Birth injuries, postnatal asphyxia and atelectasis	M	158	158	-	-	-	-	-	-	-	-	-	89
		F	122	122	-	-	-	-	-	-	-	-	-	105
43	Diarrhoea of newborn (764)	M	2	2	-	-	-	-	-	-	-	-	-	95
		F	1	1	-	-	-	-	-	-	-	-	-	71
	Other infections of newborn (763, 765-768)	M	23	23	-	-	-	-	-	-	-	-	-	90
		F	12	12	-	-	-	-	-	-	-	-	-	72
44	Other diseases of early infancy and immaturity unqualified	M	138	138	-	-	-	-	-	-	-	-	-	98
		F	117	117	-	-	-	-	-	-	-	-	-	111
45	Senility without mention of psychosis, ill-defined and unknown causes	M	60	1	-	-	1	-	-	-	3	5	50	48
		F	135	-	1	-	1	-	1	-	1	2	129	49
46 (Rem.)	All other diseases (Remainder 001-795)	M	549	19	5	15	13	12	34	57	112	121	161	91
		F	879	11	12	10	13	17	55	64	143	194	360	96
E47	Motor vehicle accidents	M	303	-	5	17	82	32	25	31	53	26	32	84
		F	128	2	5	13	16	3	6	14	15	25	29	86
E48	All other accidents	M	317	12	20	16	33	31	30	33	46	38	58	80
		F	288	12	9	6	10	4	13	7	22	37	168	65
E49	Suicide and self-inflicted injury	M	192	-	-	1	15	24	33	36	45	21	17	86
		F	178	-	-	1	9	15	23	27	49	37	17	101
E50	Homicide and operations of war	M	13	2	-	4	2	2	2	-	-	1	-	122
		F	14	3	1	3	1	1	2	1	-	1	1	148
N47	Fractures, head injuries and internal injuries	M	444	1	9	20	90	47	38	51	70	50	68	82
		F	283	4	5	15	21	5	9	14	23	37	150	68
N48	Burns	M	11	2	1	-	1	1	2	-	-	1	3	61
		F	24	-	-	2	-	1	3	1	3	6	8	77
N49	Effects of poisons	M	207	1	5	6	14	23	28	32	43	29	26	96
		F	229	2	4	1	13	15	24	29	51	44	46	99
N50	All other injuries	M	163	10	10	12	27	18	22	17	31	6	10	76
		F	72	11	6	5	2	2	8	5	9	13	11	74

TABLE 19 – *continued*

Abbreviated List No.	Causes of death		South East Metropolitan Hospital Region										
			Age										
			All ages	Under 1 year	Years								S.M.R. (England and Wales =100)
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	**21,429**	**688**	**95**	**120**	**250**	**238**	**499**	**1,528**	**4,072**	**6,020**	**7,919**	**102**
		F	**21,816**	**526**	**72**	**61**	**93**	**149**	**392**	**1,006**	**2,355**	**4,838**	**12,324**	**102**
B1	Tuberculosis of respiratory system	M	126	-	-	1	1	3	9	17	30	41	24	96
		F	53	-	-	-	-	1	7	6	16	8	15	133
B2	Tuberculosis, other forms	M	14	-	-	-	-	-	-	2	6	3	3	130
		F	11	-	1	-	-	-	-	3	2	2	3	103
B3	Syphilis and its sequelae	M	50	-	-	-	-	-	3	4	10	25	8	131
		F	20	-	-	-	-	1	-	1	1	7	10	82
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	2	1	1	-	-	-	-	-	-	-	-	359
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	66
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	4	1	1	1	-	-	-	-	1	-	-	107
		F	5	1	1	1	1	-	1	-	-	-	-	155
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	3	-	2	1	-	-	-	-	-	-	-	146
		F	1	-	1	-	-	-	-	-	-	-	-	33
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	-	-	1	-	-	-	645
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	31	3	7	1	3	3	-	2	4	3	5	97
		F	45	8	2	-	2	1	2	5	9	3	13	129
	Malignant neoplasm: (140-205)	M	4,724	2	11	28	16	51	117	440	1,250	1,591	1,218	109
		F	4,219	4	13	10	6	40	166	467	930	1,179	1,404	107
	stomach (151)	M	548	-	-	-	-	1	18	37	148	195	149	95
		F	411	-	-	-	-	1	5	17	69	135	184	90
	trachea, bronchus and lung (162, 163)	M	1,872	-	-	-	-	6	27	194	629	701	315	113
		F	394	-	-	-	-	1	9	45	117	139	83	125
B18	breast (170)	M	7	-	-	-	-	-	-	-	-	4	3	108
		F	853	-	-	-	-	10	58	154	222	200	209	107
	uterus (171-174)	F	289	-	-	-	-	4	20	47	77	73	68	90
	Leukaemia and aleukaemia (204)	M	118	1	3	11	4	5	7	20	11	27	29	100
		F	111	2	4	6	3	1	2	11	16	25	41	107
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,179	1	8	17	12	39	65	189	458	665	725	111
		F	2,161	2	9	4	3	23	72	193	429	607	819	111
B19	Benign and unspecified neoplasms	M	53	-	1	-	1	3	4	10	15	14	5	98
		F	67	-	3	2	1	2	5	14	17	14	9	107
B20	Diabetes mellitus	M	89	-	-	1	2	1	6	6	15	17	41	82
		F	183	-	-	-	-	2	-	4	13	61	103	88
B21	Anaemias	M	57	2	-	1	-	-	1	3	6	12	32	131
		F	74	-	-	-	-	-	2	2	8	13	49	82
B22	Vascular lesions affecting central nervous system	M	2,213	1	-	1	4	8	14	84	326	641	1,134	96
		F	3,717	1	-	1	-	4	21	89	278	809	2,514	101
B23	Non-meningococcal meningitis	M	19	6	3	1	-	1	1	1	2	1	3	105
		F	18	6	2	-	-	-	1	-	2	3	4	118
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	1	2	-	122
B25	Chronic rheumatic heart disease	M	150	-	-	1	2	4	13	35	38	31	26	92
		F	266	-	-	-	-	5	24	34	74	62	67	82

TABLE 19 - *continued*

South East Metropolitan Hospital Region - *continued*

Abbreviated List No.	Causes of death		Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales =100)
26	Arteriosclerotic heart disease including coronary disease (420)	M	4,966	-	-	-	-	12	115	483	1,197	1,591	1,568	99
		F	3,478	-	-	-	-	4	19	68	349	1,027	2,011	102
	Degenerative heart disease (421, 422)	M	1,054	-	-	-	1	1	6	15	55	160	816	93
		F	2,031	-	1	1	-	-	4	7	31	217	1,770	97
27	Other diseases of heart	M	544	-	-	1	1	5	5	19	69	149	295	117
		F	713	1	-	2	1	1	4	11	39	150	504	111
28	Hypertension with heart disease	M	266	-	-	-	-	-	3	15	45	74	129	101
		F	446	-	-	-	-	-	3	8	31	106	298	102
29	Hypertension without mention of heart	M	187	-	-	-	2	7	10	15	41	39	73	112
		F	203	-	-	-	-	2	1	14	22	42	122	103
46 (Pt.)	Other circulatory diseases (450-468)	M	681	-	-	1	2	2	6	20	95	212	343	104
		F	935	-	-	-	2	5	7	34	75	201	611	99
30	Influenza	M	22	-	-	1	1	1	-	3	3	3	10	58
		F	27	1	-	1	-	-	-	3	-	4	18	59
31	Pneumonia	M	1,149	66	7	7	3	3	5	23	77	269	689	109
		F	1,488	44	14	9	3	2	8	28	65	239	1,076	114
32	Bronchitis	M	1,576	28	2	1	-	1	11	71	317	579	566	99
		F	614	17	3	-	1	-	6	12	62	153	360	93
48 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	251	6	3	-	2	1	7	21	55	75	81	96
		F	120	6	2	-	2	-	6	7	18	25	54	88
33	Ulcer of stomach and duodenum	M	217	-	-	-	-	2	9	10	44	60	92	110
		F	144	-	-	-	-	2	3	7	8	42	82	126
34	Appendicitis	M	22	-	1	-	1	-	-	-	6	8	6	106
		F	16	-	-	-	1	-	-	-	5	6	4	88
35	Intestinal obstruction and hernia	M	107	6	2	-	-	3	-	5	12	31	48	100
		F	152	8	1	-	-	1	1	3	6	36	96	113
36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	93	14	4	-	-	1	5	3	14	24	28	119
		F	146	9	-	-	1	3	2	9	12	28	82	112
37	Cirrhosis of liver	M	35	-	-	-	1	-	3	6	12	7	6	70
		F	53	-	-	-	2	2	3	9	10	13	14	101
38	Nephritis and nephrosis	M	116	-	-	1	2	8	9	13	26	25	32	100
		F	124	1	-	2	3	2	2	7	16	36	55	109
39	Hyperplasia of prostate	M	188	-	-	-	-	-	-	1	13	36	138	104
40	Complications of pregnancy, childbirth and puerperium	F	24	-	-	-	10	10	3	1	-	-	-	140
41	Congenital malformations	M	194	124	10	10	8	5	3	12	10	7	5	101
		F	185	123	10	4	9	4	5	8	12	2	8	109
42	Birth injuries, postnatal asphyxia and atelectasis	M	175	175	-	-	-	-	-	-	-	-	-	92
		F	118	118	-	-	-	-	-	-	-	-	-	95
43	Diarrhoea of newborn (764)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	66
	Other infections of newborn (763, 765-768)	M	26	26	-	-	-	-	-	-	-	-	-	95
		F	12	12	-	-	-	-	-	-	-	-	-	67
44	Other diseases of early infancy and immaturity unqualified	M	166	166	-	-	-	-	-	-	-	-	-	110
		F	128	128	-	-	-	-	-	-	-	-	-	113
45	Senility without mention of psychosis, ill-defined and unknown causes	M	126	-	-	-	-	1	1	2	2	5	115	94
		F	207	1	-	-	-	-	-	1	2	2	201	70
46 (Rem.)	All other diseases (Remainder 001-795)	M	696	26	14	24	20	14	26	56	104	188	224	108
		F	1,025	14	10	10	16	25	50	65	130	220	485	104
47	Motor vehicle accidents	M	367	-	7	18	119	43	24	40	44	33	39	95
		F	129	2	1	9	17	8	7	12	11	24	38	81
48	All other accidents	M	398	32	18	19	41	29	35	41	61	39	83	94
		F	385	17	7	7	10	8	6	19	30	62	219	81
49	Suicide and self-inflicted injury	M	256	-	-	-	15	21	46	47	66	27	34	106
		F	216	-	-	-	4	12	21	48	68	39	24	114
50	Homicide and operations of war	M	14	2	1	-	2	4	2	2	1	-	-	123
		F	14	3	-	2	1	2	2	-	2	1	1	138
47	Fractures, head injuries and internal injuries	M	540	1	12	21	132	59	42	56	74	53	90	93
		F	344	5	3	11	19	9	9	12	20	53	203	77
48	Burns	M	14	2	1	-	1	-	1	1	1	-	7	72
		F	17	-	1	1	1	2	2	2	1	1	6	51
49	Effects of poisons	M	257	-	3	2	15	21	40	42	65	27	42	111
		F	288	2	1	1	7	13	20	55	71	59	59	116
50	All other injuries	M	224	31	10	14	29	17	24	31	32	19	17	97
		F	95	15	3	5	5	6	5	10	19	13	14	91

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		South West Metropolitan Hospital Region										
			Age										
			All ages	Under 1 year	Years								S.M. (Engl an Wal = 1
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	17,549	554	77	76	223	217	504	1,354	3,570	4,741	6,233	9
		F	18,737	433	62	60	81	131	390	893	2,006	3,880	10,801	9
B1	Tuberculosis of respiratory system	M	100	-	-	-	1	1	7	16	33	30	12	8
		F	25	-	1	-	-	-	5	5	6	4	4	7
B2	Tuberculosis, other forms	M	11	-	-	-	1	-	1	4	3	1	1	11
		F	8	-	-	-	-	-	1	3	1	-	3	8
B3	Syphilis and its sequelae	M	46	-	-	-	-	1	2	2	9	17	15	13
		F	46	-	-	-	-	1	1	1	5	12	26	21
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	-	1	-	20
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	1	1	-	-	-	-	-	-	-	-	-	3
		F	4	2	-	-	-	-	-	-	1	1	-	13
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	1	-	-	1	-	-	-	-	-	-	-	79
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	1	-	-	-	-	-	-	-	-	3
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	35	3	3	3	2	1	2	3	8	6	4	12
		F	33	1	1	-	1	3	1	5	5	7	9	10
B18	Malignant neoplasm: (140-205)	M	3,997	3	10	14	18	32	115	400	1,141	1,251	1,013	10
		F	3,660	1	3	10	15	27	171	411	805	969	1,248	10
	stomach (151)	M	429	-	-	-	1	1	12	52	116	131	116	8
		F	330	-	-	-	-	3	9	20	38	81	179	8
	trachea, bronchus and lung (162, 163)	M	1,663	-	-	-	-	1	41	172	568	586	295	11
		F	371	-	-	-	-	3	13	43	103	107	102	13
	breast (170)	M	6	-	-	-	-	-	-	-	-	4	1	1	10
		F	830	-	-	-	-	4	57	147	217	194	211	11
	uterus (171-174)	F	245	-	-	-	1	4	25	39	50	81	45	8
	Leukaemia and aleukaemia (204)	M	110	1	2	8	5	4	7	10	18	28	27	10
		F	84	-	-	4	3	1	8	2	24	19	23	9
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,789	2	8	6	12	26	55	166	435	505	574	10
		F	1,800	1	3	6	11	12	59	160	373	487	688	10
B19	Benign and unspecified neoplasms	M	38	1	-	-	3	4	4	3	11	8	4	7
		F	60	-	-	1	1	4	10	8	10	15	11	10
B20	Diabetes mellitus	M	89	-	-	-	-	4	5	8	11	24	37	9
		F	135	-	-	-	-	-	2	3	19	35	76	7
B21	Anaemias	M	23	-	-	-	-	-	1	1	2	8	11	5
		F	72	-	1	-	-	1	-	1	8	12	49	9
B22	Vascular lesions affecting central nervous system	M	1,662	-	-	1	2	11	21	87	227	472	841	8
		F	2,997	-	-	2	3	5	24	80	234	627	2,022	9
B23	Non-meningococcal meningitis	M	12	2	1	-	1	-	2	-	3	2	1	7
		F	20	7	-	2	-	2	1	-	1	1	6	14
B24	Rheumatic fever	M	2	-	-	-	-	-	-	-	-	1	1	9
		F	2	-	-	1	-	-	-	-	-	1	-	9
B25	Chronic rheumatic heart disease	M	150	-	-	-	-	5	19	31	39	32	24	10
		F	254	-	-	-	-	6	13	27	61	71	76	8

TABLE 19 - *continued*

South West Metropolitan Hospital Region - *continued*

Abbreviated List No.	Causes of death		Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
6	Arteriosclerotic heart disease including coronary disease (420)	M	4,154	-	-	-	-	7	99	409	1,138	1,311	1,190	93
		F	2,834	-	-	-	-	1	16	70	281	791	1,675	93
	Degenerative heart disease (421, 422)	M	905	-	-	-	1	4	6	14	41	141	698	89
		F	2,012	1	-	-	-	1	4	9	32	192	1,773	108
7	Other diseases of heart	M	344	-	-	-	1	5	7	12	39	82	198	83
		F	498	-	-	1	1	1	4	9	27	91	364	87
8	Hypertension with heart disease	M	170	-	-	-	-	-	1	2	33	59	75	72
		F	293	-	-	-	-	-	3	4	14	73	199	75
9	Hypertension without mention of heart	M	154	-	-	-	-	-	4	22	36	43	49	103
		F	190	-	-	-	-	1	4	10	11	47	117	108
6 (Pt.)	Other circulatory diseases (450-468)	M	595	-	-	-	4	2	10	29	83	157	310	101
		F	875	-	-	-	-	4	5	24	55	166	621	104
0	Influenza	M	12	-	-	-	1	1	1	1	-	2	6	35
		F	24	-	-	-	1	-	1	1	2	3	16	59
1	Pneumonia	M	961	51	10	2	10	6	12	24	91	213	542	101
		F	1,247	34	11	4	4	3	4	13	57	184	933	107
2	Bronchitis	M	1,191	7	1	-	1	3	9	52	236	420	462	83
		F	495	5	5	4	2	1	4	13	48	94	319	84
6 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	180	1	2	3	6	1	7	13	30	57	60	77
		F	120	2	-	1	-	-	2	7	19	20	69	98
3	Ulcer of stomach and duodenum	M	169	1	-	-	1	2	5	4	31	46	79	96
		F	119	-	-	-	-	1	3	5	14	27	69	117
4	Appendicitis	M	17	-	-	-	1	-	-	3	2	5	6	92
		F	18	-	-	-	-	-	2	-	1	4	11	111
5	Intestinal obstruction and hernia	M	88	7	3	-	-	2	1	4	11	23	37	92
		F	121	1	1	-	1	1	-	6	18	23	70	100
6	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	66	6	3	-	2	1	2	4	12	15	21	95
		F	118	5	-	-	-	2	2	4	14	28	63	101
7	Cirrhosis of liver	M	49	-	-	2	1	1	2	8	14	13	8	109
		F	47	-	-	-	-	-	-	8	10	15	14	100
8	Nephritis and nephrosis	M	107	1	1	-	4	6	6	8	24	27	30	103
		F	82	-	-	1	-	1	2	6	11	18	43	80
9	Hyperplasia of prostate	M	147	-	-	-	-	-	-	-	6	31	110	91
0	Complications of pregnancy, childbirth and puerperium	F	15	-	-	-	4	6	5	-	-	-	-	98
1	Congenital malformations	M	185	119	11	6	5	8	5	12	8	7	4	108
		F	140	87	15	8	2	2	1	9	7	7	2	92
2	Birth injuries, postnatal asphyxia and atelectasis	M	153	153	-	-	-	-	-	-	-	-	-	90
		F	117	117	-	-	-	-	-	-	-	-	-	105
3	Diarrhoea of newborn (764)	M	1	1	-	-	-	-	-	-	-	-	-	49
		F	2	2	-	-	-	-	-	-	-	-	-	148
	Other infections of newborn (763, 765-768)	M	20	20	-	-	-	-	-	-	-	-	-	82
		F	13	13	-	-	-	-	-	-	-	-	-	81
4	Other diseases of early infancy and immaturity unqualified	M	143	142	1	-	-	-	-	-	-	-	-	106
		F	117	117	-	-	-	-	-	-	-	-	-	115
5	Senility without mention of psychosis, ill-defined and unknown causes	M	77	1	1	-	1	1	-	-	1	3	69	64
		F	245	1	-	-	1	-	1	1	6	3	232	93
6 (Rem.)	All other diseases (Remainder 001-795)	M	614	16	11	8	19	18	35	65	116	147	179	106
		F	966	16	10	12	4	16	46	75	120	237	430	110
47	Motor vehicle accidents	M	283	1	6	17	73	25	31	22	29	29	50	81
		F	154	1	5	6	20	8	13	10	19	22	50	108
48	All other accidents	M	327	15	13	16	37	32	33	36	48	30	67	86
		F	323	18	7	7	12	8	11	19	32	32	177	76
49	Suicide and self-inflicted injury	M	258	-	-	-	24	32	49	54	53	27	19	120
		F	226	-	-	-	8	23	27	44	52	48	24	133
50	Homicide and operations of war	M	11	2	-	3	3	1	-	1	1	-	-	108
		F	9	2	1	-	1	2	1	2	-	-	-	99
47	Fractures, head injuries and internal injuries	M	396	3	6	18	76	31	40	38	53	45	86	76
		F	291	4	5	7	24	10	12	13	25	32	159	73
48	Burns	M	16	1	3	1	2	2	-	1	-	2	4	92
		F	15	1	-	2	1	-	2	2	1	-	6	50
49	Effects of poisons	M	265	1	2	2	27	33	42	53	42	29	34	128
		F	290	1	5	1	12	20	28	50	59	55	59	130
50	All other injuries	M	202	13	8	15	32	24	31	21	36	10	12	98
		F	116	15	3	3	4	11	10	10	18	15	27	124

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Wessex Hospital Region										
			Age										
			All ages	Under 1 year	Years								S.M.R. (England and Wales = 100)
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	**M**	**10,994**	**360**	**66**	**49**	**130**	**117**	**252**	**734**	**2,044**	**3,116**	**4,126**	**100**
		F	**10,623**	**239**	**33**	**46**	**55**	**67**	**220**	**466**	**1,100**	**2,380**	**6,017**	**103**
B1	Tuberculosis of respiratory system	M	59	-	-	-	1	1	2	12	12	15	16	89
		F	18	-	-	-	-	-	2	-	4	4	8	94
B2	Tuberculosis, other forms	M	8	-	-	-	-	2	-	1	2	2	1	146
		F	4	-	-	-	-	-	-	-	1	-	3	77
B3	Syphilis and its sequelae	M	21	-	-	-	-	-	-	1	4	8	8	107
		F	10	-	-	-	-	-	-	-	-	4	6	86
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	252
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	-	-	110
B10	Meningococcal infections	M	3	1	1	-	-	-	-	-	-	-	1	139
		F	-	-	-	-	-	-	-	-	-	-	-	-
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	3	-	-	-	-	-	-	-	-	171
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	1	-	-	-	-	-	-	1	-	-	-	372
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	19	2	-	-	2	1	1	1	4	5	3	111
		F	20	1	-	-	-	-	2	-	7	3	7	116
	Malignant neoplasm: (140-205)	M	2,202	2	6	7	12	19	58	199	544	758	597	100
		F	2,042	1	5	11	7	13	103	216	423	583	680	109
	stomach (151)	M	267	-	-	-	-	-	4	26	62	91	84	91
		F	213	-	-	-	-	1	8	8	35	61	100	97
	trachea, bronchus and lung (162, 163)	M	754	-	-	-	-	1	13	94	256	288	102	91
		F	153	-	-	-	1	-	3	16	49	44	40	103
B18	breast (170)	M	3	-	-	-	-	-	-	-	-	1	2	92
		F	447	-	-	-	-	1	36	74	113	108	115	119
	uterus (171-174)	F	166	-	-	-	-	1	22	27	20	63	33	109
	Leukaemia and aleukaemia (204)	M	65	1	2	2	4	2	-	5	12	19	18	105
		F	50	-	2	3	2	2	3	4	7	16	11	99
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,113	1	4	5	8	16	41	74	214	359	391	109
		F	1,013	1	3	8	4	8	31	87	199	291	381	109
B19	Benign and unspecified neoplasms	M	31	-	1	2	1	-	1	2	4	10	10	112
		F	30	1	1	2	3	1	1	4	3	7	7	100
B20	Diabetes mellitus	M	51	-	-	-	1	1	2	3	6	18	20	90
		F	80	-	-	-	-	1	-	3	6	29	41	80
B21	Anaemias	M	32	-	1	1	-	-	-	2	2	7	19	139
		F	56	-	-	1	-	-	1	-	4	8	42	123
B22	Vascular lesions affecting central nervous system	M	1,204	-	-	1	1	1	11	47	182	351	610	100
		F	1,802	-	1	-	2	3	14	44	133	415	1,190	103
B23	Non-meningococcal meningitis	M	11	6	-	1	-	-	1	-	2	1	-	109
		F	13	7	1	-	-	-	-	1	1	2	1	159
B24	Rheumatic fever	M	3	-	-	-	-	-	-	-	-	2	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	73	-	-	-	-	1	2	16	21	23	10	8
		F	125	-	-	-	-	1	7	19	31	37	30	8

TABLE 19 - *continued*

Wessex Hospital Region - *continued*

Abbreviated List No.	Causes of death		Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	2,811	-	-	-	-	4	62	240	650	931	924	110
		F	1,706	-	-	-	1	-	4	46	177	519	959	104
		M	605	-	-	-	2	1	7	12	34	104	445	99
		F	1,199	-	-	-	-	1	2	7	17	125	1,047	119
27	Other diseases of heart	M	211	-	1	1	-	1	2	6	35	63	102	86
		F	292	-	-	1	2	1	5	4	21	46	212	94
28	Hypertension with heart disease	M	167	-	-	-	-	-	1	4	26	57	79	121
		F	244	-	-	-	-	-	1	7	23	64	149	116
29	Hypertension without mention of heart	M	66	-	-	-	-	1	2	3	20	17	23	77
		F	89	-	-	-	-	1	3	2	8	28	47	94
46 (Pt.)	Other circulatory diseases (450-468)	M	354	-	-	-	-	1	3	9	38	98	205	102
		F	386	-	-	1	2	2	1	5	22	81	272	85
30	Influenza	M	6	-	-	-	-	-	-	1	1	2	2	30
		F	10	-	-	-	-	-	-	-	1	4	5	45
31	Pneumonia	M	595	23	5	-	2	1	8	15	59	118	364	105
		F	647	10	4	2	2	1	5	5	29	110	479	102
32	Bronchitis	M	651	6	3	-	-	1	3	24	149	238	227	79
		F	220	3	1	1	-	-	1	6	19	40	149	69
46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	120	3	1	-	1	3	5	7	26	38	36	89
		F	61	2	2	2	1	1	1	6	10	9	27	92
33	Ulcer of stomach and duodenum	M	86	-	-	1	-	-	2	5	23	25	30	84
		F	54	-	-	-	-	-	-	2	4	16	32	99
34	Appendicitis	M	10	-	-	-	-	-	1	1	2	3	3	91
		F	10	-	-	-	1	-	1	1	1	2	4	113
35	Intestinal obstruction and hernia	M	45	6	-	-	-	1	-	2	6	14	16	79
		F	81	6	2	-	-	1	1	3	8	19	41	124
36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	44	8	6	-	-	1	1	-	7	8	13	104
		F	77	12	-	-	-	-	1	3	6	17	38	120
37	Cirrhosis of liver	M	29	1	1	-	-	-	-	4	10	8	5	115
		F	23	-	-	-	-	1	1	1	7	11	2	92
38	Nephritis and nephrosis	M	57	1	-	2	3	6	6	5	8	12	14	95
		F	55	1	-	-	4	3	4	3	6	10	24	100
39	Hyperplasia of prostate	M	114	-	-	-	-	-	-	-	4	25	85	117
40	Complications of pregnancy, childbirth and puerperium	F	8	-	-	-	1	2	5	-	-	-	-	91
41	Congenital malformations	M	109	78	7	1	1	1	2	6	6	4	3	97
		F	87	61	5	3	4	4	1	5	3	-	1	88
42	Birth injuries, postnatal asphyxia and atelectasis	M	72	72	-	-	-	-	-	-	-	-	-	63
		F	46	46	-	-	-	-	-	-	-	-	-	61
43	Diarrhoea of newborn (764)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	10	10	-	-	-	-	-	-	-	-	-	61
		F	9	8	1	-	-	-	-	-	-	-	-	83
44	Other diseases of early infancy and immaturity unqualified	M	103	103	-	-	-	-	-	-	-	-	-	113
		F	66	66	-	-	-	-	-	-	-	-	-	96
45	Senility without mention of psychosis, ill-defined and unknown causes	M	60	-	1	-	-	-	-	-	-	3	56	82
		F	128	-	-	-	-	1	-	-	1	2	124	90
46 (Rem.)	All other diseases (Remainder 001-795)	M	382	13	6	5	12	12	18	34	70	89	123	112
		F	505	9	5	9	10	12	19	37	71	126	207	107
E47	Motor vehicle accidents	M	221	-	10	19	67	23	17	25	25	19	16	103
		F	68	-	1	8	10	5	4	3	12	11	14	86
E48	All other accidents	M	223	25	16	8	19	15	19	17	32	20	52	97
		F	230	4	1	4	4	3	8	9	9	27	161	99
E49	Suicide and self-inflicted injury	M	125	-	-	-	5	19	15	29	28	22	7	101
		F	112	-	-	-	1	8	21	23	32	20	7	124
E50	Homicide and operations of war	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	5	1	-	-	-	1	1	1	-	1	-	94
N47	Fractures, head injuries and internal injuries	M	289	1	13	19	69	22	25	28	35	23	54	91
		F	195	-	1	9	10	5	4	4	11	25	126	90
N48	Burns	M	6	-	1	-	-	2	1	-	-	-	2	56
		F	21	-	-	1	-	-	1	2	1	4	12	125
N49	Effects of poisons	M	131	1	4	1	6	19	15	27	25	22	11	109
		F	142	1	1	-	3	6	21	24	32	19	35	119
N50	All other injuries	M	143	23	8	7	16	14	10	16	25	16	8	114
		F	57	4	-	2	2	6	8	6	9	11	9	107

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Oxford Hospital Region										
			Age										S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	8,708	376	70	54	153	106	258	618	1,659	2,304	3,110	84
		F	8,415	261	49	29	49	66	183	390	897	1,884	4,607	86
B1	Tuberculosis of respiratory system	M	37	-	-	-	-	1	5	5	12	9	5	59
		F	20	-	-	-	-	-	3	3	3	3	8	112
B2	Tuberculosis, other forms	M	5	-	-	2	-	-	-	1	-	1	1	97
		F	6	-	-	-	-	-	1	1	1	1	2	123
B3	Syphilis and its sequelae	M	21	-	-	-	-	1	-	1	8	7	4	114
		F	6	-	-	-	-	-	-	-	2	2	2	55
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	117
		F	4	-	3	-	-	-	-	-	-	-	1	469
B10	Meningococcal infections	M	3	1	1	-	-	-	-	-	1	-	-	148
		F	1	-	-	1	-	-	-	-	-	-	-	59
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	20	5	1	-	-	1	2	2	4	2	3	125
		F	16	1	-	-	-	-	2	3	5	1	4	99
	Malignant neoplasm: (140-205)	M	1,773	-	11	11	11	17	62	171	503	541	446	86
		F	1,593	1	7	8	7	16	80	185	347	445	497	91
	stomach (151)	M	214	-	-	-	-	1	7	19	61	72	54	77
		F	169	-	-	-	-	1	2	8	22	51	85	82
	trachea, bronchus and lung (162, 163)	M	654	-	-	-	-	-	17	68	270	202	97	84
		F	125	-	-	-	-	1	4	21	31	40	28	90
B18	breast (170)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	335	-	-	-	-	5	35	38	85	91	81	95
	uterus (171-174)	F	97	-	-	-	-	1	6	23	18	26	23	68
	Leukaemia and aleukaemia (204)	M	53	-	5	5	1	2	4	5	12	12	7	91
		F	59	-	3	5	3	1	6	1	7	14	19	124
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	852	-	6	6	10	14	34	79	160	255	288	89
		F	808	1	4	3	4	7	27	94	184	223	261	93
B19	Benign and unspecified neoplasms	M	17	2	2	-	1	1	3	1	4	2	1	65
		F	26	-	-	1	1	1	3	4	5	6	5	92
B20	Diabetes mellitus	M	50	-	-	-	1	-	1	6	6	15	21	94
		F	94	-	1	1	-	-	3	2	12	27	48	100
B21	Anaemias	M	29	1	1	-	-	-	-	2	3	4	18	134
		F	33	2	-	-	-	-	-	1	2	8	20	81
B22	Vascular lesions affecting central nervous system	M	920	1	-	-	1	2	11	44	135	275	451	81
		F	1,436	1	-	1	1	2	7	30	114	333	947	86
B23	Non-meningococcal meningitis	M	8	3	-	-	-	-	-	-	2	2	1	84
		F	7	3	1	-	-	-	-	-	1	2	-	91
B24	Rheumatic fever	M	1	-	-	-	-	-	-	1	-	-	-	91
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	68	-	-	-	-	1	8	11	21	21	6	88
		F	110	-	-	-	-	1	4	11	25	39	30	76

TABLE 19 - *continued*

Oxford Hospital Region - *continued*

Abbreviated List No.	Causes of death		Age: All ages	Age: Under 1 year	Age: Years 1-	Age: Years 5-	Age: Years 15-	Age: Years 25-	Age: Years 35-	Age: Years 45-	Age: Years 55-	Age: Years 65-	Age: Years 75 and over	S.M.R. (England and Wales = 100)
26	Arteriosclerotic heart disease including coronary disease (420)	M	1,953	-	-	-	-	4	50	176	488	621	614	81
		F	1,246	-	-	-	-	-	5	30	136	384	691	91
	Degenerative heart disease (421, 422)	M	501	-	-	-	-	-	5	5	27	109	355	88
		F	866	-	-	-	-	-	1	3	16	102	744	91
27	Other diseases of heart	M	202	1	-	-	4	2	2	8	27	57	101	88
		F	242	-	-	-	-	-	2	4	10	60	166	83
28	Hypertension with heart disease	M	134	-	-	-	-	1	2	6	20	39	66	104
		F	176	-	-	-	-	-	2	8	13	47	106	89
29	Hypertension without mention of heart	M	61	-	-	-	-	1	5	10	11	22	12	76
		F	74	-	-	-	-	1	5	4	5	18	41	83
46 (Pt.)	Other circulatory diseases (450-468)	M	259	-	-	-	-	2	2	7	32	66	150	80
		F	310	-	-	-	1	3	8	12	21	54	211	73
30	Influenza	M	17	-	-	-	-	-	1	-	1	3	12	91
		F	24	-	-	-	-	-	-	1	2	7	14	116
31	Pneumonia	M	472	32	4	3	5	2	7	14	41	87	277	88
		F	564	18	4	5	1	4	3	7	25	82	415	94
32	Bronchitis	M	568	4	4	1	2	-	7	22	124	191	213	73
		F	177	1	4	-	-	1	4	6	20	47	94	59
46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	101	1	3	1	1	1	7	9	31	22	25	80
		F	46	-	-	1	1	1	2	4	3	10	24	74
33	Ulcer of stomach and duodenum	M	69	-	-	-	-	-	2	4	12	30	21	72
		F	30	-	-	-	-	-	-	3	4	7	16	58
34	Appendicitis	M	8	-	-	1	-	-	-	2	-	2	3	78
		F	13	-	-	1	-	1	-	-	1	3	7	156
35	Intestinal obstruction and hernia	M	46	11	-	-	1	1	-	1	5	8	19	86
		F	55	4	-	-	-	-	-	2	6	14	29	89
36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	46	3	6	-	-	1	4	2	7	5	18	116
		F	57	4	1	-	1	-	1	-	7	14	29	94
37	Cirrhosis of liver	M	28	-	-	-	1	-	3	4	7	9	4	118
		F	15	-	-	-	-	-	1	1	3	3	7	64
38	Nephritis and nephrosis	M	37	-	-	-	2	3	4	4	11	7	6	66
		F	29	-	1	-	-	1	2	2	3	7	13	56
39	Hyperplasia of prostate	M	76	-	-	-	-	-	-	1	4	16	55	83
40	Complications of pregnancy, childbirth and puerperium	F	8	-	-	-	2	4	2	-	-	-	-	97
41	Congenital malformations	M	111	77	5	6	3	2	5	5	2	3	3	105
		F	98	77	8	1	-	2	1	3	3	3	-	106
42	Birth injuries, postnatal asphyxia and atelectasis	M	105	105	-	-	-	-	-	-	-	-	-	98
		F	71	71	-	-	-	-	-	-	-	-	-	101
43	Diarrhoea of newborn (764)	M	2	2	-	-	-	-	-	-	-	-	-	156
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	16	16	-	-	-	-	-	-	-	-	-	103
		F	9	9	-	-	-	-	-	-	-	-	-	89
44	Other diseases of early infancy and immaturity unqualified	M	81	81	-	-	-	-	-	-	-	-	-	95
		F	47	47	-	-	-	-	-	-	-	-	-	73
45	Senility without mention of psychosis, ill-defined and unknown causes	M	47	2	-	-	-	-	-	1	1	2	41	68
		F	116	-	1	-	-	-	1	1	4	-	109	86
46 (Rem.)	All other diseases (Remainder 001-795)	M	270	8	7	6	15	8	19	26	32	72	77	85
		F	397	9	6	1	12	9	17	27	55	99	162	89
E47	Motor vehicle accidents	M	215	-	12	10	75	25	17	25	18	20	13	106
		F	66	-	3	5	12	6	6	3	10	10	11	89
E48	All other accidents	M	213	18	12	13	23	17	8	18	29	19	56	99
		F	226	12	9	3	2	4	5	8	13	28	142	104
E49	Suicide and self-inflicted injury	M	110	-	-	-	7	11	15	22	29	15	11	95
		F	95	-	-	-	5	9	11	21	20	18	11	112
E50	Homicide and operations of war	M	7	1	1	-	-	1	1	1	1	-	1	118
		F	6	1	-	-	3	-	1	-	-	-	1	120
N47	Fractures, head injuries and internal injuries	M	295	1	11	13	81	28	19	27	35	26	54	99
		F	210	-	4	4	10	7	7	5	14	28	131	103
N48	Burns	M	23	1	3	2	-	4	1	-	2	3	7	229
		F	15	-	1	-	2	-	-	3	2	1	6	95
N49	Effects of poisons	M	109	1	2	1	6	10	16	22	23	15	13	97
		F	112	1	3	1	5	12	11	19	17	22	21	100
N50	All other injuries	M	118	16	9	7	18	12	5	17	17	10	7	100
		F	56	12	4	3	5	-	5	5	10	5	7	112

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		South Western Hospital Region										S.M.R. (England and Wales = 100)
			Age										
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	**M**	**18,290**	**506**	**90**	**68**	**240**	**213**	**421**	**1,166**	**3,461**	**5,174**	**6,951**	**95**
		F	**18,055**	**373**	**59**	**59**	**79**	**121**	**328**	**801**	**2,088**	**4,217**	**9,930**	**100**
B1	Tuberculosis of respiratory system	M	81	-	-	-	-	1	5	8	22	22	23	70
		F	29	-	1	-	-	3	6	5	2	4	8	89
B2	Tuberculosis, other forms	M	8	-	1	-	-	-	2	1	2	2	-	86
		F	12	-	-	-	-	1	1	1	1	6	2	135
B3	Syphilis and its sequelae	M	37	-	-	-	-	-	1	2	7	11	16	107
		F	20	-	-	-	-	-	-	-	5	3	12	97
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	1	-	-	309
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	76
		F	2	1	-	-	-	-	-	-	-	-	1	148
B10	Meningococcal infections	M	3	1	1	-	-	-	-	1	-	-	-	93
		F	4	-	3	-	1	-	-	-	-	-	-	144
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	1	1	-	-	-	-	-	-	-	-	-	55
		F	-	-	-	-	-	-	-	-	-	-	-	-
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	36	3	-	2	3	1	4	1	11	3	8	128
		F	29	3	1	-	-	-	-	2	9	7	7	100
B18	Malignant neoplasm: (140-205)	M	3,553	1	12	16	23	43	100	314	915	1,182	947	92
		F	3,332	2	3	16	10	34	152	361	743	930	1,081	101
	stomach (151)	M	474	-	-	-	-	2	11	34	112	162	153	91
		F	347	-	-	-	-	1	6	12	62	105	161	90
	trachea, bronchus and lung (162, 163)	M	1,146	-	-	-	-	2	18	122	404	446	154	79
		F	220	-	-	-	-	1	7	24	79	65	44	84
	breast (170)	M	7	-	-	-	-	-	-	-	4	1	2	122
		F	711	-	-	-	1	5	43	113	187	188	174	108
	uterus (171-174)	F	304	-	-	-	-	1	26	60	70	83	64	115
	Leukaemia and aleukaemia (204)	M	124	1	5	4	5	5	13	11	25	27	28	118
		F	91	-	2	7	2	5	7	4	11	32	21	105
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,802	-	7	12	18	34	58	147	370	546	610	101
		F	1,659	2	1	9	7	21	63	148	334	457	617	102
B19	Benign and unspecified neoplasms	M	48	1	1	-	-	5	5	7	13	7	9	102
		F	54	1	1	-	3	2	2	7	14	9	15	105
B20	Diabetes mellitus	M	113	-	-	-	1	-	2	6	16	41	47	114
		F	141	-	-	-	1	-	1	7	18	49	65	80
B21	Anaemias	M	43	-	-	-	-	-	-	2	10	11	20	105
		F	48	-	1	-	-	-	2	-	3	9	33	63
B22	Vascular lesions affecting central nervous system	M	2,189	-	-	-	1	9	23	78	327	636	1,115	102
		F	3,302	-	-	1	4	6	20	83	268	817	2,103	105
B23	Non-meningococcal meningitis	M	16	5	3	2	2	-	1	1	1	-	1	101
		F	8	2	-	1	-	1	-	-	2	2	-	61
B24	Rheumatic fever	M	2	-	-	-	-	-	-	-	1	1	-	101
		F	3	-	-	1	-	-	-	-	1	1	-	142
B25	Chronic rheumatic heart disease	M	122	-	-	-	1	5	9	23	39	25	20	87
		F	213	-	-	-	2	4	12	17	58	67	53	79

TABLE 19 - *continued*

South Western Hospital Region - *continued*

Abbreviated List No.	Causes of death		Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
B26	Arteriosclerotic heart disease including coronary disease (420)	M	4,250	-	-	-	1	6	92	345	1,055	1,481	1,270	94
		F	2,644	-	-	-	-	-	11	57	340	802	1,434	91
	Degenerative heart disease (421, 422)	M	1,520	-	-	-	1	4	12	21	112	297	1,073	140
		F	2,313	-	-	-	-	-	1	10	70	276	1,956	131
B27	Other diseases of heart	M	380	1	2	-	-	1	5	13	45	107	206	87
		F	476	-	-	-	1	3	3	9	38	101	321	87
B28	Hypertension with heart disease	M	304	-	-	-	-	-	3	16	65	105	115	124
		F	411	-	-	-	-	-	2	13	42	137	217	111
B29	Hypertension without mention of heart	M	149	-	-	-	-	-	6	18	46	40	39	99
		F	162	-	-	-	-	-	5	11	17	39	90	97
B46 (Pt.)	Other circulatory diseases (450-468)	M	620	-	-	-	1	2	5	20	77	164	351	101
		F	842	-	-	1	3	2	11	15	64	170	576	105
B30	Influenza	M	39	1	-	-	-	-	2	1	7	7	21	112
		F	52	-	-	-	-	-	-	3	2	13	34	135
B31	Pneumonia	M	889	64	9	3	2	5	10	36	93	173	494	89
		F	979	38	7	3	2	3	11	18	67	187	643	88
B32	Bronchitis	M	1,001	4	2	1	2	4	8	40	215	344	381	68
		F	390	5	2	1	1	1	8	19	43	118	192	70
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	244	1	3	-	4	1	5	11	55	77	87	103
		F	134	1	-	1	2	3	7	8	23	22	67	117
B33	Ulcer of stomach and duodenum	M	193	-	-	-	1	1	6	14	44	49	78	107
		F	95	-	-	-	-	1	1	4	6	27	56	98
B34	Appendicitis	M	19	-	1	-	-	2	-	3	2	4	7	101
		F	17	-	1	2	-	1	1	4	-	4	4	111
B35	Intestinal obstruction and hernia	M	114	12	-	-	1	-	1	6	12	39	43	116
		F	98	3	2	-	1	1	1	-	6	30	54	86
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	65	6	5	-	-	-	6	5	11	13	19	93
		F	117	2	5	-	-	1	1	3	13	29	63	106
B37	Cirrhosis of liver	M	45	-	-	-	-	-	3	9	11	16	6	103
		F	46	-	-	1	1	-	2	13	8	15	6	105
B38	Nephritis and nephrosis	M	106	-	-	-	7	8	7	14	20	24	26	104
		F	79	-	1	1	2	3	1	8	16	18	29	83
B39	Hyperplasia of prostate	M	185	-	-	-	-	-	-	1	9	39	136	106
B40	Complications of pregnancy, childbirth and puerperium	F	11	-	-	-	1	7	3	-	-	-	-	82
B41	Congenital malformations	M	149	95	12	6	6	10	3	7	4	3	3	89
		F	150	98	14	5	4	2	3	7	6	6	5	102
B42	Birth injuries, postnatal asphyxia and atelectasis	M	148	148	-	-	-	-	-	-	-	-	-	89
		F	92	92	-	-	-	-	-	-	-	-	-	84
B43	Diarrhoea of newborn (764)	M	1	1	-	-	-	-	-	-	-	-	-	51
		F	3	3	-	-	-	-	-	-	-	-	-	227
	Other infections of newborn (763, 765-768)	M	23	23	-	-	-	-	-	-	-	-	-	96
		F	17	17	-	-	-	-	-	-	-	-	-	108
B44	Other diseases of early infancy and immaturity unqualified	M	97	96	1	-	-	-	-	-	-	-	-	74
		F	76	76	-	-	-	-	-	-	-	-	-	76
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	125	-	1	-	-	-	2	2	2	3	115	96
		F	280	-	-	-	1	-	-	-	1	7	271	112
B46 (Rem.)	All other diseases (Remainder 001-795)	M	542	20	8	7	15	17	18	54	105	136	162	93
		F	777	13	3	11	14	23	31	59	118	202	303	94
BE47	Motor vehicle accidents	M	318	1	10	17	117	40	25	24	25	22	37	93
		F	103	-	6	8	16	9	8	8	12	16	20	77
BE48	All other accidents	M	310	19	18	14	36	22	27	26	37	47	64	82
		F	328	15	8	5	4	3	5	14	29	55	190	82
BE49	Suicide and self-inflicted injury	M	194	-	-	-	15	24	23	35	45	40	12	95
		F	158	-	-	-	4	7	15	35	41	37	19	103
BE50	Homicide and operations of war	M	7	1	-	-	-	2	-	1	-	3	-	71
		F	6	1	-	1	1	-	-	-	1	2	-	72
BN47	Fractures, head injuries and internal injuries	M	459	1	14	21	123	49	40	39	41	51	80	89
		F	304	-	6	8	16	6	7	14	26	49	172	81
BN48	Burns	M	6	1	2	-	-	-	-	-	-	-	3	34
		F	19	2	3	2	-	1	2	-	-	2	7	67
BN49	Effects of poisons	M	170	1	6	-	8	18	22	29	33	38	15	86
		F	192	-	1	-	5	4	17	30	43	52	40	94
BN50	All other injuries	M	194	18	6	10	37	21	13	18	33	23	15	97
		F	80	14	4	4	4	8	2	13	14	7	10	92

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Welsh Hospital Region										
			Age										S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over
	ALL CAUSES	**M**	**17,607**	**652**	**81**	**64**	**187**	**198**	**513**	**1,398**	**3,607**	**5,200**	**5,707**	**109**
		F	**15,139**	**502**	**66**	**43**	**90**	**119**	**319**	**833**	**1,868**	**3,881**	**7,418**	**107**
B1	Tuberculosis of respiratory system	M	147	-	-	-	-	2	5	24	47	45	24	146
		F	42	-	-	-	1	1	8	5	11	5	11	151
B2	Tuberculosis, other forms	M	14	-	-	-	-	-	1	2	2	7	2	170
		F	8	-	1	-	1	-	1	1	-	2	2	109
B3	Syphilis and its sequelae	M	18	-	-	-	-	-	1	3	4	7	3	61
		F	14	-	-	-	-	-	-	-	5	4	5	87
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	2	-	-	-	-	-	-	-	1	-	1	486
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	2	1	1	-	-	-	-	-	-	-	-	165
		F	3	2	1	-	-	-	-	-	-	-	-	248
B10	Meningococcal infections	M	1	1	-	-	-	-	-	-	-	-	-	34
		F	4	1	1	-	-	-	-	-	1	-	1	159
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	911
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	3	1	2	-	-	-	-	-	-	-	-	179
		F	1	-	-	1	-	-	-	-	-	-	-	42
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	24	2	2	-	2	1	1	2	7	4	3	97
		F	25	2	1	-	-	-	3	5	6	6	2	101
B18	Malignant neoplasm: (140-205)	M	3,202	-	11	5	15	35	94	305	873	1,138	726	96
		F	2,673	-	6	8	17	25	114	344	596	760	803	99
	stomach (151)	M	597	-	-	-	-	2	12	57	155	231	140	135
		F	384	-	-	-	-	1	2	18	61	130	172	126
	trachea, bronchus and lung (162, 163)	M	1,073	-	-	-	-	3	23	116	366	424	141	85
		F	123	-	-	-	-	-	3	28	39	31	22	56
	breast (170)	M	6	-	-	-	-	-	-	1	3	2	-	121
		F	514	-	-	-	-	8	35	110	121	122	118	93
	uterus (171-174)	F	269	-	-	-	-	1	30	57	69	64	48	121
	Leukaemia and aleukaemia (204)	M	90	-	4	1	5	3	8	7	18	31	13	99
		F	67	-	5	2	4	2	-	6	15	18	15	92
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,436	-	7	4	10	27	51	124	331	450	432	95
		F	1,316	-	1	6	13	13	44	125	291	395	428	100
B19	Benign and unspecified neoplasms	M	37	-	-	2	-	2	2	10	9	10	2	90
		F	40	1	-	-	1	2	3	11	9	8	5	91
B20	Diabetes mellitus	M	83	-	-	-	-	1	1	6	16	30	29	100
		F	181	-	-	-	-	-	1	5	23	79	73	131
B21	Anaemias	M	38	-	-	-	-	-	-	1	5	10	22	114
		F	70	-	-	-	-	-	-	-	12	22	36	120
B22	Vascular lesions affecting central nervous system	M	2,007	-	-	-	4	9	39	106	320	623	906	114
		F	2,643	-	-	-	2	10	22	91	249	733	1,536	111
B23	Non-meningococcal meningitis	M	16	6	1	2	-	-	1	1	2	3	-	113
		F	15	6	1	-	1	-	1	-	-	4	2	133
B24	Rheumatic fever	M	2	-	-	-	-	-	1	-	-	1	-	114
		F	1	-	-	-	-	-	-	-	-	1	-	58
B25	Chronic rheumatic heart disease	M	152	-	-	-	3	10	23	29	43	32	12	123
		F	285	-	-	-	3	11	28	51	72	66	54	126

TABLE 19 - *continued*

Welsh Hospital Region - *continued*

Abbreviated List No.	Causes of death		Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
B26	Arteriosclerotic heart disease including coronary disease (420)	M	4,293	-	-	-	1	19	138	491	1,119	1,444	1,081	112
		F	2,509	-	-	-	-	2	23	95	332	849	1,208	112
	Degenerative heart disease (421, 422)	M	969	1	-	1	1	1	5	16	62	201	681	113
		F	1,411	-	-	-	-	-	2	10	51	198	1,150	109
B27	Other diseases of heart	M	353	-	2	-	3	4	8	14	53	104	165	99
		F	432	1	-	1	1	3	7	11	34	112	262	105
B28	Hypertension with heart disease	M	300	-	1	-	-	-	4	18	69	103	105	148
		F	379	-	-	-	-	-	2	10	45	128	194	134
B29	Hypertension without mention of heart	M	158	-	-	-	1	2	8	13	29	34	71	124
		F	172	-	-	-	1	-	1	12	16	40	102	134
B46 (Pt.)	Other circulatory diseases (450-468)	M	477	-	-	-	2	3	8	19	63	125	257	95
		F	587	-	-	-	2	2	6	11	43	120	403	98
B30	Influenza	M	58	2	-	-	1	1	3	6	11	14	20	201
		F	70	-	-	-	1	2	2	1	5	18	41	236
B31	Pneumonia	M	694	74	8	1	1	2	8	24	75	147	354	86
		F	736	57	11	6	4	1	7	13	43	154	440	88
B32	Bronchitis	M	1,447	12	1	2	2	-	8	69	321	547	485	118
		F	430	7	6	-	2	1	8	17	43	117	229	99
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	455	3	1	-	1	1	4	30	137	156	122	226
		F	116	1	1	-	-	4	4	8	23	30	45	127
B33	Ulcer of stomach and duodenum	M	129	1	-	-	-	1	5	13	33	40	36	85
		F	69	1	-	-	-	-	2	7	11	26	22	92
B34	Appendicitis	M	18	-	1	1	1	-	2	3	3	1	6	112
		F	12	-	1	-	-	-	-	1	2	2	6	98
B35	Intestinal obstruction and hernia	M	79	13	3	-	-	1	2	1	9	23	27	96
		F	78	5	1	-	-	1	1	5	9	27	29	88
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	61	13	3	1	2	2	4	8	7	9	12	101
		F	84	3	3	-	3	-	-	3	9	27	36	96
B37	Cirrhosis of liver	M	56	-	1	-	-	2	2	12	24	13	2	145
		F	49	-	-	-	1	-	2	10	13	14	9	135
B38	Nephritis and nephrosis	M	115	-	1	2	6	4	13	12	26	25	26	130
		F	101	1	1	1	1	5	3	8	24	24	33	131
B39	Hyperplasia of prostate	M	180	-	-	-	-	-	-	1	6	48	125	130
B40	Complications of pregnancy, childbirth and puerperium	F	17	-	-	-	3	9	5	-	-	-	-	136
B41	Congenital malformations	M	172	112	12	7	5	3	2	9	12	7	3	113
		F	146	116	7	6	4	2	2	6	2	-	1	109
B42	Birth injuries, postnatal asphyxia and atelectasis	M	170	170	-	-	-	-	-	-	-	-	-	111
		F	114	114	-	-	-	-	-	-	-	-	-	114
B43	Diarrhoea of newborn (764)	M	2	2	-	-	-	-	-	-	-	-	-	110
		F	2	2	-	-	-	-	-	-	-	-	-	165
	Other infections of newborn (763, 765-768)	M	24	24	-	-	-	-	-	-	-	-	-	109
		F	27	27	-	-	-	-	-	-	-	-	-	187
B44	Other diseases of early infancy and immaturity unqualified	M	166	166	-	-	-	-	-	-	-	-	-	137
		F	123	123	-	-	-	-	-	-	-	-	-	135
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	136	2	-	-	-	1	1	2	1	5	124	135
		F	225	-	-	-	-	-	2	1	3	12	207	125
B46 (Rem.)	All other diseases (Remainder 001-795)	M	563	23	13	9	9	11	31	45	99	157	166	113
		F	717	11	9	7	13	20	29	55	121	205	247	108
BE47	Motor vehicle accidents	M	265	1	6	15	79	31	25	27	36	19	26	89
		F	95	-	4	6	19	5	4	5	9	16	27	84
BE48	All other accidents	M	352	22	11	16	32	27	40	44	46	42	72	108
		F	335	19	11	5	4	5	9	13	26	51	192	108
BE49	Suicide and self-inflicted injury	M	162	-	-	-	15	19	23	32	36	26	11	89
		F	87	-	-	-	2	8	15	17	19	21	5	65
BE50	Homicide and operations of war	M	5	-	-	-	1	3	-	-	1	-	-	57
		F	10	2	-	2	3	-	2	-	1	-	-	132
BN47	Fractures, head injuries and internal injuries	M	441	3	8	20	87	45	51	48	60	43	76	99
		F	307	4	6	8	21	5	7	6	16	42	192	105
BN48	Burns	M	18	-	-	-	1	1	3	2	2	2	7	120
		F	40	1	4	1	1	1	-	3	5	9	15	173
BN49	Effects of poisons	M	117	-	3	-	10	18	16	24	22	17	7	67
		F	111	-	1	-	5	8	21	20	22	26	8	64
BN50	All other injuries	M	208	20	6	11	29	16	18	29	35	25	19	117
		F	69	16	4	4	1	4	2	6	12	11	9	91

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Birmingham Hospital Region										S.M.R. (England and Wales = 100)
			Age										
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	**M**	**26,845**	**1,094**	**159**	**180**	**410**	**382**	**879**	**2,459**	**5,873**	**7,277**	**8,132**	**104**
		F	**23,833**	**813**	**137**	**103**	**155**	**210**	**626**	**1,440**	**2,949**	**5,636**	**11,764**	**103**
B1	Tuberculosis of respiratory system	M	189	-	-	-	-	-	19	32	64	48	26	115
		F	57	1	-	-	-	2	9	9	10	14	12	121
B2	Tuberculosis, other forms	M	9	-	-	-	-	1	3	1	1	3	-	63
		F	11	-	2	-	1	1	1	1	1	1	3	88
B3	Syphilis and its sequelae	M	42	-	-	-	-	-	1	7	11	14	9	90
		F	23	-	-	-	-	-	-	1	5	8	9	88
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B7	Scarlet fever and streptococcal sore throat	M	1	-	-	1	-	-	-	-	-	-	-	118
		F	1	-	-	-	-	1	-	-	-	-	-	507
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	5	4	1	-	-	-	-	-	-	-	-	209
		F	6	6	-	-	-	-	-	-	-	-	-	257
B10	Meningococcal infections	M	9	3	5	-	1	-	-	-	-	-	-	158
		F	6	3	1	1	-	-	-	1	-	-	-	127
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	4	2	2	-	-	-	-	-	-	-	-	123
		F	3	-	3	-	-	-	-	-	-	-	-	65
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	48	6	4	3	1	1	6	6	9	6	6	111
		F	51	7	6	3	1	1	3	9	7	6	8	119
	Malignant neoplasm: (140-205)	M	5,274	1	15	29	39	45	209	662	1,609	1,626	1,039	99
		F	4,439	7	11	16	25	58	262	651	1,009	1,190	1,210	100
	stomach (151)	M	715	-	-	-	-	1	19	89	218	217	171	101
		F	525	-	-	-	1	4	11	39	100	177	193	106
	trachea, bronchus and lung (162, 163)	M	2,022	-	-	-	2	9	54	297	778	668	214	98
		F	286	-	-	1	-	1	14	44	107	72	47	80
B18	breast (170)	M	7	-	-	-	-	-	-	3	3	1	-	88
		F	983	-	-	-	1	12	99	205	258	219	189	107
	uterus (171-174)	F	355	-	-	-	1	4	46	67	84	91	62	95
	Leukaemia and aleukaemia (204)	M	144	1	6	8	13	1	10	24	23	32	26	94
		F	124	3	7	6	5	5	6	15	15	33	29	101
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,386	-	9	21	24	34	126	249	587	708	628	99
		F	2,166	4	4	9	17	32	86	281	445	598	690	100
B19	Benign and unspecified neoplasms	M	77	-	2	4	2	6	7	15	22	9	10	109
		F	58	1	-	3	-	1	9	12	14	12	6	78
B20	Diabetes mellitus	M	160	-	2	3	1	3	11	13	37	44	46	122
		F	260	-	1	2	-	1	5	13	35	94	109	117
B21	Anaemias	M	47	-	1	1	2	1	1	3	5	14	19	91
		F	115	-	-	1	-	2	-	2	9	34	67	122
B22	Vascular lesions affecting central nervous system	M	2,949	2	2	2	6	12	38	151	540	896	1,300	109
		F	4,174	2	-	3	3	11	39	176	420	1,031	2,489	108
B23	Non-meningococcal meningitis	M	24	11	4	1	-	-	-	1	3	3	1	92
		F	14	8	2	-	-	-	1	-	-	2	1	68
B24	Rheumatic fever	M	5	-	-	1	-	-	2	1	1	-	-	167
		F	5	-	-	-	-	-	-	1	-	3	1	175
B25	Chronic rheumatic heart disease	M	204	-	-	-	4	16	25	44	59	40	16	97
		F	379	-	-	1	2	10	41	65	91	99	70	100

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Birmingham Hospital Region - *continued*											
			Age											S.M.R. (England and Wales = 100)
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	5,678	-	-	-	-	26	198	738	1,572	1,755	1,389	93
		F	3,361	-	-	-	-	3	28	97	452	1,105	1,676	93
		M	1,481	-	-	1	5	9	11	43	98	335	979	114
		F	2,346	-	1	-	-	-	3	21	60	341	1,920	112
B27	Other diseases of heart	M	625	3	1	1	5	8	11	32	106	167	291	114
		F	680	2	-	1	-	6	7	23	59	177	405	102
B28	Hypertension with heart disease	M	371	-	-	-	-	2	8	15	91	130	125	118
		F	486	-	-	-	-	-	2	13	56	144	271	107
B29	Hypertension without mention of heart	M	216	-	-	-	1	2	11	33	46	55	68	105
		F	174	-	-	-	1	1	3	12	17	45	95	84
B46 (Pt.)	Other circulatory diseases (450-468)	M	716	-	1	1	1	6	16	51	124	184	332	93
		F	851	-	1	-	3	8	18	31	81	156	553	87
B30	Influenza	M	119	6	-	-	3	4	6	15	18	25	42	256
		F	75	2	1	1	-	1	3	1	9	16	41	155
B31	Pneumonia	M	1,452	102	13	5	7	5	20	67	192	349	692	114
		F	1,499	78	17	8	7	5	24	23	98	293	946	109
B32	Bronchitis	M	2,291	19	6	1	4	5	24	145	610	775	702	119
		F	860	14	8	1	1	5	10	32	104	237	448	122
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	370	1	2	2	4	2	7	38	86	151	77	115
		F	140	2	1	2	-	4	5	13	9	36	68	92
B33	Ulcer of stomach and duodenum	M	274	1	1	-	-	6	8	23	69	86	80	115
		F	125	-	-	-	-	-	1	5	21	36	62	103
B34	Appendicitis	M	32	1	-	4	4	1	2	2	5	9	4	122
		F	20	-	1	-	1	3	-	-	2	3	10	97
B35	Intestinal obstruction and hernia	M	153	19	2	-	1	-	2	10	18	35	66	116
		F	160	6	1	1	2	2	2	11	15	38	82	109
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	120	40	3	-	1	1	2	8	17	22	26	117
		F	145	24	9	2	-	-	7	7	18	29	49	99
B37	Cirrhosis of liver	M	80	-	-	-	-	-	8	13	20	29	10	125
		F	76	1	-	1	2	-	2	10	26	17	17	126
B38	Nephritis and nephrosis	M	149	1	-	3	11	10	19	32	34	21	18	100
		F	136	1	1	2	6	8	9	11	31	32	35	106
B39	Hyperplasia of prostate	M	236	-	-	-	-	-	-	2	12	55	167	114
B40	Complications of pregnancy, childbirth and puerperium	F	24	-	-	-	3	15	5	1	-	-	-	98
B41	Congenital malformations	M	308	223	24	11	13	6	7	11	10	2	1	105
		F	280	198	26	9	10	10	3	7	5	10	2	108
B42	Birth injuries, postnatal asphyxia and atelectasis	M	297	296	1	-	-	-	-	-	-	-	-	99
		F	195	195	-	-	-	-	-	-	-	-	-	99
B43	Diarrhoea of newborn (764)	M	3	3	-	-	-	-	-	-	-	-	-	84
		F	4	4	-	-	-	-	-	-	-	-	-	167
	Other infections of newborn (763, 765-768)	M	44	44	-	-	-	-	-	-	-	-	-	102
		F	26	26	-	-	-	-	-	-	-	-	-	92
B44	Other diseases of early infancy and immaturity unqualified	M	226	225	1	-	-	-	-	-	-	-	-	95
		F	174	173	-	1	-	-	-	-	-	-	-	97
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	142	4	1	-	1	-	-	1	1	6	128	94
		F	300	3	-	-	-	-	-	-	1	9	287	102
B46 (Rem.)	All other diseases (Remainder 001-795)	M	855	45	14	27	31	43	43	68	144	212	228	105
		F	1,067	24	12	16	17	28	48	100	164	259	399	97
BE47	Motor vehicle accidents	M	618	1	14	33	188	87	53	54	73	52	63	113
		F	194	-	8	17	46	8	20	15	16	29	35	99
BE48	All other accidents	M	600	30	36	46	52	39	57	55	77	59	149	105
		F	609	24	23	10	14	3	10	24	50	88	363	118
BE49	Suicide and self-inflicted injury	M	325	-	-	-	19	30	43	65	88	58	22	100
		F	210	-	-	-	9	11	44	38	53	41	14	91
BE50	Homicide and operations of war	M	17	1	1	-	3	5	1	2	1	2	1	103
		F	14	1	1	1	1	1	2	4	1	1	1	99
BN47	Fractures, head injuries and internal injuries	M	919	3	20	46	208	99	80	81	120	90	172	115
		F	584	-	12	19	45	9	24	25	39	80	331	120
BN48	Burns	M	36	2	5	1	4	1	1	6	5	1	10	137
		F	45	2	7	4	2	-	-	7	4	5	14	114
BN49	Effects of poisons	M	328	1	12	2	20	34	37	60	73	56	33	105
		F	273	1	7	2	11	12	36	42	57	60	45	92
BN50	All other injuries	M	277	26	14	30	30	27	36	29	41	24	20	85
		F	125	22	6	3	12	2	16	7	20	14	23	93

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Manchester Hospital Region										S.M.R. (England and Wales = 100)
			Age										
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	**M**	**29,383**	**1,079**	**150**	**170**	**317**	**328**	**968**	**2,447**	**6,715**	**8,301**	**8,908**	**114**
		F	**28,337**	**823**	**107**	**91**	**128**	**213**	**580**	**1,503**	**3,633**	**7,342**	**13,917**	**114**
B1	Tuberculosis of respiratory system	M	200	-	2	-	-	6	12	36	56	66	22	122
		F	49	-	1	-	-	3	9	16	6	7	7	101
B2	Tuberculosis, other forms	M	13	1	-	-	-	-	2	2	4	2	2	96
		F	12	-	-	-	-	-	1	2	2	2	5	94
B3	Syphilis and its sequelae	M	43	-	-	-	-	1	-	8	5	19	10	91
		F	31	-	-	-	-	-	1	1	3	15	11	110
B4	Typhoid fever	M	1	-	-	-	1	-	-	-	-	-	-	154
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	-	-	1	153
		F	2	-	-	-	-	-	-	-	1	1	-	206
B7	Scarlet fever and streptococcal sore throat	M	1	1	-	-	-	-	-	-	-	-	-	130
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	2	2	-	-	-	-	-	-	-	-	-	93
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	6	3	1	1	-	-	-	1	-	-	-	117
		F	1	-	-	1	-	-	-	-	-	-	-	23
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	5	-	5	-	-	-	-	-	-	-	-	171
		F	10	3	5	1	-	-	-	-	-	1	-	241
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	38	4	-	3	2	2	4	5	6	8	4	93
		F	39	3	3	1	3	2	3	7	1	5	11	91
	Malignant neoplasm: (140-205)	M	5,601	2	13	25	27	50	207	594	1,787	1,812	1,084	105
		F	4,817	4	14	15	19	45	199	634	1,131	1,395	1,361	102
	stomach (151)	M	814	-	-	-	-	2	18	69	243	282	200	114
		F	675	-	-	-	-	2	9	44	105	234	281	126
	trachea, bronchus and lung (162, 163)	M	2,216	-	-	-	2	7	65	302	876	706	258	107
		F	366	-	-	-	-	2	20	49	128	112	55	95
B18	breast (170)	M	10	-	-	-	-	-	-	2	1	4	3	124
		F	912	-	-	-	-	11	50	172	242	231	206	95
	uterus (171-174)	F	449	-	1	-	-	4	33	101	109	108	93	115
	Leukaemia and aleukaemia (204)	M	139	-	5	11	10	7	11	17	38	27	13	94
		F	113	1	4	7	7	7	5	8	26	25	23	90
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,422	2	8	14	15	34	113	204	629	793	610	100
		F	2,302	3	9	8	12	19	82	260	521	685	703	100
B19	Benign and unspecified neoplasms	M	82	1	1	3	5	2	8	13	18	18	13	121
		F	92	-	-	-	2	2	10	18	21	21	18	121
B20	Diabetes mellitus	M	125	-	2	4	-	1	7	2	27	33	49	95
		F	276	-	-	1	2	-	3	8	38	108	116	114
B21	Anaemias	M	71	-	2	1	-	-	1	1	8	22	36	136
		F	122	1	1	1	1	-	2	3	12	40	61	120
B22	Vascular lesions affecting central nervous system	M	3,578	2	1	3	10	9	55	170	607	1,134	1,587	129
		F	5,096	-	1	2	6	10	44	169	474	1,431	2,959	122
B23	Non-meningococcal meningitis	M	24	9	3	-	-	-	-	2	5	5	-	99
		F	24	12	1	-	1	-	-	1	4	3	2	121
B24	Rheumatic fever	M	4	-	-	-	-	-	-	1	2	-	1	140
		F	5	-	-	1	-	-	-	1	-	1	2	165
B25	Chronic rheumatic heart disease	M	225	-	-	-	6	12	29	47	65	44	22	111
		F	525	-	-	1	-	18	49	89	150	132	86	133

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Manchester Hospital Region - *continued*											S.M.R. (England and Wales = 100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
326	Arteriosclerotic heart disease including coronary disease (420)	M	7,105	-	-	-	1	19	257	833	2,086	2,257	1,652	115
		F	4,436	-	-	-	-	4	36	154	694	1,609	1,939	112
	Degenerative heart disease (421, 422)	M	1,712	-	-	1	2	4	19	24	131	373	1,158	129
		F	2,895	1	-	-	1	2	5	13	104	453	2,316	128
327	Other diseases of heart	M	696	5	-	2	2	3	14	27	148	225	270	124
		F	1,000	1	-	2	1	4	11	29	90	270	592	138
328	Hypertension with heart disease	M	281	-	-	-	-	3	6	13	72	98	89	87
		F	506	-	-	-	-	2	3	8	46	167	280	102
329	Hypertension without mention of heart	M	190	-	-	-	3	2	18	26	45	46	50	93
		F	199	-	-	-	1	-	6	8	26	55	103	88
346 (pt.)	Other circulatory diseases (450-468)	M	896	-	-	1	4	5	10	28	125	216	507	114
		F	1,188	1	1	-	4	6	8	26	81	223	838	113
330	Influenza	M	35	1	1	-	-	1	-	4	5	7	16	76
		F	44	1	-	1	-	1	-	3	3	10	25	85
331	Pneumonia	M	1,138	110	34	8	13	9	20	61	155	287	441	89
		F	1,298	96	17	5	7	2	9	20	91	260	791	88
332	Bronchitis	M	2,413	22	2	-	3	1	21	147	642	876	699	123
		F	1,058	21	3	1	3	1	13	42	147	330	497	139
346 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	333	3	-	3	2	2	10	30	102	104	77	103
		F	175	2	2	3	1	5	9	19	22	31	81	110
333	Ulcer of stomach and duodenum	M	264	-	-	1	1	1	8	24	62	83	84	109
		F	133	-	-	-	-	-	6	6	21	41	59	101
334	Appendicitis	M	30	1	-	2	1	1	2	6	4	6	7	116
		F	21	-	-	1	-	-	1	-	3	5	11	98
335	Intestinal obstruction and hernia	M	138	9	-	1	2	3	3	12	26	31	51	105
		F	171	7	1	-	2	1	4	17	21	42	76	109
336	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	116	30	6	1	4	3	8	8	18	22	16	117
		F	152	23	5	2	2	3	3	9	11	37	57	99
337	Cirrhosis of liver	M	62	1	1	-	-	-	5	6	27	17	5	98
		F	66	2	-	-	2	-	1	8	17	22	14	103
338	Nephritis and nephrosis	M	156	1	1	1	4	10	15	24	37	33	30	109
		F	132	-	1	1	7	1	6	13	23	36	44	98
339	Hyperplasia of prostate	M	224	-	-	-	-	-	-	2	10	67	145	105
340	Complications of pregnancy, childbirth and puerperium	F	25	-	-	-	7	12	6	-	-	-	-	120
341	Congenital malformations	M	253	200	15	13	6	4	4	2	5	3	1	96
		F	227	165	11	16	8	3	9	5	7	2	1	97
342	Birth injuries, postnatal asphyxia and atelectasis	M	357	357	-	-	-	-	-	-	-	-	-	133
		F	234	234	-	-	-	-	-	-	-	-	-	133
343	Diarrhoea of newborn (764)	M	5	5	-	-	-	-	-	-	-	-	-	156
		F	3	3	-	-	-	-	-	-	-	-	-	140
	Other infections of newborn (763, 765-768)	M	45	45	-	-	-	-	-	-	-	-	-	116
		F	20	20	-	-	-	-	-	-	-	-	-	79
344	Other diseases of early infancy and immaturity unqualified	M	196	196	-	-	-	-	-	-	-	-	-	92
		F	160	160	-	-	-	-	-	-	-	-	-	99
345	Senility without mention of psychosis, ill-defined and unknown causes	M	367	-	-	-	-	1	1	1	3	21	340	238
		F	667	2	-	-	-	-	-	-	1	30	634	212
346 (Rem.)	All other diseases (Remainder 001-795)	M	862	26	11	24	23	34	54	95	171	213	211	108
		F	1,240	18	8	10	14	39	59	90	221	351	430	107
BE47	Motor vehicle accidents	M	521	-	15	33	139	74	54	51	65	48	42	108
		F	252	1	9	18	19	13	12	20	35	63	62	129
BE48	All other accidents	M	606	42	33	38	33	35	58	72	87	56	152	114
		F	650	40	21	7	7	15	16	24	50	81	389	120
BE49	Suicide and self-inflicted injury	M	343	-	-	-	19	29	52	67	98	46	32	114
		F	270	-	-	-	7	18	34	39	71	62	39	116
BE50	Homicide and operations of war	M	19	-	1	1	4	1	4	2	1	3	2	130
		F	14	2	2	-	1	1	2	1	5	-	-	108
BN47	Fractures, head injuries and internal injuries	M	800	1	18	36	146	89	76	87	112	75	160	111
		F	643	4	10	19	17	15	16	20	58	110	374	126
BN48	Burns	M	29	-	11	1	3	-	3	2	2	3	4	119
		F	51	1	7	3	-	2	2	1	9	10	16	127
BN49	Effects of poisons	M	334	3	5	2	19	30	50	65	79	43	38	116
		F	341	2	8	-	7	20	37	48	70	70	79	113
BN50	All other injuries	M	326	38	15	33	27	20	39	38	58	32	26	111
		F	151	36	7	3	10	10	9	15	24	16	21	115

TABLE 19 - *continued*

Abbreviated List No.	Causes of death		Liverpool Hospital Region										S.M.R. (England and Wales = 100)
			Age										
			All ages	Under 1 year	Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
	ALL CAUSES	M	12,385	568	79	80	156	142	405	1,089	2,776	3,490	3,600	112
		F	11,883	423	66	47	48	96	283	689	1,502	2,962	5,767	107
B1	Tuberculosis of respiratory system	M	96	-	-	-	1	2	-	8	27	38	20	138
		F	34	-	-	-	-	-	8	4	8	9	5	156
B2	Tuberculosis, other forms	M	6	-	-	1	-	-	1	1	2	1	-	100
		F	5	-	-	-	-	-	1	1	2	-	1	85
B3	Syphilis and its sequelae	M	23	-	-	-	-	-	-	1	5	9	8	117
		F	18	-	-	-	-	-	-	1	3	4	10	143
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	1	-	-	355
		F	3	2	-	1	-	-	-	-	-	-	-	633
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	2	-	-	-	-	-	-	-	-	-	172
B10	Meningococcal infections	M	3	3	-	-	-	-	-	-	-	-	-	109
		F	6	4	1	1	-	-	-	-	-	-	-	260
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	4	-	3	-	-	-	-	1	-	-	-	249
		F	3	1	1	1	-	-	-	-	-	-	-	131
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	16	1	-	2	-	1	2	6	-	1	3	85
		F	17	1	1	1	-	2	-	4	3	3	2	84
	Malignant neoplasm: (140-205)	M	2,663	1	8	16	22	20	87	322	785	882	520	118
		F	2,140	-	11	5	13	22	110	264	506	584	625	102
	stomach (151)	M	357	-	-	-	1	-	7	37	114	125	73	120
		F	300	-	-	-	-	1	4	26	49	99	121	127
	trachea, bronchus and lung (162, 163)	M	1,137	-	-	-	1	3	37	161	417	385	133	130
		F	190	-	-	-	1	-	10	28	58	57	36	113
B18	breast (170)	M	2	-	-	-	-	-	-	-	1	-	1	59
		F	383	-	-	-	-	5	33	75	103	86	81	89
	uterus (171-174)	F	189	-	-	-	1	1	21	40	47	43	36	109
	Leukaemia and aleukaemia (204)	M	73	-	2	6	5	1	9	4	19	14	13	110
		F	58	-	7	1	3	1	2	7	10	12	15	100
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,094	1	6	10	15	16	34	120	234	358	300	107
		F	1,020	-	4	4	8	14	40	88	239	287	336	99
B19	Benign and unspecified neoplasms	M	44	1	-	2	2	3	4	6	15	6	5	146
		F	36	-	1	2	-	2	4	7	3	10	7	104
B20	Diabetes mellitus	M	48	-	-	-	-	-	4	5	15	11	13	86
		F	100	-	-	-	1	-	2	5	10	44	38	93
B21	Anaemias	M	25	-	-	-	-	-	1	-	3	11	10	115
		F	82	-	-	1	1	-	1	1	8	18	52	180
B22	Vascular lesions affecting central nervous system	M	1,218	1	-	1	2	5	18	60	211	400	520	106
		F	1,832	2	-	1	3	2	20	75	174	509	1,046	99
B23	Non-meningococcal meningitis	M	15	4	2	-	1	-	-	2	1	3	2	123
		F	12	5	-	-	1	1	1	-	-	4	-	121
B24	Rheumatic fever	M	1	-	-	1	-	-	-	-	-	-	-	79
		F	-	-	-	-	-	-	-	-	-	-	-	-
B25	Chronic rheumatic heart disease	M	76	-	-	-	1	9	12	12	23	13	6	86
		F	211	-	-	-	1	9	25	44	61	47	24	120

TABLE 19 - *continued*

Liverpool Hospital Region - *continued*

Abbreviated List No.	Causes of death		Age: All ages	Under 1 year	Years: 1-	5-	15-	25-	35-	45-	55-	65-	75 and over	S.M.R. (England and Wales = 100)
26	Arteriosclerotic heart disease including coronary disease (420)	M	3,061	-	-	-	-	6	107	348	894	973	733	118
		F	2,007	-	-	-	-	4	14	64	284	673	968	115
	Degenerative heart disease (421, 422)	M	444	-	-	-	-	2	8	15	37	86	296	82
		F	889	-	-	-	1	1	2	13	23	116	733	87
27	Other diseases of heart	M	272	-	-	-	1	5	4	11	42	84	125	117
		F	404	-	-	-	-	1	7	10	24	97	265	125
28	Hypertension with heart disease	M	172	-	-	-	-	-	5	12	40	57	58	129
		F	248	-	-	-	-	-	1	10	25	73	139	113
29	Hypertension without mention of heart	M	75	-	-	-	1	2	7	14	15	21	15	87
		F	81	-	-	-	-	-	3	9	7	23	39	81
46 (pt.)	Other circulatory diseases (450-468)	M	323	-	-	1	2	-	4	18	44	82	172	100
		F	432	-	-	-	-	3	3	10	33	90	293	92
30	Influenza	M	20	-	-	-	1	-	1	-	5	1	12	102
		F	16	-	-	1	1	-	1	-	2	3	8	69
31	Pneumonia	M	738	61	12	5	3	2	7	20	90	172	366	135
		F	1,015	49	9	6	1	1	6	23	63	187	670	152
32	Bronchitis	M	984	24	3	2	1	1	10	62	252	328	301	120
		F	418	14	2	-	-	-	4	22	53	121	202	123
46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	134	2	2	1	1	3	3	17	25	49	31	98
		F	75	-	1	-	1	3	4	7	10	16	33	104
33	Ulcer of stomach and duodenum	M	104	-	-	-	-	1	6	4	30	32	31	103
		F	44	-	-	-	-	-	3	2	9	7	23	75
34	Appendicitis	M	14	-	-	1	-	-	-	2	1	4	6	124
		F	9	-	1	3	-	-	-	1	1	3	-	92
35	Intestinal obstruction and hernia	M	44	3	-	-	1	-	1	1	11	11	16	77
		F	60	5	-	-	-	-	-	8	10	13	24	85
36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	45	16	5	-	-	1	3	2	5	8	5	99
		F	71	15	-	-	-	1	2	6	8	13	26	100
37	Cirrhosis of liver	M	31	-	-	-	-	-	-	5	16	9	1	115
		F	21	-	-	-	-	-	-	5	5	7	4	74
38	Nephritis and nephrosis	M	71	2	-	1	5	4	9	9	12	14	15	114
		F	66	1	-	2	-	1	4	5	12	18	23	108
39	Hyperplasia of prostate	M	90	-	-	-	-	-	-	-	5	24	61	104
40	Complications of pregnancy, childbirth and puerperium	F	12	-	-	-	2	6	4	-	-	-	-	111
41	Congenital malformations	M	147	117	8	4	3	3	6	3	1	1	1	103
		F	126	96	9	6	2	2	1	3	2	2	3	99
42	Birth injuries, postnatal asphyxia and atelectasis	M	145	145	-	-	-	-	-	-	-	-	-	97
		F	86	86	-	-	-	-	-	-	-	-	-	87
43	Diarrhoea of newborn (764)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	84
	Other infections of newborn (763, 765-768)	M	31	31	-	-	-	-	-	-	-	-	-	144
		F	14	14	-	-	-	-	-	-	-	-	-	99
44	Other diseases of early infancy and immaturity unqualified	M	122	122	-	-	-	-	-	-	-	-	-	102
		F	94	94	-	-	-	-	-	-	-	-	-	105
45	Senility without mention of psychosis, ill-defined and unknown causes	M	48	1	1	-	-	1	-	-	1	5	39	76
		F	133	-	-	-	-	-	1	1	-	9	122	93
46 (Rem.)	All other diseases (Remainder 001-795)	M	373	9	10	9	12	7	16	36	74	81	119	107
		F	567	15	5	8	6	14	23	43	103	159	191	108
BE47	Motor vehicle accidents	M	261	-	15	18	69	28	26	31	32	18	24	112
		F	88	-	9	3	9	11	3	9	10	23	11	95
BE48	All other accidents	M	262	24	8	14	15	20	28	33	25	33	62	107
		F	316	14	12	3	1	4	10	13	21	63	175	127
BE49	Suicide and self-inflicted injury	M	121	-	-	-	10	16	21	20	30	20	4	90
		F	80	-	-	1	3	5	15	19	19	14	4	75
BE50	Homicide and operations of war	M	14	-	2	1	2	-	4	2	1	2	-	195
		F	9	2	3	1	1	1	-	-	-	-	1	136
BN47	Fractures, head injuries and internal injuries	M	396	-	15	21	77	35	36	46	51	41	74	117
		F	274	-	9	4	10	11	3	13	17	54	153	117
BN48	Burns	M	12	1	-	-	-	2	1	1	1	2	4	105
		F	26	-	3	1	-	1	-	2	2	7	10	137
BN49	Effects of poisons	M	124	1	3	1	9	14	25	22	27	17	5	95
		F	126	-	6	2	4	5	17	20	28	28	16	91
BN50	All other injuries	M	126	22	7	11	10	13	17	17	9	13	7	89
		F	67	16	6	1	-	4	8	6	3	11	12	105

TABLE 20. Suspended

Note. Publication of Table 20 has been suspended. Instead, Table 21 has been enlarged to include a cause analysis according to the Registrar General's Abridged List as well as the Registrar General's Supplementary Abridged List, but with no age details. A futher cause analysis by detail of age is given for England and Wales, standard regions, hospital regions, conurbations and national aggregates by type of area in Table 19.

All details which prior to this change appeared in Table 20 and also figures (based on the Registrar General's Abridged List, without age detail prior to 1963) for administrative areas not separately shown in Table 21 are available at the General Register Office.

TABLE 21. Causes of death by sex, 1964, classified in accordance with the Abridged List and Supplementary Abridged List

England and Wales, standard regions, Wales, conurbations, hospital regions, London A.C. City of London, metropolitan and county boroughs, administrative counties

See explanatory notes.

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar General in consultation with the Ministry of Health and its relation to the Detailed International Statistical Classification

No.	Registrar General's Abridged List	ICD No.
1	Tuberculosis, respiratory	001-008
2	Tuberculosis, other	010-019
3	Syphilitic disease	020-029
4	Diphtheria	055
5	Whooping cough	056
6	Meningococcal infections	057
7	Acute poliomyelitis	080
8	Measles	085
9	Other infective and parasitic diseases	030-054, 058-074, 081-084, 086-138
10	Malignant neoplasm, stomach	151
11	Malignant neoplasm, lung, bronchus	162, 163
12	Malignant neoplasm, breast	170
13	Malignant neoplasm, uterus	171-174
14	Other malignant and lymphatic neoplasms	140-150, 152-161, 164, 165, 175-203, 205
15	Leukaemia, aleukaemia	204
16	Diabetes	260
17	Vascular lesions of nervous system	330-334
18	Coronary disease, angina	420
19	Hypertension with heart disease	440-443
20	Other heart disease	410-416, 421-434
21	Other circulatory disease	444-468
22	Influenza	480-483
23	Pneumonia	490-493, 763
24	Bronchitis	500-502
25	Other diseases of respiratory system	470-475, 510-527
26	Ulcer of stomach and duodenum	540,541
27	Gastritis, enteritis and diarrhoea	543, 571, 572, 764
28	Nephritis and nephrosis	590-594
29	Hyperplasia of prostate	610
30	Pregnancy, childbirth, abortion	640-689
31	Congenital malformations	750-759
32	Other defined and ill-defined diseases	210-254, 270-326, 340-402, 530-539, 542, 544-570, 573-587, 600-609, 611-637, 690-749, 760-762, 765-795
33	Motor vehicle accidents	E810-835
34	All other accidents	E800-802 840-962
35	Suicide	E963, 970-979
36	Homicide and operations of war	E964, 965, 980-999

THE SUPPLEMENTARY LIST OF SUBDIVISIONS OF THE REGISTRAR GENERAL'S ABRIDGED LIST OF CAUSES OF DEATH and its relation to the Detailed International Statistical Classification

No.	Registrar General's Supplementary Abridged List	ICD No.
9 (1)	Infectious hepatitis	092
14 (1)	Malignant neoplasm, mouth and pharynx	140-148
14 (2)	Malignant neoplasm, oesophagus	150
14 (3)	Malignant neoplasm, intestine and rectum	152-154
14 (4)	Malignant neoplasm, larynx	161
13 (1)	Malignant neoplasm, cervix uteri	171
14 (5)	Malignant neoplasm, prostate	177
14 (6)	Malignant neoplasm, bladder	181·0, 181·8
14 (7)	Malignant neoplasm, bone (including jaw-bone)	196
14 (8)	Lymphosarcoma, reticulosarcoma	200
14 (9)	Hodgkin's disease	201
32 (1)	Thyrotoxicosis	252
32 (2)	Multiple sclerosis	345
32 (3)	Rheumatic fever	400-402
20 (1)	Chronic rheumatic heart disease	410-416
21 (1)	Hypertension without mention of heart	444-447
25 (1)	Pneumoconiosis and chronic interstitial pneumonia	523-525
26 (1)	Ulcer of stomach	540
32 (4)	Appendicitis	550-553
32 (5)	Intestinal obstruction and hernia	560, 561, 570
32 (6)	Cirrhosis of liver	581
32 (7)	Cholelithiasis, cholecystitis	584, 585
30 (1)	Maternal sepsis (not abortion)	640, 641, 681, 682, 684
30 (2)	Toxaemias of pregnancy and puerperium	642, 685, 686
30 (3)	Abortion	650-652
32 (8)	Rheumatoid arthritis and allied conditions	722
32 (9)	Birth injury	760, 761
32 (10)	Postnatal asphyxia and atelectasis	762
23 (1)	Pneumonia of newborn	763
32 (11)	Ophthalmia, pemphigus, sepsis of newborn	765-768
32 (12)	Haemolytic disease of newborn	770
32 (13)	Immaturity (without other disease peculiar to early infancy)	774, 776
32 (14)	Senility without psychosis	794
32 (15)	Ill-defined and unknown cause	780-789, 790-793, 795

TABLE 21 - *continued* England and Wales, standard regions and conurbations

Registrar General's Abridged List		England and Wales	Northern			East and West Ridings			North Western				North Midland
			Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	South East Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western	
1 Tuberculosis, respiratory	M	1,711	139	37	102	197	91	106	294	114	56	124	103
	F	498	28	7	21	35	21	14	82	37	18	27	52
2 Tuberculosis, other	M	142	10	1	9	15	9	6	19	7	4	8	6
	F	133	10	4	6	10	5	5	17	7	1	9	12
3 Syphilitic disease	M	496	34	10	24	38	17	21	66	23	13	30	43
	F	295	15	5	10	21	8	13	49	20	10	19	26
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	22	-	-	-	1	1	-	2	2	-	-	3
	F	22	2	1	1	1	-	1	2	-	1	1	2
6 Meningococcal infections	M	53	5	2	3	3	-	3	9	3	1	5	4
	F	45	3	-	3	2	1	1	7	-	4	3	7
7 Acute poliomyelitis	M	2	-	-	-	-	-	-	-	-	-	-	1
	F	2	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	30	1	-	1	4	2	2	9	2	3	4	4
	F	43	1	-	1	9	1	8	13	6	1	6	8
9 Other infective, etc., diseases	M	448	27	6	21	34	16	18	58	19	11	28	42
	F	457	20	3	17	43	22	21	58	25	12	21	31
10 Malignant neoplasm: stomach	M	7,500	646	158	488	691	272	419	1,165	444	229	492	540
	F	5,569	436	101	335	506	229	277	969	361	185	423	421
11 lung, bronchus	M	21,476	1,542	481	1,061	1,839	800	1,039	3,331	1,301	777	1,253	1,424
	F	3,895	238	90	148	306	137	169	552	200	134	218	234
12 breast	M	84	9	1	8	7	3	4	12	6	1	5	5
	F	9,860	571	150	421	797	353	444	1,287	469	247	571	723
13 uterus	F	3,989	301	77	224	402	183	219	636	225	123	288	319
14 Other malignant and lymphatic neoplasms	M	25,623	1,764	466	1,298	2,259	917	1,342	3,478	1,286	689	1,503	1,948
	F	23,835	1,449	342	1,107	2,147	960	1,187	3,292	1,261	682	1,349	1,675
15 Leukaemia, aleukaemia	M	1,564	91	19	72	147	61	86	211	68	43	100	107
	F	1,303	73	25	48	132	61	71	171	58	31	82	97
16 Diabetes	M	1,409	108	26	82	138	53	85	172	55	25	92	121
	F	2,522	186	39	147	241	103	138	375	137	60	178	216
17 Vascular lesions of nervous system	M	29,818	2,362	564	1,798	2,918	1,227	1,691	4,746	1,728	700	2,318	2,579
	F	44,147	3,044	707	2,337	4,087	1,861	2,226	6,852	2,540	1,097	3,215	3,314
18 Coronary disease, angina	M	65,082	4,991	1,219	3,772	6,360	2,920	3,440	10,076	3,469	1,900	4,707	4,636
	F	41,208	3,181	806	2,375	4,220	2,052	2,168	6,374	2,139	1,320	2,915	2,776
19 Hypertension with heart disease	M	3,427	224	46	178	304	125	179	451	149	109	193	294
	F	5,232	370	105	265	446	183	263	743	258	154	331	454
20 Other heart disease	M	22,774	1,543	360	1,183	2,048	824	1,224	3,399	1,292	467	1,640	2,005
	F	36,235	2,170	551	1,619	3,110	1,286	1,824	5,880	2,289	898	2,693	2,977
21 Other circulatory disease	M	10,643	747	199	548	1,029	375	654	1,472	562	207	703	853
	F	13,591	842	253	589	1,436	568	868	1,884	741	276	867	991
22 Influenza	M	494	23	10	13	35	6	29	55	17	11	27	71
	F	549	24	4	20	48	8	40	59	18	11	30	103
23 Pneumonia	M	14,184	983	231	752	1,330	569	761	1,928	603	506	819	1,071
	F	15,908	972	260	712	1,369	637	732	2,335	710	734	891	1,063
24 Bronchitis	M	20,773	1,444	439	1,005	2,319	935	1,384	3,380	1,424	618	1,338	1,755
	F	7,967	521	161	360	891	366	525	1,470	626	277	567	625
25 Other diseases of respiratory system	M	3,413	225	51	174	292	87	205	465	157	72	236	229
	F	1,672	115	31	84	148	61	87	249	98	44	107	164
26 Ulcer of stomach and duodenum	M	2,568	179	51	128	240	108	132	366	151	57	158	214
	F	1,376	78	24	54	124	59	65	176	89	27	60	111
27 Gastritis, enteritis and diarrhoea	M	1,079	59	20	39	114	46	68	166	68	31	67	97
	F	1,633	102	26	76	157	64	93	227	91	48	88	110
28 Nephritis and nephrosis	M	1,518	121	34	87	129	51	78	225	63	36	126	130
	F	1,404	106	26	80	157	67	90	196	56	39	101	108
29 Hyperplasia of prostate	M	2,338	170	42	128	184	80	104	313	101	45	167	189
30 Pregnancy, childbirth, abortion	F	227	13	2	11	21	11	10	37	16	5	16	12
31 Congenital malformations	M	2,741	194	47	147	236	102	134	399	149	88	162	198
	F	2,417	179	42	137	221	90	131	353	117	82	154	201
32 Other defined and ill-defined diseases	M	19,117	1,345	347	998	1,693	688	1,005	3,026	1,109	513	1,404	1,449
	F	23,614	1,588	369	1,219	2,028	919	1,109	3,864	1,411	637	1,816	1,790
33 Motor vehicle accidents	M	5,238	394	86	308	503	204	299	774	264	139	371	461
	F	2,033	136	46	90	226	109	117	335	135	59	141	157
34 All other accidents	M	5,675	520	146	374	590	227	363	857	286	166	405	438
	F	5,756	476	104	372	606	254	352	954	304	173	477	436
35 Suicide	M	3,175	226	72	154	275	114	161	461	180	81	200	243
	F	2,391	135	47	88	210	97	113	348	156	52	140	142
36 Homicide, operations of war	M	156	9	4	5	15	2	13	33	14	12	7	10
	F	136	4	2	2	12	3	9	23	8	9	6	6

TABLE 21 - *continued* England and Wales, standard regions and conurbations

Registrar General's Supplementary Abridged List		England and Wales	Northern			East and West Ridings			North Western				North Midland
			Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	South East Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western	
9(1) Infectious hepatitis	M	82	5	3	2	7	3	4	12	7	1	4	11
	F	114	7	-	7	13	6	7	11	4	2	5	12
14(1) Malignant neoplasm, mouth and pharynx	M	1,020	94	24	70	96	38	58	132	52	27	53	68
	F	656	54	13	41	66	26	40	97	45	17	35	29
14(2) Malignant neoplasm, oesophagus	M	1,349	83	20	63	109	43	66	200	82	42	76	88
	F	1,191	79	18	61	78	35	43	176	66	31	79	84
14(3) Malignant neoplasm, intestine and rectum	M	6,701	500	132	368	617	228	389	938	376	160	402	519
	F	8,186	488	121	367	743	332	411	1,136	433	229	474	593
14(4) Malignant neoplasm, larynx	M	571	49	12	37	51	28	23	91	35	23	33	38
	F	144	20	4	16	13	7	6	31	12	10	9	7
13(1) Malignant neoplasm, cervix uteri	F	2,577	215	51	164	268	130	138	428	157	87	184	208
14(5) Malignant neoplasm, prostate	M	3,728	239	65	174	318	131	187	444	162	90	192	291
14(6) Malignant neoplasm, bladder	M	2,365	159	43	116	216	77	139	323	103	71	149	176
	F	973	56	18	38	75	39	36	150	49	38	63	65
14(7) Malignant neoplasm, bone (including jaw bone)	M	261	19	2	17	23	9	14	42	20	9	13	21
	F	254	11	2	9	21	16	5	36	12	8	16	21
14(8) Lymphosarcoma, reticulosarcoma	M	719	42	14	28	59	22	37	85	26	25	34	66
	F	494	34	6	28	28	15	13	56	22	15	19	38
14(9) Hodgkin's disease	M	489	30	8	22	37	13	24	74	32	8	34	46
	F	352	23	4	19	33	13	20	64	24	15	25	27
32(1) Thyrotoxicosis	M	39	1	-	1	1	1	-	6	2	-	4	2
	F	207	15	5	10	17	10	7	32	7	6	19	15
32(2) Multiple sclerosis	M	330	20	4	16	34	12	22	57	23	14	20	27
	F	531	25	3	22	42	16	26	84	32	9	43	37
32(3) Rheumatic fever	M	30	2	-	2	3	1	2	5	1	1	3	2
	F	31	3	-	3	4	1	3	5	4	-	1	3
20(1) Chronic rheumatic heart disease	M	2,126	142	37	105	220	102	118	301	118	47	136	163
	F	4,045	299	85	214	392	180	212	731	301	120	310	296
21(1) Hypertension without mention of heart	M	2,171	124	33	91	199	96	103	264	95	49	120	191
	F	2,365	140	39	101	213	79	134	275	94	43	138	191
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	971	64	4	60	86	23	63	130	39	11	80	30
	F	180	11	4	7	19	13	6	26	11	5	10	12
26(1) Ulcer of stomach	M	1,235	81	24	57	91	40	51	175	69	28	78	92
	F	853	42	11	31	69	36	33	114	60	15	39	74
32(4) Appendicitis	M	274	18	5	13	29	9	20	44	16	12	16	12
	F	224	16	4	12	19	12	7	29	10	5	14	21
32(5) Intestinal obstruction and hernia	M	1,401	98	28	70	133	46	87	181	74	20	87	107
	F	1,638	98	25	73	124	62	62	226	104	40	82	111
32(6) Cirrhosis of liver	M	657	48	19	29	57	23	34	93	32	24	37	45
	F	652	41	13	28	71	31	40	87	33	15	39	49
32(7) Cholelithiasis, cholecystitis	M	383	34	4	30	40	18	22	48	17	10	21	31
	F	776	71	9	62	76	36	40	96	41	16	39	63
30(1) Maternal sepsis (not abortion	F	32	2	-	2	3	1	2	7	1	1	5	2
30(2) Toxaemias of pregnancy and puerperium	F	34	3	-	3	1	1	-	8	1	1	6	4
30(3) Abortion	F	50	6	1	5	7	2	5	6	5	1	-	-
32(8) Rheumatoid arthritis and allied conditions	M	222	16	5	11	24	10	14	23	8	7	8	24
	F	735	49	9	40	53	28	25	147	49	18	80	56
32(9) Birth injury	M	1,204	92	17	75	109	40	69	208	98	36	74	84
	F	737	61	19	42	48	20	28	112	57	17	38	59
32(10) Postnatal asphyxia and atelectasis	M	1,561	105	22	83	190	91	99	289	122	43	124	117
	F	1,079	73	17	56	120	44	76	205	99	34	72	68
23(1) Pneumonia of newborn	M	354	25	2	23	37	14	23	66	19	20	27	39
	F	229	20	1	19	27	10	17	34	14	8	12	22
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	44	2	1	1	1	1	-	9	5	2	2	5
	F	32	1	1	-	4	-	4	-	-	-	-	4
32(12) Haemolytic disease of newborn	M	174	12	5	7	16	9	7	30	11	4	15	11
	F	147	15	4	11	12	4	8	16	9	2	5	20
32(13) Immaturity (without other disease peculiar to early infancy)	M	1,483	116	35	81	150	64	86	209	77	47	85	111
	F	1,121	81	16	65	100	49	51	188	71	50	67	89
32(14) Senility without psychosis	M	1,520	116	15	101	106	34	72	390	121	20	249	136
	F	3,262	225	46	179	198	81	117	766	248	69	449	310
32(15) Ill-defined and unknown cause	M	205	27	12	15	15	6	9	22	5	5	12	19
	F	182	22	10	12	8	5	3	25	5	3	17	10

TABLE 21 - *continued* Standard regions and conurbations

Registrar General's Abridged List		Midland			Eastern	London and South Eastern			Southern	South Western	Wales		
		Total	West Midlands Conurbation	Remainder of Midland		Total	Greater London	Remainder of South Eastern			Total	Wales I (South East)	Wales II (remainder)
1 Tuberculosis, respiratory	M	189	93	96	85	384	289	95	75	98	147	105	42
	F	57	24	33	23	116	83	33	33	30	42	23	19
2 Tuberculosis, other	M	9	4	5	8	40	29	11	10	11	14	11	3
	F	11	5	6	8	37	28	9	8	12	8	2	6
3 Syphilitic disease	M	42	16	26	36	142	105	37	33	44	18	12	6
	F	23	8	15	18	91	71	20	18	20	14	10	4
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	5	4	1	6	2	1	1	-	1	2	2	-
	F	6	6	-	1	-	-	-	3	2	3	1	2
6 Meningococcal infections	M	9	4	5	4	8	6	2	4	6	1	1	-
	F	6	1	5	1	10	7	3	1	4	4	3	1
7 Acute poliomyelitis	M	-	-	-	-	1	1	-	-	-	-	-	-
	F	-	-	-	-	1	1	-	-	-	1	1	-
8 Measles	M	4	4	-	-	4	1	3	-	1	3	1	2
	F	3	1	2	2	3	2	1	3	-	1	-	1
9 Other infective, etc., diseases	M	49	19	30	28	113	73	40	32	39	26	16	10
	F	52	20	32	42	119	71	48	25	42	25	15	10
10 Malignant neoplasm: stomach	M	715	332	383	538	1,685	1,241	444	367	556	597	405	192
	F	525	287	238	379	1,238	904	334	299	412	384	250	134
11 lung, bronchus	M	2,022	1,067	955	1,560	6,116	4,643	1,473	1,222	1,347	1,073	790	283
	F	286	132	154	327	1,321	1,035	286	250	258	123	77	46
12 breast	M	7	6	1	7	20	14	6	4	7	6	4	2
	F	983	453	530	771	2,720	1,950	770	655	839	514	331	183
13 uterus	F	355	167	188	275	872	620	252	218	342	269	185	84
14 Other malignant and lymphatic neoplasms	M	2,386	1,139	1,247	2,096	6,545	4,626	1,919	1,619	2,092	1,436	983	453
	F	2,166	1,046	1,120	1,931	6,433	4,452	1,981	1,486	1,940	1,316	877	439
15 Leukaemia, aleukaemia	M	144	63	81	131	405	294	111	95	143	90	63	27
	F	124	53	71	101	341	251	90	85	112	67	46	21
16 Diabetes	M	160	74	86	128	283	196	87	83	133	83	54	29
	F	260	119	141	221	543	371	172	136	163	181	125	56
17 Vascular lesions of nervous system	M	2,949	1,398	1,551	2,307	5,735	3,517	2,218	1,683	2,532	2,007	1,276	731
	F	4,174	1,952	2,222	3,529	10,041	6,285	3,756	2,663	3,800	2,643	1,663	980
18 Coronary disease, angina	M	5,678	2,708	2,970	4,980	15,155	10,667	4,488	3,971	4,942	4,293	3,108	1,185
	F	3,361	1,621	1,740	3,188	10,097	6,957	3,140	2,489	3,013	2,509	1,831	678
19 Hypertension with heart disease	M	371	199	172	203	701	459	242	241	338	300	238	62
	F	486	255	231	371	1,198	799	399	309	476	379	288	91
20 Other heart disease	M	2,310	988	1,322	1,743	4,660	2,895	1,765	1,285	2,307	1,474	999	475
	F	3,405	1,497	1,908	2,469	8,484	5,318	3,166	2,112	3,500	2,128	1,442	686
21 Other circulatory disease	M	932	402	530	775	2,703	1,901	802	589	908	635	437	198
	F	1,025	422	603	1,017	3,780	2,784	996	706	1,151	759	505	254
22 Influenza	M	119	63	56	23	57	39	18	12	41	58	40	18
	F	75	38	37	28	65	39	26	14	63	70	45	25
23 Pneumonia	M	1,490	793	697	1,108	3,587	2,613	974	876	1,096	715	536	179
	F	1,522	781	741	1,321	4,365	3,036	1,329	1,013	1,190	758	579	179
24 Bronchitis	M	2,291	1,219	1,072	1,391	4,605	3,391	1,214	948	1,193	1,447	1,125	322
	F	860	450	410	509	1,872	1,384	488	351	438	430	305	125
25 Other diseases of respiratory system	M	370	131	239	212	706	493	213	173	286	455	385	70
	F	140	66	74	120	390	265	125	72	158	116	79	37
26 Ulcer of stomach and duodenum	M	274	138	136	186	631	462	169	127	222	129	89	40
	F	125	78	47	101	411	288	123	69	112	69	39	30
27 Gastritis, enteritis and diarrhoea	M	123	69	54	72	240	172	68	66	79	63	37	26
	F	149	83	66	126	423	288	135	106	147	86	55	31
28 Nephritis and nephrosis	M	149	69	80	110	331	241	90	88	120	115	73	42
	F	136	64	72	102	332	215	117	72	94	101	71	30
29 Hyperplasia of prostate	M	236	107	129	199	502	343	159	128	237	180	113	67
30 Pregnancy, childbirth, abortion	F	24	11	13	15	59	44	15	16	13	17	11	6
31 Congenital malformations	M	308	143	165	244	623	448	175	173	194	172	124	48
	F	280	127	153	165	547	394	153	147	178	146	111	35
32 Other defined and ill-defined diseases	M	1,944	920	1,024	1,459	4,305	3,031	1,274	1,167	1,445	1,284	926	358
	F	2,187	1,018	1,169	1,810	5,672	3,889	1,783	1,440	1,786	1,449	993	456
33 Motor vehicle accidents	M	618	297	321	424	1,033	740	293	373	393	265	193	72
	F	194	80	114	164	483	344	139	117	126	95	69	26
34 All other accidents	M	600	303	297	408	1,168	788	380	352	390	352	252	100
	F	609	287	322	488	1,109	724	385	351	392	335	224	111
35 Suicide	M	325	157	168	218	850	652	198	184	231	162	100	62
	F	210	111	99	218	691	483	208	168	182	87	64	23
36 Homicide, operations of war	M	17	12	5	10	45	39	6	5	7	5	5	-
	F	14	7	7	9	37	27	10	13	8	10	9	1

TABLE 21 - *continued* Standard regions and conurbations

Registrar General's Supplementary Abridged List		Midland			Eastern	London and South Eastern			Southern	South Western	Wales		
		Total	West Midlands Conurbation	Remainder of Midland		Total	Greater London	Remainder of South Eastern			Total	Wales I (South East)	Wales II (remainder)
9(1) Infectious hepatitis	M	6	1	5	5	25	14	11	5	3	3	1	2
	F	11	2	9	10	28	16	12	6	10	6	4	2
4(1) Malignant neoplasm, mouth and pharynx	M	90	43	47	71	261	191	70	72	78	58	37	21
	F	49	25	24	51	162	115	47	45	44	59	35	24
4(2) Malignant neoplasm, oesophagus	M	130	56	74	102	349	247	102	99	113	76	56	20
	F	105	42	63	80	286	182	104	90	112	101	59	42
4(3) Malignant neoplasm, intestine and rectum	M	632	290	342	528	1,582	1,112	470	432	545	408	267	141
	F	763	380	383	693	2,158	1,499	659	496	683	433	295	138
4(4) Malignant neoplasm, larynx	M	48	26	22	44	150	102	48	27	35	38	29	9
	F	10	6	4	10	31	19	12	8	7	7	5	2
3(1) Malignant neoplasm, cervix uteri	F	234	114	120	166	546	385	161	134	198	180	129	51
4(5) Malignant neoplasm, prostate	M	340	170	170	317	949	602	347	264	368	198	122	76
4(6) Malignant neoplasm, bladder	M	193	92	101	200	668	475	193	137	161	132	102	30
	F	100	53	47	79	287	201	86	54	63	44	29	15
4(7) Malignant neoplasm, bone (including jaw bone)	M	31	19	12	16	67	44	23	8	18	16	10	6
	F	28	17	11	20	66	50	16	22	13	16	14	2
4(8) Lymphosarcoma, reticulosarcoma	M	76	36	40	53	202	144	58	40	60	36	22	14
	F	38	15	23	48	163	122	41	32	30	27	18	9
4(9) Hodgkin's disease	M	53	17	36	36	121	96	25	28	38	26	21	5
	F	30	10	20	24	89	63	26	25	23	14	9	5
2(1) Thyrotoxicosis	M	8	2	6	6	7	5	2	1	3	4	3	1
	F	16	6	10	12	45	26	19	14	18	23	19	4
2(2) Multiple sclerosis	M	20	7	13	28	77	57	20	18	26	23	12	11
	F	48	23	25	54	146	107	39	32	35	28	21	7
2(3) Rheumatic fever	M	5	2	3	1	4	4	-	4	2	2	2	-
	F	5	1	4	1	5	4	1	1	3	1	1	-
0(1) Chronic rheumatic heart disease	M	204	108	96	152	529	412	117	120	143	152	111	41
	F	379	196	183	231	1,012	826	186	174	246	285	229	56
1(1) Hypertension without mention of heart	M	216	101	115	145	604	446	158	91	179	158	111	47
	F	174	86	88	154	728	566	162	125	193	172	123	49
5(1) Pneumoconiosis and chronic interstitial pneumonia	M	135	29	106	29	117	86	31	22	64	294	254	40
	F	13	5	8	13	52	39	13	8	13	13	3	10
6(1) Ulcer of stomach	M	145	68	77	100	292	213	79	69	131	59	40	19
	F	82	49	33	63	244	172	72	42	78	45	26	19
2(4) Appendicitis	M	32	14	18	23	63	44	19	10	25	18	13	5
	F	20	8	12	18	52	35	17	15	22	12	5	7
2(5) Intestinal obstruction and hernia	M	153	82	71	109	332	236	96	80	129	79	48	31
	F	160	84	76	163	442	306	136	120	116	78	44	34
2(6) Cirrhosis of liver	M	80	32	48	39	139	109	30	38	62	56	36	20
	F	76	34	42	46	147	100	47	35	51	49	37	12
2(7) Cholelithiasis, cholecystitis	M	40	21	19	27	85	61	24	22	26	30	24	6
	F	82	40	42	53	181	113	68	36	61	57	38	19
0(1) Maternal sepsis (not abortion	F	2	1	1	-	4	3	1	5	4	3	2	1
0(2) Toxaemias of pregnancy and puerperium	F	7	4	3	1	4	2	2	-	5	1	1	-
0(3) Abortion	F	4	2	2	2	16	13	3	4	-	5	3	2
2(8) Rheumatoid arthritis and allied conditions	M	21	10	11	20	56	37	19	10	16	12	8	4
	F	74	35	39	65	161	96	65	51	40	39	22	17
2(9) Birth injury	M	175	93	82	76	252	200	52	63	76	69	58	11
	F	87	52	35	49	189	152	37	36	45	51	40	11
2(10) Postnatal asphyxia and atelectasis	M	122	61	61	97	355	271	84	84	101	101	72	29
	F	108	55	53	62	248	198	50	66	66	63	45	18
3(1) Pneumonia of newborn	M	38	15	23	18	73	56	17	16	21	21	19	2
	F	23	11	12	8	47	39	8	10	16	22	18	4
2(11) Ophthalmia, pemphigus, sepsis of newborn	M	6	3	3	6	4	4	-	2	6	3	1	2
	F	3	2	1	1	6	3	3	4	4	5	4	1
2(12) Haemolytic disease of newborn	M	17	7	10	10	38	27	11	20	9	11	8	3
	F	14	8	6	12	30	21	9	5	8	15	8	7
2(13) Immaturity (without other disease peculiar to early infancy)	M	159	78	81	117	294	210	84	115	82	130	101	29
	F	102	49	53	81	254	171	83	79	60	87	62	25
2(14) Senility without psychosis	M	125	39	86	101	219	104	115	63	143	121	89	32
	F	283	92	191	228	543	299	244	166	330	213	148	65
2(15) Ill-defined and unknown cause	M	17	8	9	18	44	29	15	12	16	15	10	5
	F	17	13	4	19	42	32	10	11	16	12	8	4

TABLE 21 - *continued* **Conurbations, Urban and rural aggregates and hospital regions**

Registrar General's Abridged List		Conurbations	Areas outside conurbations				Hospital Regions						
			Urban areas with populations of 100,000 and over	Urban areas with popins. of 50,000 and under 100,000	Urban areas with populations under 50,000	Rural districts	Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan
1 Tuberculosis, respiratory	M	680	300	146	320	265	131	137	158	31	99	120	126
	F	190	91	51	88	78	27	28	49	9	30	28	53
2 Tuberculosis, other	M	54	15	10	30	33	8	15	7	4	14	6	14
	F	50	18	14	21	30	10	8	12	4	15	7	11
3 Syphilitic disease	M	184	70	48	105	89	33	27	49	15	37	34	50
	F	122	38	33	55	47	10	22	27	12	14	22	20
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	8	3	1	4	6	-	1	2	3	-	4	1
	F	8	2	1	5	6	2	1	-	1	-	-	-
6 Meningococcal infections	M	16	8	3	17	9	5	3	4	3	3	2	4
	F	13	6	4	12	10	3	2	7	1	-	1	5
7 Acute poliomyelitis	M	1	-	1	-	-	-	-	1	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	1	-
8 Measles	M	12	7	-	8	3	1	2	6	-	1	-	3
	F	11	7	5	12	8	1	4	13	-	1	2	1
9 Other infective, etc., diseases	M	144	61	28	112	103	22	29	44	14	33	27	34
	F	153	60	30	112	102	17	32	35	17	44	28	45
10 Malignant neoplasm: stomach	M	2,676	1,140	655	1,613	1,416	613	484	696	211	561	520	548
	F	2,067	809	501	1,206	986	403	389	503	176	385	359	411
11 lung, bronchus	M	9,069	3,028	1,850	4,067	3,462	1,457	1,360	1,770	614	2,030	1,708	1,872
	F	1,728	507	368	694	598	227	242	271	130	451	346	394
12 breast	M	31	6	7	24	16	9	3	9	4	4	7	7
	F	3,622	1,340	927	2,121	1,850	511	650	813	337	876	705	853
13 uterus	F	1,395	535	371	923	765	271	326	378	138	285	228	289
14 Other malignant and lymphatic neoplasms	M	9,123	3,458	2,412	5,551	5,079	1,601	1,697	2,328	954	2,166	1,804	2,179
	F	8,743	3,223	2,294	5,100	4,475	1,304	1,705	1,964	863	2,045	1,709	2,161
15 Leukaemia, aleukaemia	M	548	201	142	327	346	80	119	130	50	140	129	118
	F	479	179	148	251	246	70	103	117	38	124	94	111
16 Diabetes	M	429	156	139	371	314	99	110	142	71	88	91	89
	F	829	324	235	599	535	174	180	246	115	173	184	183
17 Vascular lesions of nervous system	M	9,134	4,018	2,833	7,368	6,465	2,145	2,282	3,044	1,060	1,760	1,587	2,213
	F	14,442	5,906	4,249	10,602	8,948	2,717	3,323	3,880	1,480	3,052	2,696	3,717
18 Coronary disease, angina	M	22,883	9,000	6,034	14,512	12,653	4,586	4,971	5,687	2,134	5,106	4,327	4,966
	F	14,895	5,867	3,973	9,034	7,439	2,901	3,472	3,273	1,372	3,173	2,796	3,478
19 Hypertension with heart disease	M	1,087	534	318	751	737	210	223	341	90	221	177	266
	F	1,754	786	468	1,187	1,037	339	335	508	150	404	307	446
20 Other heart disease	M	6,826	2,875	2,076	5,674	5,323	1,357	1,601	2,352	904	1,434	1,088	1,748
	F	11,839	4,674	3,428	8,824	7,470	1,856	2,503	3,373	1,240	2,361	1,835	3,010
21 Other circulatory disease	M	3,646	1,442	927	2,381	2,247	675	722	1,126	340	885	718	868
	F	5,044	1,867	1,245	2,950	2,485	776	996	1,361	488	1,237	983	1,138
22 Influenza	M	146	52	21	142	133	20	17	80	10	20	19	22
	F	118	65	33	182	151	20	28	113	15	15	16	27
23 Pneumonia	M	5,315	2,033	1,304	2,785	2,747	921	1,012	1,297	539	1,149	967	1,174
	F	6,158	2,117	1,425	3,156	3,052	914	1,088	1,263	610	1,350	1,083	1,497
24 Bronchitis	M	8,026	3,209	1,923	4,316	3,299	1,352	1,590	2,338	544	1,381	1,446	1,576
	F	3,264	1,179	723	1,627	1,174	486	612	871	193	595	548	614
25 Other diseases of respiratory system	M	991	477	331	830	784	218	170	336	82	241	178	251
	F	565	218	160	384	345	109	103	196	40	134	103	120
26 Ulcer of stomach and duodenum	M	967	347	246	546	462	167	175	261	99	201	160	217
	F	565	172	136	266	237	74	96	137	53	123	80	144
27 Gastritis, enteritis and diarrhoea	M	406	142	102	206	223	54	73	127	26	69	60	93
	F	600	206	162	374	291	96	105	151	50	133	115	147
28 Nephritis and nephrosis	M	494	199	136	378	311	114	103	149	49	99	90	116
	F	467	205	124	347	261	96	127	134	43	113	87	124
29 Hyperplasia of prostate	M	718	288	212	595	525	154	144	218	106	154	122	188
30 Pregnancy, childbirth, abortion	F	89	24	22	64	28	13	14	18	8	19	11	24
31 Congenital malformations	M	977	346	277	604	537	180	180	241	105	230	177	194
	F	852	325	240	503	497	166	173	229	66	187	157	185
32 Other defined and ill-defined diseases	M	6,608	2,398	1,832	4,140	4,139	1,241	1,258	1,749	624	1,470	1,184	1,457
	F	8,243	2,924	2,291	5,390	4,766	1,482	1,582	2,043	740	1,772	1,562	1,864
33 Motor vehicle accidents	M	1,730	592	499	1,047	1,370	365	378	542	194	387	303	367
	F	773	297	164	403	396	124	174	200	69	189	128	129
34 All other accidents	M	1,916	737	563	1,231	1,228	479	432	568	186	402	317	398
	F	1,846	794	650	1,325	1,141	431	464	526	243	402	288	385
35 Suicide	M	1,256	477	277	622	543	209	205	285	100	290	192	256
	F	946	375	246	487	337	123	171	160	76	229	178	216
36 Homicide, operations of war	M	83	18	6	31	18	8	11	12	5	13	13	14
	F	56	18	18	25	19	4	7	11	3	10	14	14

TABLE 21 - *continued* Conurbations, Urban and rural aggregates and hospital regions

Registrar General's Supplementary Abridged List		Conurbations	Areas outside conurbations				Hospital Regions						
			Urban areas with populations of 100,000 and over	Urban areas with popins. of 50,000 and under 100,000	Urban areas with populations under 50,000	Rural districts	Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan
9(1) Infectious hepatitis	M	29	7	9	25	12	5	5	13	2	6	7	6
	F	30	22	10	21	31	5	10	13	3	9	7	7
14(1) Malignant neoplasm, mouth and pharynx	M	375	132	87	216	210	86	76	89	43	83	47	76
	F	241	85	67	145	118	50	50	45	24	47	47	59
14(2) Malignant neoplasm, oesophagus	M	490	174	124	277	284	72	95	98	43	112	95	114
	F	374	188	114	251	264	71	65	85	34	90	71	97
14(3) Malignant neoplasm, intestine and rectum	M	2,298	912	606	1,548	1,337	447	454	638	253	517	431	535
	F	2,994	1,110	806	1,790	1,486	436	576	707	307	634	621	751
14(4) Malignant neoplasm, larynx	M	226	90	48	126	81	45	45	41	19	41	38	62
	F	58	12	12	32	30	19	12	7	7	8	9	11
13(1) Malignant neoplasm, cervix uteri	F	924	346	265	585	457	198	212	252	80	179	134	191
14(5) Malignant neoplasm, prostate	M	1,220	471	346	866	825	213	258	318	148	291	256	352
14(6) Malignant neoplasm, bladder	M	861	366	235	487	416	148	149	230	87	204	189	225
	F	398	135	91	182	167	51	62	70	30	83	84	93
14(7) Malignant neoplasm, bone (including jaw bone)	M	103	29	22	55	52	18	13	27	11	24	16	22
	F	105	38	19	49	43	9	19	22	13	20	17	21
14(8) Lymphosarcoma, reticulosarcoma	M	267	87	64	150	151	42	40	75	16	77	47	68
	F	195	45	42	110	102	29	23	40	22	69	37	46
14(9) Hodgkin's disease	M	174	75	47	99	94	27	25	50	14	49	39	28
	F	129	49	39	72	63	22	28	29	12	33	20	25
32(1) Thyrotoxicosis	M	10	5	4	10	10	1	1	1	2	3	4	2
	F	60	27	18	52	50	14	16	13	6	12	10	17
32(2) Multiple sclerosis	M	117	45	29	75	64	18	23	37	13	25	20	26
	F	190	52	48	147	94	19	36	44	17	47	49	42
32(3) Rheumatic fever	M	9	4	6	6	5	2	1	4	-	2	1	-
	F	10	4	2	7	8	3	4	3	-	2	-	3
20(1) Chronic rheumatic heart disease	M	824	315	182	419	386	136	149	219	55	196	151	150
	F	1,708	572	341	788	636	273	294	368	98	354	290	266
21(1) Hypertension without mention of heart	M	820	254	180	468	449	120	148	231	58	202	156	187
	F	907	271	199	536	452	129	145	238	61	260	188	203
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	192	156	67	323	233	62	42	75	11	55	20	36
	F	77	22	15	31	35	11	16	12	5	23	12	16
26(1) Ulcer of stomach	M	442	176	132	264	221	74	64	114	56	91	76	104
	F	343	103	85	173	149	38	54	87	36	70	52	86
32(4) Appendicitis	M	100	41	20	62	51	18	19	20	9	17	21	22
	F	74	31	25	49	45	14	16	20	5	20	13	16
32(5) Intestinal obstruction and hernia	M	486	194	148	293	280	87	97	141	49	108	105	107
	F	621	203	153	350	311	85	100	128	69	143	137	152
32(6) Cirrhosis of liver	M	239	81	62	134	141	47	42	53	16	49	35	35
	F	226	110	55	134	127	41	49	67	18	43	38	53
32(7) Cholelithiasis, cholecystitis	M	131	43	32	96	81	28	28	41	14	23	17	36
	F	255	91	71	196	163	63	71	60	22	52	47	59
30(1) Maternal sepsis (not abortion	F	7	4	4	12	5	2	1	4	-	5	-	1
30(2) Toxaemias of pregnancy and puerperium	F	9	5	7	10	3	3	1	3	1	-	1	2
30(3) Abortion	F	24	6	2	12	6	6	4	3	-	5	5	6
32(8) Rheumatoid arthritis and allied conditions	M	77	33	17	58	37	15	16	25	9	18	12	24
	F	235	92	75	184	149	47	42	62	26	47	48	69
32(9) Birth injury	M	484	136	99	260	225	87	73	112	30	98	76	78
	F	317	81	65	153	121	58	35	66	24	71	52	53
32(10) Postnatal asphyxia and atelectasis	M	610	206	137	287	321	94	146	141	48	156	82	97
	F	447	150	99	197	186	71	78	92	21	105	70	65
23(1) Pneumonia of newborn	M	126	51	39	73	65	23	26	46	8	22	18	25
	F	83	38	15	51	42	20	15	32	6	18	11	9
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	16	11	2	9	6	2	1	4	2	2	5	1
	F	6	7	2	8	9	1	1	7	-	2	1	3
32(12) Haemolytic disease of newborn	M	63	23	14	34	40	11	14	11	6	9	8	16
	F	48	15	17	41	26	15	8	22	6	7	12	13
32(13) Immaturity (without other disease peculiar to early infancy)	M	511	219	172	326	255	109	113	139	48	104	89	103
	F	406	129	134	243	209	77	77	100	35	85	80	77
32(14) Senility without psychosis	M	333	136	168	436	447	112	78	158	48	57	49	112
	F	835	319	325	972	811	209	153	336	101	154	120	200
32(15) Ill-defined and unknown cause	M	65	18	20	53	49	27	11	18	8	20	11	14
	F	68	20	15	48	31	22	8	5	9	11	15	7

TABLE 21 - *contd.* Hospital regions, London A.C., City of London, metropolitan boroughs

Registrar General's Abridged List		Hospital Regions - *continued*								London Administrative County	City of London	Battersea	Bermondsey
		South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool				
1 Tuberculosis, respiratory	M	100	59	37	81	147	189	200	96	135	-	5	6
	F	25	18	20	29	42	57	49	34	43	-	1	1
2 Tuberculosis, other	M	11	8	5	8	14	9	13	6	10	-	-	-
	F	8	4	6	12	8	11	12	5	10	-	-	-
3 Syphilitic disease	M	46	21	21	37	18	42	43	23	44	-	2	-
	F	46	10	6	20	14	23	31	18	26	-	2	-
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	1	1	2	5	2	-	-	-	-	-
	F	-	1	4	2	3	6	-	2	-	-	-	-
6 Meningococcal infections	M	1	3	3	3	1	9	6	3	5	-	-	-
	F	4	-	1	4	4	6	1	6	4	-	1	-
7 Acute poliomyelitis	M	1	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	1	-	-	-	-	-	-	-
8 Measles	M	-	-	-	1	3	4	5	4	-	-	-	-
	F	1	3	-	-	1	3	10	3	2	-	-	-
9 Other infective, etc., diseases	M	36	20	20	36	26	49	41	17	29	-	2	-
	F	33	21	16	31	25	52	41	20	25	-	-	-
10 Malignant neoplasm: stomach	M	429	267	214	474	597	715	814	357	501	-	21	13
	F	330	213	169	347	384	525	675	300	355	-	14	9
11 lung, bronchus	M	1,663	754	654	1,146	1,073	2,022	2,216	1,137	1,908	2	55	37
	F	371	153	125	220	123	286	366	190	438	-	8	4
12 breast	M	6	3	-	7	6	7	10	2	4	-	-	-
	F	830	447	335	711	514	983	912	383	720	2	19	12
13 uterus	F	245	166	97	304	269	355	449	189	274	-	10	2
14 Other malignant and lymphatic neoplasms	M	1,789	1,113	852	1,802	1,436	2,386	2,422	1,094	1,844	3	59	34
	F	1,800	1,013	808	1,659	1,316	2,166	2,302	1,020	1,695	1	57	36
15 Leukaemia, aleukaemia	M	110	65	53	124	90	144	139	73	113	1	4	1
	F	84	50	59	91	67	124	113	58	94	-	1	-
16 Diabetes	M	89	51	50	113	83	160	125	48	93	-	3	3
	F	135	80	94	141	181	260	276	100	162	-	8	4
17 Vascular lesions of nervous system	M	1,662	1,204	920	2,189	2,007	2,949	3,578	1,218	1,334	2	34	20
	F	2,997	1,802	1,436	3,302	2,643	4,174	5,096	1,832	2,338	1	103	36
18 Coronary disease, angina	M	4,154	2,811	1,953	4,250	4,293	5,678	7,105	3,061	4,051	3	115	52
	F	2,834	1,706	1,246	2,644	2,509	3,361	4,436	2,007	2,748	2	62	39
19 Hypertension with heart disease	M	170	167	134	304	300	371	281	172	150	-	6	-
	F	293	244	176	411	379	486	506	248	252	1	10	1
20 Other heart disease	M	1,399	889	771	2,022	1,474	2,310	2,633	792	1,124	3	39	16
	F	2,764	1,616	1,218	3,002	2,128	3,405	4,420	1,504	2,094	-	98	24
21 Other circulatory disease	M	749	420	320	769	635	932	1,086	398	758	-	30	11
	F	1,065	475	384	1,004	759	1,025	1,387	513	1,220	1	46	22
22 Influenza	M	12	6	17	39	58	119	35	20	15	-	-	-
	F	24	10	24	52	70	75	44	16	13	-	-	-
23 Pneumonia	M	981	604	486	906	715	1,490	1,177	766	1,059	1	20	19
	F	1,259	654	570	993	758	1,522	1,318	1,029	1,197	2	33	16
24 Bronchitis	M	1,191	651	568	1,001	1,447	2,291	2,413	984	1,507	3	55	24
	F	495	220	177	390	430	860	1,058	418	637	1	23	10
25 Other diseases of respiratory system	M	180	120	101	244	455	370	333	134	201	-	12	2
	F	120	61	46	134	116	140	175	75	118	-	8	1
26 Ulcer of stomach and duodenum	M	169	86	69	193	129	274	264	104	204	-	5	5
	F	119	54	30	95	69	125	133	44	126	2	2	3
27 Gastritis, enteritis and diarrhoea	M	67	44	48	66	63	123	121	45	76	-	2	-
	F	120	77	57	120	86	149	155	72	106	-	4	2
28 Nephritis and nephrosis	M	107	57	37	106	115	149	156	71	107	-	6	5
	F	82	55	29	79	101	136	132	66	85	-	5	4
29 Hyperplasia of prostate	M	147	114	76	185	180	236	224	90	130	-	3	2
30 Pregnancy, childbirth, abortion	F	15	8	8	11	17	24	25	12	23	-	1	-
31 Congenital malformations	M	185	109	111	149	172	308	253	147	209	-	4	2
	F	140	87	98	150	146	280	227	126	180	-	2	7
32 Other defined and ill-defined diseases	M	1,216	779	642	1,205	1,284	1,944	2,199	865	1,240	1	36	24
	F	1,786	960	783	1,502	1,449	2,187	2,802	1,100	1,552	1	55	20
33 Motor vehicle accidents	M	283	221	215	318	265	618	521	261	263	1	6	5
	F	154	68	66	103	95	194	252	88	137	1	7	-
34 All other accidents	M	327	223	213	310	352	600	606	262	371	2	14	8
	F	323	230	226	328	335	609	650	316	302	-	13	5
35 Suicide	M	258	125	110	194	162	325	343	121	315	-	14	3
	F	226	112	95	158	87	210	270	80	239	1	6	1
36 Homicide, operations of war	M	11	-	7	7	5	17	19	14	26	-	1	-
	F	9	5	6	6	10	14	14	9	14	-	-	-

TABLE 21 - *contd.* Hospital regions, London A.C., City of London, metropolitan boroughs

Registrar General's Supplementary Abridged List		Hospital Regions - *continued*								London Administrative County	City of London	Battersea	Bermondsey
		South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool				
9(1) Infectious hepatitis	M	10	4	-	3	3	6	10	2	4	-	-	-
	F	12	5	6	7	6	11	9	4	5	-	-	-
4(1) Malignant neoplasm, mouth and pharynx	M	95	52	23	69	58	90	93	40	89	-	3	1
	F	40	32	21	36	59	49	69	28	44	-	-	3
4(2) Malignant neoplasm, oesophagus	M	99	73	45	97	76	130	132	68	111	2	7	3
	F	86	63	48	95	101	105	131	49	65	-	-	3
4(3) Malignant neoplasm, intestine and rectum	M	436	291	249	459	408	632	702	249	440	-	13	8
	F	606	346	280	581	433	763	797	348	570	-	23	12
4(4) Malignant neoplasm, larynx	M	39	15	16	32	38	48	63	29	49	-	1	3
	F	6	4	9	4	7	10	20	11	7	-	-	-
3(1) Malignant neoplasm, cervix uteri	F	154	97	62	174	180	234	301	129	182	-	6	1
4(5) Malignant neoplasm, prostate	M	262	188	136	319	198	340	315	134	240	-	8	4
4(6) Malignant neoplasm, bladder	M	176	102	64	141	132	193	213	112	180	-	5	5
	F	82	38	32	53	44	100	98	53	90	-	3	2
4(7) Malignant neoplasm, bone (including jaw bone)	M	10	9	6	15	16	31	30	13	17	-	-	-
	F	19	12	8	12	16	28	26	12	22	-	2	1
4(8) Lymphosarcoma, reticulosarcoma	M	53	32	20	52	36	76	52	33	56	-	-	-
	F	43	17	19	27	27	38	38	19	59	1	1	-
4(9) Hodgkin's disease	M	35	17	17	34	26	53	56	19	31	-	2	1
	F	27	19	10	19	14	30	41	23	14	-	1	3
2(1) Thyrotoxicosis	M	3	1	2	1	4	8	6	-	1	-	-	-
	F	15	9	9	15	23	16	18	14	10	-	-	-
2(2) Multiple sclerosis	M	27	15	2	23	23	20	39	19	18	-	-	1
	F	54	13	15	34	28	48	64	21	40	-	1	1
2(3) Rheumatic fever	M	2	3	1	2	2	5	4	1	1	-	-	-
	F	2	-	-	3	1	5	5	-	1	-	-	-
0(1) Chronic rheumatic heart disease	M	150	73	68	122	152	204	225	76	197	-	5	6
	F	254	125	110	213	285	379	525	211	372	-	10	4
1(1) Hypertension without mention of heart	M	154	66	61	149	158	216	190	75	187	-	8	3
	F	190	89	74	162	172	174	199	81	257	-	12	6
5(1) Pneumoconiosis and chronic interstitial pneumonia	M	24	15	10	62	294	135	97	33	32	-	3	-
	F	10	6	4	13	13	13	19	7	14	-	-	-
6(1) Ulcer of stomach	M	77	53	34	111	59	145	122	55	85	-	1	-
	F	69	28	21	70	45	82	91	24	68	-	1	2
2(4) Appendicitis	M	17	10	8	19	18	32	30	14	19	-	-	1
	F	18	10	13	17	12	20	21	9	12	-	-	-
2(5) Intestinal obstruction and hernia	M	88	45	46	114	79	153	138	44	98	-	3	1
	F	121	81	55	98	78	160	171	60	133	-	4	4
2(6) Cirrhosis of liver	M	49	29	28	45	56	80	62	31	43	-	1	-
	F	47	23	15	46	49	76	66	21	48	-	1	-
2(7) Cholelithiasis, cholecystitis	M	24	12	18	21	30	40	35	16	26	-	1	1
	F	58	22	30	55	57	82	74	24	38	-	3	-
0(1) Maternal sepsis (not abortion	F	-	2	2	3	3	2	3	4	-	-	-	-
0(2) Toxaemias of pregnancy and puerperium	F	1	-	2	4	1	7	5	3	1	-	-	-
0(3) Abortion	F	3	1	2	-	5	4	5	1	9	-	1	-
2(8) Rheumatoid arthritis and allied conditions	M	14	7	10	15	12	21	14	10	15	-	-	-
	F	43	39	16	36	39	74	109	38	29	-	1	1
2(9) Birth injury	M	59	26	46	65	69	175	161	49	96	-	2	2
	F	53	12	24	37	51	87	89	25	76	-	6	1
2(10) Postnatal asphyxia and atelectasis	M	94	46	59	83	101	122	196	96	120	-	4	2
	F	64	34	47	55	63	108	145	61	87	-	3	-
3(1) Pneumonia of newborn	M	20	9	14	17	21	38	39	28	25	-	-	1
	F	12	7	6	14	22	23	20	14	15	-	-	-
2(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	1	2	6	3	6	6	3	-	-	-	-
	F	1	2	3	3	5	3	-	-	2	-	-	-
2(12) Haemolytic disease of newborn	M	12	10	12	7	11	17	20	10	15	-	1	-
	F	5	4	3	7	15	14	13	3	10	-	-	-
2(13) Immaturity (without other disease peculiar to early infancy)	M	93	72	46	69	130	159	130	79	103	-	1	3
	F	81	45	37	49	87	102	112	77	74	-	6	1
2(14) Senility without psychosis	M	66	53	36	112	121	125	356	37	24	-	-	-
	F	224	119	106	269	213	283	652	123	109	-	-	-
2(15) Ill-defined and unknown cause	M	11	7	11	13	15	17	11	11	9	-	1	-
	F	21	9	10	11	12	17	15	10	18	-	2	-

TABLE 21 - *continued* Metropolitan boroughs

Registrar General's Abridged List		Bethnal Green	Camberwell	Chelsea	Deptford	Finsbury	Fulham	Greenwich	Hackney	Hammersmith	Hampstead	Holborn	Islington
1 Tuberculosis, respiratory	M	1	10	2	2	3	4	1	5	4	1	1	3
	F	1	9	-	-	3	2	2	1	-	-	-	5
2 Tuberculosis, other	M	-	2	-	-	-	-	1	-	-	-	-	1
	F	-	-	-	-	-	-	-	1	1	-	-	1
3 Syphilitic disease	M	-	1	1	1	-	1	2	2	-	2	-	4
	F	-	1	-	-	-	2	1	2	1	1	1	1
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	-	-	-	-	-	-	1	-	-	-	-	1
	F	-	1	-	-	-	-	-	-	-	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	1	-	-	-	-
9 Other infective, etc., diseases	M	-	1	-	-	-	1	2	4	1	-	-	1
	F	-	-	-	1	-	2	1	1	1	2	-	-
10 Malignant neoplasm: stomach	M	11	22	6	9	5	19	17	27	20	10	2	30
	F	6	17	6	9	4	8	12	15	18	9	3	18
11 lung, bronchus	M	31	95	39	50	11	75	49	112	76	39	14	136
	F	3	17	10	3	2	22	12	15	15	14	5	38
12 breast	M	-	-	-	-	-	-	2	1	-	-	-	-
	F	6	30	16	14	4	37	22	55	19	25	5	35
13 uterus	F	6	13	5	3	3	5	12	14	12	8	2	20
14 Other malignant and lymphatic neoplasms	M	28	83	47	28	14	68	51	108	69	53	16	113
	F	21	105	24	37	17	66	52	100	55	65	13	102
15 Leukaemia, aleukaemia	M	1	4	4	1	2	2	4	5	3	3	-	12
	F	-	4	1	3	1	4	1	8	3	2	-	5
16 Diabetes	M	1	5	1	2	1	6	2	8	3	2	-	7
	F	7	9	5	4	1	2	4	17	4	6	-	11
17 Vascular lesions of nervous system	M	19	69	30	27	14	49	39	52	35	36	4	79
	F	28	112	52	45	20	78	49	124	68	59	10	162
18 Coronary disease, angina	M	60	187	62	93	28	140	116	238	145	122	27	273
	F	35	151	59	46	28	93	92	141	95	81	14	214
19 Hypertension with heart disease	M	2	5	1	6	3	2	6	8	7	4	1	9
	F	1	13	3	3	3	13	5	12	4	7	2	17
20 Other heart disease	M	16	55	23	23	5	38	25	38	23	26	7	69
	F	18	91	44	37	15	63	41	86	51	37	9	183
21 Other circulatory disease	M	8	39	8	9	5	19	14	71	21	16	4	67
	F	13	68	40	20	3	39	20	127	31	35	3	118
22 Influenza	M	-	-	1	1	-	2	-	-	-	1	-	2
	F	-	-	-	-	-	1	-	-	-	-	-	-
23 Pneumonia	M	21	73	22	31	12	40	22	40	37	20	3	78
	F	23	92	33	32	19	38	28	36	37	33	6	81
24 Bronchitis	M	26	88	25	44	16	60	37	68	50	21	11	93
	F	16	33	14	24	7	22	18	33	18	6	3	45
25 Other diseases of respiratory system	M	2	18	3	5	-	4	9	8	10	5	2	15
	F	4	5	1	1	-	1	3	4	4	4	-	6
26 Ulcer of stomach and duodenum	M	-	13	2	6	-	9	2	10	8	3	2	13
	F	-	6	4	4	2	9	2	4	5	3	1	9
27 Gastritis, enteritis and diarrhoea	M	2	3	1	5	-	5	2	1	-	1	-	3
	F	1	6	2	3	3	1	2	1	1	2	-	5
28 Nephritis and nephrosis	M	-	9	2	3	-	4	4	5	2	1	1	8
	F	3	5	-	3	-	3	4	3	2	4	-	6
29 Hyperplasia of prostate	M	1	4	2	1	1	3	4	4	6	2	-	6
30 Pregnancy, childbirth, abortion	F	1	1	-	1	2	-	-	-	-	-	-	3
31 Congenital malformations	M	3	11	4	5	4	6	3	9	13	8	5	19
	F	2	16	1	3	1	5	3	7	8	6	5	14
32 Other defined and ill-defined diseases	M	16	72	21	32	11	53	25	42	44	35	11	82
	F	20	78	38	45	8	44	43	72	56	51	10	100
33 Motor vehicle accidents	M	4	11	1	10	1	8	9	15	12	2	1	11
	F	2	3	4	2	-	5	5	5	10	4	-	16
34 All other accidents	M	2	12	7	6	9	10	4	21	14	7	4	25
	F	2	16	12	2	4	6	3	12	9	10	5	24
35 Suicide	M	6	13	7	6	6	8	6	12	10	12	-	18
	F	5	10	7	1	1	7	5	11	10	15	1	17
36 Homicide, operations of war	M	-	1	1	1	-	-	1	-	-	1	-	4
	F	2	-	-	1	-	-	-	-	1	-	-	-

TABLE 21 - *continued* **Metropolitan boroughs**

Registrar General's Supplementary Abridged List		Bethnal Green	Camberwell	Chelsea	Deptford	Finsbury	Fulham	Greenwich	Hackney	Hammersmith	Hampstead	Holborn	Islington
9(1) Infectious hepatitis	M	-	-	-	-	-	-	1	-	1	-	-	-
	F	-	-	-	-	-	1	-	-	-	-	-	-
14(1) Malignant neoplasm, mouth and pharynx	M	-	5	6	2	-	6	2	5	2	5	-	7
	F	-	5	-	-	1	3	-	2	2	1	-	6
14(2) Malignant neoplasm, oesophagus	M	2	2	1	-	1	6	1	6	4	3	1	2
	F	1	-	3	1	-	3	2	3	2	2	1	4
14(3) Malignant neoplasm, intestine and rectum	M	3	19	7	8	5	16	12	26	20	13	2	21
	F	10	36	5	17	7	23	20	35	15	23	3	30
14(4) Malignant neoplasm, larynx	M	-	2	1	1	-	2	2	3	1	1	-	1
	F	-	-	-	-	-	-	-	1	-	-	-	1
13(1) Malignant neoplasm, cervix uteri	F	4	10	2	2	1	4	6	8	6	6	-	14
14(5) Malignant neoplasm, prostate	M	5	8	5	5	4	12	5	13	11	7	1	13
14(6) Malignant neoplasm, bladder	M	4	12	8	2	-	5	8	10	6	2	1	16
	F	4	5	1	2	2	4	5	3	3	1	-	7
14(7) Malignant neoplasm, bone (including jaw bone)	M	1	2	-	1	-	-	-	2	1	1	-	1
	F	-	1	1	1	1	-	-	2	2	2	-	-
14(8) Lymphosarcoma, reticulosarcoma	M	1	1	2	1	1	1	-	3	4	2	-	5
	F	-	5	1	2	-	-	1	1	2	6	-	6
14(9) Hodgkin's disease	M	-	1	-	-	-	-	1	3	-	1	1	1
	F	-	-	-	-	-	1	-	2	2	2	1	-
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	2	-	1	-	-	-	1
32(2) Multiple sclerosis	M	1	1	1	-	-	-	-	1	1	-	-	1
	F	-	-	1	-	-	-	-	3	1	1	-	2
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	7	11	2	2	3	8	6	12	3	5	-	15
	F	3	16	6	7	5	11	6	20	11	11	1	40
21(1) Hypertension without mention of heart	M	1	11	2	3	1	5	3	12	6	1	1	17
	F	3	28	4	3	2	10	6	4	9	7	-	42
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	-	5	-	-	-	1	2	-	2	2	1	3
	F	-	1	-	-	-	-	1	-	-	1	-	1
26(1) Ulcer of stomach	M	-	7	2	2	-	5	-	3	4	2	1	4
	F	-	4	1	3	2	7	1	3	4	1	-	1
32(4) Appendicitis	M	1	1	-	-	-	-	-	1	-	1	-	1
	F	-	-	-	-	-	1	-	-	-	-	-	-
32(5) Intestinal obstruction and hernia	M	2	7	1	3	2	4	1	3	4	-	-	3
	F	2	1	6	3	3	4	1	7	9	4	-	6
32(6) Cirrhosis of liver	M	-	2	1	-	-	3	-	-	1	-	2	3
	F	-	5	2	1	-	1	1	1	2	-	-	2
32(7) Cholelithiasis, cholecystitis	M	1	3	2	-	-	1	1	-	1	1	-	2
	F	1	7	2	1	1	-	1	-	2	-	-	1
30(1) Maternal sepsis (not abortion	F	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	1	-	-	-	-	-	-	-
30(3) Abortion	F	1	-	-	1	-	-	-	-	-	-	-	1
32(8) Rheumatoid arthritis and allied conditions	M	-	2	-	-	-	3	-	-	1	-	-	-
	F	-	1	1	1	-	-	1	-	1	3	-	1
32(9) Birth injury	M	-	5	-	3	1	4	-	4	9	1	-	12
	F	1	5	1	4	-	1	2	5	4	1	-	5
32(10) Postnatal asphyxia and atelectasis	M	-	7	2	4	2	6	2	4	7	3	-	9
	F	1	4	2	1	-	2	2	10	3	2	-	11
23(1) Pneumonia of newborn	M	1	1	1	1	-	1	1	-	1	1	-	1
	F	-	-	-	-	-	1	1	1	-	-	-	3
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	1	-	2	-	1	-	-	1	-	-	2
	F	-	-	-	1	-	1	1	1	1	-	-	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	1	8	2	5	-	2	4	3	1	1	1	9
	F	1	1	-	4	-	1	3	5	-	2	-	12
32(14) Senility without psychosis	M	-	-	-	-	-	-	-	1	-	-	1	-
	F	-	8	1	3	-	2	4	5	1	4	-	7
32(15) Ill-defined and unknown cause	M	-	1	-	-	-	-	1	-	-	-	-	1
	F	3	-	3	-	-	1	-	-	-	1	-	2

TABLE 21 - *continued* Metropolitan boroughs

Registrar General's Abridged List		Kensington	Lambeth	Lewisham	Paddington	Poplar	St. Marylebone	St. Pancras	Shoreditch	Southwark	Stepney	Stoke Newington	Wandsworth
1 Tuberculosis, respiratory	M	4	14	5	7	1	4	5	4	5	7	1	18
	F	2	1	-	1	-	-	3	1	1	-	1	6
2 Tuberculosis, other	M	-	1	2	-	1	-	-	-	1	-	-	1
	F	1	2	-	1	-	-	1	-	1	1	-	-
3 Syphilitic disease	M	1	4	4	3	-	1	2	-	2	1	1	6
	F	-	1	2	-	2	-	-	-	2	1	-	5
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	1	-	-	-	-	-	-	1	-	-	-	-
	F	-	1	-	-	-	-	-	-	-	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-
9 Other infective, etc., diseases	M	-	2	3	1	-	2	-	-	-	2	1	2
	F	-	2	-	3	1	-	1	-	3	1	1	3
10 Malignant neoplasm: stomach	M	18	31	40	19	11	8	27	7	10	18	7	53
	F	17	22	28	7	7	7	9	8	13	13	5	45
11 lung, bronchus	M	59	120	151	52	56	41	77	34	79	66	18	208
	F	27	30	31	13	9	8	21	8	15	14	4	45
12 breast	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	38	41	50	21	14	24	17	7	21	19	14	96
13 uterus	F	17	30	9	17	4	8	10	1	8	8	1	31
14 Other malignant and lymphatic neoplasms	M	87	130	134	60	41	52	64	18	54	61	35	207
	F	72	103	108	53	28	40	77	20	53	42	29	189
15 Leukaemia, aleukaemia	M	6	7	9	4	3	2	3	1	4	2	3	13
	F	8	7	9	4	2	3	3	1	2	3	2	12
16 Diabetes	M	6	1	2	5	3	2	-	3	3	5	-	12
	F	3	11	10	4	1	2	8	2	9	5	1	15
17 Vascular lesions of nervous system	M	49	93	117	39	25	46	56	17	47	42	31	177
	F	118	160	221	53	32	81	67	35	54	58	31	323
18 Coronary disease, angina	M	164	285	314	151	82	103	143	54	111	121	69	456
	F	115	185	201	84	58	80	97	25	73	67	57	339
19 Hypertension with heart disease	M	8	11	15	5	3	7	2	1	5	5	-	13
	F	10	21	23	9	3	13	4	3	6	6	5	30
20 Other heart disease	M	35	72	83	29	18	48	31	12	58	30	16	215
	F	64	132	111	58	27	52	64	23	84	47	24	496
21 Other circulatory disease	M	37	53	48	22	21	17	28	5	11	15	12	113
	F	50	68	65	38	20	24	46	15	34	39	21	149
22 Influenza	M	1	1	-	-	-	-	-	-	1	-	-	3
	F	-	2	1	1	1	2	-	-	-	-	-	4
23 Pneumonia	M	28	71	85	29	29	18	38	19	35	44	13	119
	F	41	77	95	20	24	22	55	26	35	35	14	165
24 Bronchitis	M	53	133	120	40	44	29	56	27	65	62	22	149
	F	28	54	38	22	16	15	18	13	20	20	12	74
25 Other diseases of respiratory system	M	10	17	12	4	5	4	8	4	4	6	2	17
	F	7	8	9	5	1	2	8	2	5	3	2	15
26 Ulcer of stomach and duodenum	M	5	11	18	12	5	7	6	5	7	8	2	22
	F	10	12	10	2	1	1	2	2	6	4	2	9
27 Gastritis, enteritis and diarrhoea	M	5	8	3	1	2	-	3	-	6	2	1	10
	F	9	13	9	6	2	2	5	2	5	2	1	11
28 Nephritis and nephrosis	M	3	7	4	3	2	-	3	3	4	-	5	12
	F	3	7	6	2	1	1	5	1	1	3	2	9
29 Hyperplasia of prostate	M	6	7	17	2	3	3	5	2	7	-	3	24
30 Pregnancy, childbirth, abortion	F	3	3	2	1	-	-	1	-	-	-	-	2
31 Congenital malformations	M	9	20	12	3	5	3	8	2	7	6	2	27
	F	10	13	16	4	2	2	9	-	3	7	6	16
32 Other defined and ill-defined diseases	M	55	90	83	45	29	30	48	17	31	56	19	145
	F	83	100	123	41	33	32	49	16	34	51	26	229
33 Motor vehicle accidents	M	15	27	27	5	10	2	4	3	7	8	4	30
	F	6	9	7	9	-	-	5	-	2	5	6	17
34 All other accidents	M	17	28	19	17	10	11	18	3	16	13	4	39
	F	25	16	22	18	4	9	11	3	7	8	5	32
35 Suicide	M	22	27	16	21	6	9	9	3	7	7	2	36
	F	17	12	14	10	5	10	4	2	6	5	3	30
36 Homicide, operations of war	M	1	3	-	4	1	-	1	1	3	-	-	1
	F	2	-	-	-	-	-	2	-	2	1	1	1

TABLE 21 - *continued* Metropolitan boroughs

Registrar General's Supplementary Abridged List		Kensington	Lambeth	Lewisham	Paddington	Poplar	St. Marylebone	St. Pancras	Shoreditch	Southwark	Stepney	Stoke Newington	Wandsworth
9(1) Infectious hepatitis	M	-	1	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	1	-	-	-	1	-	-	2
14(1) Malignant neoplasm, mouth and pharynx	M	5	6	5	5	1	3	3	1	2	1	-	12
	F	2	1	2	2	1	2	1	1	1	1	-	4
14(2) Malignant neoplasm, oesophagus	M	5	11	8	1	2	1	4	1	4	9	3	11
	F	2	4	5	4	1	2	1	1	2	2	1	6
14(3) Malignant neoplasm, intestine and rectum	M	21	33	30	16	13	9	20	6	13	8	7	56
	F	25	34	27	16	10	11	22	7	19	16	5	68
14(4) Malignant neoplasm, larynx	M	2	4	5	-	4	3	1	-	4	2	-	3
	F	1	1	-	1	-	-	-	-	1	-	-	1
13(1) Malignant neoplasm, cervix uteri	F	11	23	6	12	3	5	7	1	5	5	1	20
14(5) Malignant neoplasm, prostate	M	8	15	20	8	3	6	3	3	3	10	5	36
14(6) Malignant neoplasm, bladder	M	7	12	18	6	6	3	6	1	5	4	4	16
	F	1	5	4	1	2	1	7	2	6	3	1	8
14(7) Malignant neoplasm, bone (including jaw bone)	M	-	-	1	2	-	1	1	-	-	-	1	1
	F	1	1	1	1	-	-	-	-	1	-	1	1
14(8) Lymphosarcoma, reticulosarcoma	M	1	6	7	2	-	3	2	-	1	2	1	6
	F	3	1	6	1	-	2	4	1	1	4	-	8
14(9) Hodgkin's disease	M	2	1	3	2	-	3	-	-	-	-	-	6
	F	-	-	1	-	-	-	1	-	-	-	-	-
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	-	-	-	1
	F	-	1	1	-	-	-	1	-	-	-	-	1
32(2) Multiple sclerosis	M	-	2	-	-	-	1	2	-	-	-	-	3
	F	3	4	-	1	1	1	1	-	1	-	1	14
32(3) Rheumatic fever	M	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	1	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	11	6	17	7	5	4	10	4	3	6	6	17
	F	14	27	27	16	5	9	23	6	8	7	9	39
21(1) Hypertension without mention of heart	M	12	22	10	2	10	4	9	1	1	10	3	18
	F	9	14	7	5	6	5	8	5	9	11	1	31
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	1	2	1	1	-	-	2	1	1	-	-	2
	F	1	1	-	1	-	1	3	-	2	1	-	-
26(1) Ulcer of stomach	M	4	5	8	3	2	3	3	4	4	3	2	8
	F	5	6	5	-	1	-	1	1	5	3	2	5
32(4) Appendicitis	M	2	-	3	-	1	-	-	1	1	1	1	1
	F	1	-	2	1	-	-	2	-	-	1	-	3
32(5) Intestinal obstruction and hernia	M	3	7	5	2	2	1	8	-	3	10	1	13
	F	7	6	12	6	3	4	4	-	1	6	4	15
32(6) Cirrhosis of liver	M	3	1	5	1	-	3	2	1	-	2	1	7
	F	3	4	4	3	-	4	1	1	2	-	2	5
32(7) Cholelithiasis, cholecystitis	M	-	3	2	2	-	-	-	1	1	-	-	-
	F	3	2	2	1	1	2	1	1	1	1	-	2
30(1) Maternal sepsis (not abortion	F	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	-	-	-	-	-	-
30(3) Abortion	F	-	1	2	1	-	-	1	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	-	1	3	-	-	-	1	-	1	1	-	1
	F	2	3	3	-	2	1	-	-	-	-	-	5
32(9) Birth injury	M	3	7	6	1	6	2	3	1	4	3	4	8
	F	8	2	4	2	1	2	3	1	1	3	-	11
32(10) Postnatal asphyxia and atelectasis	M	7	8	8	6	4	2	6	2	1	2	3	13
	F	4	7	5	1	1	3	6	1	3	1	2	8
23(1) Pneumonia of newborn	M	1	3	3	1	3	-	-	-	1	-	-	3
	F	1	-	1	2	-	-	-	-	-	1	-	4
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	1	-	-	-	-	1	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	1	2	-	-	-	1	-	-	-	-	3
	F	1	-	2	-	-	-	-	-	-	1	1	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	5	10	5	3	1	1	3	-	4	2	3	22
	F	8	4	5	1	-	-	1	3	2	3	3	6
32(14) Senility without psychosis	M	2	1	3	2	-	-	-	-	1	-	-	11
	F	8	1	13	2	-	3	-	-	1	4	1	38
32(15) Ill-defined and unknown cause	M	-	-	-	1	1	1	-	1	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	1	-	-

TABLE 21 - *continued* Metropolitan boroughs and county boroughs

Registrar General's Abridged List		Westminster	Woolwich	Barnsley	Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth
1 Tuberculosis, respiratory	M	11	1	3	1	-	3	54	9	8	9	3	9
	F	-	2	-	-	-	1	15	2	2	3	1	3
2 Tuberculosis, other	M	-	-	-	-	-	-	3	1	-	1	2	1
	F	-	-	1	-	-	-	2	1	-	1	-	1
3 Syphilitic disease	M	-	3	-	-	1	2	9	1	4	2	-	2
	F	-	1	1	-	1	4	7	-	2	-	-	-
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	4	-	-	-	-	-
	F	-	-	-	-	-	-	1	-	-	-	1	-
6 Meningococcal infections	M	-	1	-	-	-	-	1	-	1	-	-	-
	F	-	1	-	-	-	-	-	-	-	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	-	-	1	3	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
9 Other infective, etc., diseases	M	1	3	-	-	1	-	8	1	4	3	-	1
	F	1	1	-	-	-	-	11	2	1	4	-	1
10 Malignant neoplasm: stomach	M	15	25	17	8	13	29	149	28	35	29	12	35
	F	11	15	7	7	11	22	139	14	33	27	12	35
11 lung, bronchus	M	51	75	24	45	32	92	526	59	114	96	44	85
	F	21	24	4	7	4	9	76	6	20	13	8	18
12 breast	M	1	-	-	-	-	-	3	-	-	1	-	-
	F	21	36	6	11	24	27	226	21	42	31	16	46
13 uterus	F	3	12	7	4	7	8	86	15	23	20	9	19
14 Other malignant and lymphatic neoplasms	M	48	79	34	35	53	57	538	53	98	91	38	121
	F	43	87	31	37	58	75	499	46	109	87	34	127
15 Leukaemia, aleukaemia	M	1	8	-	2	3	5	32	10	7	4	3	5
	F	-	5	1	3	5	2	22	4	5	2	-	5
16 Diabetes	M	2	5	-	1	3	3	40	4	5	3	3	5
	F	4	5	4	1	4	7	62	7	15	4	6	9
17 Vascular lesions of nervous system	M	28	58	49	43	55	64	655	115	152	122	22	91
	F	62	96	55	43	89	121	970	148	231	187	49	218
18 Coronary disease, angina	M	131	206	86	117	113	191	1,319	189	376	245	97	331
	F	64	151	49	68	87	130	811	156	231	151	66	235
19 Hypertension with heart disease	M	7	8	4	2	7	5	95	10	3	14	5	7
	F	4	20	3	5	2	13	126	12	21	28	6	28
20 Other heart disease	M	26	45	47	55	36	73	439	47	148	75	23	98
	F	37	78	64	95	72	94	758	102	237	148	36	187
21 Other circulatory disease	M	14	40	11	17	18	25	174	30	38	39	14	41
	F	27	38	27	9	31	29	221	52	45	68	9	36
22 Influenza	M	-	2	3	-	-	-	14	1	2	3	1	1
	F	1	-	2	-	3	-	14	4	1	1	-	-
23 Pneumonia	M	25	68	30	25	30	54	364	42	34	33	27	98
	F	15	64	25	18	37	67	434	57	48	57	22	81
24 Bronchitis	M	28	58	57	25	29	49	585	74	89	95	36	60
	F	7	27	24	15	17	28	215	35	40	32	12	21
25 Other diseases of respiratory system	M	8	5	7	4	18	8	68	13	13	14	4	23
	F	4	5	5	1	2	4	34	8	8	7	2	7
26 Ulcer of stomach and duodenum	M	4	14	4	4	6	12	76	5	11	11	3	12
	F	2	7	2	2	2	5	44	5	3	8	-	10
27 Gastritis, enteritis and diarrhoea	M	4	6	3	1	3	3	35	1	2	5	3	3
	F	2	4	4	4	1	3	52	-	6	5	3	7
28 Nephritis and nephrosis	M	6	5	1	3	3	5	29	1	4	7	2	7
	F	1	1	1	1	2	4	28	3	4	3	2	11
29 Hyperplasia of prostate	M	3	9	4	2	6	2	50	5	12	7	4	7
30 Pregnancy, childbirth, abortion	F	1	1	-	1	-	2	6	-	-	1	-	-
31 Congenital malformations	M	4	5	7	-	2	6	67	4	8	8	5	5
	F	3	9	5	2	6	7	71	2	7	4	7	4
32 Other defined and ill-defined diseases	M	37	50	33	28	28	56	441	53	93	68	32	60
	F	41	53	43	29	46	93	505	71	117	82	32	101
33 Motor vehicle accidents	M	3	21	11	13	7	12	145	14	11	24	12	12
	F	2	5	3	1	2	3	44	6	9	7	2	8
34 All other accidents	M	21	10	15	9	19	25	141	20	22	29	13	20
	F	13	6	13	11	20	24	144	23	29	26	7	44
35 Suicide	M	19	10	3	1	9	11	81	5	21	16	6	12
	F	16	7	5	6	7	4	45	11	16	9	5	23
36 Homicide, operations of war	M	-	1	-	-	-	-	4	1	-	2	2	-
	F	-	1	-	-	1	-	3	-	-	-	4	1

TABLE 21 - *continued* Metropolitan boroughs and county boroughs

Registrar General's Supplementary Abridged List		Westminster	Woolwich	Barnsley	Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth
9(1) Infectious hepatitis	M	-	-	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	1	-	-	-	-	1
14(1) Malignant neoplasm, mouth and pharynx	M	-	1	1	1	4	-	22	-	4	4	3	4
	F	-	3	1	-	-	1	13	2	1	1	-	2
14(2) Malignant neoplasm, oesophagus	M	6	4	2	-	1	6	26	4	4	5	3	2
	F	3	6	-	3	2	5	18	2	6	5	2	5
14(3) Malignant neoplasm, intestine and rectum	M	9	26	12	9	11	13	131	22	29	28	6	42
	F	15	36	16	15	28	17	163	14	29	23	12	48
14(4) Malignant neoplasm, larynx	M	1	2	-	-	2	1	13	1	3	5	-	1
	F	-	-	1	1	-	1	3	-	-	-	-	1
13(1) Malignant neoplasm, cervix uteri	F	2	11	5	4	5	4	61	9	15	16	7	12
14(5) Malignant neoplasm, prostate	M	7	12	2	5	13	7	86	2	22	12	7	24
14(6) Malignant neoplasm, bladder	M	6	2	4	5	9	6	37	6	11	5	1	12
	F	1	6	-	-	-	5	28	5	7	5	3	3
14(7) Malignant neoplasm, bone (including jaw bone)	M	1	-	-	-	-	-	6	-	2	4	-	-
	F	1	1	-	-	-	-	6	-	2	4	-	4
14(8) Lymphosarcoma, reticulosarcoma	M	2	2	-	1	1	1	23	1	1	-	1	4
	F	1	1	1	-	3	5	7	1	-	3	-	2
14(9) Hodgkin's disease	M	1	2	1	-	-	-	9	-	1	2	-	1
	F	-	-	-	-	-	2	3	1	1	1	1	1
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	-	1	-	1
	F	-	-	1	-	-	-	2	3	-	-	-	2
32(2) Multiple sclerosis	M	2	1	-	-	-	1	3	-	2	3	-	1
	F	2	1	-	1	1	1	15	-	1	2	1	-
32(3) Rheumatic fever	M	-	-	-	-	-	1	1	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	8	8	4	1	3	7	52	2	6	8	7	7
	F	7	24	12	3	8	7	108	12	15	32	7	11
21(1) Hypertension without mention of heart	M	1	10	1	3	3	8	43	5	10	3	5	4
	F	3	7	4	2	5	1	42	9	6	7	3	6
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	1	1	3	-	1	1	13	1	2	5	1	6
	F	-	-	-	-	-	2	2	-	1	-	-	4
26(1) Ulcer of stomach	M	1	4	1	1	3	7	38	2	2	7	2	6
	F	1	3	1	2	2	3	25	3	1	4	-	5
32(4) Appendicitis	M	1	1	-	-	-	4	10	-	3	2	1	-
	F	-	1	-	1	1	-	4	2	1	-	-	2
32(5) Intestinal obstruction and hernia	M	6	3	1	1	3	-	38	2	2	6	1	8
	F	1	10	3	3	7	3	44	5	5	7	-	12
32(6) Cirrhosis of liver	M	3	1	2	-	1	4	23	-	5	2	2	1
	F	1	2	3	-	2	3	19	2	2	-	2	1
32(7) Cholelithiasis, cholecystitis	M	2	1	2	-	-	1	10	-	1	3	1	1
	F	1	1	-	1	3	2	18	2	3	5	1	2
30(1) Maternal sepsis (not abortion	F	-	-	-	-	-	1	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	1	-	-	-	-	-
30(3) Abortion	F	-	-	-	-	-	-	1	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	1	-	1	-	-	1	4	1	-	-	-	-
	F	1	1	-	1	1	4	20	2	4	-	1	6
32(9) Birth injury	M	3	2	1	1	2	4	39	3	1	6	1	1
	F	1	1	1	1	2	2	20	1	3	3	1	1
32(10) Postnatal asphyxia and atelectasis	M	2	4	8	4	1	3	31	9	6	10	3	1
	F	4	-	6	2	2	3	35	4	4	3	-	2
23(1) Pneumonia of newborn	M	-	-	1	-	1	1	8	2	-	1	3	-
	F	-	-	-	-	1	-	6	-	1	1	-	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	1	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	-	-	-	1	1	3	-	-	-	-	2
	F	-	-	-	-	-	1	4	-	-	-	-	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	1	2	2	2	5	8	34	9	-	-	5	3
	F	1	1	1	3	1	7	24	4	2	4	2	6
32(14) Senility without psychosis	M	1	1	4	-	1	3	22	2	27	5	-	6
	F	1	2	7	-	1	21	42	6	40	13	-	5
32(15) Ill-defined and unknown cause	M	1	-	-	-	1	-	2	-	1	-	-	1
	F	-	2	-	-	-	1	6	-	-	-	-	1

TABLE 21 - *continued* County boroughs

Registrar General's Abridged List		Bradford	Brighton	Bristol	Burnley	Burton-upon-Trent	Bury	Canterbury	Carlisle	Chester	Coventry	Croydon	Darlington
1 Tuberculosis, respiratory	M	19	10	10	3	4	1	-	2	4	20	7	7
	F	5	7	1	1	1	-	-	2	4	6	3	-
2 Tuberculosis, other	M	2	-	1	-	-	-	-	-	-	-	1	1
	F	1	-	2	-	1	-	-	-	-	-	-	-
3 Syphilitic disease	M	4	4	6	1	1	1	1	-	-	3	5	1
	F	-	1	5	3	-	-	-	1	1	-	5	-
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	1	-	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	-	-	1	-	1	-	-	-	-	2	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
9 Other infective, etc., diseases	M	3	3	6	1	-	-	-	-	-	3	2	-
	F	3	3	4	-	1	-	-	-	1	3	3	1
10 Malignant neoplasm: stomach	M	47	32	61	17	13	6	8	19	5	49	36	14
	F	40	22	38	14	3	6	2	12	9	35	28	16
11 lung, bronchus	M	127	94	203	50	26	25	19	36	37	112	160	55
	F	24	26	33	4	3	4	2	8	2	13	31	8
12 breast	M	1	-	1	-	-	-	-	1	-	-	1	1
	F	65	53	107	15	20	12	4	15	13	60	68	16
13 uterus	F	34	26	37	17	6	4	3	6	9	18	26	5
14 Other malignant and lymphatic neoplasms	M	157	111	256	45	24	35	12	42	40	149	128	58
	F	169	160	227	41	20	17	16	43	27	129	173	58
15 Leukaemia, aleukaemia	M	15	6	13	1	1	1	-	3	3	9	8	-
	F	7	4	16	4	2	2	-	4	1	8	8	3
16 Diabetes	M	11	3	11	2	1	1	1	-	-	18	8	5
	F	18	10	20	3	2	2	2	4	-	17	9	6
17 Vascular lesions of nervous system	M	206	134	306	58	33	34	23	50	48	166	148	56
	F	317	236	500	107	42	80	44	82	59	187	258	93
18 Coronary disease, angina	M	513	256	605	137	54	96	46	147	74	364	316	132
	F	384	191	394	96	37	72	34	77	45	234	217	80
19 Hypertension with heart disease	M	23	12	64	5	2	6	2	6	7	31	12	5
	F	32	36	71	5	6	13	11	8	12	24	29	9
20 Other heart disease	M	152	104	210	43	36	43	13	49	22	114	100	43
	F	215	191	318	69	44	90	27	73	33	135	183	65
21 Other circulatory disease	M	52	47	144	26	12	21	7	17	14	44	51	18
	F	144	53	223	49	5	34	22	26	15	40	53	32
22 Influenza	M	1	-	4	2	2	-	-	-	1	3	-	-
	F	1	-	4	-	2	-	-	1	-	3	2	-
23 Pneumonia	M	114	51	131	21	16	17	6	23	18	86	73	22
	F	130	81	137	24	23	20	16	11	17	68	95	28
24 Bronchitis	M	168	75	204	49	26	39	22	26	31	124	106	44
	F	60	46	78	22	6	12	6	6	5	50	51	38
25 Other diseases of respiratory system	M	13	16	20	5	3	2	2	7	3	25	8	2
	F	9	8	18	-	-	4	-	4	4	8	1	3
26 Ulcer of stomach and duodenum	M	15	10	30	6	5	6	2	2	4	10	12	4
	F	11	8	16	3	1	2	2	5	-	6	9	1
27 Gastritis, enteritis and diarrhoea	M	6	3	9	1	3	4	1	-	4	5	7	5
	F	11	8	15	-	1	1	-	2	1	9	10	1
28 Nephritis and nephrosis	M	7	9	9	13	-	-	6	6	1	16	8	3
	F	9	2	5	5	1	2	2	2	3	6	4	3
29 Hyperplasia of prostate	M	14	9	17	3	2	2	1	2	5	6	11	6
30 Pregnancy, childbirth, abortion	F	2	-	2	-	-	-	-	-	1	2	-	1
31 Congenital malformations	M	14	4	22	4	5	5	3	5	10	23	7	5
	F	18	9	26	2	3	3	2	3	3	14	10	3
32 Other defined and ill-defined diseases	M	130	73	147	54	26	16	17	24	25	102	93	39
	F	188	78	177	84	57	35	22	32	33	110	158	38
33 Motor vehicle accidents	M	47	12	45	11	6	7	3	13	6	41	23	11
	F	25	15	23	3	1	3	-	3	3	16	11	1
34 All other accidents	M	38	24	30	17	9	13	3	5	4	34	17	10
	F	37	39	26	22	2	11	5	3	6	32	24	16
35 Suicide	M	8	28	26	10	1	4	4	4	4	26	31	8
	F	6	24	24	3	2	1	2	8	1	11	18	6
36 Homicide, operations of war	M	-	1	1	-	-	1	-	-	-	-	3	-
	F	1	1	-	3	-	-	-	-	-	-	2	-

TABLE 21 - *continued* County boroughs

Registrar General's Supplementary Abridged List		Bradford	Brighton	Bristol	Burnley	Burton-upon-Trent	Bury	Canterbury	Carlisle	Chester	Coventry	Croydon	Darlington
9(1) Infectious hepatitis	M	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	1	1	-	1	-	-	-	1	-	1	-
14(1) Malignant neoplasm, mouth and pharynx	M	6	3	9	2	-	3	-	4	2	11	4	1
	F	7	3	2	1	-	3	1	4	1	3	4	3
14(2) Malignant neoplasm, oesophagus	M	10	7	16	1	1	3	-	6	5	10	6	4
	F	3	14	15	3	1	-	3	2	1	8	2	2
14(3) Malignant neoplasm, intestine and rectum	M	30	24	76	8	6	10	4	9	7	29	38	21
	F	55	61	72	19	4	6	7	7	10	40	61	16
14(4) Malignant neoplasm, larynx	M	10	5	2	2	2	1	-	1	-	1	2	-
	F	2	1	1	-	-	-	-	1	-	2	-	-
13(1) Malignant neoplasm, cervix uteri	F	25	21	23	13	5	3	2	5	7	12	17	5
14(5) Malignant neoplasm, prostate	M	22	21	34	8	4	6	3	3	3	21	11	5
14(6) Malignant neoplasm, bladder	M	9	17	19	6	2	3	1	5	6	9	13	2
	F	6	8	9	1	1	1	-	1	1	6	8	1
14(7) Malignant neoplasm, bone (including jaw bone)	M	1	2	-	1	-	-	-	-	-	1	1	2
	F	5	-	2	1	-	-	1	-	-	-	3	-
14(8) Lymphosarcoma, reticulosarcoma	M	3	2	8	1	2	-	-	2	1	5	3	1
	F	-	1	2	1	-	-	-	-	-	3	2	2
14(9) Hodgkin's disease	M	6	1	6	-	-	1	-	-	2	7	4	-
	F	3	-	4	-	1	-	-	-	-	4	3	-
32(1) Thyrotoxicosis	M	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	2	-	1	-
32(2) Multiple sclerosis	M	2	2	3	1	1	1	-	-	-	-	1	1
	F	2	2	4	6	-	1	-	-	-	-	7	-
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	17	12	27	2	4	3	1	-	3	14	11	4
	F	28	13	33	16	3	9	-	5	4	23	23	6
21(1) Hypertension without mention of heart	M	13	12	24	1	4	3	-	2	1	9	9	3
	F	11	11	20	4	1	3	4	4	1	8	6	2
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	-	3	4	3	-	-	-	1	-	9	-	-
	F	1	2	1	-	-	-	-	-	-	-	-	-
26(1) Ulcer of stomach	M	2	5	17	3	5	2	1	1	3	5	8	1
	F	6	5	12	1	-	1	2	1	-	5	5	1
32(4) Appendicitis	M	4	1	2	-	1	1	-	-	2	-	3	-
	F	1	2	-	1	-	-	-	-	-	2	1	-
32(5) Intestinal obstruction and hernia	M	4	5	16	3	3	3	3	2	2	11	7	3
	F	12	11	12	-	3	4	2	1	1	6	10	3
32(6) Cirrhosis of liver	M	7	-	5	2	1	-	-	-	-	8	6	-
	F	8	6	10	-	2	2	-	1	-	7	2	1
32(7) Cholelithiasis, cholecystitis	M	3	1	1	-	-	-	-	-	-	1	1	1
	F	11	1	13	-	1	-	1	4	1	2	2	4
30(1) Maternal sepsis (not abortion	F	-	-	1	-	-	-	-	-	1	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	1	-	-	-	-	-	-	2	-	1
30(3) Abortion	F	1	-	-	-	-	-	-	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	2	1	2	-	-	1	-	-	-	-	1	1
	F	6	2	5	4	1	3	3	1	-	1	5	1
32(9) Birth injury	M	8	2	8	1	-	-	1	3	4	13	3	5
	F	2	3	4	2	1	2	-	1	3	12	3	1
32(10) Postnatal asphyxia and atelectasis	M	20	4	14	1	3	2	2	1	1	6	2	1
	F	20	3	15	4	-	1	-	1	1	5	7	-
23(1) Pneumonia of newborn	M	5	-	1	-	-	1	-	-	-	6	4	1
	F	2	1	1	-	1	2	-	2	-	2	1	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	1	-	2	-	1	-	-	-	-	-	-	-
	F	-	-	1	-	-	-	1	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	-	2	1	-	-	-	-	-	1	1	-
	F	1	1	-	-	-	-	-	-	-	1	1	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	5	4	7	1	1	2	1	6	3	6	11	4
	F	6	1	4	2	-	3	2	3	2	8	11	3
32(14) Senility without psychosis	M	11	8	2	22	9	-	2	-	-	4	9	3
	F	30	8	4	40	24	-	3	3	1	10	15	5
32(15) Ill-defined and unknown cause	M	3	-	2	-	-	-	-	-	-	2	-	-
	F	2	-	1	-	-	-	1	1	-	1	3	-

TABLE 21 - *continued* County boroughs

Registrar General's Abridged List		Derby	Dewsbury	Doncaster	Dudley	Eastbourne	East Ham	Exeter	Gateshead	Gloucester	Great Yarmouth	Grimsby	Halifax
1 Tuberculosis, respiratory	M	4	3	2	1	5	4	5	3	5	1	4	6
	F	2	-	1	1	2	-	3	2	2	1	2	-
2 Tuberculosis, other	M	-	-	1	-	-	-	-	-	1	-	-	1
	F	-	-	-	-	-	-	1	1	-	1	1	1
3 Syphilitic disease	M	2	-	-	1	-	-	2	-	2	-	3	-
	F	6	-	-	-	-	2	-	-	4	-	1	1
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	1	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-
9 Other infective, etc., diseases	M	-	-	-	-	1	1	3	1	-	-	2	-
	F	-	-	-	-	-	1	1	-	-	1	-	1
10 Malignant neoplasm: stomach	M	19	7	17	13	9	26	17	17	9	6	15	17
	F	13	8	6	5	10	15	10	16	6	4	11	18
11 lung, bronchus	M	74	24	35	30	43	61	38	64	23	24	47	43
	F	13	2	7	-	9	12	9	5	7	3	4	8
12 breast	M	-	-	-	-	-	-	1	-	-	-	-	1
	F	30	8	8	17	22	24	21	20	17	18	16	22
13 uterus	F	11	7	6	5	8	10	9	7	6	7	8	11
14 Other malignant and lymphatic neoplasms	M	77	26	40	39	46	66	59	65	39	31	58	46
	F	60	36	30	28	69	63	40	43	44	32	49	51
15 Leukaemia, aleukaemia	M	-	3	2	3	2	4	5	4	5	1	3	2
	F	2	1	3	3	5	6	3	5	-	2	3	7
16 Diabetes	M	-	2	4	1	3	3	2	2	3	5	2	3
	F	5	5	3	6	9	10	2	8	3	1	5	10
17 Vascular lesions of nervous system	M	94	52	60	40	75	57	62	57	47	40	44	67
	F	119	71	65	47	154	78	77	76	54	58	81	134
18 Coronary disease, angina	M	236	91	118	88	122	133	128	138	58	89	134	218
	F	153	53	74	54	85	108	95	101	63	60	120	176
19 Hypertension with heart disease	M	9	14	6	10	1	2	6	2	4	6	20	2
	F	11	11	7	8	11	16	5	14	8	7	28	8
20 Other heart disease	M	86	29	39	19	42	38	54	46	52	49	32	40
	F	143	42	45	39	107	66	78	70	62	49	55	78
21 Other circulatory disease	M	24	20	25	18	18	13	12	20	16	17	31	27
	F	47	19	21	13	19	30	27	32	13	23	31	32
22 Influenza	M	1	-	3	-	-	-	-	1	-	-	-	-
	F	1	-	4	1	-	-	-	-	-	-	-	-
23 Pneumonia	M	61	11	42	14	16	29	18	25	32	18	30	43
	F	75	10	24	10	15	37	35	23	34	11	20	46
24 Bronchitis	M	87	39	63	41	38	40	19	49	29	26	45	47
	F	18	20	23	22	13	10	5	20	12	-	23	15
25 Other diseases of respiratory system	M	4	3	9	3	4	6	5	7	5	-	7	7
	F	8	1	1	1	3	4	10	3	1	3	7	1
26 Ulcer of stomach and duodenum	M	9	2	4	3	4	12	5	8	1	2	6	4
	F	3	4	6	3	6	3	2	6	1	-	4	5
27 Gastritis, enteritis and diarrhoea	M	3	2	5	1	-	2	-	5	-	1	1	4
	F	7	1	4	2	3	5	2	2	3	5	10	4
28 Nephritis and nephrosis	M	2	2	2	3	3	2	3	5	2	2	2	4
	F	2	4	1	2	6	3	1	3	1	1	-	6
29 Hyperplasia of prostate	M	6	4	3	1	7	5	4	4	4	9	4	10
30 Pregnancy, childbirth, abortion	F	-	-	-	-	-	-	1	1	1	1	1	-
31 Congenital malformations	M	3	3	3	2	2	3	6	6	8	3	5	7
	F	8	1	4	1	3	6	3	7	6	2	4	1
32 Other defined and ill-defined diseases	M	56	17	46	22	32	40	27	38	36	22	29	47
	F	60	39	49	22	57	42	45	44	36	29	47	48
33 Motor vehicle accidents	M	13	7	6	14	1	10	10	12	5	6	5	12
	F	6	3	2	-	1	4	4	6	1	5	5	11
34 All other accidents	M	24	14	8	13	11	6	3	12	11	5	13	5
	F	28	10	11	9	22	9	13	7	7	8	6	11
35 Suicide	M	10	3	12	5	-	4	7	6	8	2	8	7
	F	2	2	1	2	9	4	5	7	4	1	5	3
36 Homicide, operations of war	M	1	-	-	-	1	-	-	1	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-

TABLE 21 - *continued* County boroughs

Registrar General's Supplementary Abridged List		Derby	Dewsbury	Doncaster	Dudley	Eastbourne	East Ham	Exeter	Gateshead	Gloucester	Great Yarmouth	Grimsby	Halifax
9(1) Infectious hepatitis	M	-	-	-	-	-	-	-	-	-	-	2	-
	F	-	-	-	-	-	-	-	-	-	1	-	-
14(1) Malignant neoplasm, mouth and pharynx	M	7	2	1	1	2	3	2	4	1	2	2	4
	F	1	1	1	-	3	1	2	1	2	-	-	-
14(2) Malignant neoplasm, oesophagus	M	5	-	-	2	1	1	1	3	1	1	9	-
	F	4	3	-	1	3	3	1	3	1	1	4	1
14(3) Malignant neoplasm, intestine and rectum	M	15	8	10	10	13	14	12	20	9	10	18	16
	F	18	6	10	16	25	17	16	15	11	20	21	22
14(4) Malignant neoplasm, larynx	M	4	2	1	3	-	2	2	2	1	-	-	-
	F	-	-	-	-	-	1	-	1	-	-	-	-
13(1) Malignant neoplasm, cervix uteri	F	6	6	4	4	4	6	7	7	6	4	7	7
14(5) Malignant neoplasm, prostate	M	6	1	3	6	10	8	16	7	6	4	4	2
14(6) Malignant neoplasm, bladder	M	14	1	5	5	2	10	2	7	2	3	4	7
	F	2	2	3	2	-	1	-	2	2	1	-	1
14(7) Malignant neoplasm, bone (including jaw bone)	M	1	1	-	-	-	1	2	-	-	3	1	1
	F	-	1	-	1	1	1	-	-	-	-	-	1
14(8) Lymphosarcoma, reticulosarcoma	M	2	1	2	-	-	2	1	1	3	-	-	3
	F	3	-	-	-	2	-	1	-	2	1	1	2
14(9) Hodgkin's disease	M	1	-	-	2	1	3	-	1	1	1	-	1
	F	3	1	1	1	1	2	-	-	-	1	1	-
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	2	-	-	-	-	-	-	-	-	-	-
32(2) Multiple sclerosis	M	3	-	-	2	1	-	1	-	-	1	-	1
	F	-	-	2	1	1	-	2	1	1	-	1	-
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	8	3	6	1	2	4	3	8	1	3	4	3
	F	22	6	3	7	4	13	8	7	3	2	6	6
21(1) Hypertension without mention of heart	M	1	4	6	5	-	1	3	3	2	4	8	-
	F	2	3	3	3	2	6	3	4	4	3	6	4
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	-	1	1	1	-	1	1	1	2	-	1	1
	F	-	-	-	-	1	1	-	-	-	-	-	-
26(1) Ulcer of stomach	M	5	-	2	3	4	6	4	3	1	2	2	1
	F	-	4	5	3	1	3	2	4	1	-	2	4
32(4) Appendicitis	M	-	-	1	1	2	1	-	-	-	-	-	-
	F	2	-	2	-	-	-	-	1	1	-	1	-
32(5) Intestinal obstruction and hernia	M	4	1	4	3	1	3	3	3	5	-	1	3
	F	2	1	2	1	6	3	5	5	2	3	-	3
32(6) Cirrhosis of liver	M	3	-	-	-	1	1	2	1	-	-	1	1
	F	4	-	1	1	3	-	1	1	2	1	1	4
32(7) Cholelithiasis, cholecystitis	M	1	-	-	-	1	-	1	-	-	1	1	2
	F	5	-	1	1	3	2	1	4	-	-	2	1
30(1) Maternal sepsis (not abortion	F	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	-	-	1	-	-	-
30(3) Abortion	F	-	-	-	-	-	-	-	1	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	3	-	-	-	3	1	-	1	-	1	1	1
	F	4	2	1	1	7	2	-	1	3	1	1	1
32(9) Birth injury	M	3	-	3	-	-	2	-	2	4	-	2	5
	F	3	2	1	1	-	3	1	3	2	2	3	-
32(10) Postnatal asphyxia and atelectasis	M	3	1	3	-	1	4	6	1	1	-	3	10
	F	2	2	4	1	2	1	1	1	-	-	1	1
23(1) Pneumonia of newborn	M	4	-	1	-	-	-	1	-	2	1	-	-
	F	1	-	-	-	-	-	-	-	2	-	1	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	1	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	-	-	-	-	-	-	-	-	1	-	3
	F	1	-	1	-	-	1	-	-	1	1	-	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	2	4	10	4	-	5	1	6	6	-	2	3
	F	1	4	7	2	-	-	-	1	5	3	1	5
32(14) Senility without psychosis	M	2	3	6	-	-	2	1	4	-	1	1	-
	F	5	4	3	-	3	2	7	9	3	3	10	2
32(15) Ill-defined and unknown cause	M	-	-	1	-	1	-	1	1	-	-	-	-
	F	-	-	-	-	-	-	1	-	-	1	-	-

TABLE 21 - *continued* County boroughs

Registrar General's Abridged List		Hastings	Huddersfield	Ipswich	Kingston-upon-Hull	Leeds	Leicester	Lincoln	Liverpool	Luton	Manchester	Middlesbrough	Newcastle-upon-Tyne
1 Tuberculosis, respiratory	M	2	5	2	13	28	12	2	35	7	44	13	11
	F	1	2	2	1	8	9	2	10	1	10	2	3
2 Tuberculosis, other	M	-	2	1	1	2	-	-	1	1	3	1	-
	F	1	-	1	2	2	2	-	1	-	1	2	1
3 Syphilitic disease	M	-	1	1	-	5	6	1	7	-	8	2	6
	F	-	1	-	3	4	3	3	3	-	3	1	1
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	1	-	1	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	1
6 Meningococcal infections	M	-	-	-	-	-	-	-	1	-	2	-	2
	F	-	-	-	-	1	1	-	4	-	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	-	1	1	-	2	-	-	-	-
	F	-	-	-	-	1	-	-	1	-	1	-	-
9 Other infective, etc., diseases	M	-	3	1	3	4	3	-	7	1	3	3	2
	F	1	2	-	5	6	3	-	7	-	7	2	2
10 Malignant neoplasm: stomach	M	9	22	8	52	68	53	9	140	26	114	23	40
	F	11	17	14	33	53	26	13	97	14	97	24	25
11 lung, bronchus	M	28	67	49	160	279	118	34	452	52	389	85	172
	F	9	13	18	23	56	22	5	80	3	68	7	41
12 breast	M	1	-	-	-	1	1	-	1	-	-	-	-
	F	22	37	25	48	98	62	16	122	24	120	25	53
13 uterus	F	11	15	6	28	45	35	10	75	7	54	11	21
14 Other malignant and lymphatic neoplasms	M	61	79	68	160	265	157	34	384	61	344	88	167
	F	70	65	60	131	292	127	32	350	58	329	50	125
15 Leukaemia, aleukaemia	M	1	5	6	8	14	4	2	20	6	25	3	6
	F	5	4	4	8	20	2	2	14	3	19	2	6
16 Diabetes	M	3	9	7	6	16	10	2	10	3	24	2	6
	F	4	8	8	4	22	17	8	39	7	47	5	12
17 Vascular lesions of nervous system	M	63	106	66	184	282	252	49	395	56	400	139	194
	F	164	156	114	223	413	366	71	537	108	571	114	228
18 Coronary disease, angina	M	140	231	139	378	808	317	133	975	126	818	216	411
	F	142	164	100	259	532	204	61	702	75	510	147	266
19 Hypertension with heart disease	M	5	10	3	21	25	18	9	68	3	36	4	11
	F	11	9	8	22	39	40	10	98	13	63	8	24
20 Other heart disease	M	59	61	34	138	173	162	37	230	45	337	58	97
	F	124	117	70	205	260	262	53	491	52	532	87	165
21 Other circulatory disease	M	15	33	24	50	106	53	11	98	36	155	20	76
	F	30	29	33	80	152	74	15	123	33	144	32	85
22 Influenza	M	-	-	-	3	1	2	-	6	-	5	-	-
	F	-	-	1	4	4	8	1	5	-	7	-	-
23 Pneumonia	M	44	32	48	114	173	60	30	299	33	168	48	91
	F	61	37	50	89	226	77	36	467	37	183	41	108
24 Bronchitis	M	40	59	32	162	296	170	32	369	50	430	70	136
	F	11	29	18	57	116	48	9	171	17	204	17	54
25 Other diseases of respiratory system	M	3	9	4	9	23	20	2	41	9	37	9	18
	F	10	8	3	9	19	8	2	24	2	24	5	11
26 Ulcer of stomach and duodenum	M	2	11	11	13	40	17	5	30	4	40	12	17
	F	6	3	4	8	17	10	2	13	5	22	3	7
27 Gastritis, enteritis and diarrhoea	M	1	4	3	5	14	3	2	18	3	23	1	5
	F	2	5	6	7	20	4	-	29	4	22	4	11
28 Nephritis and nephrosis	M	3	7	3	10	11	12	3	18	3	22	5	12
	F	2	17	1	14	11	18	1	21	3	16	2	12
29 Hyperplasia of prostate	M	4	11	4	14	15	11	6	20	5	23	5	13
30 Pregnancy, childbirth, abortion	F	-	-	1	-	3	2	2	3	-	6	1	-
31 Congenital malformations	M	1	9	12	17	35	13	4	51	10	54	9	14
	F	4	8	8	17	27	14	5	43	10	40	10	7
32 Other defined and ill-defined diseases	M	37	60	43	108	196	123	27	269	47	339	63	119
	F	66	60	50	110	246	137	33	317	50	414	69	120
33 Motor vehicle accidents	M	4	21	18	27	49	31	6	72	16	74	20	27
	F	4	7	8	10	23	18	3	34	5	41	11	16
34 All other accidents	M	14	25	16	35	59	27	10	93	13	79	26	42
	F	15	23	25	25	75	53	4	109	8	79	22	30
35 Suicide	M	8	18	4	29	18	19	4	44	8	36	11	25
	F	4	15	6	20	31	8	4	25	8	39	6	18
36 Homicide, operations of war	M	-	-	-	1	1	1	-	8	-	6	1	1
	F	-	-	1	-	-	2	-	2	-	3	-	2

TABLE 21 - *continued* County boroughs

Registrar General's Supplementary Abridged List		Hastings	Huddersfield	Ipswich	Kingston-upon-Hull	Leeds	Leicester	Lincoln	Liverpool	Luton	Manchester	Middlesbrough	Newcastle-upon-Tyne
9(1) Infectious hepatitis	M	-	1	-	-	-	-	-	1	-	2	-	1
	F	-	-	-	3	2	2	-	1	-	1	-	-
14(1) Malignant neoplasm, mouth and pharynx	M	3	4	3	12	11	2	2	15	3	9	7	10
	F	4	2	4	1	6	-	1	12	2	11	-	3
14(2) Malignant neoplasm, oesophagus	M	7	2	3	9	11	6	5	21	3	24	3	7
	F	3	2	2	6	14	4	1	15	3	24	5	7
14(3) Malignant neoplasm, intestine and rectum	M	13	25	24	44	70	41	8	90	13	94	26	42
	F	17	22	19	45	95	45	8	129	23	114	12	43
14(4) Malignant neoplasm, larynx	M	-	1	3	3	6	6	2	13	3	10	1	4
	F	-	-	-	-	2	1	-	7	1	4	-	3
13(1) Malignant neoplasm, cervix uteri	F	9	11	3	22	31	20	4	54	5	41	8	11
14(5) Malignant neoplasm, prostate	M	14	6	4	22	32	26	2	48	10	35	5	24
14(6) Malignant neoplasm, bladder	M	5	9	8	27	18	13	1	49	3	26	11	20
	F	5	5	4	-	12	5	1	20	2	19	6	8
14(7) Malignant neoplasm, bone (including jaw bone)	M	-	-	-	-	2	1	-	5	-	4	1	2
	F	1	1	1	1	5	5	-	5	-	1	-	1
14(8) Lymphosarcoma, reticulosarcoma	M	3	2	1	5	5	6	1	16	3	8	3	3
	F	1	3	1	-	5	3	1	8	-	9	1	2
14(9) Hodgkin's disease	M	-	2	-	2	3	4	-	4	-	12	1	3
	F	3	1	1	5	4	3	1	7	2	4	1	2
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	-	-	1	-
	F	-	2	-	3	1	2	-	3	1	2	-	1
32(2) Multiple sclerosis	M	-	1	1	4	2	4	-	7	1	5	1	-
	F	-	2	2	2	3	1	-	4	2	10	-	-
32(3) Rheumatic fever	M	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	1	-	-	-	-	1	1	-	-
20(1) Chronic rheumatic heart disease	M	4	4	6	10	40	15	1	26	8	37	8	8
	F	4	16	12	20	59	24	5	75	7	80	8	37
21(1) Hypertension without mention of heart	M	2	8	4	5	34	14	4	19	8	29	4	15
	F	2	3	4	10	29	11	4	24	7	19	7	9
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	-	4	-	-	9	3	-	6	1	7	1	2
	F	2	1	-	1	8	1	-	2	-	3	1	3
26(1) Ulcer of stomach	M	2	5	11	3	17	8	2	16	3	18	7	10
	F	5	2	2	3	11	7	2	8	2	13	1	1
32(4) Appendicitis	M	-	-	1	5	2	3	-	4	-	4	-	1
	F	2	1	1	-	4	1	1	4	1	2	1	2
32(5) Intestinal obstruction and hernia	M	3	3	3	10	16	10	3	16	2	24	2	10
	F	7	5	8	6	19	11	1	23	4	26	2	5
32(6) Cirrhosis of liver	M	1	5	2	2	4	2	1	10	-	16	-	10
	F	-	2	3	7	5	7	1	9	1	5	2	3
32(7) Cholelithiasis, cholecystitis	M	2	4	1	1	3	3	1	6	-	7	-	3
	F	5	2	1	5	11	-	-	11	-	8	6	2
30(1) Maternal sepsis (not abortion	F	-	-	-	-	-	-	1	-	-	-	1	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	1	-	1	1	-	-	-	-
30(3) Abortion	F	-	-	-	-	-	-	-	1	-	4	-	-
32(8) Rheumatoid arthritis and allied conditions	M	1	2	1	1	2	4	1	3	1	-	1	2
	F	2	2	-	4	4	1	2	7	1	15	2	3
32(9) Birth injury	M	2	-	4	8	17	3	1	19	2	33	5	4
	F	-	-	1	3	7	8	2	9	2	14	1	5
32(10) Postnatal asphyxia and atelectasis	M	1	5	5	14	30	8	2	24	6	37	7	8
	F	1	2	-	6	10	4	-	12	5	24	4	5
23(1) Pneumonia of newborn	M	-	1	-	3	1	3	1	11	1	4	3	-
	F	-	2	-	-	2	-	-	7	1	3	1	1
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	2	-	2	1	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	1
32(12) Haemolytic disease of newborn	M	-	2	-	2	2	1	-	3	-	6	1	-
	F	-	-	-	-	-	1	1	1	1	2	2	2
32(13) Immaturity (without other disease peculiar to early infancy)	M	2	6	5	17	18	10	2	17	6	30	16	8
	F	1	1	3	5	18	15	2	25	-	17	1	9
32(14) Senility without psychosis	M	7	6	-	-	5	4	4	4	3	37	3	2
	F	13	4	6	2	13	15	4	29	8	109	12	16
32(15) Ill-defined and unknown cause	M	1	1	-	-	1	1	-	2	-	3	1	6
	F	-	-	3	-	1	-	-	1	-	3	1	4

TABLE 21 - *continued* County boroughs

Registrar General's Abridged List		Northampton	Norwich	Nottingham	Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helens
1 Tuberculosis, respiratory	M	4	4	9	7	3	9	6	8	3	5	1	9
	F	2	1	7	4	2	1	3	1	1	1	-	2
2 Tuberculosis, other	M	-	-	-	-	1	-	2	-	-	-	-	-
	F	-	1	1	-	-	2	-	-	-	-	-	1
3 Syphilitic disease	M	1	1	4	3	-	3	4	-	2	1	1	2
	F	-	1	-	2	-	1	2	1	-	2	-	1
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	-	-	-	-	-	1	1	-	-	-	-	-
	F	-	-	1	-	-	2	-	-	-	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	2	-	-	-	-	-	-	-	-	-
	F	-	-	1	1	-	-	-	-	-	1	-	-
9 Other infective, etc., diseases	M	-	1	4	2	3	1	2	1	1	1	-	1
	F	1	-	4	-	1	2	5	2	2	-	-	1
10 Malignant neoplasm: stomach	M	16	15	57	24	16	41	41	19	18	22	14	15
	F	17	14	41	21	13	26	22	23	14	15	14	19
11 lung, bronchus	M	48	56	171	58	44	56	106	47	48	41	31	49
	F	11	12	30	7	18	11	22	12	6	11	9	6
12 breast	M	-	-	-	-	-	-	-	-	-	-	1	-
	F	21	36	68	29	21	42	52	23	25	19	10	17
13 uterus	F	5	10	28	11	5	19	19	10	9	11	6	4
14 Other malignant and lymphatic neoplasms	M	76	77	150	59	52	128	145	51	77	51	53	42
	F	76	89	150	61	51	94	112	50	82	54	39	29
15 Leukaemia, aleukaemia	M	2	5	13	2	2	8	8	2	4	2	3	3
	F	4	4	17	3	3	7	8	1	3	1	6	7
16 Diabetes	M	3	1	5	1	4	3	4	2	8	-	2	3
	F	5	10	9	9	8	8	10	7	10	6	6	6
17 Vascular lesions of nervous system	M	86	77	181	102	53	139	137	79	79	84	56	52
	F	96	103	264	131	87	199	219	111	106	104	75	68
18 Coronary disease, angina	M	150	169	359	164	130	345	360	183	121	131	101	134
	F	108	90	194	90	90	184	224	128	86	79	71	86
19 Hypertension with heart disease	M	12	13	15	12	11	23	27	5	8	6	5	11
	F	22	15	30	12	12	23	31	15	11	6	6	7
20 Other heart disease	M	46	79	151	88	27	124	101	49	51	69	29	35
	F	124	99	297	127	44	166	197	85	88	123	51	60
21 Other circulatory disease	M	16	22	77	26	18	49	60	21	23	19	21	16
	F	21	26	88	52	32	55	58	35	27	21	41	21
22 Influenza	M	1	-	5	-	-	-	-	1	1	-	1	4
	F	1	-	14	1	2	1	-	-	-	-	1	1
23 Pneumonia	M	34	38	100	42	34	101	59	35	42	37	23	44
	F	25	42	119	38	62	70	87	23	45	52	21	30
24 Bronchitis	M	44	52	203	80	31	56	90	64	48	52	45	67
	F	15	20	88	43	13	23	47	31	15	19	23	29
25 Other diseases of respiratory system	M	5	5	15	10	6	12	12	3	4	2	11	23
	F	4	3	20	2	2	10	6	3	-	3	5	4
26 Ulcer of stomach and duodenum	M	8	3	25	15	3	12	13	6	3	7	8	7
	F	3	3	15	2	3	2	9	3	1	1	-	2
27 Gastritis, enteritis and diarrhoea	M	5	3	4	1	-	4	7	11	5	1	2	-
	F	2	2	8	4	3	10	11	3	3	4	5	5
28 Nephritis and nephrosis	M	2	6	8	2	4	11	7	2	4	2	1	3
	F	3	4	12	2	1	10	5	7	1	3	2	2
29 Hyperplasia of prostate	M	2	12	17	6	3	17	11	7	5	6	2	4
30 Pregnancy, childbirth, abortion	F	-	2	1	-	1	-	3	-	-	-	-	2
31 Congenital malformations	M	6	9	18	8	5	10	12	2	8	8	3	5
	F	5	5	15	7	4	10	10	10	11	4	3	3
32 Other defined and ill-defined diseases	M	51	40	134	63	41	84	84	60	43	32	38	44
	F	48	57	188	74	58	87	120	64	57	42	31	60
33 Motor vehicle accidents	M	11	9	34	15	4	16	19	10	7	12	15	9
	F	4	4	13	10	4	7	9	7	5	5	4	-
34 All other accidents	M	9	8	41	21	22	14	43	14	11	9	12	10
	F	21	16	44	19	13	9	34	17	24	11	10	11
35 Suicide	M	16	11	23	13	12	18	28	10	7	7	7	7
	F	11	7	10	12	8	14	17	5	13	10	3	3
36 Homicide, operations of war	M	1	-	1	-	-	-	-	1	1	3	-	-
	F	-	-	1	1	1	1	2	-	1	-	-	-

TABLE 21 - *continued* County boroughs

Registrar General's Supplementary Abridged List		Northampton	Norwich	Nottingham	Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helens
9(1) Infectious hepatitis	M	-	-	1	1	-	-	1	-	-	-	-	-
	F	1	-	1	-	-	1	1	1	1	-	-	-
14(1) Malignant neoplasm, mouth and pharynx	M	1	5	6	3	1	4	8	2	2	2	2	1
	F	2	1	5	1	3	2	7	-	3	2	3	-
14(2) Malignant neoplasm, oesophagus	M	5	1	10	2	3	4	13	1	3	2	3	2
	F	3	3	5	1	1	11	6	4	6	5	1	-
14(3) Malignant neoplasm, intestine and rectum	M	20	14	34	21	20	30	32	15	20	13	17	10
	F	30	37	47	25	12	30	40	22	29	16	13	12
14(4) Malignant neoplasm, larynx	M	2	2	2	-	2	2	3	4	2	5	-	1
	F	-	-	-	-	1	-	-	-	-	2	-	-
13(1) Malignant neoplasm, cervix uteri	F	4	7	20	7	2	12	8	4	5	9	4	1
14(5) Malignant neoplasm, prostate	M	13	9	24	9	7	20	19	1	18	6	9	9
14(6) Malignant neoplasm, bladder	M	4	9	12	3	6	16	18	6	9	6	5	3
	F	2	4	8	1	2	1	2	1	5	1	1	-
14(7) Malignant neoplasm, bone (including jaw bone)	M	2	2	1	2	-	2	-	-	-	1	2	2
	F	-	2	-	1	1	2	2	1	4	2	-	-
14(8) Lymphosarcoma, reticulosarcoma	M	4	-	6	2	-	3	-	1	2	-	2	-
	F	4	1	3	-	-	-	-	2	3	-	-	-
14(9) Hodgkin's disease	M	2	2	3	1	2	4	2	3	2	1	-	1
	F	-	-	3	1	-	-	2	1	-	2	-	-
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	-	-	-
32(2) Multiple sclerosis	M	1	1	3	4	-	1	-	1	-	-	2	-
	F	1	1	4	-	-	-	2	1	-	-	1	3
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	1	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	2	3	14	6	4	5	7	7	8	9	4	5
	F	8	9	38	11	3	18	27	15	9	12	13	18
21(1) Hypertension without mention of heart	M	3	4	19	8	1	10	4	3	3	4	1	3
	F	4	3	22	12	-	8	9	3	3	3	7	4
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	1	-	2	3	1	3	1	1	1	1	3	16
	F	1	-	1	-	-	2	1	-	-	1	-	-
26(1) Ulcer of stomach	M	3	3	9	9	1	11	7	3	2	3	4	4
	F	3	2	9	-	-	2	7	1	1	1	-	1
32(4) Appendicitis	M	2	-	-	4	-	1	1	-	-	-	-	-
	F	1	1	2	2	-	1	1	2	2	-	-	1
32(5) Intestinal obstruction and hernia	M	5	1	9	4	3	10	7	5	5	3	1	2
	F	3	3	10	7	2	6	12	6	4	6	2	2
32(6) Cirrhosis of liver	M	-	1	4	1	1	4	3	6	1	1	-	1
	F	-	1	5	3	3	-	4	2	2	1	1	-
32(7) Cholelithiasis, cholecystitis	M	-	-	2	2	2	1	-	1	-	-	-	-
	F	4	2	5	4	1	1	3	-	2	3	2	1
30(1) Maternal sepsis (not abortion	F	-	-	-	-	-	-	1	-	-	-	-	1
30(2) Toxaemias of pregnancy and puerperium	F	-	1	-	-	-	-	-	-	-	-	-	1
30(3) Abortion	F	-	-	-	-	1	-	-	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	3	-	2	2	-	1	3	1	1	-	-	-
	F	-	-	6	3	2	2	9	2	1	1	2	3
32(9) Birth injury	M	4	4	9	14	2	1	3	2	-	5	5	2
	F	2	1	3	14	2	1	-	-	1	1	3	2
32(10) Postnatal asphyxia and atelectasis	M	6	-	19	1	4	4	5	8	2	3	4	12
	F	4	4	6	6	6	4	6	1	3	3	2	2
23(1) Pneumonia of newborn	M	1	-	1	-	-	2	1	3	1	-	3	-
	F	1	1	3	-	1	3	1	-	1	-	-	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	1	-	-	1	-	-	-	-	-	1
	F	-	-	-	-	1	-	1	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	-	-	1	-	-	2	-	-	-	1	-
	F	-	-	2	-	1	-	1	-	-	-	-	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	1	1	18	2	2	7	11	4	13	2	3	2
	F	-	1	11	3	3	3	3	5	5	-	1	1
32(14) Senility without psychosis	M	1	8	11	6	1	9	3	3	2	-	3	6
	F	1	18	48	6	4	16	10	4	9	3	2	10
32(15) Ill-defined and unknown cause	M	-	-	2	-	1	1	-	-	-	-	1	-
	F	1	-	1	-	1	1	1	-	1	-	-	1

TABLE 21 - *continued* County boroughs

Registrar General's Abridged List		Salford	Sheffield	Smethwick	Solihull	Southampton	Southend-on-Sea	Southport	South Shields	Stockport	Stoke-on-Trent	Sunderland	Tynemouth
1 Tuberculosis, respiratory	M	7	36	6	1	7	6	4	7	4	22	6	2
	F	4	4	1	-	5	4	3	1	-	8	1	-
2 Tuberculosis, other	M	1	1	-	-	1	-	-	-	-	1	-	-
	F	-	1	-	-	-	-	1	1	1	-	1	-
3 Syphilitic disease	M	-	5	-	2	4	3	4	2	1	4	1	1
	F	2	2	-	-	-	2	1	-	2	1	1	1
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	-	-	-	1	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	2	-	-	-	-	-	-	-	-	-	-
	F	1	4	-	-	-	-	-	-	-	-	-	-
9 Other infective, etc., diseases	M	4	2	-	-	-	3	2	-	-	3	4	-
	F	3	6	2	-	-	3	-	1	3	1	1	-
10 Malignant neoplasm: stomach	M	26	112	5	13	26	38	11	25	33	56	50	20
	F	17	66	13	11	25	24	22	21	16	40	36	7
11 lung, bronchus	M	105	283	26	27	81	93	33	62	84	131	101	35
	F	17	30	7	4	18	25	12	11	9	15	17	8
12 breast	M	-	1	-	-	1	1	-	-	-	-	-	-
	F	32	92	12	20	36	60	18	18	42	60	33	9
13 uterus	F	8	38	3	3	17	15	7	8	14	24	14	8
14 Other malignant and lymphatic neoplasms	M	71	288	40	47	102	109	55	55	96	138	101	22
	F	82	253	33	43	108	117	67	39	70	136	99	23
15 Leukaemia, aleukaemia	M	4	19	2	1	6	6	2	4	2	9	4	1
	F	3	12	1	4	4	9	7	2	5	11	2	1
16 Diabetes	M	2	13	3	1	1	4	2	6	4	5	3	4
	F	9	23	2	6	7	8	6	3	11	10	12	1
17 Vascular lesions of nervous system	M	78	333	38	40	118	103	76	78	111	144	86	43
	F	128	466	56	75	166	219	157	94	175	252	124	50
18 Coronary disease, angina	M	217	737	99	101	339	289	191	126	215	303	275	101
	F	129	419	41	62	185	254	141	96	141	200	215	65
19 Hypertension with heart disease	M	5	41	5	3	22	17	5	9	7	17	10	4
	F	9	61	6	4	20	24	6	19	17	23	18	16
20 Other heart disease	M	62	253	41	18	65	84	56	55	55	100	42	31
	F	106	366	55	48	112	142	137	58	134	185	67	44
21 Other circulatory disease	M	35	175	7	17	32	45	20	19	26	104	22	12
	F	29	250	11	16	44	68	46	38	43	104	34	14
22 Influenza	M	1	5	5	2	-	2	-	-	-	6	1	-
	F	2	8	1	-	1	1	1	1	-	1	2	-
23 Pneumonia	M	43	128	30	19	49	33	22	27	23	70	116	23
	F	63	140	20	9	33	55	25	18	44	82	102	27
24 Bronchitis	M	114	357	44	26	91	103	61	61	63	143	93	29
	F	62	134	17	10	26	40	22	15	24	59	28	14
25 Other diseases of respiratory system	M	11	28	2	4	10	12	6	4	14	60	9	8
	F	10	17	2	1	3	7	3	7	8	16	3	3
26 Ulcer of stomach and duodenum	M	8	31	5	8	10	9	13	11	7	14	10	4
	F	10	13	-	2	5	6	3	-	7	4	2	3
27 Gastritis, enteritis and diarrhoea	M	6	16	2	5	4	3	2	4	1	7	8	1
	F	6	24	5	-	5	7	4	4	3	8	5	2
28 Nephritis and nephrosis	M	3	14	2	1	6	6	3	3	2	9	5	1
	F	6	22	5	1	3	7	3	4	3	11	7	2
29 Hyperplasia of prostate	M	5	20	3	2	7	12	7	5	10	14	7	4
30 Pregnancy, childbirth, abortion	F	-	1	-	-	-	2	1	-	1	1	1	-
31 Congenital malformations	M	3	31	4	2	12	14	4	6	9	14	13	4
	F	9	21	5	3	10	7	3	4	5	15	12	5
32 Other defined and ill-defined diseases	M	98	175	20	40	72	74	41	37	45	78	70	34
	F	104	177	26	39	80	121	77	54	79	104	99	21
33 Motor vehicle accidents	M	9	42	10	11	21	15	6	10	17	26	13	10
	F	11	25	-	3	7	7	3	12	5	12	7	5
34 All other accidents	M	24	66	2	14	19	16	11	26	14	33	31	15
	F	21	67	11	11	11	20	41	10	13	31	29	12
35 Suicide	M	14	34	5	4	14	16	4	12	10	12	11	3
	F	5	22	7	6	7	22	2	6	16	11	10	4
36 Homicide, operations of war	M	-	2	1	-	-	-	-	1	1	1	-	1
	F	-	1	1	-	-	1	-	-	-	1	1	-

TABLE 21 - *continued* County boroughs

Registrar General's Supplementary Abridged List		Salford	Sheffield	Smethwick	Solihull	Southampton	Southend-on-Sea	Southport	South Shields	Stockport	Stoke-on-Trent	Sunderland	Tynemouth
9(1) Infectious hepatitis	M	1	-	-	-	-	1	-	-	-	-	1	-
	F	-	1	-	-	-	2	-	-	-	-	-	-
14(1) Malignant neoplasm, mouth and pharynx	M	2	9	-	2	3	2	3	5	8	5	4	-
	F	2	6	-	-	4	6	3	3	5	4	3	1
14(2) Malignant neoplasm, oesophagus	M	6	9	2	4	10	5	2	1	5	9	3	1
	F	2	12	3	2	8	5	5	1	2	8	6	1
14(3) Malignant neoplasm, intestine and rectum	M	20	76	9	10	26	35	9	18	27	40	25	6
	F	28	100	15	14	24	46	21	13	27	54	31	10
14(4) Malignant neoplasm, larynx	M	3	5	1	-	2	2	-	2	2	5	5	-
	F	-	-	-	1	-	-	-	-	-	-	-	-
13(1) Malignant neoplasm, cervix uteri	F	6	27	2	2	11	7	1	7	10	18	12	4
14(5) Malignant neoplasm, prostate	M	9	33	6	5	11	13	11	9	20	16	12	2
14(6) Malignant neoplasm, bladder	M	8	35	2	4	10	10	4	1	10	9	14	3
	F	-	7	2	1	11	7	2	-	-	6	5	2
14(7) Malignant neoplasm, bone (including jaw bone)	M	-	3	-	-	-	1	-	-	-	-	3	-
	F	-	2	1	-	3	-	1	-	-	1	-	-
14(8) Lymphosarcoma, reticulosarcoma	M	-	8	-	2	2	2	-	-	1	5	-	-
	F	1	3	-	2	1	1	-	-	-	-	1	-
14(9) Hodgkin's disease	M	1	6	1	-	1	5	-	2	-	5	2	-
	F	2	3	-	2	1	2	1	-	2	1	4	-
32(1) Thyrotoxicosis	M	1	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	2	-	2	2	-	-	4	1
32(2) Multiple sclerosis	M	3	5	-	1	2	1	1	-	-	2	-	-
	F	2	4	-	1	-	5	1	1	2	-	1	-
32(3) Rheumatic fever	M	-	1	-	-	-	-	-	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	1	-	-	-
20(1) Chronic rheumatic heart disease	M	5	32	5	1	12	11	2	3	6	9	7	4
	F	28	49	6	8	7	11	8	4	17	30	20	9
21(1) Hypertension without mention of heart	M	8	18	1	2	6	10	-	3	3	14	6	1
	F	5	29	1	1	10	14	6	7	9	8	7	3
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	3	8	-	-	3	1	-	-	2	30	4	1
	F	1	1	-	-	-	3	1	1	1	1	1	-
26(1) Ulcer of stomach	M	6	19	4	1	8	5	8	6	2	7	4	1
	F	7	6	-	2	3	5	2	-	6	3	1	2
32(4) Appendicitis	M	2	6	-	-	-	2	-	1	1	3	1	3
	F	-	2	-	-	1	1	1	-	-	1	-	-
32(5) Intestinal obstruction and hernia	M	6	21	1	3	7	9	5	2	3	4	7	3
	F	12	13	3	4	7	11	2	3	3	8	5	1
32(6) Cirrhosis of liver	M	1	7	1	-	2	2	2	2	-	3	2	-
	F	2	8	-	2	1	8	1	3	4	6	3	1
32(7) Cholelithiasis, cholecystitis	M	-	6	1	-	1	2	1	-	-	5	2	-
	F	2	4	-	1	3	3	1	1	2	4	2	-
30(1) Maternal sepsis (not abortion	F	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	-	-	-	-	-	-
30(3) Abortion	F	-	1	-	-	-	1	-	-	-	-	1	-
32(8) Rheumatoid arthritis and allied conditions	M	-	2	-	1	-	-	-	1	-	1	-	-
	F	3	5	2	-	2	4	5	2	3	3	-	1
32(9) Birth injury	M	4	12	1	5	5	1	-	4	2	2	4	2
	F	4	3	3	1	2	-	1	5	1	-	3	1
32(10) Postnatal asphyxia and atelectasis	M	15	16	1	5	6	4	1	3	2	8	9	1
	F	8	11	2	3	8	2	1	5	9	6	10	2
23(1) Pneumonia of newborn	M	3	1	1	-	3	-	-	-	1	2	4	-
	F	1	2	1	-	1	-	-	-	1	2	4	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	1	-	1	-	-	-	-	-	-	-	-	-
	F	-	2	-	-	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	-	-	2	1	-	-	2	-	4	1	1
	F	-	-	-	1	1	-	-	-	1	-	1	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	4	11	2	-	7	10	3	-	8	5	6	6
	F	6	7	1	-	1	6	2	2	8	3	4	2
32(14) Senility without psychosis	M	25	1	1	1	1	-	1	1	1	1	-	5
	F	26	15	3	4	5	5	8	5	10	8	2	1
32(15) Ill-defined and unknown cause	M	-	1	-	-	-	-	2	2	1	-	-	1
	F	1	-	-	-	-	2	5	1	-	1	1	-

TABLE 21 - *continued* County boroughs

Registrar General's Abridged List		Wakefield	Wallasey	Walsall	Warrington	West Bromwich	West Ham	West Hartlepool	Wigan	Wolverhampton	Worcester	York	Cardiff
1 Tuberculosis, respiratory	M	3	4	4	2	6	9	5	4	7	5	2	8
	F	-	3	1	1	1	3	-	-	2	-	1	3
2 Tuberculosis, other	M	-	1	-	1	-	-	-	1	-	-	1	1
	F	-	-	-	-	1	1	-	-	1	-	-	-
3 Syphilitic disease	M	2	-	-	1	1	4	1	-	-	4	-	1
	F	-	-	-	-	-	1	-	-	-	2	-	2
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	1	-	-	-	1	-	-	1
6 Meningococcal infections	M	-	-	-	1	-	-	-	-	1	-	1	-
	F	-	-	-	1	-	-	1	-	-	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	1	-	-	-	-	-	-
8 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	1	-	-	-	-
9 Other infective, etc., diseases	M	-	2	2	-	-	-	-	-	2	1	-	2
	F	1	-	1	-	2	2	-	1	1	-	-	2
10 Malignant neoplasm: stomach	M	9	23	24	20	18	29	12	14	23	7	11	50
	F	7	19	17	14	17	25	8	10	20	3	9	30
11 lung, bronchus	M	29	52	64	46	49	99	35	27	59	40	54	113
	F	3	15	4	5	7	21	5	12	9	4	8	11
12 breast	M	-	-	-	-	1	1	1	-	1	-	-	1
	F	10	26	11	12	17	25	9	14	32	15	25	53
13 uterus	F	11	12	9	5	4	11	5	7	12	5	14	16
14 Other malignant and lymphatic neoplasms	M	23	65	56	46	47	88	40	47	75	41	59	118
	F	28	64	57	34	30	88	32	36	79	28	68	118
15 Leukaemia, aleukaemia	M	1	4	2	4	1	5	1	3	2	5	2	12
	F	3	3	3	2	3	2	2	3	4	4	1	7
16 Diabetes	M	4	4	1	2	4	1	3	2	6	3	2	6
	F	3	3	7	5	3	6	2	1	5	4	8	12
17 Vascular lesions of nervous system	M	55	67	90	36	60	56	54	57	121	53	65	126
	F	58	128	93	49	78	86	60	68	139	98	97	182
18 Coronary disease, angina	M	96	168	141	132	89	196	99	115	156	81	151	415
	F	70	120	64	61	56	123	71	60	109	50	103	264
19 Hypertension with heart disease	M	4	4	14	10	10	8	4	6	8	6	10	41
	F	6	10	20	11	9	11	6	9	17	10	21	41
20 Other heart disease	M	35	41	48	24	51	38	27	50	93	38	47	93
	F	73	81	74	55	44	70	40	71	119	42	72	144
21 Other circulatory disease	M	16	15	27	32	24	34	11	22	25	13	17	46
	F	23	27	22	34	14	49	18	27	26	16	20	63
22 Influenza	M	-	2	3	-	2	1	1	-	17	-	-	2
	F	-	3	2	1	3	1	-	-	8	-	-	2
23 Pneumonia	M	27	33	57	23	54	55	32	18	92	18	83	100
	F	21	44	31	34	44	66	31	20	80	11	76	118
24 Bronchitis	M	39	50	65	32	56	83	34	34	76	34	49	137
	F	11	20	22	18	21	26	15	17	34	10	9	39
25 Other diseases of respiratory system	M	6	5	11	4	10	15	7	15	3	1	4	12
	F	2	3	10	1	1	3	5	2	2	1	2	6
26 Ulcer of stomach and duodenum	M	6	3	5	5	4	11	4	5	9	4	2	12
	F	1	5	6	-	1	3	2	2	6	1	3	1
27 Gastritis, enteritis and diarrhoea	M	2	-	3	-	1	2	1	1	1	2	2	5
	F	5	3	2	3	1	4	3	1	1	1	4	10
28 Nephritis and nephrosis	M	3	2	4	3	2	1	5	3	5	1	3	6
	F	-	3	5	3	5	7	5	6	7	-	3	6
29 Hyperplasia of prostate	M	1	9	8	3	4	8	2	2	4	-	3	8
30 Pregnancy, childbirth, abortion	F	2	-	2	-	2	1	2	1	-	-	-	1
31 Congenital malformations	M	-	8	10	4	5	14	9	4	10	4	2	18
	F	1	7	5	7	5	15	1	5	4	2	8	12
32 Other defined and ill-defined diseases	M	24	48	33	43	45	53	28	51	84	22	43	96
	F	34	71	55	43	37	73	34	54	58	32	37	111
33 Motor vehicle accidents	M	8	10	16	12	7	11	13	14	25	9	9	19
	F	3	4	4	1	2	8	5	5	6	2	3	11
34 All other accidents	M	13	9	14	7	11	22	20	17	29	6	8	28
	F	13	3	12	13	12	14	10	9	29	17	13	26
35 Suicide	M	3	5	4	5	10	10	5	4	11	7	5	17
	F	4	8	10	3	6	3	1	4	6	3	5	12
36 Homicide, operations of war	M	-	-	3	-	1	-	-	-	1	1	-	2
	F	-	1	-	-	1	1	-	2	1	1	-	1

TABLE 21 - *continued* County boroughs

Registrar General's Supplementary Abridged List		Wakefield	Wallasey	Walsall	Warrington	West Bromwich	West Ham	West Hartlepool	Wigan	Wolverhampton	Worcester	York	Cardiff
9(1) Infectious hepatitis	M	-	-	-	-	-	-	-	-	-	1	-	1
	F	1	-	-	-	1	-	-	-	-	-	-	2
14(1) Malignant neoplasm, mouth and pharynx	M	1	4	4	1	2	3	-	1	4	-	4	5
	F	-	2	2	-	2	4	2	1	1	-	1	2
14(2) Malignant neoplasm, oesophagus	M	1	4	1	4	2	5	4	2	5	3	1	7
	F	3	3	1	-	2	3	3	1	6	1	5	10
14(3) Malignant neoplasm, intestine and rectum	M	6	11	18	14	9	19	13	9	22	13	22	30
	F	11	17	20	16	10	37	12	12	25	12	24	44
14(4) Malignant neoplasm, larynx	M	2	2	-	-	3	1	-	-	2	1	3	3
	F	-	2	-	-	1	2	2	1	-	-	1	2
13(1) Malignant neoplasm, cervix uteri	F	8	10	7	5	2	8	4	7	5	2	7	13
14(5) Malignant neoplasm, prostate	M	4	12	12	1	9	14	5	9	11	3	6	14
14(6) Malignant neoplasm, bladder	M	3	2	3	6	1	13	4	5	2	3	4	14
	F	1	4	1	3	-	2	1	3	4	3	2	7
14(7) Malignant neoplasm, bone (including jaw bone)	M	-	2	1	-	4	3	-	-	2	-	1	1
	F	1	-	1	-	2	3	-	-	1	-	-	1
14(8) Lymphosarcoma, reticulosarcoma	M	-	3	-	2	2	2	2	-	2	1	1	4
	F	1	-	-	1	1	-	2	-	2	3	1	1
14(9) Hodgkin's disease	M	-	-	1	2	1	2	1	2	1	1	1	2
	F	-	2	-	-	-	1	1	-	3	-	1	1
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	1	1	-	1	-	-	1	-	-	2
32(2) Multiple sclerosis	M	-	-	-	-	-	2	1	-	-	1	-	1
	F	2	1	1	1	-	-	-	-	1	-	3	1
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	3	2	7	2	7	4	1	4	6	7	2	13
	F	9	7	7	12	4	21	10	15	8	2	7	32
21(1) Hypertension without mention of heart	M	2	6	4	4	9	7	3	5	11	4	3	10
	F	4	6	2	10	4	6	5	3	11	-	-	12
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	1	1	3	-	6	1	-	5	1	-	-	3
	F	-	1	2	-	-	-	-	-	-	-	-	-
26(1) Ulcer of stomach	M	2	2	4	1	2	7	3	2	5	1	-	2
	F	1	1	2	-	1	2	-	2	6	1	1	1
32(4) Appendicitis	M	2	-	1	-	-	1	-	-	1	-	1	-
	F	2	1	-	-	-	1	1	-	1	1	-	-
32(5) Intestinal obstruction and hernia	M	3	1	8	3	6	3	1	3	6	2	5	8
	F	2	4	8	3	2	12	5	1	2	4	2	6
32(6) Cirrhosis of liver	M	1	1	-	-	2	1	1	2	3	2	-	4
	F	2	-	1	1	2	-	-	2	2	1	2	7
32(7) Cholelithiasis, cholecystitis	M	-	1	3	2	3	-	2	-	-	-	-	2
	F	1	-	-	1	-	2	-	-	2	-	3	2
30(1) Maternal sepsis (not abortion	F	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	1	-	2	-	1	1	-	-	-	-
30(3) Abortion	F	-	-	1	-	-	1	-	-	-	-	-	1
32(8) Rheumatoid arthritis and allied conditions	M	-	-	-	-	-	-	1	-	1	-	-	-
	F	-	2	3	4	2	1	1	2	2	2	-	-
32(9) Birth injury	M	2	5	1	1	5	2	1	1	12	1	3	10
	F	1	3	7	1	4	8	-	2	4	-	2	7
32(10) Postnatal asphyxia and atelectasis	M	2	1	2	10	3	5	1	1	6	1	5	7
	F	-	3	-	2	-	4	3	-	3	1	-	9
23(1) Pneumonia of newborn	M	-	1	1	3	1	1	-	-	2	1	1	1
	F	-	-	1	3	-	2	-	-	-	-	1	9
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	-	-	-	1	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	1	-	1	-	-	4	-	-	1	-	-	-
	F	-	-	2	-	-	-	2	1	1	-	1	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	4	3	3	1	-	7	-	4	6	4	6	9
	F	1	4	2	3	4	6	4	3	3	3	4	7
32(14) Senility without psychosis	M	-	5	-	1	1	3	3	21	2	2	3	4
	F	-	10	1	6	7	3	2	17	1	6	-	6
32(15) Ill-defined and unknown cause	M	-	2	-	2	1	-	1	-	2	-	-	-
	F	-	-	-	-	-	-	-	-	1	1	-	1

TABLE 21 - *continued* County boroughs and administrative counties

Registrar General's Abridged List		Merthyr Tydfil	Newport (Mon)	Swansea	Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire	Cheshire	Cornwall	Cumberland	Derbyshire	Devon
1 Tuberculosis, respiratory	M	4	2	12	4	4	12	9	30	12	5	22	18
	F	1	1	5	2	4	8	1	3	6	1	2	9
2 Tuberculosis, other	M	-	-	-	1	-	2	-	1	-	-	1	5
	F	-	-	-	-	2	2	-	3	1	-	1	3
3 Syphilitic disease	M	-	-	-	2	3	9	2	8	3	3	6	7
	F	-	-	-	-	2	4	3	9	1	-	3	5
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	1	-	-	1	-
	F	-	-	-	-	1	1	-	-	-	-	-	1
6 Meningococcal infections	M	-	-	-	-	1	1	1	-	-	1	3	-
	F	-	-	1	-	-	-	-	2	1	-	2	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	-	1	-
9 Other infective, etc., diseases	M	-	-	1	1	-	4	2	8	8	1	8	5
	F	-	-	2	4	5	5	-	11	3	1	6	12
10 Malignant neoplasm: stomach	M	14	20	39	28	40	39	23	147	63	54	98	102
	F	10	20	25	20	36	39	21	109	44	30	88	89
11 lung, bronchus	M	25	55	92	114	176	211	59	416	109	88	275	228
	F	3	7	8	11	33	37	13	66	25	12	33	60
12 breast	M	-	-	-	-	-	1	-	5	-	2	2	1
	F	10	20	32	43	89	96	36	194	84	34	141	134
13 uterus	F	12	8	17	22	24	29	17	99	44	32	67	75
14 Other malignant and lymphatic neoplasms	M	31	62	90	123	201	233	90	458	222	124	420	389
	F	23	48	79	98	173	215	120	444	208	106	336	373
15 Leukaemia, aleukaemia	M	-	3	3	7	9	20	3	29	19	5	22	22
	F	-	3	2	4	15	17	3	33	7	5	21	26
16 Diabetes	M	-	6	2	11	12	11	6	34	25	13	22	21
	F	4	10	14	11	17	21	9	46	19	15	50	26
17 Vascular lesions of nervous system	M	58	74	109	176	203	195	123	733	295	190	559	471
	F	54	79	170	215	397	352	162	1,010	432	258	654	799
18 Coronary disease, angina	M	80	159	308	308	434	605	240	1,424	531	361	1,046	912
	F	59	92	189	189	282	351	151	881	279	217	559	565
19 Hypertension with heart disease	M	15	11	22	8	31	28	8	55	50	18	46	55
	F	14	14	42	34	22	46	24	105	70	25	74	82
20 Other heart disease	M	46	58	76	97	166	185	88	424	397	110	422	477
	F	57	91	124	122	254	249	87	716	557	176	602	684
21 Other circulatory disease	M	16	21	51	36	70	84	35	219	76	52	186	145
	F	13	24	66	44	100	102	61	310	117	68	230	187
22 Influenza	M	1	-	1	4	1	1	-	7	6	1	15	8
	F	1	-	-	2	2	2	-	9	2	3	15	8
23 Pneumonia	M	10	20	39	59	87	163	64	274	87	49	223	179
	F	20	28	44	82	108	199	66	303	116	41	213	202
24 Bronchitis	M	31	52	97	87	106	136	74	392	96	59	398	218
	F	13	19	26	29	36	59	30	169	33	23	140	67
25 Other diseases of respiratory system	M	14	3	14	13	19	24	13	57	42	19	56	48
	F	-	6	3	12	6	10	3	39	14	9	39	40
26 Ulcer of stomach and duodenum	M	4	5	14	11	13	28	9	40	30	22	47	47
	F	1	3	4	5	6	10	12	23	13	6	30	25
27 Gastritis, enteritis and diarrhoea	M	-	5	5	8	8	9	3	28	11	4	22	9
	F	1	3	5	6	12	17	9	33	13	9	22	33
28 Nephritis and nephrosis	M	1	6	4	11	10	17	7	38	25	16	42	21
	F	1	3	11	10	9	13	3	26	18	8	16	15
29 Hyperplasia of prostate	M	2	9	11	12	13	18	13	62	29	14	39	44
30 Pregnancy, childbirth, abortion	F	-	-	-	4	2	4	-	4	2	2	3	1
31 Congenital malformations	M	4	5	10	19	26	31	10	58	19	10	30	30
	F	4	4	10	8	24	22	7	58	14	14	29	23
32 Other defined and ill-defined diseases	M	30	42	73	125	145	180	70	414	141	110	249	250
	F	32	43	90	103	198	212	84	556	157	135	319	350
33 Motor vehicle accidents	M	11	11	15	27	62	65	24	113	26	26	74	52
	F	2	11	8	17	24	21	14	47	15	9	23	18
34 All other accidents	M	17	12	11	26	46	58	25	95	57	22	88	65
	F	12	8	10	40	36	49	40	89	49	33	72	76
35 Suicide	M	6	5	14	13	19	26	11	51	17	14	52	41
	F	5	2	8	11	18	24	17	40	22	4	31	34
36 Homicide, operations of war	M	-	-	-	1	-	3	-	2	2	1	3	3
	F	-	1	-	-	1	2	1	1	1	-	-	2

TABLE 21 - *continued* County boroughs and administrative counties

Registrar General's Supplementary Abridged List		Merthyr Tydfil	Newport (Mon)	Swansea	Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire	Cheshire	Cornwall	Cumberland	Derbyshire	Devon
9(1) Infectious hepatitis	M	-	-	-	1	-	-	1	2	2	1	1	-
	F	-	-	1	1	-	2	-	1	-	-	2	2
14(1) Malignant neoplasm, mouth and pharynx	M	2	1	3	5	14	5	1	17	4	7	13	18
	F	-	3	4	-	5	5	3	13	3	4	10	13
14(2) Malignant neoplasm, oesophagus	M	1	2	5	9	7	11	3	29	9	5	9	29
	F	1	3	6	5	9	13	5	19	21	9	18	16
14(3) Malignant neoplasm, intestine and rectum	M	6	9	26	25	50	67	21	137	66	28	119	87
	F	7	12	36	27	66	72	36	169	64	41	125	138
14(4) Malignant neoplasm, larynx	M	-	4	2	3	3	2	-	12	4	1	8	8
	F	-	-	-	-	-	2	2	3	-	1	-	2
13(1) Malignant neoplasm, cervix uteri	F	9	4	10	14	15	20	10	68	23	23	48	38
14(5) Malignant neoplasm, prostate	M	3	16	5	20	31	32	16	43	38	13	67	91
14(6) Malignant neoplasm, bladder	M	4	9	7	9	7	19	8	40	14	15	40	26
	F	1	2	1	7	3	8	9	11	8	1	12	6
14(7) Malignant neoplasm, bone (including jaw bone)	M	-	1	1	-	1	-	-	9	-	2	7	3
	F	-	1	1	-	2	2	1	7	-	-	6	1
14(8) Lymphosarcoma, reticulosarcoma	M	2	-	3	4	1	10	2	12	3	3	15	8
	F	-	-	-	3	5	5	6	4	1	-	10	4
14(9) Hodgkin's disease	M	1	2	2	3	4	5	1	12	5	1	9	5
	F	1	-	1	1	2	5	-	7	3	3	3	5
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	1	2	-	3	3	-	6	3	2	1	4
32(2) Multiple sclerosis	M	-	1	2	1	2	3	-	12	1	1	3	6
	F	-	1	6	2	7	3	2	10	7	-	8	6
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	2	1
	F	-	-	-	-	1	-	-	1	-	-	1	1
20(1) Chronic rheumatic heart disease	M	4	9	14	5	9	25	7	35	9	8	40	30
	F	9	9	19	8	19	27	8	82	21	19	69	44
21(1) Hypertension without mention of heart	M	5	4	11	10	15	14	7	39	15	6	40	31
	F	5	4	20	3	21	12	6	36	27	12	39	25
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	12	-	5	2	1	3	2	11	23	3	3	5
	F	-	-	-	2	-	2	1	6	3	1	2	5
26(1) Ulcer of stomach	M	2	-	8	5	9	12	4	21	20	7	18	24
	F	1	3	3	2	4	8	8	18	9	4	20	22
32(4) Appendicitis	M	1	-	3	2	-	2	2	8	3	-	2	3
	F	-	-	-	-	1	3	1	4	3	2	5	3
32(5) Intestinal obstruction and hernia	M	2	-	4	5	13	13	4	19	14	11	22	28
	F	1	-	2	10	18	14	7	24	10	5	27	16
32(6) Cirrhosis of liver	M	1	2	6	2	5	9	3	14	4	5	11	9
	F	2	1	3	1	1	5	3	13	2	1	14	14
32(7) Cholelithiasis, cholecystitis	M	1	-	2	1	2	5	3	6	3	2	5	4
	F	3	1	4	4	4	9	4	15	5	6	11	14
30(1) Maternal sepsis (not abortion	F	-	-	-	-	1	2	-	1	1	-	1	1
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	-	2	1	-	1	-
30(3) Abortion	F	-	-	-	1	1	-	-	1	-	2	-	-
32(8) Rheumatoid arthritis and allied conditions	M	-	-	2	1	1	1	-	3	2	2	1	4
	F	2	1	4	1	5	4	2	25	1	8	11	9
32(9) Birth injury	M	-	2	7	6	10	16	4	18	9	7	22	10
	F	-	2	3	2	7	11	4	11	5	8	13	7
32(10) Postnatal asphyxia and atelectasis	M	1	-	1	8	9	16	2	26	10	9	15	16
	F	3	1	4	-	6	14	1	24	3	4	9	5
23(1) Pneumonia of newborn	M	1	-	2	-	2	6	1	5	5	2	10	2
	F	1	-	-	-	1	1	1	5	2	1	5	3
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	1	-	1	-	-	-	-
	F	-	-	1	-	-	-	-	-	-	-	-	2
32(12) Haemolytic disease of newborn	M	1	-	2	-	4	2	-	3	-	1	1	1
	F	-	-	-	-	-	1	1	3	2	-	2	1
32(13) Immaturity (without other disease peculiar to early infancy)	M	2	5	6	12	15	15	3	32	11	4	15	3
	F	3	1	3	4	9	17	4	32	9	5	11	6
32(14) Senility without psychosis	M	4	10	6	13	12	8	4	91	12	14	21	38
	F	3	7	16	20	42	16	3	161	26	32	41	92
32(15) Ill-defined and unknown cause	M	-	-	1	3	1	3	2	4	1	1	2	3
	F	-	-	-	1	2	1	-	1	1	-	2	3

TABLE 21 - *continued* Administrative counties

Registrar General's Abridged List		Dorset	Durham	Ely, Isle of	Essex	Gloucestershire	Hampshire	Herefordshire	Hertfordshire	Huntingdonshire	Kent	Lancashire	Leicestershire
1 Tuberculosis, respiratory	M	11	49	-	64	8	20	6	12	-	54	87	12
	F	1	11	-	11	4	6	1	4	1	20	26	5
2 Tuberculosis, other	M	2	3	1	4	-	3	1	1	-	5	6	1
	F	-	1	-	2	1	3	-	3	-	5	7	1
3 Syphilitic disease	M	5	11	1	18	6	6	1	8	2	21	18	1
	F	2	3	-	12	-	5	-	1	1	7	13	3
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	4	-	-	-	-	-	-	-	-
	F	-	1	-	-	-	1	-	-	-	-	1	-
6 Meningococcal infections	M	1	1	-	1	-	-	1	-	-	2	3	-
	F	-	1	-	-	-	-	2	-	1	2	-	1
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	-	-	-	-	-	-	2	6	-
	F	-	-	-	1	-	3	-	1	-	1	7	-
9 Other infective, etc., diseases	M	2	3	1	11	6	14	2	5	-	15	17	3
	F	8	6	2	19	4	4	1	15	1	26	15	6
10 Malignant neoplasm: stomach	M	49	208	13	285	71	103	16	113	12	268	375	58
	F	47	123	8	190	44	73	11	71	14	197	336	59
11 lung, bronchus	M	120	422	42	905	197	306	47	323	34	841	942	144
	F	27	58	9	187	32	63	7	80	10	170	156	31
12 breast	M	-	3	-	4	2	1	-	1	-	4	5	1
	F	89	148	13	399	123	196	34	165	21	397	417	74
13 uterus	F	32	77	10	140	41	69	9	38	7	116	201	23
14 Other malignant and lymphatic neoplasms	M	212	458	54	989	246	442	79	408	50	1,044	1,175	216
	F	193	360	51	969	246	391	47	375	30	962	1,115	169
15 Leukaemia, aleukaemia	M	11	31	1	73	22	28	4	23	2	55	72	12
	F	14	24	5	49	13	16	5	26	2	48	43	10
16 Diabetes	M	13	28	5	52	20	27	3	13	5	46	57	15
	F	13	69	3	98	26	35	10	42	6	81	128	16
17 Vascular lesions of nervous system	M	225	667	64	978	289	515	104	417	34	1,090	1,740	270
	F	321	821	71	1,674	451	725	131	662	63	1,646	2,487	361
18 Coronary disease, angina	M	490	1,460	127	2,451	637	1,081	172	958	99	2,356	3,549	463
	F	307	869	60	1,593	380	659	95	542	56	1,554	2,168	273
19 Hypertension with heart disease	M	22	90	7	107	35	71	15	47	3	150	161	37
	F	32	122	10	176	52	99	18	74	4	223	258	52
20 Other heart disease	M	127	436	49	661	297	397	92	313	26	895	1,303	226
	F	304	513	71	1,071	439	640	134	492	43	1,417	2,169	296
21 Other circulatory disease	M	97	246	17	396	124	156	26	154	21	446	524	94
	F	105	227	17	476	126	199	28	200	31	532	630	96
22 Influenza	M	-	14	1	14	9	4	3	2	1	15	19	9
	F	4	11	-	12	24	4	6	4	3	15	23	15
23 Pneumonia	M	141	288	26	554	141	210	36	237	24	536	582	104
	F	154	298	30	623	164	247	42	318	24	666	664	87
24 Bronchitis	M	113	445	48	763	148	252	60	267	32	665	1,056	170
	F	16	157	16	275	49	84	21	116	5	256	429	53
25 Other diseases of respiratory system	M	23	87	8	101	30	39	14	47	3	124	167	25
	F	16	26	1	61	15	24	3	26	3	50	79	19
26 Ulcer of stomach and duodenum	M	20	51	12	80	23	32	7	30	4	101	112	31
	F	9	16	1	39	17	15	2	19	4	55	53	11
27 Gastritis, enteritis and diarrhoea	M	5	11	1	36	13	22	4	15	5	42	48	14
	F	19	25	1	65	16	33	2	29	3	68	82	10
28 Nephritis and nephrosis	M	14	30	4	52	15	24	3	16	1	47	83	15
	F	14	27	3	47	13	18	3	19	5	68	66	16
29 Hyperplasia of prostate	M	38	46	2	72	32	38	12	31	4	94	104	19
30 Pregnancy, childbirth, abortion	F	1	2	-	4	2	5	1	-	-	13	13	1
31 Congenital malformations	M	20	55	7	96	26	52	5	42	8	103	126	18
	F	15	57	4	89	23	44	16	39	5	82	114	17
32 Other defined and ill-defined diseases	M	123	376	42	654	214	378	67	297	26	713	1,020	160
	F	176	496	52	897	231	413	69	403	38	911	1,297	195
33 Motor vehicle accidents	M	36	111	18	178	69	131	19	98	6	192	287	55
	F	17	26	2	68	15	24	4	23	5	56	122	22
34 All other accidents	M	40	141	10	174	53	79	13	80	10	190	297	51
	F	46	126	10	188	60	80	17	95	10	158	355	53
35 Suicide	M	18	64	8	91	29	43	9	45	3	101	165	13
	F	22	26	5	102	20	34	5	42	1	78	117	17
36 Homicide, operations of war	M	-	1	-	10	-	-	-	2	-	2	6	-
	F	-	-	-	7	-	4	-	1	-	7	6	-

TABLE 21 - *continued* Administrative counties

Registrar General's Supplementary Abridged List		Dorset	Durham	Ely, Isle of	Essex	Gloucestershire	Hampshire	Herefordshire	Hertfordshire	Huntingdonshire	Kent	Lancashire	Leicestershire
9(1) Infectious hepatitis	M	-	1	-	3	-	4	1	-	-	3	4	1
	F	2	4	-	4	1	-	-	3	-	4	6	2
4(1) Malignant neoplasm, mouth and pharynx	M	7	24	1	22	12	27	1	12	3	37	45	8
	F	5	15	1	23	7	11	1	6	-	26	32	2
4(2) Malignant neoplasm, oesophagus	M	17	20	3	44	14	29	6	24	3	45	65	11
	F	18	11	1	38	6	20	5	15	-	39	64	8
4(3) Malignant neoplasm, intestine and rectum	M	58	139	18	230	68	106	26	95	16	261	321	52
	F	80	121	16	348	83	130	12	132	11	336	374	58
4(4) Malignant neoplasm, larynx	M	2	19	-	20	5	5	-	10	-	23	25	5
	F	1	4	-	4	1	1	-	-	-	5	10	1
3(1) Malignant neoplasm, cervix uteri	F	19	60	7	83	26	42	4	22	3	73	120	17
4(5) Malignant neoplasm, prostate	M	39	65	6	146	33	76	11	57	7	174	151	44
4(6) Malignant neoplasm, bladder	M	16	32	3	104	20	41	7	36	2	108	101	7
	F	4	12	-	44	12	15	2	20	-	35	55	5
4(7) Malignant neoplasm, bone (including jaw bone)	M	2	5	-	5	2	6	2	2	-	12	10	3
	F	-	5	1	8	1	3	-	3	-	7	11	2
4(8) Lymphosarcoma, reticulosarcoma	M	9	13	1	26	8	13	3	17	2	37	32	6
	F	3	8	1	26	5	10	4	13	-	21	21	1
4(9) Hodgkin's disease	M	5	7	-	18	5	6	4	11	-	14	28	5
	F	2	7	1	13	4	10	-	5	-	16	29	-
2(1) Thyrotoxicosis	M	-	-	-	1	1	-	1	3	-	1	4	1
	F	2	2	1	7	3	4	2	3	-	12	12	2
2(2) Multiple sclerosis	M	4	9	1	12	6	9	1	6	1	14	16	4
	F	1	9	-	32	7	11	-	13	-	25	35	7
2(3) Rheumatic fever	M	-	2	-	-	-	2	-	1	-	-	3	-
	F	-	1	-	-	-	-	-	-	-	1	2	-
0(1) Chronic rheumatic heart disease	M	6	59	3	75	22	38	5	38	4	59	111	22
	F	18	107	10	148	36	48	11	55	4	104	239	25
1(1) Hypertension without mention of heart	M	15	51	1	68	17	25	6	26	6	93	92	22
	F	14	45	3	94	15	46	3	38	4	85	94	23
5(1) Pneumoconiosis and chronic interstitial pneumonia	M	1	38	-	15	6	3	3	7	-	17	60	4
	F	-	3	-	5	1	1	-	1	1	4	7	2
6(1) Ulcer of stomach	M	12	22	4	34	12	20	2	17	2	49	46	15
	F	3	10	1	24	12	8	2	11	4	38	37	9
2(4) Appendicitis	M	3	7	1	5	6	5	1	8	-	9	7	-
	F	2	3	-	5	6	3	-	8	2	7	6	1
2(5) Intestinal obstruction and hernia	M	4	20	2	54	11	17	5	28	2	52	65	8
	F	15	23	4	75	20	29	7	30	5	73	75	13
2(6) Cirrhosis of liver	M	10	10	1	19	12	11	5	8	-	16	20	3
	F	4	15	1	23	9	10	3	9	-	17	31	4
2(7) Cholelithiasis, cholecystitis	M	6	12	1	11	8	6	1	2	1	18	16	4
	F	6	15	2	30	11	4	3	11	-	31	33	4
0(1) Maternal sepsis (not abortion	F	-	-	-	-	1	1	-	-	-	1	2	-
0(2) Toxaemias of pregnancy and puerperium	F	-	1	-	-	1	-	-	-	-	2	3	1
0(3) Abortion	F	-	1	-	2	-	2	-	-	-	-	-	-
2(8) Rheumatoid arthritis and allied conditions	M	1	5	-	7	3	3	-	4	-	9	11	3
	F	3	17	6	36	6	14	7	9	1	37	52	8
2(9) Birth injury	M	3	32	1	41	15	14	8	19	1	39	77	14
	F	3	21	2	24	5	9	3	11	2	28	30	2
2(10) Postnatal asphyxia and atelectasis	M	4	32	2	34	12	32	-	22	4	47	104	8
	F	4	28	3	33	12	17	1	17	1	36	88	2
3(1) Pneumonia of newborn	M	2	12	1	9	1	3	1	5	-	12	26	3
	F	-	6	-	7	2	4	-	2	-	6	10	2
2(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	1	5	-	1	-	-	-	1	3	-
	F	-	-	-	1	-	1	-	-	-	1	-	1
2(12) Haemolytic disease of newborn	M	-	-	-	4	-	6	-	1	1	8	14	2
	F	1	3	-	8	3	1	-	2	1	8	7	2
2(13) Immaturity (without other disease peculiar to early infancy)	M	9	28	2	51	22	36	3	15	4	49	64	9
	F	9	30	-	45	11	29	6	16	-	45	49	6
2(14) Senility without psychosis	M	4	48	3	35	8	23	12	23	5	68	129	17
	F	19	77	8	83	19	57	11	55	8	105	238	49
2(15) Ill-defined and unknown cause	M	1	6	-	6	2	1	1	5	1	9	5	2
	F	3	9	-	7	1	2	-	2	1	4	11	-

TABLE 21 - *continued* Administrative counties

Registrar General's Abridged List		Lincolnshire (parts of Holland)	Lincolnshire (parts of Kesteven)	Lincolnshire (parts of Lindsey)	Middlesex	Norfolk	Northamptonshire	Northumberland	Nottinghamshire	Oxfordshire	Peterborough, Soke of	Rutland	Shropshire
1 Tuberculosis, respiratory	M	2	2	8	62	4	6	14	18	5	1	-	7
	F	2	1	4	12	2	7	2	6	1	-	1	2
2 Tuberculosis, other	M	-	-	-	11	2	1	2	3	-	-	-	-
	F	1	-	1	10	-	2	1	2	-	-	-	3
3 Syphilitic disease	M	1	-	3	17	6	5	3	12	2	-	-	3
	F	-	1	2	7	3	-	2	1	2	3	-	3
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	2	-	-	-	-	-	-
6 Meningococcal infections	M	-	-	-	1	-	-	-	2	-	-	-	-
	F	-	-	-	1	-	-	1	1	1	-	-	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	1	-	-	-	1	3	-	-	-	1
9 Other infective, etc., diseases	M	-	3	9	25	6	7	7	4	5	-	-	4
	F	-	3	3	16	1	3	1	1	-	1	-	4
10 Malignant neoplasm: stomach	M	18	17	47	318	61	45	87	89	22	12	-	44
	F	9	14	41	236	44	30	63	58	21	9	2	35
11 lung, bronchus	M	30	49	105	1,197	154	113	224	209	74	27	8	110
	F	5	8	14	261	25	17	35	39	17	4	1	21
12 breast	M	-	-	-	2	3	-	1	1	-	-	-	1
	F	20	28	65	519	65	59	89	114	37	17	6	59
13 uterus	F	15	15	32	139	40	28	45	40	8	8	3	24
14 Other malignant and lymphatic neoplasms	M	53	61	178	1,265	253	165	274	286	105	51	8	182
	F	58	61	145	1,206	220	141	221	265	97	35	5	135
15 Leukaemia, aleukaemia	M	1	6	13	92	12	10	11	18	6	2	-	7
	F	1	5	9	79	8	7	11	18	9	-	-	3
16 Diabetes	M	5	5	19	43	15	9	18	24	5	1	2	13
	F	5	8	15	93	38	28	28	42	12	8	2	19
17 Vascular lesions of nervous system	M	83	103	256	900	286	177	380	434	124	46	17	229
	F	103	110	279	1,687	390	268	494	570	172	53	22	321
18 Coronary disease, angina	M	99	157	468	3,057	555	372	766	734	247	92	14	392
	F	66	105	228	1,842	350	241	492	429	166	77	21	200
19 Hypertension with heart disease	M	6	5	34	136	25	30	36	49	10	3	4	16
	F	5	18	44	261	38	46	52	67	9	5	4	30
20 Other heart disease	M	60	104	174	796	297	173	263	337	80	22	20	199
	F	90	147	248	1,361	449	284	376	406	109	37	22	281
21 Other circulatory disease	M	41	41	102	533	91	59	113	117	47	13	8	56
	F	43	49	95	723	134	74	124	139	44	12	9	66
22 Influenza	M	-	5	5	13	4	9	1	19	3	-	-	9
	F	1	2	8	5	6	11	2	24	1	-	2	6
23 Pneumonia	M	37	61	99	666	156	66	112	153	65	16	11	69
	F	33	69	77	743	171	61	140	153	78	22	11	85
24 Bronchitis	M	36	40	124	812	125	137	237	260	56	26	12	132
	F	21	22	52	350	46	28	74	101	24	14	4	50
25 Other diseases of respiratory system	M	2	11	24	140	21	9	30	48	18	3	2	20
	F	5	3	14	75	10	11	23	24	10	3	3	10
26 Ulcer of stomach and duodenum	M	6	5	18	108	21	13	14	23	5	4	3	18
	F	2	2	11	78	18	2	16	15	4	-	3	3
27 Gastritis, enteritis and diarrhoea	M	4	7	9	44	4	11	8	14	5	-	-	4
	F	2	3	8	86	12	12	17	21	5	3	-	8
28 Nephritis and nephrosis	M	3	3	12	52	7	7	15	19	3	2	1	16
	F	2	5	13	60	9	6	16	14	7	2	-	11
29 Hyperplasia of prostate	M	6	3	27	86	32	20	28	24	10	4	4	24
30 Pregnancy, childbirth, abortion	F	-	1	-	9	3	1	1	1	-	-	-	2
31 Congenital malformations	M	7	8	21	109	20	15	27	50	11	5	-	16
	F	6	11	25	86	14	20	29	36	11	6	1	20
32 Other defined and ill-defined diseases	M	39	61	148	788	173	105	222	254	85	34	13	151
	F	58	72	186	963	171	154	246	273	81	45	11	143
33 Motor vehicle accidents	M	19	24	61	209	42	42	68	77	34	9	4	33
	F	6	3	14	103	11	11	19	29	8	1	2	11
34 All other accidents	M	4	17	52	196	44	36	80	56	35	10	5	38
	F	10	14	28	174	63	51	103	42	29	11	4	31
35 Suicide	M	3	16	22	160	28	17	31	44	12	4	-	24
	F	3	2	11	103	18	17	20	20	8	3	1	12
36 Homicide, operations of war	M	-	1	-	1	1	1	-	-	1	1	-	1
	F	-	-	1	5	-	-	-	1	1	-	-	1

TABLE 21 - *continued* Administrative counties

Registrar General's Supplementary Abridged List		Lincolnshire (parts of Holland)	Lincolnshire (parts of Kesteven)	Lincolnshire (parts of Lindsey)	Middlesex	Norfolk	Northamptonshire	Northumberland	Nottinghamshire	Oxfordshire	Peterborough, Soke of	Rutland	Shropshire
9(1) Infectious hepatitis	M	-	2	2	6	1	-	1	2	-	-	-	1
	F	-	1	2	5	-	1	1	-	-	-	-	1
14(1) Malignant neoplasm, mouth and pharynx	M	1	5	5	40	11	3	15	12	3	1	-	11
	F	1	2	3	30	8	-	6	4	2	1	-	3
14(2) Malignant neoplasm, oesophagus	M	2	3	6	73	13	7	8	9	10	1	-	9
	F	7	1	7	55	10	11	13	13	11	1	1	9
14(3) Malignant neoplasm, intestine and rectum	M	11	18	58	316	66	49	72	77	29	13	1	51
	F	25	19	54	370	81	55	88	88	26	8	1	47
14(4) Malignant neoplasm, larynx	M	1	1	3	21	4	1	4	1	3	3	-	2
	F	-	1	1	6	3	2	6	1	2	-	-	-
13(1) Malignant neoplasm, cervix uteri	F	11	6	23	82	21	16	29	26	6	6	1	16
14(5) Malignant neoplasm, prostate	M	9	11	24	168	44	24	43	33	20	10	2	26
14(6) Malignant neoplasm, bladder	M	7	3	26	131	28	16	24	31	7	2	1	18
	F	2	2	4	45	4	7	9	15	2	2	-	7
14(7) Malignant neoplasm, bone (including jaw bone)	M	-	-	1	17	4	2	-	2	-	-	-	3
	F	1	3	-	10	2	-	2	4	1	-	-	2
14(8) Lymphosarcoma, reticulosarcoma	M	2	2	5	38	3	5	13	11	3	1	1	5
	F	-	-	3	33	3	3	7	5	4	-	1	-
14(9) Hodgkin's disease	M	2	3	4	32	5	4	7	8	1	2	-	3
	F	1	1	4	18	4	1	4	3	2	3	-	1
32(1) Thyrotoxicosis	M	-	-	-	2	-	-	-	-	-	1	-	1
	F	-	-	2	4	4	2	2	3	-	-	1	2
32(2) Multiple sclerosis	M	-	1	3	12	3	-	5	3	-	1	1	-
	F	1	1	4	26	2	2	4	8	7	-	-	6
32(3) Rheumatic fever	M	-	-	-	2	-	-	-	1	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1
20(1) Chronic rheumatic heart disease	M	1	5	8	102	10	17	17	28	6	2	1	6
	F	7	5	17	204	27	33	31	37	8	5	2	10
21(1) Hypertension without mention of heart	M	6	7	27	143	15	11	17	29	8	-	2	12
	F	5	11	18	163	13	20	20	26	9	-	5	15
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	-	1	-	36	4	-	10	16	3	-	-	5
	F	1	-	-	15	-	1	1	2	-	1	-	1
26(1) Ulcer of stomach	M	3	2	12	50	10	5	5	9	2	1	3	11
	F	-	2	7	50	14	2	9	10	3	-	3	2
32(4) Appendicitis	M	1	-	-	11	2	-	5	4	1	-	1	5
	F	3	-	1	11	-	4	3	-	2	-	-	1
32(5) Intestinal obstruction and hernia	M	5	5	11	64	20	3	18	20	3	3	-	8
	F	5	4	11	67	18	10	21	16	9	2	-	7
32(6) Cirrhosis of liver	M	-	-	5	30	4	7	12	9	2	1	1	5
	F	1	-	3	20	4	2	8	7	3	2	-	3
32(7) Cholelithiasis, cholecystitis	M	-	1	1	15	3	5	2	7	3	-	-	5
	F	1	4	6	34	3	9	13	11	2	1	-	1
30(1) Maternal sepsis (not abortion	F	-	-	-	3	-	-	-	1	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	1	-	-	-	-	-	-
30(3) Abortion	F	-	-	-	1	-	-	-	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	-	-	1	12	4	4	-	1	-	-	-	2
	F	1	3	5	28	5	5	7	9	2	1	-	6
32(9) Birth injury	M	3	1	5	47	2	6	13	14	8	1	-	18
	F	-	2	9	35	4	3	8	8	3	2	-	5
32(10) Postnatal asphyxia and atelectasis	M	4	8	12	94	10	13	15	14	7	6	1	4
	F	1	2	12	63	5	13	6	12	3	-	-	-
23(1) Pneumonia of newborn	M	-	1	10	16	3	2	-	3	-	1	-	-
	F	1	2	3	11	1	1	1	2	-	-	-	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	1	-	-	2	-	1	2	-	-	-	-	2
	F	-	1	1	1	-	-	-	1	1	-	-	-
32(12) Haemolytic disease of newborn	M	-	1	1	3	1	2	2	4	3	-	-	1
	F	-	1	1	3	1	1	4	7	-	-	1	1
32(13) Immaturity (without other disease peculiar to early infancy)	M	3	4	9	47	13	6	18	23	3	8	2	6
	F	6	2	5	43	9	10	5	15	6	5	-	6
32(14) Senility without psychosis	M	6	9	34	18	17	2	16	22	4	2	1	14
	F	24	20	42	57	26	13	31	34	8	11	1	20
32(15) Ill-defined and unknown cause	M	-	1	3	11	3	5	5	3	2	-	-	3
	F	-	2	-	5	1	3	5	-	-	1	1	-

TABLE 21 - *continued* Administrative counties

Registrar General's Abridged List		Somerset	Staffordshire	Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West	Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire
1 Tuberculosis, respiratory	M	11	21	7	2	30	11	18	16	2	2	13	9
	F	2	6	-	-	9	7	2	6	1	-	1	6
2 Tuberculosis, other	M	1	3	-	-	8	2	-	1	-	-	1	-
	F	1	1	1	-	5	2	2	-	1	-	1	2
3 Syphilitic disease	M	5	5	2	-	25	7	4	4	-	1	4	4
	F	2	5	1	-	24	4	8	2	-	1	1	3
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	1	-	-	-	1	-	-	1	-
	F	-	3	-	1	-	-	-	-	-	-	-	-
6 Meningococcal infections	M	1	1	2	-	-	-	-	-	-	1	2	1
	F	1	3	-	-	3	-	-	-	-	-	-	1
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
8 Measles	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	2	-	-	-	-	-	-	-	-	-	-
9 Other infective, etc., diseases	M	4	14	1	1	23	4	4	6	-	2	3	4
	F	5	12	7	-	18	7	6	9	3	1	4	4
10 Malignant neoplasm: stomach	M	86	146	32	19	191	55	62	79	8	9	62	60
	F	65	96	23	16	143	44	52	31	8	10	43	49
11 lung, bronchus	M	221	378	95	51	764	191	220	209	23	52	159	188
	F	30	51	18	14	155	42	44	39	4	9	29	26
12 breast	M	2	-	1	-	4	-	-	1	-	1	-	-
	F	131	191	54	32	380	129	137	106	12	27	97	103
13 uterus	F	52	71	17	9	104	36	38	41	5	8	31	35
14 Other malignant and lymphatic neoplasms	M	348	466	177	72	813	312	289	252	48	75	206	213
	F	321	426	121	71	842	303	306	215	43	69	197	261
15 Leukaemia, aleukaemia	M	19	34	9	8	53	16	19	17	2	4	19	15
	F	14	21	4	1	38	18	11	13	1	2	10	17
16 Diabetes	M	22	30	19	3	35	10	13	17	3	3	13	14
	F	28	44	26	3	65	21	22	39	2	6	15	24
17 Vascular lesions of nervous system	M	448	588	154	122	777	358	331	287	62	104	259	301
	F	616	796	261	136	1,391	700	552	426	100	134	349	463
18 Coronary disease, angina	M	760	1,116	358	193	2,004	682	675	657	116	171	515	546
	F	488	639	244	117	1,337	534	489	388	87	105	277	321
19 Hypertension with heart disease	M	52	77	13	6	88	40	32	33	4	16	30	29
	F	82	88	16	16	130	62	57	54	14	23	57	43
20 Other heart disease	M	309	554	153	66	614	258	281	229	45	78	261	239
	F	506	777	208	76	1,210	546	526	301	53	128	418	369
21 Other circulatory disease	M	158	180	59	30	350	110	113	123	19	31	96	82
	F	201	189	93	38	503	147	139	150	18	24	106	104
22 Influenza	M	9	28	-	1	5	2	-	17	-	1	5	8
	F	11	16	2	2	12	9	3	11	1	2	6	1
23 Pneumonia	M	151	260	76	33	455	117	189	163	18	36	118	142
	F	157	235	116	39	584	219	242	207	12	39	118	141
24 Bronchitis	M	170	470	46	48	527	167	161	194	22	45	144	215
	F	93	161	24	12	200	58	69	92	7	21	50	70
25 Other diseases of respiratory system	M	55	72	14	5	84	30	30	56	4	8	38	18
	F	19	29	7	3	56	12	26	14	1	4	13	8
26 Ulcer of stomach and duodenum	M	37	52	18	11	74	22	30	24	3	3	16	30
	F	12	19	9	2	52	17	20	15	1	3	16	12
27 Gastritis, enteritis and diarrhoea	M	17	27	2	3	27	13	4	12	-	1	10	11
	F	21	21	7	2	50	22	27	22	-	4	20	14
28 Nephritis and nephrosis	M	12	34	11	4	51	7	12	9	4	-	11	15
	F	10	23	7	6	44	13	13	15	2	1	8	13
29 Hyperplasia of prostate	M	31	53	19	4	73	22	20	26	1	8	23	27
30 Pregnancy, childbirth, abortion	F	1	6	1	-	4	3	3	1	-	1	2	1
31 Congenital malformations	M	24	74	15	12	99	16	20	40	1	8	30	27
	F	26	60	10	3	69	15	20	35	1	4	29	21
32 Other defined and ill-defined diseases	M	211	395	94	47	593	178	153	249	52	48	215	169
	F	318	440	107	72	821	234	271	229	47	70	213	261
33 Motor vehicle accidents	M	69	120	34	18	141	38	41	70	10	8	68	66
	F	12	44	11	8	81	20	19	22	5	3	16	23
34 All other accidents	M	53	130	31	17	156	53	38	56	16	10	54	57
	F	59	103	32	20	137	69	54	77	15	13	45	71
35 Suicide	M	34	68	15	7	88	27	30	34	3	7	28	24
	F	23	38	14	4	95	43	29	29	2	7	16	17
36 Homicide, operations of war	M	1	2	-	3	4	-	-	1	-	-	-	1
	F	1	3	1	-	2	2	-	1	-	-	2	1

TABLE 21 - *continued* Administrative counties

Registrar General's Supplementary Abridged List		Somerset	Staffordshire	Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West	Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire
9(1) Infectious hepatitis	M	1	1	-	-	8	-	1	1	-	-	-	1
	F	2	2	2	-	6	1	2	4	2	1	1	1
4(1) Malignant neoplasm, mouth and pharynx	M	12	13	9	6	45	7	11	8	1	4	6	6
	F	5	12	3	2	22	7	5	6	1	1	5	2
4(2) Malignant neoplasm, oesophagus	M	20	27	8	2	39	21	13	10	1	6	6	13
	F	19	22	7	3	46	12	20	8	5	3	10	10
4(3) Malignant neoplasm, intestine and rectum	M	82	127	49	16	191	71	74	70	15	24	62	61
	F	118	171	47	26	275	104	102	75	14	24	68	85
4(4) Malignant neoplasm, larynx	M	4	7	4	3	19	11	7	1	1	3	4	7
	F	1	1	2	-	2	3	2	-	-	1	1	2
3(1) Malignant neoplasm, cervix uteri	F	29	47	12	4	61	18	27	26	3	6	17	21
4(5) Malignant neoplasm, prostate	M	59	59	30	9	112	58	58	35	11	14	31	30
4(6) Malignant neoplasm, bladder	M	27	41	18	6	85	28	28	25	2	4	14	25
	F	15	17	4	1	41	10	14	9	1	3	6	11
4(7) Malignant neoplasm, bone (including jaw bone)	M	6	5	1	1	5	4	2	4	1	-	2	3
	F	4	7	4	1	8	4	2	2	2	-	3	4
4(8) Lymphosarcoma, reticulosarcoma	M	15	13	5	-	30	8	8	7	-	2	4	6
	F	6	7	3	3	15	4	11	3	2	2	3	6
4(9) Hodgkin's disease	M	8	4	1	-	13	3	6	11	1	2	1	3
	F	3	7	1	1	19	1	3	1	-	1	3	6
2(1) Thyrotoxicosis	M	-	3	-	-	1	-	1	2	-	-	1	-
	F	4	5	1	-	6	2	3	2	-	-	1	1
2(2) Multiple sclerosis	M	4	2	2	1	15	4	4	5	1	-	1	2
	F	4	7	4	4	17	7	6	7	1	2	2	9
2(3) Rheumatic fever	M	1	-	-	-	1	-	-	1	-	-	-	-
	F	1	1	-	-	2	1	-	2	-	-	-	1
0(1) Chronic rheumatic heart disease	M	23	47	7	7	68	13	17	19	-	3	15	14
	F	38	84	14	5	106	22	37	38	6	8	26	30
1(1) Hypertension without mention of heart	M	36	42	9	8	78	17	20	35	1	8	26	15
	F	49	37	13	6	97	19	13	28	7	2	30	10
5(1) Pneumoconiosis and chronic interstitial pneumonia	M	15	25	2	2	12	4	4	37	-	-	3	2
	F	-	5	2	-	7	2	2	2	-	-	1	-
6(1) Ulcer of stomach	M	21	27	10	7	34	13	11	13	3	-	8	17
	F	6	10	3	2	30	6	12	12	1	2	8	8
2(4) Appendicitis	M	3	2	1	2	9	3	1	4	-	-	5	3
	F	3	5	-	-	8	2	4	1	1	-	2	4
2(5) Intestinal obstruction and hernia	M	16	22	6	4	40	13	9	22	1	4	19	11
	F	21	22	14	4	54	15	16	21	6	6	9	18
2(6) Cirrhosis of liver	M	8	9	2	2	20	8	5	11	1	1	9	7
	F	6	12	1	2	22	8	9	7	-	2	4	8
2(7) Cholelithiasis, cholecystitis	M	2	6	3	1	10	2	6	-	3	1	1	5
	F	7	28	1	6	34	3	11	4	4	5	1	17
0(1) Maternal sepsis (not abortion	F	-	1	-	-	-	-	-	-	-	-	-	1
0(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	1	-	-	1	-	-	1	-
0(3) Abortion	F	-	2	-	-	1	2	-	-	-	-	-	-
2(8) Rheumatoid arthritis and allied conditions	M	2	3	1	2	7	3	1	5	1	-	2	4
	F	6	12	7	2	19	7	9	7	-	4	6	5
2(9) Birth injury	M	14	42	7	4	26	5	7	18	3	1	13	10
	F	8	13	1	5	13	2	6	6	2	-	7	7
2(10) Postnatal asphyxia and atelectasis	M	11	28	7	8	49	6	5	17	3	1	23	7
	F	9	20	2	3	23	1	6	14	2	-	12	17
3(1) Pneumonia of newborn	M	2	10	-	-	9	2	1	3	2	-	2	2
	F	-	6	1	-	5	-	-	1	-	-	2	3
2(11) Ophthalmia, pemphigus, sepsis of newborn	M	2	1	-	-	-	-	-	-	-	-	1	-
	F	-	1	-	-	1	-	-	-	-	-	1	-
2(12) Haemolytic disease of newborn	M	3	2	1	1	3	2	2	1	1	-	2	1
	F	-	3	1	-	2	-	-	1	-	-	-	-
2(13) Immaturity (without other disease peculiar to early infancy)	M	2	43	8	1	32	6	13	20	-	6	13	22
	F	5	18	4	5	32	7	13	8	1	-	7	14
2(14) Senility without psychosis	M	32	32	4	1	35	21	6	12	10	2	37	12
	F	84	76	9	7	129	36	29	37	11	7	62	33
2(15) Ill-defined and unknown cause	M	1	-	-	1	9	1	-	2	2	3	3	4
	F	4	6	-	2	8	-	2	-	-	1	2	1

TABLE 21 - *continued* Administrative counties

Registrar General's Abridged List		Yorkshire, East Riding	Yorkshire, North Riding	Yorkshire, West Riding	Anglesey	Breconshire	Caernarvonshire	Cardiganshire	Carmarthenshire	Denbighshire	Flintshire	Glamorganshire	Merionethshire
1 Tuberculosis, respiratory	M	5	13	71	1	1	14	3	10	3	6	49	6
	F	4	2	9	3	-	2	1	-	4	-	8	2
2 Tuberculosis, other	M	1	3	3	1	-	-	1	3	-	-	5	1
	F	1	1	1	-	-	2	1	1	1	1	1	1
3 Syphilitic disease	M	4	3	16	-	1	2	1	-	1	2	6	-
	F	2	5	7	-	1	2	-	-	1	-	3	1
4 Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
5 Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	1	-	-
6 Meningococcal infections	M	1	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	1	-
7 Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	1	-
8 Measles	M	-	1	1	1	-	1	-	-	-	-	-	-
	F	-	-	4	-	-	-	-	-	-	-	-	-
9 Other infective, etc., diseases	M	-	6	19	1	-	3	1	1	1	1	8	-
	F	-	2	19	3	-	1	2	3	2	1	5	-
10 Malignant neoplasm: stomach	M	39	69	259	15	8	40	14	32	49	31	171	10
	F	23	47	205	15	1	36	9	29	28	17	93	5
11 lung, bronchus	M	94	140	589	20	16	43	16	56	68	75	289	12
	F	23	19	96	2	4	8	4	6	13	5	28	-
12 breast	M	-	-	2	-	-	-	-	-	1	-	-	-
	F	47	90	321	14	6	46	18	33	42	31	131	12
13 uterus	F	17	57	163	7	8	14	9	14	20	11	77	4
14 Other malignant and lymphatic neoplasms	M	136	222	893	36	31	98	35	93	107	82	376	23
	F	138	207	816	21	30	89	32	94	101	93	348	24
15 Leukaemia, aleukaemia	M	9	16	64	3	1	7	1	4	7	4	26	1
	F	6	5	53	-	1	1	2	1	5	7	23	-
16 Diabetes	M	12	15	54	4	3	4	4	3	3	8	20	1
	F	19	19	108	4	6	10	5	9	16	4	52	3
17 Vascular lesions of nervous system	M	160	306	1,243	66	53	124	61	140	153	135	494	46
	F	226	450	1,731	54	62	168	74	165	237	194	689	64
18 Coronary disease, angina	M	352	643	2,480	57	97	211	88	328	276	231	1,226	77
	F	229	398	1,637	34	44	106	58	185	166	152	711	27
19 Hypertension with heart disease	M	9	21	130	1	7	8	5	21	17	14	84	3
	F	25	35	196	17	16	17	7	19	14	16	103	4
20 Other heart disease	M	153	241	852	33	53	85	43	84	94	70	385	31
	F	266	383	1,256	73	72	132	63	167	134	99	507	50
21 Other circulatory disease	M	59	102	417	17	21	44	13	48	39	29	163	11
	F	92	94	506	14	14	62	25	57	54	37	191	14
22 Influenza	M	2	4	16	-	3	3	-	4	6	3	20	2
	F	3	3	21	1	8	5	-	4	5	2	19	4
23 Pneumonia	M	58	109	452	12	15	25	10	46	49	43	224	5
	F	71	92	453	8	14	35	19	47	43	31	224	6
24 Bronchitis	M	87	139	851	17	24	66	11	69	84	83	490	9
	F	37	53	333	7	9	24	8	15	26	25	114	7
25 Other diseases of respiratory system	M	12	14	151	1	13	16	5	76	16	14	218	11
	F	5	12	64	4	1	4	2	14	15	7	38	-
26 Ulcer of stomach and duodenum	M	11	17	89	4	1	8	1	2	10	3	31	2
	F	9	10	42	5	3	4	-	2	7	1	18	1
27 Gastritis, enteritis and diarrhoea	M	3	6	46	1	-	7	3	4	5	6	13	1
	F	7	17	56	2	-	4	1	6	9	4	26	3
28 Nephritis and nephrosis	M	7	11	57	1	2	9	-	9	10	10	30	2
	F	10	13	57	2	2	3	1	4	7	4	25	6
29 Hyperplasia of prostate	M	10	33	73	4	2	11	4	15	15	14	44	2
30 Pregnancy, childbirth, abortion	F	-	2	13	1	-	1	-	2	-	-	4	1
31 Congenital malformations	M	8	30	97	2	3	12	5	11	8	11	46	-
	F	9	26	98	4	2	3	4	9	10	6	51	4
32 Other defined and ill-defined diseases	M	107	133	669	21	36	64	23	110	78	69	375	22
	F	134	153	832	48	27	60	44	96	83	94	442	25
33 Motor vehicle accidents	M	30	50	219	4	3	4	2	22	24	19	77	2
	F	12	11	95	2	1	3	1	5	6	9	20	2
34 All other accidents	M	27	74	265	8	9	18	3	25	18	17	104	5
	F	51	60	247	8	5	16	7	26	24	12	93	7
35 Suicide	M	11	29	117	4	1	10	4	5	22	8	31	2
	F	14	17	79	1	1	4	3	4	7	3	23	2
36 Homicide, operations of war	M	2	2	9	-	-	-	-	-	-	-	3	-
	F	3	1	6	-	-	-	-	-	-	1	7	-

TABLE 21 - *continued* Administrative counties

Registrar General's Supplementary Abridged List		Yorkshire, East Riding	Yorkshire, North Riding	Yorkshire, West Riding	Anglesey	Breconshire	Caernarvonshire	Cardiganshire	Carmarthenshire	Denbighshire	Flintshire	Glamorganshire	Merionethshire
9(1) Infectious hepatitis	M	-	-	6	-	-	1	-	-	-	-	-	-
	F	-	-	6	1	-	-	1	-	-	-	1	-
14(1) Malignant neoplasm, mouth and pharynx	M	5	12	34	2	-	5	2	3	6	3	13	-
	F	8	8	29	1	-	9	-	3	7	2	17	2
14(2) Malignant neoplasm, oesophagus	M	10	17	51	1	3	5	3	3	3	2	25	1
	F	9	11	19	5	3	4	4	8	5	9	21	5
14(3) Malignant neoplasm, intestine and rectum	M	40	66	241	12	8	28	10	27	34	29	113	7
	F	38	65	286	9	6	30	18	28	30	22	120	4
14(4) Malignant neoplasm, larynx	M	1	9	17	-	1	2	3	3	1	2	10	-
	F	1	2	6	-	-	-	-	-	-	2	2	-
13(1) Malignant neoplasm, cervix uteri	F	6	37	105	2	5	5	5	11	16	8	54	1
14(5) Malignant neoplasm, prostate	M	24	35	152	6	6	17	5	16	18	10	37	7
14(6) Malignant neoplasm, bladder	M	6	19	83	1	2	12	1	13	6	5	37	-
	F	4	7	31	1	1	1	-	5	6	2	9	1
14(7) Malignant neoplasm, bone (including jaw bone)	M	1	3	11	1	1	1	-	1	1	1	3	-
	F	-	1	4	-	-	-	1	1	-	1	6	-
14(8) Lymphosarcoma, reticulosarcoma	M	3	1	24	1	1	2	2	1	1	3	7	2
	F	1	9	11	-	1	3	-	2	2	3	11	-
14(9) Hodgkin's disease	M	3	4	12	1	1	-	-	4	1	1	7	1
	F	3	1	11	-	-	1	-	1	2	-	2	-
32(1) Thyrotoxicosis	M	-	-	1	-	-	1	-	-	-	-	2	-
	F	-	1	6	-	1	-	-	4	1	-	7	-
32(2) Multiple sclerosis	M	1	1	16	1	-	5	1	2	-	1	3	1
	F	3	8	18	1	-	2	1	2	-	2	10	-
32(3) Rheumatic fever	M	-	-	1	-	-	-	-	1	-	-	1	-
	F	-	2	3	-	-	-	-	1	-	-	-	-
20(1) Chronic rheumatic heart disease	M	6	15	86	3	1	7	3	12	13	10	45	2
	F	12	30	152	3	4	3	6	25	15	18	89	4
21(1) Hypertension without mention of heart	M	7	9	97	6	7	12	3	14	8	3	46	3
	F	15	8	91	5	1	12	6	13	10	6	45	1
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	1	3	54	-	9	11	4	46	8	7	152	7
	F	-	-	7	1	-	1	1	-	1	4	1	-
26(1) Ulcer of stomach	M	4	8	31	1	-	3	-	1	6	2	15	1
	F	5	7	20	1	2	3	-	1	4	-	10	1
32(4) Appendicitis	M	2	-	6	1	-	1	-	2	-	2	6	-
	F	1	2	6	-	-	-	2	-	2	1	2	2
32(5) Intestinal obstruction and hernia	M	9	15	52	3	5	5	1	6	8	3	15	3
	F	2	13	52	3	1	1	4	3	7	9	28	3
32(6) Cirrhosis of liver	M	4	4	24	-	1	4	2	6	5	6	11	-
	F	5	2	23	-	1	1	-	5	1	3	15	-
32(7) Cholelithiasis, cholecystitis	M	5	7	14	-	1	2	-	4	4	-	9	-
	F	5	10	30	2	1	1	2	7	5	3	17	1
30(1) Maternal sepsis (not abortion	F	-	1	3	-	-	1	-	-	-	-	1	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	-	-	-	-	-	-
30(3) Abortion	F	-	1	5	-	-	-	-	1	-	-	1	1
32(8) Rheumatoid arthritis and allied conditions	M	1	1	12	-	-	-	-	2	1	3	4	-
	F	3	5	23	3	2	1	4	2	5	-	8	1
32(9) Birth injury	M	2	7	43	-	4	-	1	5	2	3	21	1
	F	2	2	21	1	1	1	-	3	1	6	16	-
32(10) Postnatal asphyxia and atelectasis	M	5	14	67	2	2	2	3	6	9	6	33	1
	F	7	2	49	3	2	2	-	3	2	5	11	-
23(1) Pneumonia of newborn	M	2	1	18	-	-	-	-	1	1	-	13	-
	F	2	4	16	-	-	-	1	1	1	-	4	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	2	-	-	-	-	1	-	-	1	-
32(12) Haemolytic disease of newborn	M	-	3	5	-	-	-	-	1	1	1	4	-
	F	-	1	9	1	-	2	1	-	1	2	8	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	6	14	55	2	2	5	-	11	8	9	41	-
	F	6	11	34	5	2	2	1	6	6	8	29	1
32(14) Senility without psychosis	M	14	7	50	3	4	2	6	6	4	3	44	4
	F	28	19	88	5	2	3	8	11	8	15	89	11
32(15) Ill-defined and unknown cause	M	-	1	7	-	1	2	-	-	1	1	8	-
	F	1	-	4	-	-	1	-	-	-	1	5	1

TABLE 21 - *continued* Administrative counties

Registrar General's Abridged List		Monmouthshire	Montgomeryshire	Pembrokeshire	Radnorshire
1 Tuberculosis, respiratory	M	19	2	7	-
	F	5	2	4	1
2 Tuberculosis, other	M	2	-	-	-
	F	-	-	-	-
3 Syphilitic disease	M	4	-	-	-
	F	4	-	-	-
4 Diphtheria	M	-	-	-	-
	F	-	-	-	-
5 Whooping cough	M	2	-	-	-
	F	-	-	-	-
6 Meningococcal infections	M	1	-	-	-
	F	1	-	-	-
7 Acute poliomyelitis	M	-	-	-	-
	F	-	-	-	-
8 Measles	M	1	-	-	-
	F	-	1	-	-
9 Other infective, etc., diseases	M	4	1	2	-
	F	3	-	1	-
10 Malignant neoplasm: stomach	M	71	15	15	3
	F	42	5	14	5
11 lung, bronchus	M	144	12	34	3
	F	10	4	8	2
12 breast	M	3	1	-	-
	F	46	6	10	4
13 uterus	F	33	8	10	1
14 Other malignant and lymphatic neoplasms	M	182	27	35	10
	F	137	12	55	12
15 Leukaemia, aleukaemia	M	14	-	3	1
	F	9	3	3	-
16 Diabetes	M	14	-	3	2
	F	18	4	10	-
17 Vascular lesions of nervous system	M	222	38	87	21
	F	262	61	96	32
18 Coronary disease, angina	M	495	62	150	33
	F	287	25	81	29
19 Hypertension with heart disease	M	37	4	7	3
	F	39	3	11	2
20 Other heart disease	M	204	47	64	8
	F	280	45	74	16
21 Other circulatory disease	M	71	11	28	6
	F	77	10	33	5
22 Influenza	M	9	-	3	1
	F	11	-	5	3
23 Pneumonia	M	82	8	23	4
	F	84	10	20	7
24 Bronchitis	M	225	9	37	6
	F	70	7	17	4
25 Other diseases of respiratory system	M	35	1	5	1
	F	11	1	4	-
26 Ulcer of stomach and duodenum	M	20	2	10	-
	F	7	5	7	-
27 Gastritis, enteritis and diarrhoea	M	5	1	2	-
	F	4	1	6	1
28 Nephritis and nephrosis	M	15	6	3	1
	F	19	4	1	2
29 Hyperplasia of prostate	M	22	6	11	-
30 Pregnancy, childbirth, abortion	F	4	1	2	-
31 Congenital malformations	M	27	4	5	1
	F	19	2	1	1
32 Other defined and ill-defined diseases	M	164	19	51	11
	F	152	28	67	7
33 Motor vehicle accidents	M	35	7	7	3
	F	11	1	1	1
34 All other accidents	M	46	8	19	4
	F	44	7	26	4
35 Suicide	M	21	4	6	2
	F	9	1	2	-
36 Homicide, operations of war	M	-	-	-	-
	F	-	-	-	-

Registrar General's Supplementary Abridged List		Monmouthshire	Montgomeryshire	Pembrokeshire	Radnorshire
9(1) Infectious hepatitis	M	-	-	1	-
	F	-	-	-	-
14(1) Malignant neoplasm, mouth and pharynx	M	10	-	2	1
	F	6	-	2	1
14(2) Malignant neoplasm, oesophagus	M	10	5	-	-
	F	7	3	4	3
14(3) Malignant neoplasm, intestine and rectum	M	48	6	11	4
	F	42	3	19	3
14(4) Malignant neoplasm, larynx	M	6	1	-	-
	F	1	-	-	-
13(1) Malignant neoplasm, cervix uteri	F	23	5	9	-
14(5) Malignant neoplasm, prostate	M	25	3	8	2
14(6) Malignant neoplasm, bladder	M	16	2	2	1
	F	3	-	2	2
14(7) Malignant neoplasm, bone (including jaw bone)	M	2	1	1	-
	F	4	-	-	-
14(8) Lymphosarcoma, reticulosarcoma	M	4	1	2	-
	F	3	-	1	-
14(9) Hodgkin's disease	M	2	1	-	-
	F	3	-	2	-
32(1) Thyrotoxicosis	M	1	-	-	-
	F	1	1	2	-
32(2) Multiple sclerosis	M	3	-	2	-
	F	1	-	1	-
32(3) Rheumatic fever	M	-	-	-	-
	F	-	-	-	-
20(1) Chronic rheumatic heart disease	M	13	-	3	-
	F	42	4	3	-
21(1) Hypertension without mention of heart	M	14	2	9	1
	F	23	1	7	1
25(1) Pneumoconiosis and chronic interstitial pneumonia	M	27	-	2	1
	F	2	1	1	-
26(1) Ulcer of stomach	M	12	-	6	-
	F	5	3	7	-
32(4) Appendicitis	M	1	-	1	-
	F	3	-	-	-
32(5) Intestinal obstruction and hernia	M	8	3	3	2
	F	3	2	5	-
32(6) Cirrhosis of liver	M	5	-	3	-
	F	3	-	4	3
32(7) Cholelithiasis, cholecystitis	M	5	-	-	-
	F	3	1	4	-
30(1) Maternal sepsis (not abortion	F	1	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	1	-	-	-
30(3) Abortion	F	-	1	-	-
32(8) Rheumatoid arthritis and allied conditions	M	-	-	-	-
	F	3	-	3	-
32(9) Birth injury	M	9	-	3	1
	F	8	-	2	-
32(10) Postnatal asphyxia and atelectasis	M	22	-	6	-
	F	12	-	6	-
23(1) Pneumonia of newborn	M	1	-	1	-
	F	3	1	1	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	1	-
	F	1	-	1	-
32(12) Haemolytic disease of newborn	M	-	-	1	-
	F	-	-	-	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	25	1	3	1
	F	11	-	2	-
32(14) Senility without psychosis	M	11	4	5	1
	F	14	11	4	-
32(15) Ill-defined and unknown cause	M	-	-	1	-
	F	2	1	-	-

TABLE 22. Causes of death by month of occurrence, January to December, 1964

England and Wales

Note. 1 Totals for any period made up from this table will differ from the corresponding figures shown in other tables (except Table 16) which are tabulated according to date of registration.
2 Deaths occurring in the year but which were registered after 31st March of the following year are excluded.

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	ALL CAUSES	M	28,259	25,150	26,420	22,836	21,404	20,013	19,732	19,398	19,127	22,639	22,619	26,852
		F	27,496	23,478	25,093	22,367	20,257	18,511	19,102	18,278	18,063	20,932	21,574	24,515
001-138	I Infective and parasitic diseases	M	320	242	303	257	245	198	190	206	181	235	252	261
		F	179	119	130	116	102	110	129	104	105	129	120	149
001-008	Tuberculosis of respiratory system	M	207	147	183	160	150	107	114	113	97	129	142	146
		F	61	43	49	38	33	38	42	35	37	45	29	45
010	Tuberculosis of meninges and central nervous system	M	3	1	3	2	3	2	5	2	1	1	1	2
		F	2	3	-	3	1	2	2	1	2	1	-	1
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	M	1	-	-	2	1	1	1	-	-	1	-	2
		F	3	-	1	1	3	1	2	2	1	-	-	-
012, 013	Tuberculosis of bones and joints	M	2	2	3	2	2	3	5	4	-	-	1	3
		F	4	1	2	1	1	2	6	3	4	5	1	1
014-019	Tuberculosis, all other forms	M	8	4	6	6	5	9	7	5	9	5	9	7
		F	13	4	2	8	10	5	8	4	3	2	5	5
020-029	Syphilis and its sequelae	M	44	43	43	45	38	32	28	39	40	53	41	50
		F	35	22	25	26	11	12	25	24	24	31	26	36
030-039	Gonococcal infection and other venereal diseases	M	-	-	-	1	2	1	-	1	-	1	1	2
		F	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	M	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	1	-	-	-	-	-	-	-	-	-	-
041	Paratyphoid fever	M	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-
042	Other Salmonella infections	M	-	-	-	-	1	1	1	-	-	2	1	-
		F	-	-	-	-	1	2	3	1	-	-	2	-
044	Brucellosis (undulant fever)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
045	Bacillary dysentery	M	-	-	-	-	-	-	-	1	-	-	-	2
		F	2	2	-	1	1	2	1	-	-	1	-	-
048	Unspecified forms of dysentery	M	-	-	-	-	-	-	-	-	1	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
049	Food poisoning (infection and intoxication)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	2	-	-	-	-	-
050	Scarlet fever	M	1	-	1	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
051	Streptococcal sore throat	M	2	-	-	2	1	-	1	-	-	-	-	-
		F	-	-	1	-	-	-	-	1	-	-	-	-
052	Erysipelas	M	1	1	1	-	-	-	1	-	-	-	1	-
		F	-	-	-	1	-	-	-	-	-	-	-	1
053, 054	Septicaemia, pyaemia, and bacterial toxaemia	M	13	6	5	4	7	5	4	9	6	2	7	9
		F	5	5	2	7	5	4	4	6	3	4	5	8
055	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	M	3	1	2	4	-	-	3	2	4	-	1	1
		F	2	1	5	1	2	-	-	1	2	2	3	3
057	Meningococcal infections	M	7	8	7	4	5	4	1	2	2	4	2	8
		F	7	5	2	4	3	2	3	2	1	4	8	7
061	Tetanus	M	-	-	1	1	3	2	-	1	2	1	2	-
		F	-	1	1	1	2	1	-	-	1	1	-	-
070	Vincent's infection	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	-	-	-	-	-	-	-	-	-
072	Leptospirosis icterohaemorrhagica (Weil's disease)	M	1	-	1	-	-	-	1	-	-	2	1	-
		F	-	1	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	M	-	-	1	-	-	-	-	-	-	1	-	-
		F	-	-	1	-	1	-	-	-	-	-	-	-
081	Late effects of acute poliomyelitis	M	1	2	2	1	2	1	1	1	1	1	1	2
		F	-	1	-	-	1	2	1	1	-	2	1	-
082	Acute infectious encephalitis	M	3	7	5	5	3	4	1	6	4	7	3	6
		F	3	2	5	2	4	4	6	3	3	3	5	3
083	Late effects of acute infectious encephalitis	M	4	2	7	3	3	2	3	5	1	7	12	2
		F	6	4	2	4	-	4	1	1	-	3	2	7
084	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	M	-	1	6	3	4	1	-	3	-	2	5	5
		F	2	1	5	1	2	4	4	3	3	-	8	9
086	Rubella (German measles)	M	-	-	-	-	-	-	1	-	-	-	1	-
		F	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 22 - *continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
087	Chickenpox	M	3	2	-	-	1	2	-	1	1	1	1	3
		F	3	2	4	1	2	-	-	-	-	2	-	-
088	Herpes zoster	M	1	1	-	-	2	2	1	1	2	1	1	-
		F	5	-	1	1	4	3	-	4	1	5	4	6
089	Mumps	M	-	-	2	-	1	-	-	-	-	-	-	-
		F	1	1	-	-	2	1	-	1	-	-	-	-
092	Infectious hepatitis	M	4	2	15	9	8	14	4	5	5	5	10	1
		F	9	7	11	10	9	8	13	7	11	10	12	8
093	Glandular fever (infectious mononucleosis)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-	-	1
096	Other diseases attributable to viruses	M	1	-	2	-	1	1	-	2	3	1	3	-
		F	2	1	3	3	-	2	2	-	1	-	3	-
100-108	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	M	1	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of 001-138	All other diseases classified as infective and parasitic	M	9	12	7	3	2	4	6	2	2	7	5	9
		F	14	10	8	2	4	10	4	3	8	8	6	8
140-239	**II Neoplasms**	**M**	**4,902**	**4,611**	**4,805**	**4,450**	**4,684**	**4,600**	**4,750**	**4,669**	**4,580**	**5,031**	**4,741**	**5,127**
		F	**4,274**	**3,965**	**4,048**	**3,783**	**4,129**	**3,886**	**4,204**	**4,156**	**4,047**	**4,195**	**4,227**	**4,296**
140-148	Malignant neoplasm of buccal cavity and pharynx	M	96	74	100	68	81	72	100	76	84	80	95	95
		F	61	58	64	38	52	56	46	53	48	46	65	67
150	Malignant neoplasm of oesophagus	M	105	111	100	109	106	102	115	130	108	118	107	138
		F	99	92	90	85	126	76	113	90	113	104	110	94
151	Malignant neoplasm of stomach	M	625	624	650	614	618	637	624	646	574	675	583	631
		F	468	461	491	434	457	432	485	469	454	461	454	496
152-154	Malignant neoplasm of intestine, including rectum	M	547	587	538	520	574	571	581	539	543	597	540	561
		F	710	633	678	632	692	635	692	754	684	719	684	663
155, 156	Malignant neoplasm of biliary passages and of liver	M	69	80	86	78	90	75	80	76	88	86	91	71
		F	100	86	109	76	95	93	107	100	101	96	114	122
157-159	Malignant neoplasm of pancreas, peritoneum, and unspecified digestive organs	M	189	217	213	194	197	221	217	204	195	225	224	237
		F	190	188	200	171	188	180	202	183	170	186	192	192
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	M	11	10	13	13	13	6	5	16	12	10	11	6
		F	8	9	8	10	10	3	15	9	8	7	9	11
161	Malignant neoplasm of larynx	M	68	38	39	39	54	41	46	36	50	50	52	58
		F	14	12	12	14	15	10	14	16	12	7	8	9
162-165	Malignant neoplasm of lung and bronchus, trachea, mediastinum, and of thoracic organs (secondary)	M	1,909	1,756	1,827	1,644	1,751	1,708	1,757	1,783	1,742	1,877	1,798	1,983
		F	340	305	291	290	338	321	351	324	350	347	330	340
170	Malignant neoplasm of breast	M	6	9	9	7	5	7	3	4	6	11	4	13
		F	910	795	812	789	799	788	821	797	786	850	842	868
171-174	Malignant neoplasm of uterus	F	335	352	323	308	364	314	331	314	334	302	348	361
175, 176	Malignant neoplasm of other and unspecified female genital organs	F	330	305	305	298	288	301	323	310	288	314	295	311
177	Malignant neoplasm of prostate	M	353	264	316	325	298	271	304	295	304	312	325	357
178, 179	Malignant neoplasm of other and unspecified male genital organs	M	22	29	30	29	33	30	29	28	27	31	32	31
180	Malignant neoplasm of kidney	M	71	69	66	82	75	65	60	72	77	82	78	64
		F	35	43	40	33	52	46	51	52	47	52	49	51
181	Malignant neoplasm of bladder and other urinary organs	M	198	189	194	179	187	183	223	179	185	209	227	221
		F	78	73	85	71	81	85	81	79	78	86	97	99
190, 191	Malignant neoplasm of skin	M	34	30	28	30	46	35	33	40	33	35	31	33
		F	48	31	34	40	38	48	45	44	45	50	46	40
193	Malignant neoplasm of brain and other parts of nervous system	M	91	100	111	103	98	110	87	90	102	91	92	96
		F	74	79	60	70	64	69	71	68	74	51	69	69
196	Malignant neoplasm of bone (including jaw bone)	M	27	18	18	15	24	16	29	30	18	18	25	24
		F	20	15	18	24	23	18	26	24	15	20	25	24
201	Hodgkin's disease	M	39	40	41	34	40	53	39	45	39	44	35	40
		F	34	26	26	30	27	26	19	34	24	35	36	32
204	Leukaemia and aleukaemia	M	145	118	150	115	127	109	135	110	129	166	117	145
		F	124	111	105	83	105	98	101	107	114	129	106	125
Remainder of 140-205	Malignant neoplasm of all other and unspecified sites, including other neoplasms of lymphatic and haemato-poietic tissues	M	225	193	215	203	216	220	235	219	208	247	212	253
		F	222	238	241	225	248	214	248	267	222	270	278	260

TABLE 22 - *continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
210	Benign neoplasm of buccal cavity and pharynx	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	1	-	-	-	-	-	-	-	-
211	Benign neoplasm of other parts of digestive system	M	1	2	3	1	5	2	-	2	1	2	1	3
		F	3	1	-	2	1	1	1	-	1	6	1	-
212	Benign neoplasm of respiratory system	M	1	4	3	3	3	2	1	4	-	3	-	5
		F	1	-	2	1	3	-	1	-	1	-	2	1
213	Benign neoplasm of breast	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
214-217	Benign neoplasm of female genital organs	F	16	6	11	11	10	9	13	13	21	9	14	6
218	Benign neoplasm of male genital organs	M	-	-	-	-	-	-	-	-	-	2	-	-
219	Benign neoplasm of kidney and other urinary organs	M	8	4	1	2	6	3	9	3	5	1	7	10
		F	2	1	1	-	4	2	2	2	3	3	1	3
220-222	Benign neoplasm of skin	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	1	-	-	-	-	-	-	-	-
223	Benign neoplasm of brain and other parts of nervous system	M	15	10	12	8	9	14	7	8	18	14	7	11
		F	10	14	16	16	13	23	16	8	17	12	17	17
224-229	Benign neoplasm of all other and unspecified organs and tissues	M	10	9	7	10	9	5	4	2	4	12	11	5
		F	12	8	9	5	7	5	5	6	13	10	8	7
230-239	Neoplasm of unspecified nature	M	36	26	35	25	19	42	27	32	28	33	36	36
		F	30	22	17	25	29	33	24	33	24	23	27	28
240-289	**III Allergic, endocrine system, metabolic, and nutritional diseases**	**M**	**265**	**236**	**245**	**210**	**208**	**204**	**200**	**221**	**195**	**220**	**203**	**246**
		F	**480**	**384**	**473**	**389**	**339**	**338**	**328**	**323**	**314**	**383**	**366**	**416**
241	Asthma	M	65	45	63	61	68	71	65	85	72	50	64	69
		F	101	76	94	68	93	89	90	93	81	84	73	81
Remainder of 240-245	Other allergic disorders	M	2	3	3	2	2	2	1	1	1	4	1	4
		F	2	1	4	1	4	1	2	-	2	1	1	-
250	Simple goitre	M	-	-	-	-	-	-	1	-	-	1	-	-
		F	1	1	3	1	2	1	-	-	2	1	4	-
251	Non-toxic nodular goitre	M	-	1	3	-	-	-	-	-	-	-	-	-
		F	1	-	2	1	-	-	1	1	2	-	-	1
252	Thyrotoxicosis with or without goitre	M	6	4	2	3	4	3	-	5	2	5	1	5
		F	21	19	21	21	19	17	17	15	11	14	14	17
253, 254	Other diseases of thyroid gland	M	7	3	4	2	1	3	6	3	2	7	3	9
		F	35	29	34	25	17	16	30	12	15	23	27	32
260	Diabetes mellitus	M	146	149	137	109	110	93	100	110	97	127	109	127
		F	270	222	253	220	186	192	156	177	177	219	216	232
270-277	Diseases of other endocrine glands	M	16	4	12	12	11	12	13	2	9	9	10	10
		F	14	15	22	17	3	7	12	8	6	12	10	17
280-286	Avitaminoses, and other deficiency states	M	3	4	6	7	1	3	4	4	5	4	3	6
		F	11	3	9	11	5	4	5	5	5	7	7	12
287	Obesity, not specified as of endocrine origin	M	5	8	5	4	3	6	1	1	2	2	3	5
		F	16	15	21	15	4	7	10	8	6	11	8	15
288	Gout	M	1	2	-	1	-	1	3	-	-	2	2	2
		F	-	-	1	2	1	-	-	-	-	-	1	-
289	Other metabolic diseases	M	14	13	10	9	8	10	6	10	5	9	7	9
		F	8	3	9	7	5	4	5	4	7	11	5	9
290-299	**IV Diseases of the blood and blood-forming organs**	**M**	**75**	**53**	**61**	**51**	**64**	**73**	**75**	**68**	**73**	**68**	**60**	**54**
		F	**89**	**99**	**110**	**88**	**92**	**108**	**102**	**152**	**93**	**103**	**115**	**105**
290	Pernicious and other hyperchromic anaemias	M	17	12	20	5	18	19	17	15	17	19	12	15
		F	33	32	43	34	28	41	33	49	40	32	41	44
291	Iron deficiency anaemias (hyperchromic anaemias)	M	11	6	4	7	5	10	8	10	5	10	9	6
		F	17	14	18	18	20	14	20	22	17	16	18	18
292, 293	Other anaemias	M	31	21	25	20	24	19	28	23	29	27	24	20
		F	25	36	33	27	31	36	30	54	30	48	36	30
294-299	Other diseases of blood and blood-forming organs	M	16	14	12	19	17	25	22	20	22	12	15	13
		F	14	17	16	9	13	17	19	27	6	7	20	13
300-326	**V Mental, psychoneurotic, and personality disorders**	**M**	**50**	**32**	**49**	**40**	**30**	**33**	**33**	**32**	**27**	**37**	**51**	**50**
		F	**78**	**79**	**51**	**57**	**45**	**46**	**43**	**36**	**43**	**52**	**57**	**61**
300-309	Psychoses	M	41	25	36	27	23	27	25	23	23	28	34	36
		F	67	66	45	52	37	40	34	30	40	45	47	50
310-326	Psychoneuroses, and disorders of personality, including mental deficiency	M	9	7	13	13	7	6	8	9	4	9	17	14
		F	11	13	6	5	8	6	9	6	3	7	10	11
330-398	**VI Diseases of the nervous system and sense organs**	**M**	**3,256**	**2,950**	**3,227**	**2,782**	**2,499**	**2,363**	**2,367**	**2,285**	**2,268**	**2,659**	**2,741**	**3,174**
		F	**4,876**	**4,219**	**4,518**	**4,164**	**3,735**	**3,471**	**3,483**	**3,362**	**3,226**	**3,858**	**3,909**	**4,490**

TABLE 22 - *continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
330-334	Vascular lesions affecting central nervous system	M	3,004	2,695	2,941	2,550	2,293	2,163	2,142	2,077	2,084	2,457	2,499	2,897
		F	4,558	3,950	4,222	3,889	3,489	3,253	3,230	3,104	2,996	3,616	3,628	4,199
340	Meningitis, except meningococcal and tuberculous													
340·0	H· influenzae	M	3	3	1	1	2	2	-	1	-	3	3	1
		F	3	1	3	1	1	-	1	-	-	2	4	2
340·1	Pneumococcus	M	5	4	7	8	8	5	4	4	3	4	9	6
		F	8	9	5	7	5	8	4	2	1	1	5	3
340·2	Due to other specified organism	M	1	4	1	4	8	1	5	4	3	3	9	5
		F	2	3	2	2	2	11	6	5	2	3	-	3
340·3	Unspecified cause	M	14	9	14	12	13	7	11	9	8	5	6	1
		F	10	5	8	10	2	3	4	6	7	11	9	7
341-344	Other inflammatory diseases of central nervous system	M	20	15	21	13	16	14	12	9	19	17	7	13
		F	8	9	11	10	11	17	14	11	12	9	13	16
345	Multiple sclerosis	M	36	27	29	37	23	25	19	31	25	27	25	21
		F	63	27	39	43	42	49	47	50	36	35	49	52
350	Paralysis agitans	M	53	73	73	43	39	47	66	59	34	48	67	76
		F	96	84	78	86	73	55	74	78	61	74	82	86
351, 352	Cerebral spastic infantile paralysis, and other cerebral paralysis	M	30	37	33	28	21	21	24	15	25	19	31	33
		F	39	43	53	32	39	26	38	44	39	30	38	43
353	Epilepsy	M	32	29	36	29	22	25	23	25	19	23	31	43
		F	28	20	28	29	25	11	22	22	22	19	25	11
354-357	Other diseases of central nervous system	M	43	35	56	40	44	38	49	38	42	45	44	52
		F	43	37	48	42	31	25	38	38	41	45	49	43
365	Erythroedema polyneuritica	M	1	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	
360-364, 366-369	Other diseases of nerves and peripheral ganglia	M	4	2	2	7	3	5	5	-	3	1	3	
		F	7	6	6	6	2	5	-	2	1	4	3	
370-379	Inflammatory diseases of eye	M	2	-	-	1	-	-	-	-	-	-	-	
		F	2	-	-	1	1	-	-	-	-	-	-	
380-389	Other diseases and conditions of eye	M	-	3	1	3	1	2	1	2	-	1	1	
		F	2	4	5	3	3	3	2	-	4	4	1	
390-398	Diseases of ear and mastoid process	M	8	14	12	6	6	8	6	11	3	6	6	
		F	7	21	10	3	9	5	3	-	4	5	3	
400-468	**VII Diseases of the circulatory system**	**M**	**10,134**	**9,300**	**9,741**	**8,474**	**8,105**	**7,562**	**7,219**	**7,046**	**7,095**	**8,394**	**8,459**	**10,37**
		F	**10,269**	**8,652**	**9,572**	**8,444**	**7,527**	**6,710**	**6,893**	**6,450**	**6,585**	**7,777**	**8,011**	**9,33**
400-402	Rheumatic fever	M	1	2	2	4	1	4	4	3	2	2	5	
		F	4	4	-	3	4	2	2	3	-	3	4	
410-416	Chronic rheumatic heart disease	M	210	215	180	162	174	169	156	139	147	181	187	20
		F	421	355	421	344	309	266	287	281	299	344	356	35
420	Arteriosclerotic heart disease, including coronary disease	M	6,191	5,616	5,947	5,306	5,210	4,912	4,724	4,675	4,713	5,520	5,538	6,71
		F	4,149	3,542	3,938	3,404	3,243	2,965	3,000	2,829	2,949	3,492	3,505	4,17
421	Chronic endocarditis not specified as rheumatic	M	141	136	144	118	115	99	104	101	98	115	118	13
		F	145	119	130	103	104	78	96	91	99	103	96	13
422	Other myocardial degeneration	M	1,532	1,344	1,437	1,143	1,060	938	825	811	816	1,028	973	1,26
		F	2,687	2,297	2,446	2,111	1,797	1,579	1,662	1,489	1,479	1,768	1,812	2,06
430	Acute and sub-acute endocarditis	M	20	16	21	10	12	21	12	13	10	17	17	1
		F	8	13	10	12	10	11	17	7	7	9	15	
431	Acute myocarditis not specified as rheumatic	M	9	2	9	3	3	7	3	2	11	8	12	
		F	7	4	4	5	4	5	7	4	3	5	6	
432	Acute pericarditis specified as non-rheumatic	M	2	1	1	-	2	1	1	-	-	2	-	
		F	1	2	1	1	4	1	-	-	-	-	2	
433	Functional disease of heart	M	164	138	148	135	115	111	128	112	82	113	112	18
		F	339	250	259	228	216	179	208	170	159	204	217	23
434	Other and unspecified diseases of heart	M	458	457	415	359	328	293	290	258	299	304	321	43
		F	561	443	462	492	381	309	327	331	284	337	388	47
440-447	Hypertensive disease	M	617	564	596	476	430	366	400	353	350	426	461	56
		F	842	681	787	690	591	521	512	529	498	593	623	72
450	General arteriosclerosis	M	448	461	466	379	343	290	309	265	269	325	364	41
		F	671	577	665	612	527	464	453	413	452	505	556	67
451-456	Other diseases of arteries	M	201	192	222	196	180	206	136	193	157	181	186	24
		F	169	147	160	170	121	113	115	128	133	180	145	19
460-466	Diseases of veins	M	136	151	147	176	129	142	119	118	137	168	162	18
		F	262	209	285	262	211	213	204	172	217	225	284	21
467	Other diseases of circulatory system	M	3	5	5	7	2	3	7	1	4	4	3	
		F	3	8	3	5	4	4	3	3	3	7	2	

TABLE 22 - *continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
468	Certain diseases of lymph nodes and lymph channels	M	1	-	1	-	1	-	1	2	-	-	-	-
		F	-	1	1	2	1	-	-	-	3	2	-	2
470-527	**VIII Diseases of the respiratory system**	**M**	**5,717**	**4,532**	**4,533**	**3,441**	**2,384**	**2,042**	**1,940**	**1,836**	**1,875**	**2,735**	**3,178**	**4,160**
		F	**4,040**	**3,025**	**3,135**	**2,511**	**1,596**	**1,301**	**1,365**	**1,187**	**1,191**	**1,724**	**2,099**	**2,609**
470-475	Acute upper respiratory infections	M	4	7	5	5	1	5	5	3	1	6	4	3
		F	6	10	8	5	3	4	2	4	7	2	7	4
480-483	Influenza	M	91	125	110	46	12	8	1	7	5	20	28	39
		F	116	124	143	51	12	8	7	1	6	15	27	33
490	Lobar pneumonia	M	246	179	195	149	121	92	72	91	83	105	140	172
		F	227	144	164	137	78	71	74	73	50	99	105	136
491	Bronchopneumonia	M	1,532	1,249	1,331	1,057	785	662	611	590	596	852	887	1,178
		F	1,920	1,478	1,605	1,320	880	743	788	674	719	980	1,130	1,293
492	Primary atypical pneumonia	M	31	14	10	20	15	13	14	12	13	18	18	25
		F	16	14	13	15	10	7	10	7	7	7	12	28
493	Pneumonia, other and unspecified	M	73	80	55	69	42	29	32	31	32	49	51	73
		F	73	64	58	59	38	32	42	27	30	47	49	72
500	Acute bronchitis	M	171	159	130	112	61	38	34	36	36	56	85	133
		F	264	177	157	123	42	33	35	29	37	58	87	127
501	Bronchitis unqualified	M	120	111	102	78	46	29	37	27	35	39	53	75
		F	156	99	95	65	47	19	25	25	32	38	56	82
502	Chronic bronchitis	M	3,023	2,239	2,219	1,609	1,104	958	937	856	900	1,310	1,611	2,131
		F	1,057	738	731	596	365	295	282	248	220	350	500	656
510	Hypertrophy of tonsils and adenoids	M	1	-	-	1	-	-	1	-	-	-	-	2
		F	-	-	1	-	-	-	-	-	-	-	-	-
511-517	Other diseases of upper respiratory tract	M	4	6	2	3	2	1	2	4	4	7	7	7
		F	4	5	3	1	4	1	2	-	3	2	3	5
518-522	Empyema, pleurisy, and pneumothorax	M	36	41	41	39	27	30	31	31	25	39	34	31
		F	55	49	53	54	48	34	33	41	31	50	46	49
523, 524	Silicosis and occupational pulmonary fibrosis	M	98	73	74	59	39	35	33	37	35	49	63	58
		F	-	2	1	1	-	1	1	1	1	1	1	1
525	Other chronic interstitial pneumonia	M	30	30	27	26	18	24	18	16	23	32	25	28
		F	22	20	18	12	12	9	12	8	11	16	7	20
526	Bronchiectasis	M	116	108	117	74	56	49	63	39	41	73	79	97
		F	88	65	55	44	31	22	32	31	20	33	46	67
527	Other diseases of lung and pleural cavity	M	141	111	115	94	55	69	49	56	46	80	93	108
		F	36	36	30	28	26	22	20	18	17	26	23	36
530-587	**IX Diseases of the digestive system**	**M**	**780**	**687**	**677**	**623**	**583**	**560**	**516**	**519**	**519**	**609**	**556**	**777**
		F	**717**	**650**	**685**	**638**	**581**	**548**	**593**	**601**	**568**	**614**	**591**	**719**
530-539	Diseases of buccal cavity and oesophagus	M	12	7	17	9	4	9	11	11	9	14	5	8
		F	13	13	23	8	10	18	13	9	6	15	12	12
540	Ulcer of stomach	M	152	132	120	113	90	76	76	74	83	90	107	126
		F	89	93	77	81	64	55	61	50	64	60	62	89
541	Ulcer of duodenum	M	178	134	127	119	107	100	83	83	73	97	95	136
		F	71	48	51	50	40	36	42	33	25	43	36	49
542	Gastrojejunal ulcer	M	-	1	3	3	2	1	1	-	3	-	1	3
		F	-	-	1	-	-	1	1	2	-	1	1	1
543	Gastritis and duodenitis	M	-	5	3	2	4	2	1	4	2	1	3	2
		F	3	2	3	2	5	2	6	2	3	1	1	6
544	Disorders of function of stomach	M	2	1	1	2	1	-	1	1	-	-	1	2
		F	3	-	-	-	-	-	2	-	-	-	-	1
545	Other diseases of stomach and duodenum	M	10	9	10	6	9	11	3	5	7	11	10	14
		F	6	5	2	6	2	3	3	2	1	5	1	5
550-553	Appendicitis	M	27	16	16	24	28	20	15	22	29	28	19	27
		F	19	13	19	16	15	15	24	19	15	18	23	28
560, 561	Hernia of abdominal cavity	M	70	71	64	49	57	40	54	56	46	62	45	74
		F	91	73	83	66	55	57	50	50	66	61	70	81
570	Intestinal obstruction, without mention of hernia	M	61	55	54	70	59	60	59	57	57	60	45	72
		F	76	75	72	74	61	66	58	71	84	70	55	83
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M	51	56	44	30	45	22	16	28	26	33	38	59
		F	59	42	53	37	47	46	40	40	32	40	48	53
572-578	Other diseases of intestines and peritoneum	M	62	71	87	71	62	66	75	60	69	70	52	90
		F	116	104	111	126	104	95	113	134	97	130	105	124
580-583	Diseases of liver	M	76	72	59	64	43	74	54	56	55	78	80	88
		F	55	69	71	68	68	72	72	78	56	62	75	79
584-586	Diseases of gallbladder and biliary ducts	M	41	27	39	33	44	40	36	35	42	30	30	43
		F	72	70	76	69	77	61	81	82	87	78	66	67

TABLE 22 - *continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
587	Diseases of pancreas	M	38	30	33	28	28	39	31	27	18	35	25	33
		F	44	43	43	35	33	21	27	29	32	30	36	41
590-637	**X Diseases of the genito-urinary system**	**M**	**567**	**463**	**535**	**486**	**460**	**413**	**460**	**437**	**411**	**500**	**439**	**481**
		F	**356**	**335**	**335**	**368**	**336**	**331**	**307**	**314**	**314**	**341**	**297**	**381**
590	Acute nephritis	M	10	6	1	8	5	6	7	7	3	1	3	3
		F	8	6	2	5	5	4	-	3	3	5	2	4
591-594	Chronic, other and unspecified nephritis	M	146	116	149	132	123	101	122	116	90	121	117	126
		F	124	110	136	131	114	115	114	107	93	109	85	118
600-609	Other diseases of urinary system	M	172	122	156	136	146	132	144	130	147	169	141	138
		F	213	205	187	219	211	198	179	187	202	211	189	243
610	Hyperplasia of prostate	M	231	215	223	202	180	168	185	181	166	201	174	212
611-617	Other diseases of male genital organs	M	8	4	6	8	6	6	2	3	5	8	4	2
620, 621	Diseases of breast	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-	-	1	-	-
622-626	Diseases of ovary, Fallopian tube, and parametrium	F	2	4	2	2	1	5	1	4	6	2	3	5
630-637	Diseases of uterus and other female genital organs	F	8	10	8	10	5	9	13	13	10	13	18	11
640-689	**XI Deliveries and complications of pregnancy, childbirth and the puerperium**	**F**	**19**	**17**	**23**	**22**	**19**	**17**	**18**	**18**	**19**	**12**	**17**	**20**
640	Pyelitis and pyelonephritis of pregnancy	F	-	-	-	-	-	-	-	-	-	-	-	-
641	Other infections of genito-urinary tract during pregnancy	F	-	-	-	-	-	-	-	-	-	-	-	-
642	Toxaemias of pregnancy	F	2	2	5	4	1	2	3	2	4	-	2	2
643-649	Other complications of pregnancy	F	2	2	4	6	2	3	4	4	2	4	6	2
650-652	Abortion	F	4	3	4	4	4	1	3	4	8	1	3	6
660-678	Delivery	F	5	7	5	4	8	6	7	5	4	4	3	5
680	Puerperal urinary infection without other sepsis	F	-	-	-	-	-	-	-	1	-	-	-	-
681, 683	Sepsis of childbirth and the puerperium, and pyrexia of unknown origin during the puerperium	F	1	1	1	2	-	1	-	-	-	2	2	-
682	Puerperal phlebitis and thrombosis	F	3	2	1	1	2	2	-	-	1	-	-	4
684	Puerperal pulmonary embolism	F	-	-	2	-	1	-	1	1	-	1	-	-
685, 686	Puerperal toxaemia	F	1	-	-	1	-	1	-	-	-	-	1	-
687	Cerebral haemorrhage in the puerperium	F	1	-	-	-	-	-	-	-	-	-	-	-
688, 689	Other complications of puerperium	F	-	-	1	-	1	1	-	1	-	-	-	1
690-716	**XII Diseases of the skin and cellular tissue**	**M**	**18**	**14**	**12**	**16**	**12**	**14**	**12**	**10**	**18**	**20**	**12**	**15**
		F	**20**	**16**	**21**	**23**	**23**	**23**	**19**	**19**	**17**	**27**	**16**	**23**
690-698	Infections of skin and subcutaneous tissue	M	6	8	7	8	4	5	6	3	5	13	4	8
		F	7	7	9	7	11	8	7	7	3	6	2	6
700-716	Other diseases of skin and subcutaneous tissue	M	12	6	5	8	8	9	6	7	13	7	8	7
		F	13	9	12	16	12	15	12	12	14	21	14	17
720-749	**XIII Diseases of the bones and organs of movement**	**M**	**74**	**53**	**59**	**57**	**50**	**41**	**47**	**44**	**38**	**52**	**64**	**53**
		F	**153**	**137**	**149**	**108**	**95**	**91**	**82**	**106**	**110**	**128**	**123**	**108**
720, 721	Acute arthritis	M	1	-	-	3	-	1	1	1	1	1	2	1
		F	2	1	3	1	2	-	-	-	2	5	2	-
722	Rheumatoid arthritis and allied conditions	M	27	19	19	18	20	10	21	16	20	13	26	14
		F	81	65	78	57	47	50	47	58	59	69	64	63
723	Osteo-arthritis (arthrosis) and allied conditions	M	13	9	7	9	5	7	5	5	4	14	5	12
		F	31	26	30	21	15	17	12	20	21	20	15	20
724, 725	Other and unspecified forms of arthritis	M	-	-	1	1	1	1	2	2	2	-	-	1
		F	5	2	2	-	1	2	1	2	-	4	3	2
726, 727	Muscular rheumatism, and rheumatism unspecified	M	2	-	-	-	1	-	1	-	-	-	-	1
		F	1	1	-	1	1	1	-	-	2	-	2	-
730	Osteomyelitis and periostitis	M	2	1	3	3	5	1	3	4	1	3	2	1
		F	-	2	5	1	2	1	1	1	1	1	2	-
731-749	Other diseases of musculoskeletal system	M	29	24	29	23	18	21	14	16	10	21	29	23
		F	33	40	31	27	27	20	21	25	25	29	35	23

TABLE 22 - *continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
750-759	**XIV Congenital malformations**	**M**	**253**	**214**	**253**	**228**	**250**	**235**	**224**	**211**	**222**	**232**	**200**	**222**
		F	**218**	**195**	**216**	**200**	**210**	**188**	**194**	**195**	**185**	**221**	**187**	**215**
750	Monstrosity	M	5	7	7	9	11	7	10	6	13	11	6	5
		F	13	7	8	17	11	9	10	15	9	9	6	11
751	Spina bifida and meningocele	M	30	20	21	25	21	17	12	14	25	25	15	21
		F	39	41	45	47	44	40	33	30	29	45	22	37
752	Congenital hydrocephalus	M	10	8	9	10	11	13	13	7	5	7	8	6
		F	9	6	11	6	9	11	8	7	5	5	11	8
753	Other congenital malformation of nervous system and sense organs	M	7	5	7	7	6	10	2	2	4	4	9	7
		F	11	6	10	10	4	8	5	10	11	6	10	12
754	Congenital malformations of circulatory system	M	115	103	116	112	120	101	108	113	98	121	99	105
		F	91	86	95	80	84	82	83	81	85	93	95	92
755	Cleft palate and harelip	M	2	-	-	1	1	-	3	2	-	1	-	1
		F	-	1	-	1	-	-	-	-	1	1	-	-
756	Congenital malformations of digestive system	M	31	20	26	28	26	36	22	22	23	21	19	24
		F	15	10	13	13	16	12	16	16	19	19	12	23
757	Congenital malformations of genito-urinary system	M	27	24	38	13	29	26	30	23	27	21	19	26
		F	15	14	13	12	20	13	18	17	15	17	13	16
758	Congenital malformations of bone and joint	M	4	6	7	2	3	2	1	2	7	3	1	4
		F	5	3	4	2	5	3	3	3	3	5	6	5
759	Other and unspecified congenital malformations, not elsewhere classified	M	22	21	22	21	22	23	23	20	20	18	24	23
		F	20	21	17	12	17	10	18	16	8	21	12	11
760-776	**XV Certain diseases of early infancy**	**M**	**457**	**443**	**504**	**443**	**482**	**444**	**447**	**425**	**417**	**456**	**399**	**470**
		F	**310**	**326**	**335**	**315**	**339**	**320**	**313**	**300**	**290**	**309**	**286**	**307**
760	Intracranial and spinal injury at birth	M	65	58	98	69	86	68	64	61	80	82	67	77
		F	40	51	54	37	46	33	50	47	43	49	39	38
761	Other birth injury	M	41	27	37	21	21	21	20	36	25	26	21	30
		F	12	23	16	20	20	16	22	21	14	15	18	18
762	Postnatal asphyxia and atelectasis	M	119	135	157	134	153	130	129	115	123	128	119	124
		F	81	89	106	76	103	102	89	81	95	88	88	75
763	Pneumonia of newborn	M	35	35	38	34	24	28	32	31	18	21	23	30
		F	19	25	22	19	20	18	10	18	13	21	20	23
764	Diarrhoea of newborn	M	3	10	4	2	2	1	-	3	5	1	-	2
		F	3	4	2	2	2	1	1	1	2	1	-	3
765-769	Other infections of newborn	M	14	10	18	11	19	16	18	13	12	19	5	14
		F	12	10	11	17	12	19	9	12	10	13	15	12
770	Haemolytic disease of newborn	M	8	12	15	15	18	16	17	19	7	11	16	17
		F	13	9	10	20	15	8	10	9	15	12	9	17
771	Haemorrhagic disease of newborn	M	11	6	5	14	12	8	5	13	6	9	6	6
		F	7	10	7	8	4	10	5	5	10	8	4	5
772, 773	Nutritional maladjustment and ill-defined diseases peculiar to early infancy	M	21	41	24	21	24	29	34	23	21	16	26	31
		F	14	10	13	18	18	24	15	15	15	14	14	11
774-776	Immaturity unqualified	M	140	109	108	122	123	127	128	111	120	143	116	139
		F	109	95	94	98	99	89	102	91	73	88	79	105
780-795	**XVI Symptoms, senility and ill-defined conditions**	**M**	**196**	**193**	**168**	**146**	**122**	**126**	**110**	**121**	**111**	**139**	**131**	**158**
		F	**408**	**337**	**337**	**313**	**280**	**239**	**276**	**216**	**234**	**223**	**287**	**285**
780-789	Symptoms referable to systems or organs	M	18	8	8	6	10	7	8	9	1	10	10	12
		F	11	9	10	7	12	8	8	3	9	7	8	14
792	Uraemia unqualified	M	1	4	6	1	1	1	3	3	1	5	4	4
		F	1	3	1	6	-	4	1	1	1	4	4	1
794	Senility without mention of psychosis	M	173	175	145	137	105	115	94	103	101	120	113	134
		F	389	317	323	296	262	222	265	208	221	212	271	269
790, 791, 793, 795.	Ill-defined and unknown causes of mortality	M	4	6	9	2	6	3	5	6	8	4	4	8
		F	7	8	3	4	6	5	2	4	3	-	4	1
E800-E999	**XVII Accidents, poisonings and violence (external cause)**	**M**	**1,195**	**1,127**	**1,248**	**1,132**	**1,226**	**1,105**	**1,142**	**1,268**	**1,097**	**1,252**	**1,133**	**1,226**
		F	**1,010**	**923**	**955**	**828**	**809**	**784**	**753**	**739**	**722**	**836**	**866**	**996**
E800-E802	Railway accidents	M	14	20	21	12	18	13	8	17	15	16	18	14
		F	1	4	2	1	3	3	-	1	3	2	1	6
E810-E825	Motor vehicle traffic accidents	M	366	365	408	343	420	395	402	478	467	520	497	498
		F	162	150	161	126	153	172	149	182	168	176	203	225
E830-E835	Motor vehicle non-traffic accidents	M	1	3	10	6	9	11	8	6	9	5	8	3
		F	1	-	1	-	-	-	-	-	1	1	-	-
E840-E845	Other road vehicle accidents	M	6	4	-	8	7	3	7	9	8	6	3	4
		F	7	1	1	4	2	3	2	4	5	2	6	4

TABLE 22 - *continued*

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
E850-E858	Water transport accidents	M	5	9	9	8	20	25	13	14	13	18	8	12
		F	-	-	-	-	1	1	-	2	2	3	-	1
E860-E866	Aircraft accidents	M	1	2	6	4	16	4	1	5	3	5	3	-
		F	-	-	3	1	1	-	-	-	-	-	-	-
E870-E895	Accidental poisoning	M	98	75	90	62	59	44	43	48	35	65	59	82
		F	121	99	111	79	73	64	57	40	50	93	75	107
E900-E904	Accidental falls	M	195	163	170	154	136	137	143	160	136	176	147	156
		F	322	340	328	275	273	242	275	224	228	288	293	324
E910-E936	Other accidents	M	201	216	199	241	222	180	222	242	187	164	151	190
		F	157	130	119	104	86	75	78	78	62	78	88	152
E940-E959	Complications due to medical and surgical procedures	M	-	4	-	2	3	-	-	2	1	2	1	2
		F	-	1	-	2	3	1	-	1	1	3	3	5
E960-E965	Late effects of injury and poisoning	M	9	7	16	4	6	9	8	6	6	7	15	6
		F	-	2	1	-	-	-	4	3	1	-	3	2
E970-E973	Suicide by poisoning	M	201	172	205	195	195	181	180	179	144	167	135	163
		F	192	151	178	196	176	184	142	167	170	153	152	129
E974	Suicide and self-inflicted injury by hanging and strangulation	M	33	38	52	40	40	52	40	45	31	31	26	28
		F	8	10	7	7	15	10	16	11	7	6	8	14
E975	Suicide and self-inflicted injury by submersion (drowning)	M	14	12	9	15	21	12	20	15	14	18	17	21
		F	14	15	17	14	8	9	15	12	7	12	17	10
E976-E979	Suicide by other and unspecified means	M	37	28	44	31	39	29	34	25	20	43	36	38
		F	11	10	10	6	11	10	8	6	9	10	8	9
*E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	M	13	9	9	6	15	10	13	17	8	8	8	9
		F	14	10	16	13	4	10	7	8	8	9	9	8
E990-E999	Injury resulting from operations of war	M	1	-	-	1	-	-	-	-	-	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-

* The number of deaths assigned to this cause which occurred in 1963 and were registered after 31st March 1964 were: September 1M, October 1F, November 1M, 3F, December 1M, 4F. These numbers should therefore be added to those shown in this table in the Review for 1963.

TABLE 23. Stillbirths by sex and legitimacy (with rates per 1,000 total births), 1964

England and Wales, standard regions, Wales, conurbations, hospital regions, London A.C., City of London, metropolitan and county boroughs; urban and rural aggregates in each administrative county

Area	Legitimate		Illegitimate		Total	Stillbirths per 1,000 total births
	M	F	M	F		
SUMMARY						
ENGLAND AND WALES	**6,887**	**6,350**	**679**	**630**	**14,546**	**16**
Standard regions and conurbations:						
Northern	**570**	**508**	**47**	**43**	**1,168**	**19**
Tyneside Conurbation	160	119	17	8	304	19
Remainder of Northern	410	389	30	35	864	19
East and West Ridings	**709**	**568**	**67**	**77**	**1,421**	**18**
West Yorkshire Conurbation	282	237	30	44	593	18
Remainder of East and West Ridings	427	331	37	33	828	18
North Western	**1,091**	**1,056**	**117**	**102**	**2,366**	**18**
South East Lancashire Conurbation	387	382	46	55	870	18
Merseyside Conurbation	267	228	27	21	543	18
Remainder of North Western	437	446	44	26	953	18
North Midland	**573**	**550**	**46**	**47**	**1,216**	**17**
Midland	**776**	**761**	**68**	**53**	**1,658**	**17**
West Midlands Conurbation	395	388	38	26	847	18
Remainder of Midland	381	373	30	27	811	16
Eastern	**539**	**459**	**45**	**39**	**1,082**	**14**
London and South Eastern	**1,342**	**1,217**	**190**	**176**	**2,925**	**14**
Greater London	959	887	157	148	2,151	14
Remainder of South Eastern	383	330	33	28	774	15
Southern	**399**	**396**	**34**	**34**	**863**	**15**
South Western	**473**	**430**	**41**	**44**	**988**	**16**
Wales	**415**	**405**	**24**	**15**	**859**	**18**
Wales I (South East)	317	321	18	8	664	19
Wales II (remainder)	98	84	6	7	195	15
Urban/Rural aggregates:						
Conurbations	2,450	2,241	315	302	5,308	16
Areas outside conurbations:						
Urban areas with populations of 100,000 and over	936	869	95	99	1,999	17
Urban areas with populations of 50,000 and under 100,000	638	624	61	63	1,386	17
Urban areas with populations under 50,000	1,518	1,349	107	95	3,069	17
Rural districts	1,345	1,267	101	71	2,784	15
Hospital regions:						
Newcastle	537	483	44	42	1,106	19
Leeds	520	408	51	55	1,034	18
Sheffield	708	663	59	64	1,494	17
East Anglia	193	193	20	16	422	15
North West Metropolitan	506	440	77	66	1,089	13
North East Metropolitan	473	371	43	46	933	15
South East Metropolitan	468	403	44	48	963	15
South West Metropolitan	317	334	58	43	752	14
Wessex	248	226	24	23	521	15
Oxford	246	247	16	21	530	15
South Western	378	354	33	36	801	15
Welsh	415	405	24	15	859	18
Birmingham	776	761	68	53	1,658	17
Manchester	694	695	77	74	1,540	18
Liverpool	408	367	41	28	844	18

TABLE 23 - *continued*

Area	Legitimate		Illegitimate		Total	Still-births per 1,000 total births
	M	F	M	F		
LONDON A.C., CITY OF LONDON, METROPOLITAN BOROUGHS AND COUNTY BOROUGHS						
London A.C.	**427**	**360**	**98**	**79**	**964**	**15**
City of London	-	-	-	-	-	-
Metropolitan boroughs:						
Battersea	18	16	4	4	42	18
Bermondsey	11	7	1	-	19	*20*
Bethnal Green	11	4	-	2	17	*20*
Camberwell	24	23	5	2	54	15
Chelsea	5	3	2	-	10	*16*
Deptford	13	8	-	4	25	15
Finsbury	5	4	-	-	9	*16*
Fulham	12	16	1	4	33	16
Greenwich	8	19	2	-	29	20
Hackney	25	21	4	7	57	14
Hammersmith	12	13	4	5	34	14
Hampstead	10	6	1	1	18	*10*
Holborn	1	1	-	-	2	*12*
Islington	35	34	13	5	87	15
Kensington	6	25	11	8	50	15
Lambeth	39	30	7	6	82	14
Lewisham	26	17	-	2	45	11
Paddington	8	7	10	6	31	12
Poplar	9	11	1	-	21	15
St. Marylebone	10	-	-	-	10	*13*
St. Pancras	25	10	4	6	45	20
Shoreditch	7	4	-	-	11	*19*
Southwark	14	12	1	-	27	17
Stepney	14	14	5	2	35	19
Stoke Newington	7	5	3	1	16	*11*
Wandsworth	47	30	11	9	97	14
Westminster	8	4	7	3	22	21
Woolwich	17	16	1	2	36	14
County boroughs	**2,217**	**2,062**	**251**	**254**	**4,784**	**18**
Barnsley	19	15	-	1	35	24
Barrow-in-Furness	10	14	1	1	26	21
Bath	8	14	1	2	25	19
Birkenhead	32	28	2	2	64	21
Birmingham	172	180	26	17	395	17
Blackburn	19	18	4	2	43	23
Blackpool	10	26	1	1	38	18
Bolton	16	19	3	4	42	15
Bootle	20	24	2	1	47	24
Bournemouth	8	11	2	1	22	11
Bradford	45	48	4	7	104	18
Brighton	13	12	2	3	30	12
Bristol	43	38	3	9	93	12
Burnley	14	13	3	2	32	22
Burton upon Trent	7	8	-	-	15	*14*
Bury	5	15	1	4	25	20
Canterbury	5	2	1	-	8	*14*
Carlisle	14	13	2	3	32	24
Chester	11	8	-	-	19	*14*
Coventry	50	46	7	9	112	17
Croydon	21	28	4	4	57	12
Darlington	12	9	-	4	25	17
Derby	22	11	5	3	41	17
Dewsbury	14	13	1	1	29	28
Doncaster	6	15	6	2	29	18
County boroughs - *continued*						
Dudley	17	10	1	-	28	24
Eastbourne	7	4	-	1	12	*17*
East Ham	20	13	2	1	36	19
Exeter	14	8	-	-	22	17
Gateshead	26	17	1	1	45	22
Gloucester	9	10	1	1	21	13
Great Yarmouth	7	4	1	3	15	*18*
Grimsby	14	16	-	-	30	15
Halifax	10	7	1	2	20	11
Hastings	7	6	-	-	13	*14*
Huddersfield	35	31	4	4	74	29
Ipswich	13	12	1	2	28	12
Kingston upon Hull	60	35	5	2	102	17
Leeds	84	54	14	18	170	17
Leicester	40	48	1	7	96	18
Lincoln	13	16	4	1	34	23
Liverpool	146	115	17	9	287	18
Luton	25	16	4	2	47	13
Manchester	122	115	15	22	274	20
Middlesbrough	29	37	3	3	72	22
Newcastle upon Tyne	45	27	9	2	83	18
Northampton	14	8	1	2	25	12
Norwich	13	14	3	-	30	15
Nottingham	54	55	8	11	128	20
Oldham	14	16	4	1	35	16
Oxford	13	13	2	-	28	15
Plymouth	30	29	4	1	64	16
Portsmouth	26	35	4	5	70	18
Preston	19	17	3	-	39	18
Reading	21	20	1	2	44	17
Rochdale	18	14	-	2	34	21
Rotherham	15	12	1	1	29	17
St. Helens	29	21	-	2	52	28
Salford	38	31	5	6	80	25
Sheffield	70	52	5	13	140	16
Smethwick	12	20	1	1	34	24
Solihull	14	5	1	1	21	12
Southampton	33	32	1	5	71	18
Southend-on-Sea	15	15	-	3	33	13
Southport	10	10	4	-	24	21
South Shields	26	18	1	-	45	22
Stockport	21	24	2	3	50	18
Stoke-on-Trent	42	43	4	3	92	20
Sunderland	40	36	2	1	79	21
Tynemouth	14	14	-	-	28	19
Wakefield	10	7	-	1	18	*18*
Wallasey	15	14	2	-	31	15
Walsall	31	29	2	3	65	27
Warrington	10	14	2	3	29	19
West Bromwich	16	16	1	1	34	18
West Ham	19	26	2	6	53	16
West Hartlepool	15	9	2	4	30	18
Wigan	10	17	1	2	30	23
Wolverhampton	27	24	3	2	56	17
Worcester	5	11	1	-	17	*14*
York	22	11	1	3	37	20
Cardiff	48	39	2	2	91	18
Merthyr Tydfil	12	8	-	-	20	18
Newport, Mon.	18	21	2	-	41	19
Swansea	19	33	8	-	60	20

TABLE 23 - *continued*

Area		Legitimate		Illegitimate		Total	Still-births per 1,000 total births
		M	F	M	F		
ADMINISTRATIVE COUNTIES							
Note. The following figures relate to aggregates of urban districts (including municipal boroughs, but excluding county boroughs) and of rural districts in each administrative county.							
edfordshire	U.D.	23	20	3	2	48	16
	R.D.	12	14	2	1	29	10
erkshire	U.D.	15	11	1	4	31	12
	R.D.	43	41	4	-	88	14
uckinghamshire	U.D.	48	42	3	3	96	16
	R.D.	33	37	1	3	74	15
ambridgeshire	U.D.	7	8	1	1	17	*11*
	R.D.	18	10	-	1	29	15
heshire	U.D.	111	101	6	3	221	15
	R.D.	26	26	2	-	54	14
ornwall	U.D.	29	36	5	2	72	23
	R.D.	17	23	1	-	41	17
umberland	U.D.	20	17	1	2	40	23
	R.D.	17	13	2	4	36	15
erbyshire	U.D.	50	63	4	5	122	19
	R.D.	54	53	2	2	111	15
evon	U.D.	41	28	2	3	74	18
	R.D.	44	27	2	3	76	17
orset	U.D.	30	19	4	1	54	17
	R.D.	16	17	2	-	35	17
urham	U.D.	121	104	6	4	235	19
	R.D.	62	57	2	1	122	21
ly, Isle of	U.D.	5	7	-	1	13	*13*
	R.D.	3	8	-	1	12	*19*
ssex	U.D.	230	166	20	14	430	14
	R.D.	50	35	1	2	88	16
loucestershire	U.D.	15	20	2	4	41	12
	R.D.	37	35	4	6	82	12
ampshire	U.D.	72	69	3	6	150	14
	R.D.	40	38	6	2	86	13
erefordshire	U.D.	12	11	2	-	25	19
	R.D.	8	15	1	1	25	21
ertfordshire	U.D.	92	68	8	6	174	14
	R.D.	26	25	1	1	53	13
untingdonshire	U.D.	3	8	-	-	11	*11*
	R.D.	2	3	1	-	6	*6*
ent	U.D.	165	160	15	20	360	15
	R.D.	69	60	6	6	141	18
ancashire	U.D.	304	294	34	29	661	18
	R.D.	53	52	3	1	109	16
eicestershire	U.D.	28	26	1	-	55	15
	R.D.	35	35	4	2	76	16
incolnshire	U.D.	2	14	-	-	16	*21*
Holland)	R.D.	12	8	1	-	21	21
incolnshire	U.D.	6	4	-	3	13	*14*
Kesteven)	R.D.	11	12	3	1	27	16
incolnshire	U.D.	30	28	-	-	58	17
Lindsey)	R.D.	34	26	2	2	64	18
iddlesex	U.D.	257	252	29	36	574	14
orfolk	U.D.	13	7	2	1	23	16
	R.D.	39	39	4	4	86	16
orthamptonshire	U.D.	23	28	-	1	52	15
	R.D.	16	10	2	2	30	12
orthumberland	U.D.	45	56	5	6	112	17
	R.D.	9	14	2	-	25	14
ottinghamshire	U.D.	64	48	5	4	121	15
	R.D.	36	33	3	2	74	19
xfordshire	U.D.	6	7	-	1	14	*11*
	R.D.	15	17	1	1	34	10
eterborough, Soke of	U.D.	16	8	-	1	25	19
	R.D.	4	6	-	-	10	*32*
Rutland	U.D.	-	1	-	-	1	*11*
	R.D.	3	3	-	-	6	*14*
Shropshire	U.D.	23	16	3	2	44	14
	R.D.	30	24	1	5	60	21
Somerset	U.D.	29	25	5	2	61	14
	R.D.	34	42	4	2	82	17
Staffordshire	U.D.	131	127	1	1	260	17
	R.D.	39	43	3	2	87	17
Suffolk, East	U.D.	14	11	1	1	27	15
	R.D.	9	14	3	-	26	12
Suffolk, West	U.D.	6	7	-	-	13	*13*
	R.D.	10	18	1	-	29	17
Surrey	U.D.	126	131	13	9	279	13
	R.D.	22	18	1	-	41	12
Sussex, East	U.D.	29	16	2	2	49	16
	R.D.	21	11	1	-	33	13
Sussex, West	U.D.	21	28	-	2	51	13
	R.D.	17	20	2	-	39	15
Warwickshire	U.D.	46	43	4	1	94	15
	R.D.	29	31	-	3	63	13
Westmorland	U.D.	7	4	-	-	11	*21*
	R.D.	7	4	1	-	12	20
Wight, Isle of	U.D.	10	10	3	1	24	20
	R.D.	3	1	-	-	4	*16*
Wiltshire	U.D.	40	39	1	6	86	19
	R.D.	50	32	2	2	86	18
Worcestershire	U.D.	53	44	4	1	102	17
	R.D.	12	15	2	-	29	12
Yorkshire, E.R.	U.D.	21	14	2	1	38	19
	R.D.	13	18	1	-	32	16
Yorkshire, N.R.	U.D.	37	41	4	8	90	20
	R.D.	24	18	4	-	46	13
Yorkshire, W.R.	U.D.	203	173	15	19	410	18
	R.D.	82	63	7	2	154	16
Anglesey	U.D.	5	2	-	-	7	*16*
	R.D.	6	5	-	-	11	*18*
Breckonshire	U.D.	1	2	-	-	3	*13*
	R.D.	6	7	-	-	13	20
Caernarvonshire	U.D.	9	13	-	2	24	21
	R.D.	3	4	-	1	8	*11*
Cardiganshire	U.D.	1	3	-	-	4	*15*
	R.D.	-	6	-	-	6	*11*
Carmarthenshire	U.D.	7	7	-	1	15	*15*
	R.D.	11	17	-	-	28	18
Denbighshire	U.D.	9	9	1	-	19	*13*
	R.D.	9	8	1	-	18	*12*
Flintshire	U.D.	14	9	1	-	24	16
	R.D.	12	9	1	-	22	15
Glamorgan	U.D.	90	82	2	3	177	19
	R.D.	34	37	-	2	73	17
Merionethshire	U.D.	3	3	-	-	6	*21*
	R.D.	3	-	-	-	3	*9*
Monmouthshire	U.D.	67	57	4	-	128	24
	R.D.	4	11	-	-	15	*11*
Montgomeryshire	U.D.	3	5	-	-	8	*27*
	R.D.	3	2	-	-	5	*12*
Pembrokeshire	U.D.	8	4	1	1	14	*15*
	R.D.	7	2	1	2	12	*14*
Radnorshire	U.D.	1	-	-	-	1	*9*
	R.D.	2	-	-	1	3	*16*

TABLE 23A. Stillbirths by cause, sex and mother's age at maternity (with, for certain selected causes, rates per 1,000 total births), 1964

England and Wales

Note. In this Table stillbirths to mothers whose age was not stated have been distributed and included with those to mothers of stated ages.

ICD No.	Cause		Age of mother							
			All ages	Under 20*	20-	25-	30-	35-	40-	45 and over
		M	7,566	592	1,821	2,135	1,506	1,049	434	29
Y30-Y39	ALL CAUSES	F	6,980	584	1,803	1,888	1,351	953	369	32
		P	14,546	1,176	3,624	4,023	2,857	2,002	803	61
Y30	Chronic disease in mother	M	257	10	39	58	66	55	27	2
		F	212	8	46	40	53	43	21	1
Y30·0	Syphilis	M	5	1	1	1	-	1	1	-
		F	8	2	4	1	-	-	1	-
Y30·1	Tuberculosis (any form)	M	4	-	-	1	2	-	1	-
		F	1	-	-	-	-	1	-	-
Y30·2	Diabetes mellitus	M	63	4	9	10	23	11	5	1
		F	47	1	12	8	17	7	2	-
Y30·3	Chronic disease of circulatory system	M	158	4	23	38	35	39	18	1
		F	128	3	21	26	25	35	17	1
Y30·4	Chronic disease of genito-urinary system	M	11	-	2	3	3	2	1	-
		F	9	-	4	2	3	-	-	-
Y30·5	Other chronic disease	M	16	1	4	5	3	2	1	-
		F	19	2	5	3	8	-	1	-
Y31	Acute disease in mother	M	17	5	4	5	1	1	1	-
		F	18	-	6	5	1	5	1	-
Y31·0	Typhoid fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y31·1	Influenza	M	7	-	1	4	1	-	1	-
		F	2	-	1	1	-	-	-	-
Y31·2	Pneumonia (any form)	M	3	1	1	1	-	-	-	-
		F	2	-	1	-	-	1	-	-
Y31·3	Other acute respiratory disease	M	-	-	-	-	-	-	-	-
		F	4	-	1	-	-	3	-	-
Y31·4	Other acute disease or condition	M	7	4	2	-	-	1	-	-
		F	10	-	3	4	1	1	1	-
	0 Rubella	M	-	-	-	-	-	-	-	-
		F	5	-	2	2	-	1	-	-
	1 Other virus diseases	M	3	1	1	-	-	1	-	-
		F	2	-	-	1	-	-	1	-
	2 Others	M	4	3	1	-	-	-	-	-
		F	3	-	1	1	1	-	-	-
Y32	Diseases and conditions of pregnancy and childbirth	M	1,264	104	300	341	258	182	73	6
		F	1,029	87	224	288	209	154	58	9
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y32·1	Ectopic gestation	M	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	1	-	-
Y32·2	Haemorrhage without mention of placental condition	M	293	19	63	73	75	42	19	2
		F	216	16	44	70	44	30	11	1
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	M	25	7	4	5	4	2	3	-
		F	30	5	9	7	1	6	2	-
Y32·4	Other toxaemias of pregnancy	M	931	77	231	259	176	134	50	4
		F	765	66	163	207	161	117	43	8

* See footnotes at end of table.

TABLE 23A - *continued*

ICD No.	Cause		Age of mother							
			All ages	Under 20*	20-	25-	30-	35-	40-	45 and over
Y32·5	Infection (ante- and intra-partum)	M	15	1	2	4	3	4	1	-
		F	16	-	8	4	2	-	2	-
	0 Urinary infection	M	4	1	1	1	-	-	1	-
		F	6	-	3	2	1	-	-	-
	1 Others	M	11	-	1	3	3	4	-	-
		F	10	-	5	2	1	-	2	-
Y33	**Absorption of toxic substance from mother**	**M**	**1**	**-**	**-**	**-**	**1**	**-**	**-**	**-**
		F	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
Y33·0	Narcotic	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y33·1	Quinine	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y33·2	Other toxic substance	M	1	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-
Y34	**Difficulties in labour**	**M**	**532**	**38**	**138**	**155**	**98**	**69**	**32**	**2**
		F	**451**	**43**	**92**	**132**	**94**	**66**	**20**	**4**
Y34·0	Difficult labour with abnormality of bones of pelvis	M	8	1	1	5	1	-	-	-
		F	7	2	2	-	3	-	-	-
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	M	110	8	22	34	17	21	8	-
		F	125	6	28	35	35	19	2	-
Y34·2	Difficult labour with malposition of foetus	M	271	18	84	75	44	31	17	2
		F	203	24	38	64	27	35	12	3
Y34·3	Difficult labour with abnormality of forces of labour	M	65	4	14	21	17	5	4	-
		F	53	4	9	14	15	7	4	-
Y34·4	Difficult labour with operative delivery	M	15	1	6	4	3	1	-	-
		F	13	-	1	6	2	3	1	-
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis	M	13	1	-	3	7	2	-	-
		F	7	-	1	3	3	-	-	-
Y34·6	Difficult labour without mention of underlying condition	M	50	5	11	13	9	9	3	-
		F	43	7	13	10	9	2	1	1
Y35	**Other causes in mother**	**M**	**33**	**4**	**6**	**10**	**9**	**4**	**-**	**-**
		F	**14**	**-**	**3**	**6**	**5**	**-**	**-**	**-**
Y35·0	Fall	M	10	1	3	3	2	1	-	-
		F	4	-	1	2	1	-	-	-
Y35·1	Other accident or violence	M	8	2	3	1	2	-	-	-
		F	2	-	-	2	-	-	-	-
Y35·2	Overexertion	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y35·3	Other and ill-defined causes in mother	M	15	1	-	6	5	3	-	-
		F	8	-	2	2	4	-	-	-
Y36	**Placental and cord conditions**	**M**	**2,403**	**189**	**554**	**689**	**490**	**337**	**135**	**9**
		F	**1,945**	**157**	**509**	**480**	**388**	**289**	**115**	**7**
Y36·0	Cord condition without mention of placental abnormality	M	599	49	137	174	123	77	38	1
		F	538	44	153	132	92	88	26	3
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	M	86	13	26	24	14	6	3	-
		F	108	10	28	21	24	20	5	-
	1 Prolapse of cord	M	181	11	33	53	40	30	13	1
		F	112	6	33	22	27	17	6	1
	2 Others	M	332	25	78	97	69	41	22	-
		F	318	28	92	89	41	51	15	2
Y36·1	Placenta praevia	M	97	6	24	25	17	20	5	-
		F	67	2	13	19	16	10	7	-
Y36·2	Premature separation of normally implanted placenta	M	766	66	173	237	155	95	36	4
		F	496	40	113	135	113	71	24	-

* See footnotes at end of table.

TABLE 23A - *continued*

ICD No.	Cause		Age of mother							
			All ages	Under 20*	20-	25-	30-	35-	40-	45 and over
Y36·3	Placenta praevia with cord abnormality	M	6	-	-	2	2	2	-	-
		F	7	-	1	2	4	-	-	-
Y36·4	Premature separation of normally implanted placenta with cord abnormality	M	7	-	2	3	1	1	-	-
		F	2	1	1	-	-	-	-	-
Y36·5	Placental infarct	M	139	10	22	42	28	23	14	-
		F	138	14	37	30	28	19	9	1
Y36·6	Other abnormality of placenta and cord	M	789	58	196	206	164	119	42	4
		F	697	56	191	162	135	101	49	3
Y37	**Birth injury**	**M**	**189**	**18**	**51**	**49**	**37**	**26**	**7**	**1**
		F	**112**	**12**	**25**	**32**	**23**	**14**	**6**	**-**
Y37·0	Birth injury with abnormality of bones of pelvis	M	-	-	-	-	-	-	-	-
		F	1	-	-	1	-	-	-	-
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y37·2	Birth injury with disproportion but no mention of abnormality of pelvis	M	10	1	4	1	1	2	1	-
		F	5	1	-	2	2	-	-	-
Y37·3	Birth injury with malposition of foetus	M	50	5	9	11	13	7	5	-
		F	19	2	6	4	4	3	-	-
Y37·4	Birth injury with abnormality of forces of labour	M	14	-	3	2	5	3	-	1
		F	18	3	2	5	2	5	1	-
Y37·5	Operation causing mutilation of foetus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y37·6	Other operation for delivery	M	7	1	1	3	1	1	-	-
		F	1	-	-	-	-	-	1	-
Y37·7	Birth injury with difficult labour but without mention of underlying condition	M	6	-	1	2	2	1	-	-
		F	-	-	-	-	-	-	-	-
Y37·8	Birth injury due to other or unspecified cause	M	102	11	33	30	15	12	1	-
		F	68	6	17	20	15	6	4	-
Y38	**Congenital malformations of foetus**	**M**	**1,035**	**85**	**314**	**297**	**172**	**111**	**52**	**4**
		F	**1,656**	**170**	**523**	**472**	**253**	**185**	**47**	**6**
Y38·0	Anencephalus	M	454	36	152	128	73	48	17	-
		F	1,088	117	360	307	164	114	24	2
	0 With mention of spina bifida or synonym	M	63	3	24	19	8	6	3	-
		F	146	10	58	41	20	13	4	-
	1 Without mention of spina bifida or synonym	M	391	33	128	109	65	42	14	-
		F	942	107	302	266	144	101	20	2
Y38·1	Hydrocephalus	M	232	18	58	72	40	28	15	1
		F	204	16	45	75	34	24	9	1
Y38·2	Spina bifida	M	119	15	35	35	21	9	4	-
		F	181	16	64	48	25	21	5	2
	0 With mention of hydrocephalus	M	90	12	26	29	13	7	3	-
		F	133	15	46	37	19	12	3	1
	1 Without mention of hydrocephalus	M	29	3	9	6	8	2	1	-
		F	48	1	18	11	6	9	2	1
Y38·3	Other malformation of the central nervous system	M	41	3	21	8	3	4	2	-
		F	40	8	8	11	6	4	3	-
	0 Mongolism	M	7	-	4	-	1	2	-	-
		F	5	-	-	2	2	-	1	-
	1 Microcephaly	M	10	1	6	1	1	1	-	-
		F	7	2	-	4	1	-	-	-
	2 Others	M	24	2	11	7	1	1	2	-
		F	28	6	8	5	3	4	2	-

* See footnotes at end of table.

TABLE 23A - *continued*

ICD No.	Cause		Age of mother							
			All ages	Under 20*	20-	25-	30-	35-	40-	45 and over
Y38·4	Malformation of the cardiovascular system	M	33	4	6	5	8	5	3	2
		F	30	4	6	7	6	4	3	-
	0 Tetralogy of Fallot	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-
	1 Patent ductus arteriosus	M	2	-	-	1	-	-	-	1
		F	2	-	1	1	-	-	-	-
	2 Interventricular septal defect	M	6	-	1	1	2	1	1	-
		F	10	2	1	2	3	1	1	-
	3 Interauricular septal defect	M	7	1	2	-	2	1	1	-
		F	3	1	1	-	-	-	1	-
	4 Fibroelastosis cordis	M	2	-	1	-	-	-	-	1
		F	-	-	-	-	-	-	-	-
	5 Other malformations of heart	M	13	3	2	2	3	2	1	-
		F	10	1	1	3	2	2	1	-
	6 Coarctation of aorta	M	-	-	-	-	-	-	-	-
		F	3	-	2	-	1	-	-	-
	7 Other circulatory malformations	M	3	-	-	1	1	1	-	-
		F	1	-	-	1	-	-	-	-
Y38·5	Malformation of other specified system	M	97	5	31	27	17	12	5	-
		F	61	2	25	14	10	7	2	1
	0 Digestive system	M	7	-	4	1	1	1	-	-
		F	5	-	2	2	1	-	-	-
	1 Genito-urinary system	M	28	2	10	9	3	4	-	-
		F	10	1	4	1	2	2	-	-
	2 Dwarf	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	3 Other skeletal	M	14	1	8	3	-	2	-	-
		F	11	1	3	3	1	2	1	-
	4 Respiratory system	M	1	-	-	1	-	-	-	-
		F	4	-	3	1	-	-	-	-
	5 Skin	M	1	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-
	6 Muscle	M	8	-	2	2	2	1	1	-
		F	3	-	3	-	-	-	-	-
	7 Others	M	38	2	7	10	11	4	4	-
		F	28	-	10	7	6	3	1	1
Y38·6	Monster	M	6	1	-	4	-	-	1	-
		F	13	1	4	3	-	5	-	-
	0 Double monster	M	1	-	-	1	-	-	-	-
		F	3	-	-	-	-	3	-	-
	1 Monster N.O.S.	M	2	1	-	1	-	-	-	-
		F	5	-	3	1	-	1	-	-
	2 Others	M	3	-	-	2	-	-	1	-
		F	5	1	1	2	-	1	-	-
Y38·7	Other and unspecified malformations	M	53	3	11	18	10	5	5	1
		F	39	6	11	7	8	6	1	-
Y39	**Diseases of foetus and ill-defined causes**	**M**	**1,835**	**139**	**415**	**531**	**374**	**264**	**107**	**5**
		F	**1,543**	**107**	**375**	**433**	**325**	**197**	**101**	**5**
Y39·0	Syphilis	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y39·1	Infection other than syphilis	M	16	-	2	4	3	6	1	-
		F	8	-	1	2	2	3	-	-
Y39·2	Erythroblastosis	M	404	2	87	140	107	49	19	-
		F	329	6	68	104	87	47	17	-

* See footnotes at end of table.

TABLE 23A - *continued*

ICD No.	Cause		Age of mother							
			All ages	Under 20*	20-	25-	30-	35-	40-	45 and over
Y39·3	Other cause originated in the foetus	M	20	2	6	5	6	1	-	-
		F	13	-	5	3	4	-	1	-
Y39·4	Maceration, cause not specified	M	531	48	123	163	91	71	32	3
		F	429	33	106	118	91	52	27	2
Y39·5	Other ill-defined cause	M	491	48	104	125	97	86	30	1
		F	437	40	127	114	75	51	27	3
	0 Asphyxia	M	208	15	54	44	49	30	16	-
		F	219	19	53	65	43	24	13	2
	1 Atelectasis	M	47	5	11	12	8	10	1	-
		F	35	1	15	9	4	2	3	1
	2 Post-maturity	M	48	3	11	14	11	7	1	1
		F	36	4	13	9	4	4	2	-
	3 Prematurity	M	120	19	18	42	13	23	5	-
		F	81	10	24	17	14	11	5	-
	4 Others	M	68	6	10	13	16	16	7	-
		F	66	6	22	14	10	10	4	-
Y39·6	Cause unspecified	M	373	39	93	94	70	51	25	1
		F	327	28	68	92	66	44	29	-
Total live and still births		M	458,638	40,217	143,902	141,762	80,463	39,817	11,815	662
		F	431,880	37,693	135,825	132,961	75,907	37,556	11,301	637
		P	890,518	77,910	279,727	274,723	156,370	77,373	23,116	1,299

Stillbirths per 1,000 total births

Y30-Y39	**All causes**	**M**	**16·5**	**14·7**	**12·7**	**15·1**	**18·7**	**26·3**	**36·7**	**43·8**
		F	**16·2**	**15·5**	**13·3**	**14·2**	**17·8**	**25·4**	**32·7**	**50·2**
		P	**16·3**	**15·1**	**13·0**	**14·6**	**18·3**	**25·9**	**34·7**	**47·0**
Y30-Y35	**Maternal conditions**		**4·3**	**3·8**	**3·1**	**3·8**	**5·1**	**7·5**	**10·1**	**18·5**
Y30·2	Diabetes		0·1	*0·1*	0·1	*0·1*	0·3	*0·2*	*0·3*	*0·8*
Y30·3	Circulatory		0·3	*0·1*	0·2	0·2	0·4	1·0	1·5	*1·5*
Y32	Diseases of pregnancy		2·6	2·5	1·9	2·3	3·0	4·3	5·7	*11·5*
Y32·2	Haemorrhage N.E.C.		0·6	0·4	0·4	0·5	0·8	0·9	1·3	*2·3*
Y32·4	Other toxaemia		1·9	1·8	1·4	1·7	2·2	3·2	4·0	*9·2*
Y34	Difficulties in labour		1·1	1·0	0·8	1·0	1·2	1·7	2·2	*4·6*
Y34·2	Malposition		0·5	0·5	0·4	0·5	0·5	0·9	1·3	*3·8*
Y34·3	Abnormal forces		0·1	*0·1*	0·1	0·1	0·2	*0·2*	*0·3*	-
Y36	**Placental and cord conditions**		**4·9**	**4·4**	**3·8**	**4·3**	**5·6**	**8·1**	**10·8**	**12·3**
Y36·1	Placenta praevia		0·2	*0·1*	0·1	0·2	0·2	0·4	*0·5*	-
Y36·2	Placenta and placental separation		1·4	1·4	1·0	1·4	1·7	2·1	2·6	*3·1*
Y36·5	Placental infarct		0·3	0·3	0·2	0·3	0·4	0·5	1·0	*0·8*
Y37-Y39	**Foetal conditions**		**7·2**	**6·8**	**6·1**	**6·6**	**7·6**	**10·3**	**13·8**	**16·2**
Y37	Birth injury		0·3	0·4	0·3	0·3	0·4	0·5	*0·6*	*0·8*
Y38	Congenital malformation		3·0	3·3	3·0	2·8	2·7	3·8	4·3	7·7
Y38·0	Anencephalus		1·7	2·0	1·8	1·6	1·5	2·1	1·8	*1·5*
Y38·1	Hydrocephalus		0·5	0·4	0·4	0·5	0·5	0·7	1·0	*1·5*
Y38·2	Spina bifida		0·3	0·4	0·4	0·3	0·3	0·4	*0·4*	*1·5*
Y39	Other and ill-defined causes		3·8	3·2	2·8	3·5	4·5	6·0	9·0	7·7
Y39·2	Erythroblastosis		0·8	*0·1*	0·6	0·9	1·2	1·2	1·6	-
Y39·6	Unspecified		0·8	0·9	0·6	0·7	0·9	1·2	2·3	*0·8*

* Including the following stillbirths where the mother's age was under 16 years: Y31·4 Other acute disease or condition 1M; Y32·4 Other toxaemias of pregnancy 2M, 1F; Y34·0 Difficult labour with abnormality of bones of pelvis 1F; Y34·2 Difficult labour with malposition of foetus 1M; Y36·0 Cord condition without mention of placental abnormality 2M, 1F; Y36·2 Premature separation of normally implanted placenta 1M; Y36·6 Other abnormality of placenta and cord 2F; Y38·0 Anencephalus 2F; Y38·1 Hydrocephalus 1M; Y39·4 Maceration, cause not specified 4M; Y39·5 Other ill-defined cause 2F; Y39·6 Cause unspecified 4M, 1F.

TABLE 23B. Legitimate stillbirths by cause and parity of mother (with, for certain selected causes, rates per 1,000 total births), 1964

England and Wales

ICD No.	Cause		Number of previous children of all marriages, live and still born										
			Total	0	1	2	3	4	5	6	7	8	9	10 and over
Y30-Y39	**ALL CAUSES**	M	6,887	2,515	1,466	1,143	728	429	240	150	88	55	27	46
		F	6,350	2,362	1,421	1,005	639	384	216	128	79	47	33	36
		P	13,237	4,877	2,887	2,148	1,367	813	456	278	167	102	60	82
Y30	**Chronic disease in mother**		427	151	88	72	44	21	18	10	6	5	5	6
Y30·0	Syphilis		8	3	1	1	2	-	-	-	-	-	-	1
Y30·1	Tuberculosis (any form)		4	-	2	1	-	-	-	-	1	-	-	-
Y30·2	Diabetes mellitus		103	33	26	19	9	5	3	4	-	1	2	1
Y30·3	Chronic disease of circulatory system		265	99	50	42	29	14	12	5	5	4	2	3
Y30·4	Chronic disease of genito-urinary system		17	7	2	6	1	-	1	-	-	-	-	-
Y30·5	Other chronic disease		30	9	7	3	3	2	3	1	-	-	1	1
Y31	**Acute disease in mother**		31	13	8	4	2	1	2	1	-	-	-	-
Y31·0	Typhoid fever		-	-	-	-	-	-	-	-	-	-	-	-
Y31·1	Influenza		9	2	4	1	-	1	-	1	-	-	-	-
Y31·2	Pneumonia (any form)		5	3	1	-	-	-	1	-	-	-	-	-
Y31·3	Other acute respiratory disease		4	-	1	2	-	-	1	-	-	-	-	-
Y31·4	Other acute disease or condition		13	8	2	1	2	-	-	-	-	-	-	-
	0 Rubella		5	3	1	1	-	-	-	-	-	-	-	-
	1 Other virus diseases		3	1	1	-	1	-	-	-	-	-	-	-
	2 Others		5	4	-	-	1	-	-	-	-	-	-	-
Y32	**Diseases and conditions of pregnancy and childbirth**		2,070	955	358	295	192	98	58	39	24	18	15	18
Y32·0	Pregnancy interrupted by self or other persons for non-therapeutic purposes		-	-	-	-	-	-	-	-	-	-	-	-
Y32·1	Ectopic gestation		2	-	1	-	-	-	-	-	1	-	-	-
Y32·2	Haemorrhage without mention of placental condition		453	133	82	82	53	40	22	10	9	6	6	10
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		49	33	6	6	1	-	1	1	-	1	-	-
Y32·4	Other toxaemias of pregnancy		1,541	778	266	203	135	57	35	27	13	11	9	7
Y32·5	Infection (ante- and intra-partum)		25	11	3	4	3	1	-	1	1	-	-	1
	0 Urinary infection		10	7	-	1	-	-	-	-	1	-	-	1
	1 Others		15	4	3	3	3	1	-	1	-	-	-	-
Y33	**Absorption of toxic substance from mother**		1	-	-	-	-	-	-	-	-	1	-	-
Y33·0	Narcotic		-	-	-	-	-	-	-	-	-	-	-	-
Y33·1	Quinine		-	-	-	-	-	-	-	-	-	-	-	-
Y33·2	Other toxic substance		1	-	-	-	-	-	-	-	-	1	-	-
Y34	**Difficulties in labour**		882	318	189	138	94	63	35	14	13	7	4	7
Y34·0	Difficult labour with abnormality of bones of pelvis		13	6	4	1	-	1	1	-	-	-	-	-
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis		225	77	50	38	21	14	13	5	3	1	2	1
Y34·2	Difficult labour with malposition of foetus		411	127	98	70	48	28	14	4	10	6	2	4
Y34·3	Difficult labour with abnormality of forces of labour		112	42	21	15	15	12	4	3	-	-	-	-
Y34·4	Difficult labour with operative delivery		23	10	3	1	2	4	1	1	-	-	-	1
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis		19	11	3	-	5	-	-	-	-	-	-	-
Y34·6	Difficult labour without mention of underlying condition		79	45	10	13	3	4	2	1	-	-	-	1
Y35	**Other causes in mother**		45	19	9	7	7	2	1	-	-	-	-	-
Y35·0	Fall		14	4	3	4	1	2	-	-	-	-	-	-
Y35·1	Other accident or violence		10	7	2	-	1	-	-	-	-	-	-	-
Y35·2	Overexertion		-	-	-	-	-	-	-	-	-	-	-	-
Y35·3	Other and ill-defined causes in mother		21	8	4	3	5	-	1	-	-	-	-	-
Y36	**Placental and cord conditions**		3,994	1,416	853	659	453	255	151	86	55	27	14	25
Y36·0	Cord condition without mention of placental abnormality		1,036	369	215	173	115	58	47	28	17	4	5	5
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord		176	68	38	28	16	7	11	6	2	-	-	-
	1 Prolapse of cord		268	71	49	56	36	19	14	8	6	4	3	2
	2 Others		592	230	128	89	63	32	22	14	9	-	2	3
Y36·1	Placenta praevia		150	31	34	41	17	12	8	2	2	3	-	-
Y36·2	Premature separation of normally implanted placenta		1,156	341	255	188	149	98	47	33	19	9	4	13

TABLE 23B - *continued*

ICD No.	Cause	Number of previous children of all marriages, live and still born										
		Total	0	1	2	3	4	5	6	7	8	9	10 and over
Y36·3	Placenta praevia with cord abnormality	13	3	-	4	5	1	-	-	-	-	-	-
Y36·4	Premature separation of normally implanted placenta with cord abnormality	9	4	2	2	1	-	-	-	-	-	-	-
Y36·5	Placental infarct	256	93	51	42	28	18	9	5	4	2	3	1
Y36·6	Other abnormality of placenta and cord	1,374	575	296	209	138	68	40	18	13	9	2	6
Y37	**Birth injury**	**269**	**126**	**56**	**29**	**22**	**10**	**7**	**7**	**5**	**6**	**-**	**1**
Y37·0	Birth injury with abnormality of bones of pelvis	1	1	-	-	-	-	-	-	-	-	-	-
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	-	-	-	-	-	-	-	-	-	-	-	-
Y37·2	Birth injury with disproportion but no mention of abnormality of pelvis	14	8	4	1	1	-	-	-	-	-	-	-
Y37·3	Birth injury with malposition of foetus	64	23	18	5	5	1	2	4	3	2	-	1
Y37·4	Birth injury with abnormality of forces of labour	24	6	6	6	3	2	1	-	-	-	-	-
Y37·5	Operation causing mutilation of foetus	-	-	-	-	-	-	-	-	-	-	-	-
Y37·6	Other operation for delivery	8	6	1	1	-	-	-	-	-	-	-	-
Y37·7	Birth injury with difficult labour but without mention of underlying condition	6	6	-	-	-	-	-	-	-	-	-	-
Y37·8	Birth injury due to other or unspecified cause	152	76	27	16	13	7	4	3	2	4	-	-
Y38	**Congenital malformation of foetus**	**2,483**	**959**	**628**	**378**	**217**	**146**	**68**	**33**	**27**	**12**	**8**	**7**
Y38·0	Anencephalus	1,424	551	364	206	127	79	40	21	16	9	6	5
	0 With mention of spina bifida or synonym	198	76	54	30	12	11	5	4	2	2	1	1
	1 Without mention of spina bifida or synonym	1,226	475	310	176	115	68	35	17	14	7	5	4
Y38·1	Hydrocephalus	404	140	105	58	46	34	8	5	5	2	1	-
Y38·2	Spina bifida	275	116	66	43	15	17	10	3	3	-	-	2
	0 With mention of hydrocephalus	203	95	48	28	9	15	4	1	1	-	-	2
	1 Without mention of hydrocephalus	72	21	18	15	6	2	6	2	2	-	-	-
Y38·3	Other malformation of the central nervous system	72	30	13	13	6	4	3	1	-	1	1	-
	0 Mongolism	11	2	1	4	1	-	2	-	-	1	-	-
	1 Microcephaly	14	6	3	3	-	2	-	-	-	-	-	-
	2 Others	47	22	9	6	5	2	1	1	-	-	1	-
Y38·4	Malformation of the cardiovascular system	62	19	22	11	3	2	2	1	2	-	-	-
	0 Tetralogy of Fallot	1	-	-	-	-	-	-	-	1	-	-	-
	1 Patent ductus arteriosus	4	2	1	-	-	-	1	-	-	-	-	-
	2 Interventricular septal defect	16	4	6	3	1	1	-	1	-	-	-	-
	3 Interauricular septal defect	10	3	5	1	1	-	-	-	-	-	-	-
	4 Fibroelastosis cordis	2	-	1	1	-	-	-	-	-	-	-	-
	5 Other malformations of heart	22	9	5	5	-	1	1	-	1	-	-	-
	6 Coarctation of aorta	3	-	2	-	1	-	-	-	-	-	-	-
	7 Other circulatory malformations	4	1	2	1	-	-	-	-	-	-	-	-
Y38·5	Malformation of other specified system or part	145	61	36	25	12	6	5	-	-	-	-	-
	0 Digestive system	12	6	3	1	1	1	-	-	-	-	-	-
	1 Genito-urinary system	34	14	10	4	2	2	2	-	-	-	-	-
	2 Dwarf	-	-	-	-	-	-	-	-	-	-	-	-
	3 Other skeletal	22	12	5	4	1	-	-	-	-	-	-	-
	4 Respiratory system	5	2	1	1	-	-	1	-	-	-	-	-
	5 Skin	1	-	1	-	-	-	-	-	-	-	-	-
	6 Muscle	8	2	2	3	1	-	-	-	-	-	-	-
	7 Others	63	25	14	12	7	3	2	-	-	-	-	-
Y38·6	Monster	18	8	4	2	2	1	-	1	-	-	-	-
	0 Double monster	4	1	2	1	-	-	-	-	-	-	-	-
	1 Monster N.O.S.	6	3	1	1	-	-	-	1	-	-	-	-
	2 Others	8	4	1	-	2	1	-	-	-	-	-	-
Y38·7	Other and unspecified malformations	83	34	18	20	6	3	-	1	1	-	-	-
Y39	**Diseases of foetus and ill-defined causes**	**3,035**	**920**	**698**	**566**	**336**	**217**	**115**	**88**	**37**	**26**	**14**	**18**
Y39·0	Syphilis	-	-	-	-	-	-	-	-	-	-	-	-
Y39·1	Infection other than syphilis	19	4	6	1	4	1	2	-	-	-	-	1
Y39·2	Erythroblastosis	708	35	189	196	131	78	37	20	12	3	3	4
Y39·3	Other cause originated in the foetus	30	12	6	6	3	-	2	-	1	-	-	-
Y39·4	Maceration, cause not specified	867	322	198	156	73	46	32	17	8	8	3	4
Y39·5	Other ill-defined cause	821	333	175	115	60	53	24	32	10	9	2	8
	0 Asphyxia	392	171	92	42	29	18	9	18	4	4	1	4
	1 Atelectasis	69	30	13	10	3	5	4	2	1	1	-	-
	2 Post-maturity	77	39	11	7	6	7	4	-	-	2	-	1
	3 Prematurity	170	58	34	36	14	12	4	6	3	2	1	-
	4 Others	113	35	25	20	8	11	3	6	2	-	-	3
Y39·6	Cause unspecified	590	214	124	92	65	39	18	19	6	6	6	1
Total legitimate live and still births	M	425,232	148,361	129,898	72,928	36,045	17,807	9,288	4,991	2,659	1,463	820	972
	F	400,637	138,588	122,802	69,066	34,505	16,749	8,566	4,733	2,505	1,442	769	912
	P	825,869	286,949	252,700	141,994	70,550	34,556	17,854	9,724	5,164	2,905	1,589	1,884

TABLE 23B - *continued*

ICD No.	Cause		Number of previous children of all marriages, live and still born										
			Total	0	1	2	3	4	5	6	7	8	9	10 and over
			Stillbirths per 1,000 total births											
Y30-Y39	**All causes**	**M**	**16·2**	**17·0**	**11·3**	**15·7**	**20·2**	**24·1**	**25·8**	**30·1**	**33·1**	**37·6**	**32·9**	**47·3**
		F	**15·8**	**17·0**	**11·6**	**14·6**	**18·5**	**22·9**	**25·2**	**27·0**	**31·5**	**32·6**	**42·9**	**39·5**
		P	16·0	17·0	11·4	15·1	19·4	23·5	25·5	28·6	32·3	35·1	37·8	43·5
Y30-Y35	**Maternal conditions**		**4·2**	**5·1**	**2·6**	**3·6**	**4·8**	**5·4**	**6·4**	**6·6**	**8·3**	**10·7**	**15·1**	**16·5**
Y30·2	Diabetes		0·1	0·1	0·1	0·1	0·1	0·1	0·2	0·4	-	0·3	1·3	0·5
Y30·3	Circulatory		0·3	0·3	0·2	0·3	0·4	0·4	0·7	0·5	1·0	1·4	1·3	1·6
Y32	Diseases of pregnancy		2·5	3·3	1·4	2·1	2·7	2·8	3·2	4·0	4·6	6·2	9·4	9·6
Y32·2	Haemorrhage N.E.C.		0·5	0·5	0·3	0·6	0·8	1·2	1·2	1·0	1·7	2·1	3·8	5·3
Y32·4	Other toxaemia		1·9	2·7	1·1	1·4	1·9	1·6	2·0	2·8	2·5	3·8	5·7	3·7
Y34	Difficulties in labour		1·1	1·1	0·7	1·0	1·3	1·8	2·0	1·4	2·5	2·4	2·5	3·7
Y34·2	Malposition		0·5	0·4	0·4	0·5	0·7	0·8	0·8	0·4	1·9	2·1	1·3	2·1
Y34·3	Abnormal forces		0·1	0·1	0·1	0·1	0·2	0·3	0·2	0·3	-	-	-	-
Y36	**Placental and cord conditions**		**4·8**	**4·9**	**3·4**	**4·6**	**6·4**	**7·4**	**8·5**	**8·8**	**10·7**	**9·3**	**8·8**	**13·3**
Y36·1	Placenta praevia		0·2	0·1	0·1	0·3	0·2	0·3	0·4	0·2	0·4	1·0	-	-
Y36·2	Placenta and placental separation		1·4	1·2	1·0	1·3	2·1	2·8	2·6	3·4	3·7	3·1	2·5	6·9
Y36·5	Placental infarct		0·3	0·3	0·2	0·3	0·4	0·5	0·5	0·5	0·8	0·7	1·9	0·5
Y37-Y39	**Foetal conditions**		**7·0**	**7·0**	**5·5**	**6·9**	**8·2**	**10·8**	**10·6**	**13·2**	**13·4**	**15·1**	**13·8**	**13·8**
Y37	Birth injury		0·3	0·4	0·2	0·2	0·3	0·3	0·4	0·7	1·0	2·1	-	0·5
Y38	Congenital malformation		3·0	3·3	2·5	2·7	3·1	4·2	3·8	3·4	5·2	4·1	5·0	3·7
Y38·0	Anencephalus		1·7	1·9	1·4	1·5	1·8	2·3	2·2	2·2	3·1	3·1	3·8	2·7
Y38·1	Hydrocephalus		0·5	0·5	0·4	0·4	0·7	1·0	0·4	0·5	1·0	0·7	0·6	-
Y38·2	Spina bifida		0·3	0·4	0·3	0·3	0·2	0·5	0·6	0·3	0·6	-	-	1·1
Y39	Other and ill-defined causes		3·7	3·2	2·8	4·0	4·8	6·3	6·4	9·0	7·2	9·0	8·8	9·6
Y39·2	Erythroblastosis		0·9	0·1	0·7	1·4	1·9	2·3	2·1	2·1	2·3	1·0	1·9	2·1
Y39·6	Unspecified		0·7	0·7	0·5	0·6	0·9	1·1	1·0	2·0	1·2	2·1	3·8	0·5

TABLE 23C. Stillbirths by cause and month of occurrence (with, for certain selected causes, rates per 1,000 total births), 1964

England and Wales

ICD No.	Cause		Total	Month of occurrence											
				Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Y30-Y39	ALL CAUSES	M	7,566	660	675	656	697	669	593	629	618	601	566	588	614
		F	6,980	619	594	590	686	551	575	576	549	591	559	544	546
		P	14,546	1,279	1,269	1,246	1,383	1,220	1,168	1,205	1,167	1,192	1,125	1,132	1,160
Y30	**Chronic disease in mother**		**469**	**41**	**38**	**48**	**41**	**48**	**37**	**36**	**41**	**40**	**32**	**31**	**36**
Y30·0	Syphilis		13	-	2	1	-	1	3	2	1	1	-	-	2
Y30·1	Tuberculosis (any form)		5	-	1	2	-	1	1	-	-	-	-	-	-
Y30·2	Diabetes mellitus		110	10	12	11	9	12	6	9	6	11	6	8	10
Y30·3	Chronic disease of circulatory system		286	27	21	30	27	30	26	21	27	19	21	20	17
Y30·4	Chronic disease of genito-urinary system		20	1	1	2	1	2	1	3	2	2	-	3	2
Y30·5	Other chronic disease		35	3	1	2	4	2	-	1	5	7	5	-	5
Y31	**Acute disease in mother**		**35**	**4**	**1**	**4**	**6**	**1**	**1**	**1**	**2**	**2**	**5**	**3**	**5**
Y31·0	Typhoid fever		-	-	-	-	-	-	-	-	-	-	-	-	-
Y31·1	Influenza		9	1	-	3	3	-	-	-	-	-	1	-	1
Y31·2	Pneumonia (any form)		5	1	1	-	2	-	-	-	-	-	-	-	1
Y31·3	Other acute respiratory disease		4	1	-	-	-	-	-	-	-	-	2	1	-
Y31·4	Other acute disease or condition		17	1	-	1	1	1	1	1	2	2	2	2	3
	0 Rubella		5	-	-	-	-	-	-	-	1	1	1	1	1
	1 Other virus diseases		5	-	-	1	-	-	-	1	1	1	1	-	-
	2 Others		7	1	-	-	1	1	1	-	-	-	-	1	2
Y32	**Diseases and conditions of pregnancy and childbirth**		**2,293**	**209**	**216**	**203**	**216**	**179**	**200**	**192**	**174**	**179**	**174**	**171**	**180**
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes		-	-	-	-	-	-	-	-	-	-	-	-	-
Y32·1	Ectopic gestation		2	-	-	-	-	1	1	-	-	-	-	-	-
Y32·2	Haemorrhage without mention of placental condition		509	46	42	44	57	52	48	53	32	42	30	29	34
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		55	9	-	7	8	2	2	1	5	4	3	8	6
Y32·4	Other toxaemias of pregnancy		1,696	151	173	147	150	121	147	136	133	129	140	132	137
Y32·5	Infection (ante- and intra-partum)		31	3	1	5	1	3	2	2	4	4	1	2	3
	0 Urinary infection		10	1	-	2	-	1	1	-	-	4	1	-	-
	1 Others		21	2	1	3	1	2	1	2	4	-	-	2	3
Y33	**Absorption of toxic substance from mother**		**1**	-	**1**	-	-	-	-	-	-	-	-	-	-
Y33·0	Narcotic		-	-	-	-	-	-	-	-	-	-	-	-	-
Y33·1	Quinine		-	-	-	-	-	-	-	-	-	-	-	-	-
Y33·2	Other toxic substance		1	-	1	-	-	-	-	-	-	-	-	-	-

Y34	**Difficulties in labour**	**983**	**106**	**92**	**75**	**84**	**88**	**79**	**93**	**66**	**89**	**81**	**77**	**53**
Y34·0	Difficult labour with abnormality of bones of pelvis	**15**	4	2	1	-	1	-	1	-	2	2	1	1
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	**235**	22	17	20	20	22	15	25	11	21	21	27	14
Y34·2	Difficult labour with malposition of foetus	**474**	52	44	35	40	43	35	46	40	45	41	26	27
Y34·3	Difficult labour with abnormality of forces of labour	**118**	14	12	14	11	7	9	8	7	10	11	10	5
Y34·4	Difficult labour with operative delivery	**28**	4	4	-	2	3	7	2	-	2	-	3	1
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis	**20**	2	1	1	3	1	2	5	1	3	-	-	1
Y34·6	Difficult labour without mention of underlying condition	**93**	8	12	4	8	11	11	6	7	6	6	10	4
Y35	**Other causes in mother**	**47**	**1**	**5**	**5**	**3**	**2**	**4**	**6**	**4**	**4**	**6**	**2**	**5**
Y35·0	Fall	**14**	1	2	1	1	1	1	-	2	1	2	1	1
Y35·1	Other accident or violence	**10**	-	1	1	-	1	-	1	-	1	2	1	2
Y35·2	Overexertion	-	-	-	-	-	-	-	-	-	-	-	-	-
Y35·3	Other and ill-defined causes in mother	**23**	-	2	3	2	-	3	5	2	2	2	-	2
Y36	**Placental and cord conditions**	**4,348**	**392**	**350**	**367**	**435**	**356**	**360**	**341**	**374**	**341**	**335**	**323**	**374**
Y36·0	Cord condition without mention of placental abnormality	**1,137**	109	89	107	131	98	86	85	95	90	72	90	85
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	**194**	18	21	18	20	15	14	16	16	16	13	11	16
	1 Prolapse of cord	**293**	27	22	29	39	26	24	15	21	24	17	23	26
	2 Others	**650**	64	46	60	72	57	48	54	58	50	42	56	43
Y36·1	Placenta praevia	**164**	17	8	11	20	11	21	10	14	12	15	15	10
Y36·2	Premature separation of normally implanted placenta	**1,262**	98	107	102	106	109	98	113	113	110	95	97	114
Y36·3	Placenta praevia with cord abnormality	**13**	-	-	2	1	2	1	2	-	-	-	-	5
Y36·4	Premature separation of normally implanted placenta with cord abnormality	**9**	-	1	1	-	1	2	3	-	-	-	-	1
Y36·5	Placental infarct	**277**	21	21	25	36	19	20	18	29	20	25	19	24
Y36·6	Other abnormality of placenta and cord	**1,486**	147	124	119	141	116	132	110	123	109	128	102	135
Y37	**Birth injury**	**301**	**22**	**25**	**27**	**24**	**30**	**24**	**30**	**18**	**33**	**27**	**18**	**23**
Y37·0	Birth injury with abnormality of bones of pelvis	**1**	-	-	-	1	-	-	-	-	-	-	-	-
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-
Y37·2	Birth injury with disproportion but no mention of abnormality of pelvis	**15**	1	1	2	-	2	-	2	1	-	3	1	2
Y37·3	Birth injury with malposition of foetus	**69**	4	10	5	3	5	6	11	1	6	10	4	4

TABLE 23C - *continued*

ICD No.	Cause	Total	Month of occurrence										
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Y37·4	Birth injury with abnormality of forces of labour	32	4	-	4	3	4	5	1	2	3	-	2	4
Y37·5	Operation causing mutilation of foetus	-	-	-	-	-	-	-	-	-	-	-	-	-
Y37·6	Other operation for delivery	8	-	-	-	-	2	-	-	1	4	1	-	-
Y37·7	Birth injury with difficult labour but without mention of underlying condition	6	-	-	-	1	1	1	-	-	2	-	-	1
Y37·8	Birth injury due to other or unspecified cause	170	13	14	16	16	16	12	16	13	18	13	11	12
Y38	**Congenital malformation of foetus**	**2,691**	**249**	**248**	**237**	**256**	**220**	**178**	**213**	**209**	**212**	**206**	**241**	**222**
Y38·0	Anencephalus	1,542	140	144	123	140	130	94	123	118	121	127	151	131
	0 With mention of spina bifida or synonym	209	13	24	23	18	16	10	16	10	19	18	20	22
	1 Without mention of spina bifida or	1,333	127	120	100	122	114	84	107	108	102	109	131	109
Y38·1	Hydrocephalus	436	45	39	49	33	22	34	32	39	34	32	37	40
Y38·2	Spina bifida	300	28	29	27	28	24	27	21	28	28	16	22	22
	0 With mention of hydrocephalus	223	21	25	24	20	14	21	14	23	21	13	15	12
	1 Without mention of hydrocephalus	77	7	4	3	8	10	6	7	5	7	3	7	10
Y38·3	Other malformation of the central nervous system	81	8	6	8	11	8	5	5	3	4	9	10	4
	0 Mongolism	12	1	-	1	1	1	1	2	-	-	3	1	1
	1 Microcephaly	17	3	1	1	1	1	2	1	1	1	2	3	-
	2 Others	52	4	5	6	9	6	2	2	2	3	4	6	3
Y38·4	Malformation of the cardiovascular system	63	9	4	5	7	10	7	5	2	4	3	4	3
	0 Tetralogy of Fallot	1	-	-	-	-	-	-	1	-	-	-	-	-
	1 Patent ductus arteriosus	4	-	-	-	1	1	1	1	-	-	-	-	-
	2 Interventricular septal defect	16	3	2	2	2	3	2	1	-	-	-	-	1
	3 Interauricular septal defect	10	2	1	1	2	1	1	-	-	-	1	1	-
	4 Fibroelastosis cordis	2	-	-	-	-	1	-	-	-	-	-	1	-
	5 Other malformations of heart	23	3	-	1	1	3	3	1	2	3	2	2	2
	6 Coarctation of aorta	3	-	1	-	1	-	-	1	-	-	-	-	-
	7 Other circulatory malformations	4	1	-	1	-	1	-	-	-	1	-	-	-
Y38·5	Malformation of other specified system or part	158	13	19	14	22	14	8	14	10	10	11	12	11
	0 Digestive system	12	-	3	-	2	2	1	-	2	1	1	-	-
	1 Genito-urinary system	38	3	3	2	5	4	2	3	3	3	3	3	4
	2 Dwarf	-	-	-	-	-	-	-	-	-	-	-	-	-
	3 Other skeletal	25	5	3	3	2	2	1	1	-	1	1	5	1
	4 Respiratory system	5	-	-	-	-	1	-	1	1	-	-	-	2
	5 Skin	1	1	-	-	-	-	-	-	-	-	-	-	-
	6 Muscle	11	-	-	1	5	-	1	1	1	1	-	1	-
	7 Others	66	4	10	8	8	5	3	8	3	4	6	3	4
Y38·6	Monster	19	-	1	1	2	5	1	4	3	1	-	-	1
	0 Double monster	4	-	1	-	-	3	-	-	-	-	-	-	-
	1 Monster N.O.S.	7	-	-	-	-	1	1	2	2	1	-	-	-
	2 Others	8	-	-	1	2	1	-	2	1	-	-	-	1
Y38·7	Other and unspecified malformations	92	6	6	10	13	7	2	9	6	10	8	5	10

Y39	**Diseases of foetus. and ill-defined causes**	**3,378**	**255**	**293**	**280**	**318**	**296**	**285**	**293**	**279**	**292**	**259**	**266**	**262**
Y39·0	Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-
Y39·1	Infection other than syphilis	**24**	4	2	-	-	4	4	3	-	3	2	1	1
Y39·2	Erythroblastosis	**733**	60	58	49	82	82	65	59	58	59	57	55	49
Y39·3	Other cause originated in the foetus	**33**	3	1	2	4	2	4	3	3	2	3	3	3
Y39·4	Maceration, cause not specified	**960**	59	79	89	86	76	86	79	80	83	78	80	85
Y39·5	Other ill-defined cause	**928**	79	93	84	84	73	73	87	77	77	65	69	67
	0 Asphyxia	**427**	44	43	44	36	24	34	37	36	33	29	37	30
	1 Atelectasis	**82**	9	9	9	6	10	7	9	5	1	5	7	5
	2 Post-maturity	**84**	5	9	7	7	5	5	11	11	8	5	6	5
	3 Prematurity	**201**	16	22	15	21	23	13	16	12	19	18	11	15
	4 Others	**134**	5	10	9	14	11	14	14	13	16	8	8	12
Y39·6	Cause unspecified	**700**	50	60	56	62	59	53	62	61	68	54	58	57
Total live and still births	M	**458,638**	37,825	37,813	41,345	39,673	40,310	38,360	39,719	37,200	38,042	37,193	34,749	36,409
	F	**431,880**	36,061	34,898	38,838	37,269	37,730	36,309	37,428	35,404	35,549	34,876	32,873	34,645
	P	**890,518**	73,886	72,711	80,183	76,942	78,040	74,669	77,147	72,604	73,591	72,069	67,622	71,054

Stillbirths per 1,000 total births

Y30-Y39	**All causes**	M	**16·5**	**17·4**	**17·9**	**15·9**	**17·6**	**16·6**	**15·5**	**15·8**	**16·6**	**15·8**	**15·2**	**16·9**	**16·9**
		F	**16·2**	**17·2**	**17·0**	**15·2**	**18·4**	**14·6**	**15·8**	**15·4**	**15·5**	**16·6**	**16·0**	**16·5**	**15·8**
		P	**16·3**	**17·3**	**17·5**	**15·5**	**18·0**	**15·6**	**15·6**	**15·6**	**16·1**	**16·2**	**15·6**	**16·7**	**16·3**
Y30-Y35	**Maternal conditions**		**4·3**	**4·9**	**4·9**	**4·2**	**4·5**	**4·1**	**4·3**	**4·3**	**4·0**	**4·3**	**4·1**	**4·2**	**3·9**
Y30·2	Diabetes		0·1	*0·1*	*0·2*	*0·1*	*0·1*	*0·2*	*0·1*	*0·1*	*0·1*	*0·1*	*0·1*	*0·1*	*0·1*
Y30·3	Circulatory		0·3	0·4	0·3	0·4	0·4	0·4	0·3	0·3	0·4	*0·3*	0·3	0·3	*0·2*
Y32	Diseases of pregnancy		2·6	2·8	3·0	2·5	2·8	2·3	2·7	2·5	2·4	2·4	2·4	2·5	2·5
Y32·2	Haemorrhage N.E.C.		0·6	0·6	0·6	0·5	0·7	0·7	0·6	0·7	0·4	0·6	0·4	0·4	0·5
Y32·4	Other toxaemia		1·9	2·0	2·4	1·8	1·9	1·6	2·0	1·8	1·8	1·8	1·9	2·0	1·9
Y34	Difficulties in labour		1·1	1·4	1·3	0·9	1·1	1·1	1·1	1·2	0·9	1·2	1·1	1·1	0·7
Y34·2	Malposition		0·5	0·7	0·6	0·4	0·5	0·6	0·5	0·6	0·6	0·6	0·6	0·4	0·4
Y34·3	Abnormal forces		0·1	*0·2*	*0·2*	*0·2*	*0·1*	*0·1*	*0·1*	*0·1*	*0·1*	*0·1*	*0·2*	*0·1*	*0·1*
Y36	**Placental and cord conditions**		**4·9**	**5·3**	**4·8**	**4·6**	**5·7**	**4·6**	**4·8**	**4·4**	**5·2**	**4·6**	**4·6**	**4·8**	**5·3**
Y36·1	Placenta praevia		0·2	*0·2*	*0·1*	*0·1*	0·3	*0·1*	0·3	*0·1*	*0·2*	*0·2*	*0·2*	*0·2*	*0·1*
Y36·2	Placenta and placental separation		1·4	1·3	1·5	1·3	1·4	1·4	1·3	1·5	1·6	1·5	1·3	1·4	1·6
Y36·5	Placental infarct		0·3	0·3	0·3	0·3	0·5	*0·2*	0·3	*0·2*	0·4	0·3	0·3	*0·3*	0·3
Y37-Y39	**Foetal conditions**		**7·2**	**7·1**	**7·8**	**6·8**	**7·8**	**7·0**	**6·5**	**6·9**	**7·0**	**7·3**	**6·8**	**7·8**	**7·1**
Y37	Birth injury		0·3	0·3	0·3	0·3	0·3	0·4	0·3	0·4	*0·2*	0·4	0·4	*0·3*	0·3
Y38	Congenital malformation		3·0	3·4	3·4	3·0	3·3	2·8	2·4	2·8	2·9	2·9	2·9	3·6	3·1
Y38·0	Anencephalus		1·7	1·9	2·0	1·5	1·8	1·7	1·3	1·6	1·6	1·6	1·8	2·2	1·8
Y38·1	Hydrocephalus		0·5	0·6	0·5	0·6	0·4	0·3	0·5	0·4	0·5	0·5	0·4	0·5	0·6
Y38·2	Spina bifida		0·3	0·4	0·4	0·3	0·4	0·3	0·4	0·3	0·4	0·4	*0·2*	0·3	0·3
Y39	Other and ill-defined causes		3·8	3·5	4·0	3·5	4·1	3·8	3·8	3·8	3·8	4·0	3·6	3·9	3·7
Y39·2	Erythroblastosis		0·8	0·8	0·8	0·6	1·1	1·1	0·9	0·8	0·8	0·8	0·8	0·8	0·7
Y39·6	Unspecified		0·8	0·7	0·8	0·7	0·8	0·8	0·7	0·8	0·8	0·9	0·7	0·9	0·8

TABLE 23D. Stillbirths by cause and area of residence of mother (with, for certain selected causes, rates per 1,000 total births), 1964

England and Wales, standard regions, Wales, urban and rural aggregates, and hospital regions

ICD No.	Cause		England and Wales	Standard regions										Urban/Rural aggregates				
				Northern	East and West Ridings	North Western	North Midland	Midland	Eastern	London and South Eastern	Southern	South Western	Wales	Conurbations	Areas outside conurbations			
															Urban areas with populations of 100,000 and over	Urban areas with populations of 50,000 and under 100,000	Urban areas with populations under 50,000	Rural districts
Y30-Y39	**ALL CAUSES**	M	7,566	617	776	1,208	619	844	584	1,532	433	514	439	2,765	1,031	699	1,625	1,446
		F	6,980	551	645	1,158	597	814	498	1,393	430	474	420	2,543	968	687	1,444	1,338
		P	14,546	1,168	1,421	2,366	1,216	1,658	1,082	2,925	863	988	859	5,308	1,999	1,386	3,069	2,784
Y30	**Chronic disease in mother**		469	21	47	59	36	61	37	114	29	30	35	190	68	43	90	78
Y30·0	Syphilis		13	-	1	2	1	1	-	7	-	-	1	9	1	1	2	-
Y30·1	Tuberculosis (any form)		5	1	-	1	1	-	1	1	-	-	-	2	1	-	1	1
Y30·2	Diabetes mellitus		110	8	5	18	7	12	12	27	8	4	9	36	13	16	23	22
Y30·3	Chronic disease of circulatory system		286	11	36	32	22	40	22	66	13	22	22	123	45	23	52	43
Y30·4	Chronic disease of genito-urinary system		20	-	1	2	-	4	2	7	2	2	-	11	4	-	2	3
Y30·5	Other chronic disease		35	1	4	4	5	4	-	6	6	2	3	9	4	3	10	9
Y31	**Acute disease in mother**		35	1	4	6	2	6	1	9	-	4	2	19	4	2	4	6
Y31·0	Typhoid fever		-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y31·1	Influenza		9	-	2	2	-	1	1	2	-	-	1	4	2	1	2	-
Y31·2	Pneumonia (any form)		5	1	-	-	-	1	-	2	-	1	-	3	-	-	1	1
Y31·3	Other acute respiratory disease		4	-	1	1	1	-	-	-	-	1	-	2	2	-	-	-
Y31·4	Other acute disease or condition		17	-	1	3	1	4	-	5	-	2	1	10	-	1	1	5
	0 Rubella		-	-	-	-	1	2	-	1	-	1	-	3	-	-	1	1
	1 Other virus diseases		5	-	-	1	-	-	-	2	-	1	1	2	-	-	-	3
	2 Others		7	-	1	2	-	2	-	2	-	-	-	5	-	1	-	1
Y32	**Diseases and conditions of pregnancy and childbirth**		2,293	167	210	322	206	298	171	499	123	169	128	843	305	220	487	438
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y32·1	Ectopic gestation		2	-	1	-	-	1	-	-	-	-	-	2	-	-	-	-
Y32·2	Haemorrhage without mention of placental condition		509	36	41	82	50	65	38	99	34	34	30	192	72	51	97	97
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		55	4	9	8	3	8	2	13	2	3	3	23	8	3	10	11
Y32·4	Other toxaemias of pregnancy		1,696	125	159	226	150	219	131	381	85	128	92	616	218	163	378	321
Y32·5	Infection (ante- and intra-partum)		31	2	-	6	3	5	-	6	2	4	3	10	7	3	2	9
	0 Urinary infection		10	1	-	1	-	1	-	2	-	3	2	1	4	-	-	5
	1 Others		21	1	-	5	3	4	-	4	2	1	1	9	3	3	2	4

Y33	**Absorption of toxic substance from mother**	**1**	-	-	**1**	-	-	-	-	-	-	-	-	-	-	**1**	-
Y33·0	Narcotic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33·1	Quinine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33·2	Other toxic substance	**1**	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Y34	**Difficulties in labour**	**983**	**66**	**99**	**139**	**103**	**134**	**77**	**185**	**49**	**62**	**59**	**312**	**127**	**99**	**238**	**207**
Y34·0	Difficult labour with abnormality of bones of pelvis	**15**	1	2	1	1	4	-	4	-	1	1	6	3	1	3	2
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	**235**	16	22	34	34	34	22	39	19	7	8	79	35	21	52	48
Y34·2	Difficult labour with malposition of foetus	**474**	34	48	73	43	62	28	94	14	43	35	148	58	53	115	100
Y34·3	Difficult labour with abnormality of forces of labour	**118**	5	12	19	10	19	13	20	4	4	12	37	13	10	29	29
Y34·4	Difficult labour with operative delivery	**28**	4	3	-	4	1	2	5	3	-	6	6	1	6	7	8
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis	**20**	2	2	2	4	4	1	1	2	2	-	7	4	2	4	3
Y34·6	Difficult labour without mention of underlying condition	**93**	4	10	10	7	10	11	22	7	5	7	29	13	6	28	17
Y35	**Other causes in mother**	**47**	**2**	**7**	**8**	**7**	**4**	**2**	**13**	**4**	-	-	**24**	**6**	**4**	**8**	**5**
Y35·0	Fall	**14**	-	5	3	-	1	1	3	1	-	-	7	4	1	1	1
Y35·1	Other accident or violence	**10**	-	-	2	3	2	-	3	-	-	-	6	-	1	1	2
Y35·2	Overexertion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y35·3	Other and ill-defined causes in mother	**23**	2	2	3	4	1	1	7	3	-	-	11	2	2	6	2
Y36	**Placental and cord conditions**	**4,348**	**388**	**426**	**721**	**340**	**478**	**347**	**860**	**248**	**286**	**254**	**1,603**	**588**	**409**	**876**	**872**
Y36·0	Cord condition without mention of placental abnormality	**1,137**	101	110	190	84	120	104	237	73	72	46	399	156	138	232	212
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	**194**	16	23	36	15	17	23	31	13	11	9	57	25	23	43	46
	1 Prolapse of cord	**293**	38	25	46	19	31	19	65	15	21	14	113	37	37	58	48
	2 Others	**650**	47	62	108	50	72	62	141	45	40	23	229	94	78	131	118
Y36·1	Placenta praevia	**164**	8	16	27	22	12	8	50	3	6	12	61	20	19	37	27
Y36·2	Premature separation of normally implanted placenta	**1,262**	115	120	228	112	131	95	230	78	86	67	472	181	111	256	242

TABLE 23D - *continued*

ICD No.	Cause	England and Wales	Standard regions										Urban/Rural aggregates				
			Northern	East and West Ridings	North Western	North Midland	Midland	Eastern	London and South Eastern	Southern	South Western	Wales	Conurbations	Areas outside conurbations			
														Urban areas with populations of 100,000 and over	Urban areas with populations of 50,000 and under 100,000	Urban areas with populations under 50,000	Rural districts
Y36·3	Placenta praevia with cord abnormality	13	3	1	2	3	-	2	2	-	-	-	4	3	-	3	3
Y36·4	Premature separation of normally implanted placenta with cord abnormality	9	1	1	-	-	-	1	3	1	1	1	2	1	1	5	-
Y36·5	Placental infarct	277	28	20	42	18	43	16	48	8	31	23	109	30	23	48	67
Y36·6	Other abnormality of placenta and cord	1,486	132	158	232	101	172	121	290	85	90	105	556	197	117	295	321
Y37	**Birth injury**	**301**	**13**	**25**	**45**	**27**	**37**	**30**	**77**	**13**	**24**	**10**	**118**	**28**	**28**	**76**	**51**
Y37·0	Birth injury with abnormality of bones of pelvis	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y37·2	Birth injury with disproportion but no mention of abnormality of pelvis	15	-	2	2	2	2	1	5	-	1	-	6	-	2	6	1
Y37·3	Birth injury with malposition of foetus	69	-	8	15	5	6	7	15	4	5	4	22	6	9	17	15
Y37·4	Birth injury with abnormality of forces of labour	32	2	2	6	3	5	4	6	-	4	-	14	3	2	6	7
Y37·5	Operation causing mutilation of foetus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y37·6	Other operation for delivery	8	-	-	-	-	-	2	1	1	3	1	-	1	2	3	2
Y37·7	Birth injury with difficult labour but without mention of underlying condition	6	2	-	-	-	1	2	1	-	-	-	1	-	1	4	-
Y37·8	Birth injury due to other or unspecified cause	170	9	13	22	16	23	14	49	8	11	5	75	18	11	40	26
Y38	**Congenital malformation of foetus**	**2,691**	**252**	**260**	**470**	**213**	**280**	**189**	**456**	**190**	**204**	**177**	**872**	**375**	**279**	**625**	**540**
Y38·0	Anencephalus	1,542	148	134	282	119	160	94	270	112	115	108	501	211	172	361	297
	0 With mention of spina bifida or synonym	209	17	14	32	29	16	14	35	10	20	22	50	33	31	47	48
	1 Without mention of spina bifida or synonym	1,333	131	120	250	90	144	80	235	102	95	86	451	178	141	314	249
Y38·1	Hydrocephalus	436	41	43	81	35	50	32	71	24	38	21	150	61	41	98	86
Y38·2	Spina bifida	300	27	37	51	26	36	18	36	21	21	27	94	43	22	71	70
	0 With mention of hydrocephalus	223	21	28	42	22	26	15	22	13	15	19	71	33	18	49	52
	1 Without mention of hydrocephalus	77	6	9	9	4	10	3	14	8	6	8	23	10	4	22	18
Y38·3	Other malformation of the central nervous system	81	10	8	9	4	8	13	15	7	4	3	27	9	9	20	16
	0 Mongolism	12	1	-	4	1	2	-	3	-	-	1	5	3	-	2	2
	1 Microcephaly	17	1	1	1	2	2	2	5	2	-	1	4	2	3	4	4
	2 Others	52	8	7	4	1	4	11	7	5	4	1	18	4	6	14	10

Y38·4	**Malformation of the cardiovascular system**	**63**	3	8	11	5	3	12	7	7	5	2	11	11	10	17	**14**
	0 Tetralogy of Fallot	**1**	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	1 Patent ductus arteriosus	**4**	-	1	-	-	1	-	-	1	1	-	1	-	-	3	-
	2 Interventricular septal defect	**16**	-	4	2	-	2	5	2	1	-	-	4	2	2	3	5
	3 Interauricular septal defect	**10**	-	1	-	2	-	2	-	4	1	-	-	2	3	2	3
	4 Fibroelastosis cordis	**2**	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
	5 Other malformations of heart	**23**	1	1	6	3	-	5	3	1	2	1	3	3	4	8	5
	6 Coarctation of aorta	**3**	-	-	1	-	-	-	-	-	1	1	-	2	-	-	1
	7 Other circulatory malformations	**4**	-	1	1	-	-	-	2	-	-	-	2	1	-	1	-
Y38·5	**Malformation of other specified system or part**	**15**	10	18	25	16	16	9	30	11	15	8	51	24	17	32	34
	0 Digestive system	**12**	-	2	1	2	2	2	-	1	1	1	1	5	1	4	1
	1 Genito-urinary system	**38**	1	4	8	2	7	2	7	1	4	2	14	3	4	8	9
	2 Dwarf	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3 Other skeletal	**25**	-	2	4	2	3	2	7	2	3	-	8	1	2	6	8
	4 Respiratory system	**5**	-	1	1	2	-	-	-	-	1	-	1	2	-	1	1
	5 Skin	**1**	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	6 Muscle	**11**	-	2	1	2	1	1	3	-	-	1	5	-	-	6	-
	7 Others	**66**	9	6	10	6	3	2	13	7	6	4	21	13	10	7	15
Y38·6	Monster	**19**	-	2	1	1	2	3	6	-	2	2	3	3	2	6	5
	0 Double monster	**4**	-	-	-	-	1	-	3	-	-	-	2	-	-	1	1
	1 Monster N.O.S.	**7**	-	-	-	1	-	2	2	-	1	1	-	1	-	4	2
	2 Others	**8**	-	2	1	-	1	1	1	-	1	1	1	2	2	1	2
Y38·7	Other and unspecified malformations	**92**	13	10	10	7	5	8	21	8	4	6	35	13	6	20	18
Y39	**Diseases of foetus, and ill-defined causes**	**3,378**	**258**	**343**	**595**	**282**	**360**	**228**	**712**	**207**	**209**	**184**	**1,327**	**498**	**302**	**664**	**587**
Y39·0	Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y39·1	Infection other than syphilis	**24**	2	1	2	2	2	2	10	1	1	1	14	5	2	1	2
Y39·2	Erythroblastosis	**733**	67	77	132	62	74	66	132	44	44	35	262	89	71	171	140
Y39·3	Other cause originated in the foetus	**33**	3	2	7	-	5	1	8	-	4	3	16	3	1	8	5
Y39·4	Maceration, cause not specified	**960**	72	98	167	76	124	64	191	71	52	45	374	154	79	182	171
Y39·5	Other ill-defined cause	**928**	73	100	160	75	96	53	203	49	62	57	376	139	89	176	148
	0 Asphyxia	**427**	29	47	85	29	27	29	111	19	25	26	189	57	40	79	62
	1 Atelectasis	**82**	8	13	14	5	11	1	18	4	6	2	37	9	8	17	11
	2 Post-maturity	**84**	7	1	10	12	15	7	11	5	11	5	30	13	13	16	12
	3 Prematurity	**201**	22	26	31	14	17	12	31	17	14	17	62	42	19	41	37
	4 Others	**134**	7	13	20	15	26	4	32	4	6	7	58	18	9	23	26
Y39·6	Cause unspecified	**700**	41	65	127	67	59	42	168	42	46	43	285	108	60	126	121
Total live and still births	M	**458,638**	31,844	41,296	66,906	36,932	49,985	38,847	105,177	30,387	32,544	24,720	167,815	59,846	43,120	94,564	93,293
	F	**431,880**	29,764	33,595	62,921	35,007	47,233	36,650	99,768	28,936	30,372	23,641	158,190	56,312	40,643	88,685	88,050
	P	**890,518**	61,608	79,884	129,827	71,939	97,218	75,497	203,945	59,323	62,916	48,361	326,005	116,158	83,763	183,249	181,343

TABLE 23D - *continued*

ICD No.	Cause		England and Wales	Standard regions										Urban/Rural aggregates				
				Northern	East and West Ridings	North Western	North Midland	Midland	Eastern	London and South Eastern	Southern	South Western	Wales	Conurbations	Areas outside conurbations			
															Urban areas with populations of 100,000 and over	Urban areas with populations of 50,000 and under 100,000	Urban areas with populations under 50,000	Rural districts
			Stillbirths per 1,000 total births															
		M	16·5	19·4	18·8	18·1	16·8	16·9	15·0	14·6	14·2	15·8	17·8	16·5	17·2	16·2	17·2	15·5
Y30-Y39	**All causes**	F	16·2	18·5	16·7	18·4	17·1	17·2	13·6	14·1	14·9	15·6	17·8	16·1	17·2	16·9	16·3	15·2
		P	16·3	19·0	17·8	18·2	16·9	17·1	14·3	14·3	14·5	15·7	17·8	16·3	17·2	16·5	16·7	15·4
Y30-Y35	**Maternal conditions**		4·3	4·2	4·6	4·1	4·9	5·2	3·8	4·0	3·5	4·2	4·8	4·3	4·4	4·4	4·5	4·0
Y30·2	Diabetes		0·1	*0·1*	*0·1*	*0·1*	*0·1*	*0·1*	0·2	0·1	*0·1*	*0·1*	0·2	0·1	*0·1*	0·2	0·1	0·1
Y30·3	Circulatory		0·3	0·2	0·5	0·2	0·3	0·4	0·3	0·3	0·2	0·3	0·5	0·4	0·4	0·3	0·3	0·2
Y32	Diseases of pregnancy		2·6	2·7	2·6	2·5	2·9	3·1	2·3	2·4	2·1	2·7	2·6	2·6	2·6	2·6	2·7	2·4
Y32·2	Haemorrhage N.E.C.		0·6	0·6	0·5	0·6	0·7	0·7	0·5	0·5	0·6	0·5	0·6	0·6	0·6	0·6	0·5	0·5
Y32·4	Other toxaemia		1·9	2·0	2·0	1·7	2·1	2·3	1·7	1·9	1·4	2·0	1·9	1·9	1·9	1·9	2·1	1·8
Y34	Difficulties in labour		1·1	1·1	1·2	1·1	1·4	1·4	1·0	0·9	0·8	1·0	1·4	1·0	1·1	1·2	1·3	1·1
Y34·2	Malposition		0·5	0·6	0·6	0·6	0·6	0·6	0·4	0·5	0·2	0·7	0·7	0·5	0·5	0·6	0·6	0·6
Y34·3	Abnormal forces		0·1	*0·1*	0·2	*0·1*	*0·1*	0·2	0·2	0·1	*0·1*	*0·1*	0·2	0·1	*0·1*	*0·1*	0·2	0·2
Y36	**Placental and cord conditions**		4·9	6·3	5·3	5·6	4·7	4·9	4·6	4·2	4·2	4·5	5·3	4·9	5·1	4·9	4·8	4·8
Y36·1	Placenta praevia		0·2	*0·1*	0·2	0·2	0·3	*0·1*	*0·1*	0·2	*0·1*	*0·1*	0·2	0·2	0·2	0·2	0·2	0·1
Y36·2	Placenta and placental separation		1·4	1·9	1·5	1·8	1·6	1·3	1·3	1·1	1·3	1·4	1·4	1·4	1·6	1·3	1·4	1·3
Y36·5	Placental infarct		0·3	0·5	0·3	0·3	*0·3*	0·4	0·2	0·2	*0·1*	0·5	0·5	0·3	0·3	0·3	0·3	0·4
Y37-Y39	**Foetal conditions**		7·2	8·5	7·9	8·5	7·3	7·0	5·9	6·1	6·9	6·9	7·7	7·1	7·8	7·3	7·4	6·5
Y37	Birth injury		0·3	0·2	0·3	0·3	0·4	0·4	0·4	0·4	0·2	0·4	0·2	0·4	0·2	0·3	0·4	0·3
Y38	Congenital malformations		3·0	4·1	3·3	3·6	3·0	2·9	2·5	2·2	3·2	3·2	3·7	2·7	3·2	3·3	3·4	3·0
Y38·0	Anencephalus		1·7	2·4	1·7	2·2	1·7	1·6	1·2	1·3	1·9	1·8	2·2	1·5	1·8	2·1	2·0	1·6
Y38·1	Hydrocephalus		0·5	0·7	0·5	0·6	0·5	0·5	0·4	0·3	0·4	0·6	0·4	0·5	0·5	0·5	0·5	0·5
Y38·2	Spina bifida		0·3	0·4	0·5	0·4	0·4	0·4	0·2	0·2	0·4	0·3	0·6	0·3	0·4	0·3	0·4	0·4
Y39	Other ill-defined causes		3·8	4·2	4·3	4·6	3·9	3·7	3·0	3·5	3·5	3·3	3·8	4·1	4·3	3·6	3·6	3·2
Y39·2	Erythroblastosis		0·8	1·1	1·0	1·0	0·9	0·8	0·9	0·6	0·7	0·7	0·7	0·8	0·8	0·8	0·9	0·8
Y39·6	Unspecified		0·8	0·7	0·8	1·0	0·9	0·6	0·6	0·8	0·7	0·7	0·9	0·9	0·9	0·7	0·7	0·7

TABLE 23D - *continued*

ICD No.	Cause		Hospital regions													
			Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool
Y30-Y39	**ALL CAUSES**	M	581	571	767	213	583	516	512	375	272	262	411	439	844	771	449
		F	525	463	727	209	506	417	451	377	249	268	390	420	814	769	395
		P	1,106	1,034	1,494	422	1,089	933	963	752	521	530	801	859	1,658	1,540	844
Y30	**Chronic disease in mother**		**20**	**28**	**49**	**10**	**52**	**34**	**37**	**21**	**17**	**22**	**23**	**35**	**61**	**36**	**24**
Y30·0	Syphilis		-	1	1	-	2	-	4	1	-	-	-	1	1	-	2
Y30·1	Tuberculosis (any form)		1	-	-	1	1	-	-	1	-	-	-	-	-	1	-
Y30·2	Diabetes mellitus		8	1	9	4	9	9	11	7	3	6	4	9	12	11	7
Y30·3	Chronic disease of circulatory system		10	24	31	5	36	19	18	11	9	13	15	22	40	22	11
Y30·4	Chronic disease of genito-urinary system		-	-	1	-	2	4	2	1	2	-	2	-	4	1	1
Y30·5	Other chronic disease		1	2	7	-	2	2	2	-	3	3	2	3	4	1	3
Y31	**Acute disease in mother**		**1**	**3**	**3**	**1**	**-**	**3**	**3**	**3**	**-**	**1**	**3**	**2**	**6**	**2**	**4**
Y31·0	Typhoid fever		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y31·1	Influenza		-	1	1	1	-	-	1	1	-	-	-	1	1	1	1
Y31·2	Pneumonia (any form)		1	-	-	-	-	1	-	1	-	-	1	-	1	-	-
Y31·3	Other acute respiratory disease		-	1	1	-	-	-	-	-	-	-	1	-	-	-	1
Y31·4	Other acute disease or condition		-	1	1	-	-	2	2	1	-	1	1	1	4	1	2
	0 Rubella		-	-	1	-	-	-	-	1	-	-	1	-	2	-	-
	1 Other virus diseases		-	-	-	-	-	1	1	-	-	1	-	1	-	1	-
	2 Others		-	1	-	-	-	1	1	-	-	-	-	-	2	-	2
Y32	**Diseases and conditions of pregnancy and childbirth**		**161**	**161**	**232**	**89**	**176**	**130**	**163**	**142**	**78**	**70**	**143**	**128**	**298**	**207**	**115**
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y32·1	Ectopic gestation		-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Y32·2	Haemorrhage without mention of placental condition		36	29	54	20	36	32	32	28	19	18	28	30	65	48	34
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		3	10	3	2	-	2	6	5	-	2	3	3	8	2	6
Y32·4	Other toxaemias of pregnancy		120	121	172	67	139	95	123	107	58	49	108	92	219	154	72
Y32·5	Infection (ante- and intra-partum)		2	-	3	-	1	1	2	2	1	1	4	3	5	3	3
	0 Urinary infection		1	-	-	-	-	-	2	-	-	-	3	2	1	1	-
	1 Others		1	-	3	-	1	1	-	2	1	1	1	1	4	2	3

TABLE 23D - *continued*

ICD No.	Cause	Hospital regions														
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool
Y33	**Absorption of toxic substance from mother**	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Y33·0	Narcotic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33·1	Quinine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33·2	Other toxic substance	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Y34	**Difficulties in labour**	**61**	**61**	**131**	**25**	**69**	**68**	**59**	**52**	**34**	**26**	**53**	**59**	**134**	**107**	**34**
Y34·0	Difficult labour with abnormality of bones of pelvis	1	-	3	-	1	-	1	2	-	-	1	1	4	1	-
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	15	14	37	10	19	15	11	10	13	9	6	8	34	23	11
Y34·2	Difficult labour with malposition of foetus	33	31	55	7	27	32	31	28	13	9	37	35	62	58	16
Y34·3	Difficult labour with abnormality of forces of labour	4	5	15	5	8	8	5	7	3	5	2	12	19	17	3
Y34·4	Difficult labour with operative delivery	3	2	6	-	5	2	1	1	1	-	-	6	1	-	-
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis	2	2	4	1	2	-	-	-	-	1	2	-	4	1	1
Y34·6	Difficult labour without mention of underlying condition	3	7	11	2	7	11	10	4	4	2	5	7	10	7	3
Y35	**Other causes in mother**	**2**	**4**	**9**	-	**4**	**5**	**3**	**3**	-	**5**	-	-	**4**	**8**	-
Y35·0	Fall	-	2	3	-	1	1	2	-	-	1	-	-	1	3	-
Y35·1	Other accident or violence	-	-	3	-	1	-	-	2	-	-	-	-	2	2	-
Y35·2	Overexertion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y35·3	Other and ill-defined causes in mother	2	2	3	-	2	4	1	1	-	4	-	-	1	3	-
Y36	**Placental and cord conditions**	**365**	**330**	**424**	**122**	**299**	**297**	**291**	**241**	**151**	**141**	**232**	**254**	**478**	**460**	**263**
Y36·0	Cord condition without mention of placental abnormality	95	88	101	36	91	83	90	50	46	43	57	46	120	131	60
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	15	16	20	9	12	16	10	8	9	7	9	9	17	28	9
	1 Prolapse of cord	35	25	21	8	22	18	23	14	8	12	16	14	31	33	13
	2 Others	45	47	60	19	57	49	57	28	29	24	32	23	72	70	38
Y36·1	Placenta praevia	8	12	25	2	14	12	21	10	4	-	5	12	12	13	14
Y36·2	Premature separation of normally implanted placenta	110	81	140	30	72	88	76	74	44	50	71	67	131	133	95

Y36·3	Placenta praevia with cord abnormality	3	1	2	1	1	1	-	1	-	1	-	-	-	1	1
Y36·4	Premature separation of normally implanted placenta with cord abnormality	1	1	-	-	-	1	2	1	2	-	-	1	-	-	-
Y36·5	Placental infarct	22	21	22	7	20	15	13	10	11	2	26	23	43	27	15
Y36·6	Other abnormality of placenta and cord	126	126	134	46	101	97	89	95	44	45	73	105	172	155	78
Y37	**Birth injury**	**11**	**18**	**32**	**9**	**32**	**29**	**28**	**13**	**7**	**10**	**18**	**10**	**37**	**36**	**11**
Y37·0	Birth injury with abnormality of bones of pelvis	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y37·2	Birth injury with disproportion but no mention of abnormality of pelvis	-	-	4	-	2	-	4	-	-	-	1	-	2	1	1
Y37·3	Birth injury with malposition of foetus	-	5	8	2	4	7	6	3	4	2	3	4	6	11	4
Y37·4	Birth injury with abnormality of forces of labour	2	2	2	2	4	2	2	1	-	-	4	-	5	5	1
Y37·5	Operation causing mutilation of foetus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y37·6	Other operation for delivery	-	-	-	-	-	2	1	-	1	1	2	1	-	-	-
Y37·7	Birth injury with difficult labour but without mention of underlying condition	1	-	-	-	1	1	1	-	-	-	-	-	1	1	-
Y37·8	Birth injury due to other or unspecified cause	8	11	17	5	21	17	14	9	2	7	8	5	23	18	5
Y38	**Congenital malformation of foetus**	**241**	**189**	**267**	**73**	**181**	**143**	**156**	**121**	**107**	**113**	**167**	**177**	**280**	**308**	**168**
Y38·0	Anencephalus	143	95	149	37	102	74	96	76	55	66	96	108	160	182	103
	0 With mention of spina bifida or synonym	16	11	32	6	9	10	11	14	7	7	15	22	16	19	14
	1 Without mention of spina bifida or synonym	127	84	117	31	93	64	85	62	48	59	81	86	144	163	89
Y38·1	Hydrocephalus	39	33	43	10	32	30	23	12	18	16	28	21	50	56	25
Y38·2	Spina bifida	26	25	34	7	16	12	12	10	13	11	19	27	36	33	19
	0 With mention of hydrocephalus	20	17	30	6	10	10	8	4	10	6	14	19	26	26	17
	1 Without mention of hydrocephalus	6	8	4	1	6	2	4	6	3	5	5	8	10	7	2
Y38·3	Other malformation of the central nervous system	8	8	4	5	11	4	3	6	7	1	3	3	8	5	5
	0 Mongolism	-	1	1	-	-	-	-	3	-	-	-	1	2	2	2
	1 Microcephaly	1	1	1	1	4	-	2	1	1	1	-	1	2	-	1
	2 Others	7	6	2	4	7	4	1	2	6	-	3	1	4	3	2

TABLE 23D - *continued*

ICD No.	Cause	Hospital regions														
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool
Y38·4	Malformation of the cardiovascular system	3	5	7	3	2	10	4	-	2	6	5	2	3	9	2
	0 Tetralogy of Fallot	-	1	-	-	-	-	-	-	1	1	-	-	1	1	-
	1 Patent ductus arteriosus	-	2	2	2	-	5	-	-	1	-	-	-	2	1	1
	2 Interventricular septal defect	2	-	3	1	1	-	-	-	1	3	1	-	-	-	-
	3 Interauricular septal defect	1	1	2	-	1	4	3	-	-	2	2	1	-	5	1
	4 Fibroelastosis cordis	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
	5 Other malformations of heart	-	1	-	-	-	1	1	-	-	-	-	-	-	1	-
	6 Coarctation of aorta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7 Other circulatory malformations															
Y38·5	Malformation of other specified system or part	10	16	17	5	8	8	9	9	6	8	13	8	16	14	11
	0 Digestive system	-	2	2	2	-	-	-	-	1	-	1	1	2	1	-
	1 Genito-urinary system	1	4	2	-	2	4	2	1	1	1	3	2	7	3	5
	2 Dwarf	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3 Other skeletal	-	1	3	2	2	1	2	2	1	1	3	-	3	3	1
	4 Respiratory system	-	-	3	-	-	-	-	-	-	-	1	-	-	1	-
	5 Skin	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	6 Muscle	-	2	1	-	2	1	1	-	-	1	-	1	1	1	-
	7 Others	9	6	6	1	2	2	4	6	3	5	5	4	3	5	5
Y38·6	Monster	-	1	2	2	3	-	2	2	-	1	1	2	2	1	-
	0 Double monster	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-
	1 Monster N.O.S.	-	-	1	2	-	-	1	1	-	-	1	1	-	-	-
	2 Others	-	1	1	-	1	-	-	1	-	1	-	1	1	1	-
Y38·7	Other and unspecified malformations	12	6	11	4	7	5	7	6	6	4	2	6	5	8	3
Y39	**Diseases of foetus, and ill-defined causes**	**244**	**240**	**347**	**93**	**276**	**224**	**223**	**156**	**127**	**142**	**162**	**184**	**360**	**375**	**225**
Y39·0	Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y39·1	Infection other than syphilis	2	-	3	1	2	1	2	6	1	-	1	1	2	1	1
Y39·2	Erythroblastosis	64	62	72	24	57	49	46	30	26	26	36	35	74	79	53
Y39·3	Other cause originated in the foetus	3	2	-	-	2	1	4	2	-	-	4	3	5	4	3
Y39·4	Maceration, cause not specified	67	67	96	28	73	71	58	37	38	48	40	45	124	99	69
Y39·5	Other ill-defined cause	70	59	107	17	80	65	57	43	34	34	47	57	96	120	42
	0 Asphyxia	28	28	45	9	45	38	30	19	10	20	16	26	27	62	24
	1 Atelectasis	9	8	10	-	7	4	7	1	4	1	5	2	11	10	4
	2 Post-maturity	7	1	9	3	7	3	3	3	6	4	8	5	15	9	1
	3 Prematurity	20	15	23	4	14	12	5	12	12	5	13	17	17	25	7
	4 Others	7	7	20	1	7	8	12	8	2	4	5	7	26	14	6
Y39·6	Cause unspecified	38	50	69	23	62	37	56	38	28	34	34	43	59	72	57
Total live and still births	M	29,672	30,609	44,052	14,782	41,661	31,772	33,281	28,046	17,241	18,562	26,938	24,720	49,985	43,396	23,921
	F	27,858	28,364	41,736	14,097	39,290	30,339	30,747	26,386	16,441	17,275	25,165	23,641	47,233	41,086	22,232
	P	57,530	58,973	85,788	28,879	80,941	62,111	64,028	54,432	33,682	35,837	52,103	48,361	97,218	84,482	46,153

Stillbirths per 1,000 total births

Y30-Y39	All causes	M	19·6	18·7	17·4	14·4	14·0	16·2	15·4	13·4	15·8	14·1	15·3	17·8	16·9	17·8	18·8
		F	18·8	16·3	17·4	14·8	12·9	13·7	14·7	14·3	15·1	15·5	15·5	17·8	17·2	18·7	17·8
		P	19·2	17·5	17·4	14·6	13·5	15·0	15·0	13·8	15·5	14·8	15·4	17·8	17·1	18·2	18·3
Y30-Y35	**Maternal conditions**		**4·3**	**4·4**	**4·9**	**4·3**	**3·7**	**3·9**	**4·1**	**4·1**	**3·8**	**3·5**	**4·3**	**4·8**	**5·2**	**4·3**	**3·8**
Y30·2	Diabetes		*0·1*	*0·0*	*0·1*	*0·1*	*0·1*	*0·1*	*0·2*	*0·1*	*0·1*	*0·2*	*0·1*	*0·2*	*0·1*	*0·1*	*0·2*
Y30·3	Circulatory		*0·2*	0·4	0·4	*0·2*	0·4	*0·3*	*0·3*	*0·2*	*0·3*	*0·4*	*0·3*	0·5	0·4	0·3	*0·2*
Y32	Diseases of pregnancy		2·8	2·7	2·7	3·1	2·2	2·1	2·5	2·6	2·3	2·0	2·7	2·6	3·1	2·5	2·5
Y32·2	Haemorrhage N.E.C.		0·6	0·5	0·6	0·7	0·4	0·5	0·5	0·5	*0·6*	*0·5*	0·5	0·6	0·7	0·6	0·7
Y32·4	Other toxaemia		2·1	2·1	2·0	2·3	1·7	1·5	1·9	2·0	1·7	1·4	2·1	1·9	2·3	1·8	1·6
Y34	Difficulties in labour		1·1	1·0	1·5	0·9	0·9	1·1	0·9	1·0	1·0	0·7	1·0	1·4	1·4	1·3	0·7
Y34·2	Malposition		0·6	0·5	0·6	*0·2*	0·3	0·5	0·5	0·5	*0·4*	*0·3*	0·7	0·7	0·6	0·7	*0·3*
Y34·3	Abnormal forces		*0·1*	*0·1*	*0·2*	*0·2*	*0·1*	*0·1*	*0·1*	*0·1*	*0·1*	*0·1*	*0·0*	*0·2*	*0·2*	*0·2*	*0·1*
Y36	**Placental and cord conditions**		**6·3**	**5·6**	**4·9**	**4·2**	**3·7**	**4·8**	**4·5**	**4·4**	**4·5**	**3·9**	**4·5**	**5·3**	**4·9**	**5·4**	**5·7**
Y36·1	Placenta praevia		*0·1*	*0·2*	0·3	*0·1*	*0·2*	*0·2*	0·3	*0·2*	*0·1*	-	*0·1*	*0·2*	*0·1*	*0·2*	*0·3*
Y36·2	Placenta and placental separation		1·9	1·4	1·6	1·0	0·9	1·4	1·2	1·4	1·3	1·4	1·4	1·4	1·3	1·6	2·1
Y36·5	Placental infarct		0·4	0·4	0·3	*0·2*	0·2	*0·2*	*0·2*	*0·2*	*0·3*	*0·1*	0·5	0·5	0·4	0·3	*0·3*
Y37-Y39	**Foetal conditions**		**8·6**	**7·6**	**7·5**	**6·1**	**6·0**	**6·4**	**6·4**	**5·3**	**7·2**	**7·4**	**6·7**	**7·7**	**7·0**	**8·5**	**8·8**
Y37	Birth injury		*0·2*	*0·3*	0·4	*0·3*	0·4	0·5	0·4	*0·2*	*0·2*	*0·3*	*0·3*	*0·2*	0·4	0·4	*0·2*
Y38	Congenital malformations		4·2	3·2	3·1	2·5	2·2	2·3	2·4	2·2	3·2	3·2	3·2	3·7	2·9	3·6	3·6
Y38·0	Anencephalus		2·5	1·6	1·7	1·3	1·3	1·2	1·5	1·4	1·6	1·8	1·8	2·2	1·6	2·2	2·2
Y38·1	Hydrocephalus		0·7	0·6	0·5	*0·3*	0·4	0·5	0·4	*0·2*	*0·5*	*0·4*	0·5	0·4	0·5	0·7	0·5
Y38·2	Spina bifida		0·5	0·4	0·4	*0·2*	*0·2*	*0·2*	*0·2*	*0·2*	*0·4*	*0·3*	0·4	0·6	0·4	0·4	*0·4*
Y39	Other ill-defined causes		4·2	4·1	4·0	3·2	3·4	3·6	3·5	2·9	3·8	4·0	3·1	3·8	3·7	4·4	4·9
Y39·2	Erythroblastosis		1·1	1·1	0·8	0·8	0·7	0·8	0·7	0·6	0·8	0·7	0·7	0·7	0·8	0·9	1·1
Y39·6	Unspecified		0·7	0·8	0·8	0·8	0·8	0·6	0·9	0·7	0·8	0·9	0·7	0·9	0·6	0·9	1·2

TABLE 23E. Stillbirths by cause and length of gestation, 1964 — England and Wales

ICD No.	Cause		Total	Duration of pregnancy (weeks)									
				28-29	30-31	32-33	34-35	36-37	38-39	40	41-42	43+	Not stated
Y30-Y39	ALL CAUSES	M	7,566	397	617	832	854	1,228	1,168	1,422	608	107	333
		F	6,980	364	531	774	834	1,072	980	1,411	590	127	297
		P	14,546	761	1,148	1,606	1,688	2,300	2,148	2,833	1,198	234	630
Y30	**Chronic disease in mother**		469	23	48	66	66	101	72	47	21	4	21
Y30·0	Syphilis		13	-	1	2	3	1	1	3	-	-	2
Y30·1	Tuberculosis (any form)		5	-	-	1	-	1	-	3	-	-	-
Y30·2	Diabetes mellitus		110	4	7	7	19	32	17	11	6	1	6
Y30·3	Chronic disease of circulatory system		286	14	31	44	41	60	43	27	13	3	10
Y30·4	Chronic disease of genito-urinary system		20	3	3	6	2	2	2	-	-	-	2
Y30·5	Other chronic disease		35	2	6	6	1	5	9	3	2	-	1
Y31	**Acute disease in mother**		35	3	7	2	7	7	3	4	-	-	2
Y31·0	Typhoid fever		-	-	-	-	-	-	-	-	-	-	-
Y31·1	Influenza		9	1	3	1	2	1	-	1	-	-	-
Y31·2	Pneumonia (any form)		5	-	1	-	-	1	1	1	-	-	1
Y31·3	Other acute respiratory disease		4	1	-	-	2	1	-	-	-	-	-
Y31·4	Other acute disease or condition		17	1	3	1	3	4	2	2	-	-	1
	0 Rubella		5	1	1	-	-	1	1	1	-	-	-
	1 Other virus diseases		5	-	-	-	1	2	1	1	-	-	-
	2 Others		7	-	2	1	2	1	-	-	-	-	1
Y32	**Diseases and conditions of pregnancy and childbirth**		2,293	157	223	366	341	433	317	279	80	17	80
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes		-	-	-	-	-	-	-	-	-	-	-
Y32·1	Ectopic gestation		2	-	1	-	-	-	-	-	-	1	-
Y32·2	Haemorrhage without mention of placental condition		509	68	62	85	66	80	60	62	13	1	12
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		55	6	9	11	10	7	2	6	1	-	3
Y32·4	Other toxaemias of pregnancy		1,696	82	148	266	265	338	250	207	62	14	64
Y32·5	Infection (ante- and intra-partum)		31	1	3	4	-	8	5	4	4	1	1
	0 Urinary infection		10	1	1	-	-	4	2	2	-	-	-
	1 Others		21	-	2	4	-	4	3	2	4	1	1
Y33	**Absorption of toxic substance from mother**		1	-	-	-	-	-	1	-	-	-	-
Y33·0	Narcotic		-	-	-	-	-	-	-	-	-	-	-
Y33·1	Quinine		-	-	-	-	-	-	-	-	-	-	-
Y33·2	Other toxic substance		1	-	-	-	-	-	1	-	-	-	-
Y34	**Difficulties in labour**		983	57	68	54	53	99	139	319	135	22	37
Y34·0	Difficult labour with abnormality of bones of pelvis		15	-	-	-	-	1	1	6	5	1	1
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis		235	28	29	23	18	19	32	61	11	6	8
Y34·2	Difficult labour with malposition of foetus		474	22	27	22	27	59	71	164	59	7	16
Y34·3	Difficult labour with abnormality of forces of labour		118	1	3	6	2	12	13	42	31	4	4
Y34·4	Difficult labour with operative delivery		28	-	1	-	1	2	5	10	6	2	1
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis		20	3	5	-	3	2	3	1	2	-	1
Y34·6	Difficult labour without mention of underlying condition		93	3	3	3	2	4	14	35	21	2	6
Y35	**Other causes in mother**		47	3	3	7	8	6	5	7	5	-	3
Y35·0	Fall		14	2	2	4	2	1	2	1	-	-	-
Y35·1	Other accident or violence		10	1	1	1	2	1	1	1	-	-	2
Y35·2	Overexertion		-	-	-	-	-	-	-	-	-	-	-
Y35·3	Other and ill-defined causes in mother		23	-	-	2	4	4	2	5	5	-	1
Y36	**Placental and cord conditions**		4,348	204	304	388	433	632	700	997	428	77	185
Y36·0	Cord condition without mention of placental abnormality		1,137	21	34	30	57	122	194	429	168	21	61
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord		194	3	3	5	8	20	38	69	31	6	11
	1 Prolapse of cord		293	11	15	10	18	24	40	115	42	2	16
	2 Others		650	7	16	15	31	78	116	245	95	13	34
Y36·1	Placenta praevia		164	21	15	27	30	23	16	23	3	-	6

TABLE 23E - *continued*

ICD No.	Cause	Total	Duration of pregnancy (weeks)								
			28-29	30-31	32-33	34-35	36-37	38-39	40	41-42	43+	Not stated
Y36·2	Premature separation of normally implanted placenta	1,262	96	137	179	185	220	205	150	38	5	47
Y36·3	Placenta praevia with cord abnormality	13	-	-	1	2	2	1	5	2	-	-
Y36·4	Premature separation of normally implanted placenta with cord abnormality	9	-	-	1	1	1	3	3	-	-	-
Y36·5	Placental infarct	277	11	27	28	22	35	45	58	35	6	10
Y36·6	Other abnormality of placenta and cord	1,486	55	91	122	136	229	236	329	182	45	61
Y37	**Birth injury**	**301**	**11**	**9**	**14**	**18**	**25**	**31**	**115**	**53**	**12**	**13**
Y37·0	Birth injury with abnormality of bones of pelvis	1	-	-	-	-	-	-	1	-	-	-
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	-	-	-	-	-	-	-	-	-	-	-
Y37·2	Birth injury with disproportion, but no mention of abnormality, of pelvis	15	-	-	1	-	-	4	6	3	1	-
Y37·3	Birth injury with malposition of foetus	69	1	1	5	7	10	9	21	11	1	3
Y37·4	Birth injury with abnormality of forces of labour	32	1	1	2	1	1	4	16	3	1	2
Y37·5	Operation causing mutilation of foetus	-	-	-	-	-	-	-	-	-	-	-
Y37·6	Other operation for delivery	8	-	-	-	-	-	-	4	3	1	-
Y37·7	Birth injury with difficult labour but without mention of underlying condition	6	-	-	-	-	-	-	3	2	1	-
Y37·8	Birth injury due to other or unspecified cause	170	9	7	6	10	14	14	64	31	7	8
Y38	**Congenital malformation of foetus**	**2,691**	**104**	**171**	**347**	**400**	**473**	**387**	**502**	**172**	**25**	**110**
Y38·0	Anencephalus	1,542	66	116	260	302	302	186	161	68	11	70
	0 With mention of spina bifida or synonym	209	13	24	37	50	30	20	13	6	3	13
	1 Without mention of spina bifida or synonym	1,333	53	92	223	252	272	166	148	62	8	57
Y38·1	Hydrocephalus	436	11	14	31	38	63	76	143	41	6	13
Y38·2	Spina bifida	300	4	9	15	14	43	57	117	28	4	9
	0 With mention of hydrocephalus	223	-	5	5	7	29	47	97	23	4	6
	1 Without mention of hydrocephalus	77	4	4	10	7	14	10	20	5	-	3
Y38·3	Other malformation of the central nervous system	81	4	7	7	8	7	17	22	6	-	3
	0 Mongolism	12	-	-	-	-	1	6	4	1	-	-
	1 Microcephaly	17	1	1	1	1	3	2	5	1	-	2
	2 Others	52	3	6	6	7	3	9	13	4	-	1
Y38·4	Malformation of the cardiovascular system	63	-	3	2	8	8	11	19	10	2	-
	0 Tetralogy of Fallot	1	-	-	-	1	-	-	-	-	-	-
	1 Patent ductus arteriosus	4	-	-	-	-	1	1	2	-	-	-
	2 Interventricular septal defect	16	-	1	-	2	3	3	4	3	-	-
	3 Interauricular septal defect	10	-	1	-	2	3	1	1	2	-	-
	4 Fibroelastosis cordis	2	-	-	-	-	-	1	1	-	-	-
	5 Other malformations of heart	23	-	1	2	2	1	5	7	4	1	-
	6 Coarctation of aorta	3	-	-	-	1	-	-	1	-	1	-
	7 Other circulatory malformations	4	-	-	-	-	-	-	3	1	-	-
Y38·5	Malformation of other specified system or part	158	10	15	16	14	30	23	29	10	2	9
	0 Digestive system	12	2	-	3	1	1	1	3	-	-	1
	1 Genito-urinary system	38	2	5	2	3	5	5	9	6	-	1
	2 Dwarf	-	-	-	-	-	-	-	-	-	-	-
	3 Other skeletal	25	-	4	-	2	9	4	4	1	-	1
	4 Respiratory system	5	-	-	-	-	1	-	2	1	-	1
	5 Skin	1	-	-	-	-	1	-	-	-	-	-
	6 Muscle	11	-	-	-	1	3	3	2	-	1	1
	7 Others	66	6	6	11	7	10	10	9	2	1	4
Y38·6	Monster	19	-	3	1	2	4	4	2	-	-	3
	0 Double monster	4	-	1	-	-	1	2	-	-	-	-
	1 Monster N.O.S.	7	-	2	-	-	1	1	1	-	-	2
	2 Others	8	-	-	1	2	2	1	1	-	-	1
Y38·7	Other and unspecified malformations	92	9	4	15	14	16	13	9	9	-	3
Y39	**Diseases of foetus, and ill-defined causes**	**3,378**	**199**	**315**	**362**	**362**	**524**	**493**	**563**	**304**	**77**	**179**
Y39·0	Syphilis	-	-	-	-	-	-	-	-	-	-	-
Y39·1	Infection other than syphilis	24	1	-	5	1	5	3	2	5	-	2
Y39·2	Erythroblastosis	733	34	69	89	116	163	142	67	15	3	35
Y39·3	Other cause originated in the foetus	33	5	4	1	4	4	3	5	4	-	3
Y39·4	Maceration, cause not specified	960	43	102	125	110	173	151	152	62	14	28
Y39·5	Other ill-defined cause	928	84	79	75	64	80	111	195	154	48	38
	0 Asphyxia	427	17	18	21	24	41	73	126	79	14	14
	1 Atelectasis	82	4	1	3	8	6	14	26	16	1	3
	2 Post-maturity	84	-	-	-	-	-	2	10	40	29	3
	3 Prematurity	201	54	48	33	23	21	6	2	4	-	10
	4 Others	134	9	12	18	9	12	16	31	15	4	8
Y39·6	Cause unspecified	700	32	61	67	67	99	83	142	64	12	73

TABLE 23F. Stillbirths by cause and birth weights, 1964

England and Wales

ICD No.	Cause		Total	Birth weight											
				under 1·5lbs. 682g.	1·5lbs-682g.-	2·5lbs-1,136g-	3·5lbs-1,591g.-	4·5lbs-2,045g.-	5·5lbs-2,500g.-	6·5lbs-2,955g.-	7·5lbs-3,409g.-	8·5lbs 3,864g.-	9·5lbs-4,318g.-	10·5lbs-4,773g.-	Not stated
Y30-Y39	ALL CAUSES	M	7,566	181	608	940	938	886	886	885	627	269	103	64	1,179
		F	6,980	219	688	996	847	764	812	738	484	189	64	34	1,145
		P	14,546	400	1,296	1,936	1,785	1,650	1,698	1,623	1,111	458	167	98	2,324
Y30	**Chronic disease in mother**		469	23	67	69	55	43	38	34	41	12	12	5	70
Y30·0	Syphilis		13	-	-	3	1	1	2	1	1	-	-	-	4
Y30·1	Tuberculosis (any form)		5	-	1	-	-	-	1	-	-	-	1	-	2
Y30·2	Diabetes mellitus		110	1	8	7	7	10	8	12	13	10	11	5	18
Y30·3	Chronic disease of circulatory system		286	21	48	52	41	29	25	16	23	1	-	-	30
Y30·4	Chronic disease of genito-urinary system		20	-	5	5	2	-	-	-	2	-	-	-	6
Y30·5	Other chronic disease		35	1	5	2	4	3	2	5	2	1	-	-	10
Y31	**Acute disease in mother**		35	-	6	2	7	11	2	1	-	-	1	-	5
Y31·0	Typhoid fever		-	-	-	-	-	-	-	-	-	-	-	-	-
Y31·1	Influenza		9	-	2	1	3	1	-	1	-	-	-	-	1
Y31·2	Pneumonia (any form)		5	-	-	-	1	2	1	-	-	-	1	-	-
Y31·3	Other acute respiratory disease		4	-	-	1	-	1	1	-	-	-	-	-	1
Y31·4	Other acute disease or condition		17	-	4	-	3	7	-	-	-	-	-	-	3
	0 Rubella		5	-	3	-	1	1	-	-	-	-	-	-	-
	1 Other virus diseases		5	-	-	-	1	3	-	-	-	-	-	-	1
	2 Others		7	-	1	-	1	3	-	-	-	-	-	-	2
Y32	**Diseases and conditions of pregnancy and childbirth**		2,293	49	267	407	395	291	251	160	99	52	13	14	295
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes		-	-	-	-	-	-	-	-	-	-	-	-	-
Y32·1	Ectopic gestation		2	-	-	1	-	-	1	-	-	-	-	-	-
Y32·2	Haemorrhage without mention of placental condition		509	9	64	79	75	75	58	47	25	13	1	-	63
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		55	1	7	15	11	9	2	1	-	1	-	-	8
Y32·4	Other toxaemias of pregnancy		1,696	39	193	308	307	200	185	110	72	37	11	14	220
Y32·5	Infection (ante- and intra-partum)		31	-	3	4	2	7	5	2	2	1	1	-	4
	0 Urinary infection		10	-	2	1	-	4	2	-	-	-	-	-	1
	1 Others		21	-	1	3	2	3	3	2	2	1	1	-	3
Y33	**Absorption of toxic substance from mother**		1	-	-	-	-	1	-	-	-	-	-	-	-
Y33·0	Narcotic		-	-	-	-	-	-	-	-	-	-	-	-	-
Y33·1	Quinine		-	-	-	-	-	-	-	-	-	-	-	-	-
Y33·2	Other toxic substance		1	-	-	-	-	1	-	-	-	-	-	-	-

	Difficulties in labour	**983**	**23**	**58**	**69**	**66**	**94**	**111**	**138**	**128**	**67**	**43**	**34**	**152**
Y34·0	Difficult labour with abnormality of bones of pelvis	15	-	-	-	-	1	1	5	4	-	2	-	2
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	235	21	35	26	26	23	7	11	10	6	13	16	41
Y34·2	Difficult labour with malposition of foetus	474	1	14	32	31	57	71	71	63	38	22	11	63
Y34·3	Difficult labour with abnormality of forces of labour	118	-	1	6	7	6	15	32	18	10	2	4	17
Y34·4	Difficult labour with operative delivery	28	-	1	-	-	3	6	1	7	3	-	-	7
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis	20	1	6	5	1	1	1	3	2	-	-	-	-
Y34·6	Difficult labour without mention of underlying condition	93	-	1	-	1	3	10	15	24	10	4	3	22
Y35	**Other causes in mother**	**47**	**2**	**2**	**4**	**4**	**7**	**3**	**4**	**7**	-	-	**1**	**13**
Y35·0	Fall	14	2	-	2	2	1	1	1	-	-	-	-	5
Y35·1	Other accident or violence	10	-	2	1	1	1	1	-	1	-	-	-	3
Y35·2	Overexertion	-	-	-	-	-	-	-	-	-	-	-	-	-
Y35·3	Other and ill-defined causes in mother	23	-	-	1	1	5	1	3	6	-	-	1	5
Y36	**Placental and cord conditions**	**4,348**	**95**	**266**	**489**	**514**	**538**	**605**	**598**	**375**	**150**	**43**	**15**	**660**
Y36·0	Cord condition without mention of placental abnormality	1,137	7	31	51	70	105	183	245	164	67	18	6	190
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	194	3	5	4	6	15	34	35	33	10	4	1	44
	1 Prolapse of cord	293	1	8	18	20	23	40	72	39	22	5	3	42
	2 Others	650	3	18	29	44	67	109	138	92	35	9	2	104
Y36·1	Placenta praevia	164	2	14	30	25	23	24	14	9	-	-	-	23
Y36·2	Premature separation of normally implanted placenta	1,262	16	81	183	178	206	176	138	79	23	9	-	173
Y36·3	Placenta praevia with cord abnormality	13	-	-	1	2	1	3	-	4	-	-	-	2
Y36·4	Premature separation of normally implanted placenta with cord abnormality	9	-	-	-	1	3	1	1	-	-	-	-	3
Y36·5	Placental infarct	277	11	25	35	28	36	23	28	17	7	2	2	63
Y36·6	Other abnormality of placenta and cord	1,486	59	115	189	210	164	195	172	102	53	14	7	206
Y37	**Birth injury**	**301**	**1**	**4**	**12**	**19**	**21**	**55**	**53**	**59**	**26**	**9**	**4**	**38**
Y37·0	Birth injury with abnormality of bones of pelvis	1	-	-	-	-	-	1	-	-	-	-	-	-
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-
Y37·2	Birth injury with disproportion, but no mention of abnormality, of pelvis	15	-	1	-	-	-	1	2	3	3	1	3	1
Y37·3	Birth injury with malposition of foetus	59	-	1	2	5	6	19	10	16	5	-	1	4
Y37·4	Birth injury with abnormality of forces of labour	32	-	-	2	1	4	3	6	4	4	-	-	8
Y37·5	Operation causing mutilation of foetus	-	-	-	-	-	-	-	-	-	-	-	-	-
Y37·6	Other operation for delivery	8	-	-	-	-	-	1	2	2	1	2	-	-
Y37·7	Birth injury with difficult labour but without mention of underlying condition	6	-	-	-	-	1	-	1	3	-	1	-	-
Y37·8	Birth injury due to other or unspecified cause	170	1	2	8	13	10	30	32	31	13	5	-	25

TABLE 23F - *continued*

ICD No.	Cause	Total	Birth weight											
			under 1·5lbs. 682g.	1·5lbs- 682g.-	2·5lbs- 1,136g-	3·5lbs- 1,591g.-	4·5lbs- 2,045g.-	5·5lbs- 2,500g.-	6·5lbs- 2,955g.-	7·5lbs- 3,409g.-	8·5lbs 3,864g.-	9·5lbs- 4,318g.-	10·5lbs- 4,773g.-	Not stated
Y38	**Congenital malformation of foetus**	**2,691**	76	357	531	364	270	247	185	137	47	8	1	468
Y38·0	Anencephalus	1,542	53	300	425	237	126	69	33	23	9	-	-	267
	0 With mention of spina bifida or synonym	209	15	60	56	22	9	4	5	2	-	-	-	36
	1 Without mention of spina bifida or synonym	1,333	38	240	369	215	117	65	28	21	9	-	-	231
Y38·1	Hydrocephalus	436	6	20	30	41	57	66	72	45	16	3	-	80
Y38·2	Spina bifida	300	4	8	19	24	29	60	58	40	12	2	-	44
	0 With mention of hydrocephalus	223	1	2	9	12	17	52	53	37	9	1	-	30
	1 Without mention of hydrocephalus	77	3	6	10	12	12	8	5	3	3	1	-	14
Y38·3	Other malformation of the central nervous system	81	1	7	6	16	13	10	5	6	1	-	-	16
	0 Mongolism	12	-	-	-	1	2	4	2	2	-	-	-	1
	1 Microcephaly	17	-	2	2	3	4	1	1	-	-	-	-	4
	2 Others	52	1	5	4	12	7	5	2	4	1	-	-	11
Y38·4	Malformation of the cardiovascular system	63	-	1	3	10	7	11	10	8	3	1	-	9
	0 Tetralogy of Fallot	1	-	-	-	-	1	-	-	-	-	-	-	-
	1 Patent ductus arteriosus	4	-	-	-	-	1	1	1	1	-	-	-	-
	2 Interventricular septal defect	16	-	-	2	3	3	3	1	-	1	-	-	3
	3 Interauricular septal defect	10	-	-	-	4	-	3	2	1	-	-	-	-
	4 Fibroelastosis cordis	2	-	-	-	-	-	-	1	1	-	-	-	-
	5 Other malformations of heart	23	-	1	1	3	1	2	5	4	1	-	-	5
	6 Coarctation of aorta	3	-	-	-	-	-	1	-	1	1	-	-	-
	7 Other circulatory malformations	4	-	-	-	-	1	1	-	-	-	1	-	1
Y38·5	Malformation of other specified system or part	158	5	15	28	24	23	20	4	7	2	1	1	28
	0 Digestive system	12	-	1	1	2	1	2	-	1	-	-	-	4
	1 Genito-urinary system	38	-	1	5	6	9	4	2	5	1	1	-	4
	2 Dwarf	-	-	-	-	-	-	-	-	-	-	-	-	-
	3 Other skeletal	25	1	3	4	3	2	4	1	1	-	-	-	6
	4 Respiratory system	5	-	1	-	-	-	1	-	-	-	-	1	2
	5 Skin	1	-	-	-	-	1	-	-	-	-	-	-	-
	6 Muscle	11	-	-	1	4	-	5	1	-	-	-	-	-
	7 Others	66	4	9	17	9	10	4	-	-	1	-	-	12
Y38·6	Monster	19	1	1	4	2	3	-	-	3	-	-	-	5
	0 Double monster	4	-	1	-	1	-	-	-	2	-	-	-	-
	1 Monster N.O.S.	7	1	-	2	-	1	-	-	-	-	-	-	3
	2 Others	8	-	-	2	1	2	-	-	1	-	-	-	2
Y38·7	Other and unspecified malformations	92	6	5	16	10	12	11	3	5	4	1	-	19
Y39	**Diseases of foetus, and ill-defined causes**	**3,378**	**131**	**269**	**353**	**361**	**374**	**386**	**450**	**265**	**104**	**38**	**24**	**623**
Y39·0	Syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-
Y39·1	Infection other than syphilis	24	-	1	1	3	3	3	5	3	1	-	-	4
Y39·2	Erythroblastosis	733	32	39	54	77	95	116	112	59	21	5	3	120
Y39·3	Other cause originated in the foetus	33	2	2	3	2	4	3	2	5	5	-	-	5
Y39·4	Maceration, cause not specified	960	48	107	131	125	125	101	79	39	20	7	6	172
Y39·5	Other ill-defined cause	928	18	63	102	93	81	85	158	102	39	20	11	156
	0 Asphyxia	427	4	17	29	34	43	57	78	56	21	11	6	71
	1 Atelectasis	82	-	4	4	9	9	9	23	8	1	2	1	12
	2 Post-maturity	84	-	-	-	1	4	4	29	22	9	5	3	7
	3 Prematurity	201	11	37	53	34	12	4	3	2	1	-	-	44
	4 Others	134	3	5	16	15	13	11	25	14	7	2	1	22
Y39·6	Cause unspecified	700	31	57	62	61	66	78	94	57	18	6	4	166

TABLE 23G. Stillbirths by cause and place of confinement (with, for certain selected causes, rates per 1,000 total births), 1964

England and Wales

Note. Institutions described as other hospitals are mainly maternity homes.

ICD No.	Cause		Total	Place of occurrence			
				N.H.S. hospital	Other hospital	At home	Elsewhere
Y30-Y39	ALL CAUSES	M	7,566	6,540	114	809	103
		F	6,980	5,993	115	790	82
		P	14,546	12,533	229	1,599	185
Y30	**Chronic disease in mother**		**469**	**435**	**5**	**26**	**3**
Y30·0	Syphilis		13	10	-	2	1
Y30·1	Tuberculosis (any form)		5	5	-	-	-
Y30·2	Diabetes mellitus		110	106	2	2	-
Y30·3	Chronic disease of circulatory system		286	268	3	15	-
Y30·4	Chronic disease of genito-urinary system		20	20	-	-	-
Y30·5	Other chronic disease		35	26	-	7	2
Y31	**Acute disease in mother**		**35**	**27**	**1**	**7**	-
Y31·0	Typhoid fever		-	-	-	-	-
Y31·1	Influenza		9	6	-	3	-
Y31·2	Pneumonia (any form)		5	4	-	1	-
Y31·3	Other acute respiratory disease		4	2	-	2	-
Y31·4	Other acute disease or condition		17	15	1	1	-
	0 Rubella		5	4	-	1	-
	1 Other virus diseases		5	4	1	-	-
	2 Others		7	7	-	-	-
Y32	**Diseases and conditions of pregnancy and childbirth**		**2,293**	**2,151**	**23**	**102**	**17**
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes		-	-	-	-	-
Y32·1	Ectopic gestation		2	2	-	-	-
Y32·2	Haemorrhage without mention of placental condition		509	476	5	25	3
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)		55	54	-	1	-
Y32·4	Other toxaemias of pregnancy		1,696	1,591	16	75	14
Y32·5	Infection (ante- and intra-partum)		31	28	2	1	-
	0 Urinary infection		10	9	1	-	-
	1 Others		21	19	1	1	-
Y33	**Absorption of toxic substance from mother**		**1**	**1**	-	-	-
Y33·0	Narcotic		-	-	-	-	-
Y33·1	Quinine		-	-	-	-	-
Y33·2	Other toxic substance		1	1	-	-	-
Y34	**Difficulties in labour**		**983**	**779**	**21**	**168**	**15**
Y34·0	Difficult labour with abnormality of bones of pelvis		15	11	1	3	-
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis		235	192	2	40	1
Y34·2	Difficult labour with malposition of foetus		474	373	14	78	9
Y34·3	Difficult labour with abnormality of forces of labour		118	80	1	36	1
Y34·4	Difficult labour with operative delivery		28	27	1	-	-
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis		20	18	1	-	1
Y34·6	Difficult labour without mention of underlying condition		93	78	1	11	3
Y35	**Other causes in mother**		**47**	**37**	-	**10**	-
Y35·0	Fall		14	7	-	7	-
Y35·1	Other accident or violence		10	9	-	1	-
Y35·2	Overexertion		-	-	-	-	-
Y35·3	Other and ill-defined causes in mother		23	21	-	2	-
Y36	**Placental and cord conditions**		**4,348**	**3,757**	**90**	**467**	**34**
Y36·0	Cord condition without mention of placental abnormality		1,137	929	24	168	16
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord		194	115	7	66	6
	1 Prolapse of cord		293	267	4	20	2
	2 Others		650	547	13	82	8
Y36·1	Placenta praevia		164	156	3	5	-
Y36·2	Premature separation of normally implanted placenta		1,262	1,178	22	56	6
Y36·3	Placenta praevia with cord abnormality		13	12	-	1	-
Y36·4	Premature separation of normally implanted placenta with cord abnormality		9	9	-	-	-
Y36·5	Placental infarct		277	180	6	89	2
Y36·6	Other abnormality of placenta and cord		1,486	1,293	35	148	10
Y37	**Birth injury**		**301**	**237**	**6**	**55**	**3**
Y37·0	Birth injury with abnormality of bones of pelvis		1	1	-	-	-
Y37·1	Birth injury with abnormality of organs or tissues of pelvis		-	-	-	-	-
Y37·2	Birth injury with disproportion, but no mention of abnormality, of pelvis		15	12	-	3	-
Y37·3	Birth injury with malposition of foetus		69	60	-	9	-
Y37·4	Birth injury with abnormality of forces of labour		32	13	1	18	-
Y37·5	Operation causing mutilation of foetus		-	-	-	-	-
Y37·6	Other operation for delivery		8	7	-	1	-
Y37·7	Birth injury with difficult labour but without mention of underlying condition		6	5	1	-	-
Y37·8	Birth injury due to other or unspecified cause		170	139	4	24	3
Y38	**Congenital malformation of foetus**		**2,691**	**2,310**	**45**	**309**	**27**
Y38·0	Anencephalus		1,542	1,379	23	124	16
	0 With mention of spina bifida or synonym		209	190	2	14	3
	1 Without mention of spina bifida or synonym		1,333	1,189	21	110	13

TABLE 23G - *continued*

ICD No.	Cause		Total	Place of occurrence			
				N.H.S. hospital	Other hospital	At home	Elsewhere
Y38·1	Hydrocephalus		436	322	10	99	5
Y38·2	Spina bifida		300	269	4	25	2
	0 With mention of hydrocephalus		223	208	4	10	1
	1 Without mention of hydrocephalus		77	61	-	15	1
Y38·3	Other malformation of the central nervous system		81	62	2	16	1
	0 Mongolism		12	9	-	3	-
	1 Microcephaly		17	12	-	4	1
	2 Others		52	41	2	9	-
Y38·4	Malformation of the cardiovascular system		63	50	1	12	-
	0 Tetralogy of Fallot		1	1	-	-	-
	1 Patent ductus arteriosus		4	3	-	1	-
	2 Interventricular septal defect		16	12	1	3	-
	3 Interauricular septal defect		10	8	-	2	-
	4 Fibroelastosis cordis		2	2	-	-	-
	5 Other malformations of heart		23	18	-	5	-
	6 Coarctation of aorta		3	3	-	-	-
	7 Other circulatory malformations		4	3	-	1	-
Y38·5	Malformation of other specified system or part		158	130	4	23	1
	0 Digestive system		12	9	-	2	1
	1 Genito-urinary system		38	34	1	3	-
	2 Dwarf		-	-	-	-	-
	3 Other skeletal		25	20	-	5	-
	4 Respiratory system		5	3	-	2	-
	5 Skin		1	-	-	1	-
	6 Muscle		11	9	1	1	-
	7 Others		66	55	2	9	-
Y38·6	Monster		19	18	-	1	-
	0 Double monster		4	4	-	-	-
	1 Monster N.O.S.		7	7	-	-	-
	2 Others		8	7	-	1	-
Y38·7	Other and unspecified malformations		92	80	1	9	2
Y39	**Diseases of foetus, and ill-defined causes**		**3,378**	**2,799**	**38**	**455**	**86**
Y39·0	Syphilis		-	-	-	-	-
Y39·1	Infection other than syphilis		24	24	-	-	-
Y39·2	Erythroblastosis		733	693	5	32	3
Y39·3	Other cause originated in the foetus		33	29	-	3	1
Y39·4	Maceration, cause not specified		960	782	12	149	17
Y39·5	Other ill-defined cause		928	757	9	147	15
	0 Asphyxia		427	379	4	40	4
	1 Atelectasis		82	57	-	23	2
	2 Post-maturity		84	78	-	6	-
	3 Prematurity		201	140	4	52	5
	4 Others		134	103	1	26	4
Y39·6	Cause unspecified		700	514	12	124	50
Total live and still births		M	458,638	308,792	13,431	129,386	7,029
		F	431,880	288,646	12,732	123,573	6,929
		P	890,518	597,438	26,163	252,959	13,958
			Stillbirths per 1,000 total births				
		M	16·5	21·2	8·5	6·3	14·7
Y30-Y39	**All causes**	F	16·2	20·8	9·0	6·4	11·8
		P	16·3	21·0	8·8	6·3	13·3
Y30-Y35	**Maternal conditions**		4·3	5·7	1·9	1·2	2·5
Y30·2	Diabetes		0·1	0·2	0·1	0·0	-
Y30·3	Circulatory		0·3	0·4	0·1	0·1	-
Y32	Diseases of pregnancy		2·6	3·6	0·9	0·4	1·2
Y32·2	Haemorrhage N.E.C.		0·6	0·8	0·2	0·1	0·2
Y32·4	Other toxaemia		1·9	2·7	0·6	0·3	1·0
Y34	Difficulties in labour		1·1	1·3	0·8	0·7	1·1
Y34·2	Malposition		0·5	0·6	0·5	0·3	0·6
Y34·3	Abnormal forces		0·1	0·1	0·0	0·1	0·1
Y36	**Placental and cord conditions**		**4·9**	**6·3**	**3·4**	**1·8**	**2·4**
Y36·1	Placenta praevia		0·2	0·3	0·1	0·0	-
Y36·2	Placenta and placental separation		1·4	2·0	0·8	0·2	0·4
Y36·5	Placental infarct		0·3	0·3	0·2	0·4	0·1
Y37-Y39	**Foetal conditions**		**7·2**	**8·9**	**3·4**	**3·2**	**8·3**
Y37	Birth injury		0·3	0·4	0·2	0·2	0·2
Y38	Congenital malformation		3·0	3·9	1·7	1·2	1·9
Y38·0	Anencephalus		1·7	2·3	0·9	0·5	1·1
Y38·1	Hydrocephalus		0·5	0·5	0·4	0·4	0·4
Y38·2	Spina bifida		0·3	0·5	0·2	0·1	0·1
Y39	Other and ill-defined causes		3·8	4·7	1·5	1·8	6·2
Y39·2	Erythroblastosis		0·8	1·2	0·2	0·1	0·2
Y39·6	Unspecified		0·8	0·9	0·5	0·5	3·6

TABLE 23H. Legitimate stillbirths by certain selected causes, parity of mother and number of previous stillbirths with rates per 1,000 total births, 1964

England and Wales

Parity - previous live and still births of all marriages	Number of previous stillbirths							Number of previous stillbirths						
	0	1	2	3	4	5-9	Total	0	1	2	3	4	5-9	Total
	Stillbirths per 1,000 total births													
	All causes (Y30-Y39)							Chronic and acute diseases in mother (Y30, Y31)						
0	17·0	-	-	-	-	-	17·0	0·6	-	-	-	-	-	0·6
1	11·0	39·7	-	-	-	-	11·4	0·3	4·3	-	-	-	-	0·4
2	13·9	42·1	134·9	-	-	-	15·1	0·5	2·3	4·7	-	-	-	0·5
3	17·3	48·5	90·9	233·3	-	-	19·4	0·5	2·2	9·1	33·3	-	-	0·7
4	19·6	60·7	137·5	183·7	428·6	-	23·5	0·6	1·3	3·7	-	-	-	0·6
5-9	22·9	63·3	121·0	163·8	218·8	333·3	28·5	1·1	3·1	3·7	-	-	-	1·3
10 and over	35·9	61·3	84·3	266·7	83·3	-	43·5	2·7	7·7	-	-	-	-	3·2
Total	**15·0**	**49·1**	**117·2**	**185·7**	215·7	230·8	**16·0**	0·5	**2·8**	4·9	4·8	-	-	**0·6**
	Haemorrhage without mention of placental condition (Y32·2)							Toxaemia and infection of pregnancy (Y32·3-·5)						
0	0·5	-	-	-	-	-	0·5	2·9	-	-	-	-	-	2·9
1	0·3	0·8	-	-	-	-	0·3	1·0	6·4	-	-	-	-	1·1
2	0·6	0·8	-	-	-	-	0·6	1·4	3·7	27·9	-	-	-	1·5
3	0·7	1·1	3·0	33·3	-	-	0·8	1·7	6·3	9·1	-	-	-	2·0
4	0·9	3·1	7·4	20·4	-	-	1·2	1·3	4·9	22·3	20·4	-	-	1·7
5-9	1·4	2·2	-	8·6	-	-	1·4	1·8	7·7	18·6	25·9	-	55·6	2·7
10 and over	3·3	11·5	24·1	-	-	-	5·3	2·7	7·7	12·0	-	83·3	-	4·2
Total	0·5	**1·5**	3·5	14·3	-	-	**0·5**	1·8	**5·7**	**18·1**	19·0	19·6	38·5	**2·0**
	Difficult labour, birth injury (Y34, Y37)							Placental and cord conditions (Y36)						
0	1·5	-	-	-	-	-	1·5	4·9	-	-	-	-	-	4·9
1	1·0	1·5	-	-	-	-	1·0	3·3	10·7	-	-	-	-	3·4
2	1·1	1·7	4·7	-	-	-	1·2	4·3	12·4	55·8	-	-	-	4·6
3	1·5	4·9	-	-	-	-	1·6	5·9	12·8	33·3	133·3	-	-	6·4
4	2·0	3·1	3·7	-	142·9	-	2·1	6·3	17·0	40·9	81·6	142·9	-	7·4
5-9	2·2	7·1	3·7	-	-	-	2·6	7·1	21·0	33·5	60·3	31·3	55·6	8·9
10 and over	4·7	3·8	-	-	-	-	4·2	11·3	15·3	24·1	133·3	-	-	13·3
Total	1·3	**3·5**	2·8	-	19·6	-	**1·4**	4·5	**14·2**	**37·7**	81·0	39·2	38·5	**4·8**
	Anencephalus (Y38·0)							Hydrocephalus, spina bifida, and other malformation of the central nervous system (Y38·1-·3)						
0	1·9	-	-	-	-	-	1·9	1·0	-	-	-	-	-	1·0
1	1·4	5·1	-	-	-	-	1·4	0·7	2·3	-	-	-	-	0·7
2	1·4	3·3	14·0	-	-	-	1·5	0·8	1·9	4·7	-	-	-	0·8
3	1·7	3·0	3·0	-	-	-	1·8	0·9	1·9	3·0	-	-	-	0·9
4	1·9	6·2	14·9	-	-	-	2·3	1·5	1·3	7·4	20·4	-	-	1·6
5-9	2·0	4·9	9·3	17·2	93·8	-	2·5	1·1	1·2	7·4	-	-	-	1·2
10 and over	1·3	3·8	-	133·3	-	-	2·7	-	3·8	12·0	-	-	-	1·1
Total	1·6	**4·3**	9·1	19·0	58·8	-	**1·7**	0·9	**1·8**	6·3	4·8	-	-	**0·9**
	Other congenital malformation of foetus (Y38·4-·7)							Erythroblastosis (Y39·2)						
0	0·4	-	-	-	-	-	0·4	0·1	-	-	-	-	-	0·1
1	0·3	0·3	-	-	-	-	0·3	0·7	1·8	-	-	-	-	0·7
2	0·4	0·8	-	-	-	-	0·4	1·1	8·3	9·3	-	-	-	1·4
3	0·3	0·3	-	-	-	-	0·3	1·3	10·1	21·2	-	-	-	1·9
4	0·3	0·9	-	-	-	-	0·3	1·3	11·6	26·0	20·4	142·9	-	2·3
5-9	0·3	0·3	1·9	-	-	-	0·3	1·1	6·5	16·8	25·9	93·8	166·7	2·0
10 and over	-	-	-	-	-	-	-	2·7	-	-	-	-	-	2·1
Total	0·4	0·5	0·7	-	-	-	**0·4**	0·7	**7·2**	**17·4**	19·0	78·4	115·4	**0·9**

TABLE 23H - *continued*

Parity - previous live and still births of all marriages	Number of previous stillbirths							Number of previous stillbirths						
	0	1	2	3	4	5-9	Total	0	1	2	3	4	5-9	Total
	All causes (Y30-Y39)							Chronic and acute diseases in mother (Y30, Y31)						
0	4,877	-	-	-	-	-	4,877	164	-	-	-	-	-	164
1	2,731	156	-	-	-	-	2,887	79	17	-	-	-	-	96
2	1,902	217	29	-	-	-	2,148	63	12	1	-	-	-	76
3	1,152	178	30	7	-	-	1,367	34	8	3	1	-	-	46
4	628	136	37	9	3	-	813	18	3	1	-	-	-	22
5-9	761	205	65	19	7	6	1,063	36	10	2	-	-	-	48
10 and over	54	16	7	4	1	-	82	4	2	-	-	-	-	6
Total	**12,105**	**908**	**168**	**39**	**11**	**6**	**13,237**	**398**	**52**	**7**	**1**	**-**	**-**	**458**
	Haemorrhage without mention of placental condition (Y32·2)							Toxaemia and infection of pregnancy (Y32·3-·5)						
0	133	-	-	-	-	-	133	822	-	-	-	-	-	822
1	79	3	-	-	-	-	82	250	25	-	-	-	-	275
2	78	4	-	-	-	-	82	188	19	6	-	-	-	213
3	47	4	1	1	-	-	53	113	23	3	-	-	-	139
4	30	7	2	1	-	-	40	40	11	6	1	-	-	58
5-9	45	7	-	1	-	-	53	61	25	10	3	-	1	100
10 and over	5	3	2	-	-	-	10	4	2	1	-	1	-	8
Total	**417**	**28**	**5**	**3**	**-**	**-**	**453**	**1,478**	**105**	**26**	**4**	**1**	**1**	**1,615**
	Difficult labour, birth injury (Y34, Y37)							Placental and cord conditions (Y36)						
0	444	-	-	-	-	-	444	1,416	-	-	-	-	-	1,416
1	239	6	-	-	-	-	245	811	42	-	-	-	-	853
2	157	9	1	-	-	-	167	583	64	12	-	-	-	659
3	98	18	-	-	-	-	116	391	47	11	4	-	-	453
4	64	7	1	-	1	-	73	201	38	11	4	1	-	255
5-9	73	23	2	-	-	-	98	238	68	18	7	1	1	333
10 and over	7	1	-	-	-	-	8	17	4	2	2	-	-	25
Total	**1,082**	**64**	**4**	**-**	**1**	**-**	**1,151**	**3,657**	**263**	**54**	**17**	**2**	**1**	**3,994**
	Anencephalus (Y38·0)							Hydrocephalus, spina bifida, and other malformation of the central nervous system (Y38·1-·3)						
0	551	-	-	-	-	-	551	286	-	-	-	-	-	286
1	344	20	-	-	-	-	364	175	9	-	-	-	-	184
2	186	17	3	-	-	-	206	103	10	1	-	-	-	114
3	115	11	1	-	-	-	127	59	7	1	-	-	-	67
4	61	14	4	-	-	-	79	49	3	2	1	-	-	55
5-9	66	16	5	2	3	-	92	35	4	4	-	-	-	43
10 and over	2	1	-	2	-	-	5	-	1	1	-	-	-	2
Total	**1,325**	**79**	**13**	**4**	**3**	**-**	**1,424**	**707**	**34**	**9**	**1**	**-**	**-**	**751**
	Other congenital malformation of foetus (Y38·4-·7)							Erythroblastosis (Y39·2)						
0	122	-	-	-	-	-	122	35	-	-	-	-	-	35
1	79	1	-	-	-	-	80	182	7	-	-	-	-	189
2	54	4	-	-	-	-	58	151	43	2	-	-	-	196
3	22	1	-	-	-	-	23	87	37	7	-	-	-	131
4	10	2	-	-	-	-	12	43	26	7	1	1	-	78
5-9	11	1	1	-	-	-	13	36	21	9	3	3	3	75
10 and over	-	-	-	-	-	-	-	4	-	-	-	-	-	4
Total	**298**	**9**	**1**	**-**	**-**	**-**	**308**	**538**	**134**	**25**	**4**	**4**	**3**	**708**
	Legitimate live and still births													
0	286,949	-	-	-	-	-	286,949							
1	248,767	3,933	-	-	-	-	252,700							
2	136,628	5,151	215	-	-	-	141,994							
3	66,522	3,668	330	30	-	-	70,550							
4	31,990	2,241	269	49	7	-	34,556							
5-9	33,292	3,241	537	116	32	18	37,236							
10 and over	1,505	261	83	15	12	8	1,884							
Total	**805,653**	**18,495**	**1,434**	**210**	**51**	**26**	**825,869**							

TABLE 23I. Stillbirths by cause, sex and year of occurrence (with, for certain selected causes, rates per 1,000 total births), 1961 to 1964

England and Wales

ICD No.	Cause		1961	1962	1963	1964
Y30-Y39	ALL CAUSES	M	8,076	7,957	7,884	7,566
		F	7,651	7,507	7,105	6,980
		P	15,727	15,464	14,989	14,546
Y30	**Chronic disease in mother**	**M**	**254**	**245**	**294**	**257**
		F	**195**	**219**	**192**	**212**
Y30·0	Syphilis	M	5	6	3	5
		F	4	3	2	8
Y30·1	Tuberculosis (any form)	M	-	1	4	4
		F	-	2	1	1
Y30·2	Diabetes mellitus	M	72	63	73	63
		F	42	52	50	47
Y30·3	Chronic disease of circulatory system	M	136	137	189	158
		F	109	124	105	128
Y30·4	Chronic disease of genito-urinary system	M	14	10	6	11
		F	14	11	13	9
Y30·5	Other chronic disease	M	27	28	19	16
		F	26	27	21	19
Y31	**Acute disease in mother**	**M**	**36**	**37**	**36**	**17**
		F	**31**	**35**	**22**	**18**
Y31·0	Typhoid fever	M	-	-	-	-
		F	-	-	-	-
Y31·1	Influenza	M	25	12	7	7
		F	20	11	5	2
Y31·2	Pneumonia (any form)	M	-	3	7	3
		F	1	1	2	2
Y31·3	Other acute respiratory disease	M	2	2	3	-
		F	1	4	2	4
Y31·4	Other acute disease or condition	M	9	20	19	7
		F	9	19	13	10
	0 Rubella	M	1	11	8	-
		F	1	12	7	5
	1 Other virus diseases	M	3	2	4	3
		F	3	4	2	2
	2 Others	M	5	7	7	4
		F	5	3	4	3
32	**Diseases and conditions of pregnancy and childbirth**	**M**	**1,543**	**1,475**	**1,431**	**1,264**
		F	**1,265**	**1,154**	**1,087**	**1,029**
Y32·0	Pregnancy interrupted by self or other person for non-therapeutic purposes	M	-	-	-	-
		F	-	-	-	-
Y32·1	Ectopic gestation	M	1	-	2	-
		F	3	1	1	2
Y32·2	Haemorrhage without mention of placental condition	M	306	244	270	293
		F	220	188	216	216
Y32·3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	M	24	38	35	25
		F	28	24	24	30
Y32·4	Other toxaemias of pregnancy	M	1,188	1,176	1,108	931
		F	991	928	828	765
Y32·5	Infection (ante- and intra-partum)	M	24	17	16	15
		F	23	13	18	16
	0 Urinary infection	M	10	4	5	4
		F	7	4	3	6
	1 Others	M	14	13	11	11
		F	16	9	15	10
33	**Absorption of toxic substance from mother**	**M**	**-**	**1**	**1**	**1**
		F	**1**	**2**	**1**	**-**
Y33·0	Narcotic	M	-	-	-	-
		F	-	-	-	-

TABLE 23I - *continued*

ICD No.	Cause		1961	1962	1963	1964
Y33·1	Quinine	M	-	-	-	-
		F	-	-	-	-
Y33·2	Other toxic substance	M	-	1	1	1
		F	1	2	1	-
Y34	**Difficulties in labour**	**M**	**711**	**654**	**623**	**532**
		F	**569**	**509**	**425**	**451**
Y34·0	Difficult labour with abnormality of bones of pelvis	M	15	11	9	8
		F	8	7	6	7
Y34·1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	M	154	148	147	110
		F	112	108	95	125
Y34·2	Difficult labour with malposition of foetus	M	388	322	313	271
		F	324	258	231	203
Y34·3	Difficult labour with abnormality of forces of labour	M	74	84	74	65
		F	63	58	43	53
Y34·4	Difficult labour with operative delivery	M	27	25	22	15
		F	13	19	5	13
Y34·5	Difficult labour with abnormality of organs or tissues of pelvis	M	11	14	15	13
		F	15	21	18	7
Y34·6	Difficult labour without mention of underlying condition	M	42	50	43	50
		F	34	38	27	43
Y35	**Other causes in mother**	**M**	**29**	**19**	**27**	**33**
		F	**23**	**32**	**27**	**14**
Y35·0	Fall	M	9	4	7	10
		F	9	10	5	4
Y35·1	Other accident or violence	M	4	5	6	8
		F	5	6	3	2
Y35·2	Overexertion	M	-	-	-	-
		F	-	-	-	-
Y35·3	Other and ill-defined causes in mother	M	16	10	14	15
		F	9	16	19	8
Y36	**Placental and cord conditions**	**M**	**2,263**	**2,370**	**2,479**	**2,403**
		F	**1,798**	**1,944**	**1,949**	**1,945**
Y36·0	Cord condition without mention of placental abnormality	M	710	664	648	599
		F	544	575	568	538
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	M	111	103	89	86
		F	97	101	97	108
	1 Prolapse of cord	M	215	207	214	181
		F	132	134	131	112
	2 Others	M	384	354	345	332
		F	315	340	340	318
Y36·1	Placenta praevia	M	122	89	97	97
		F	94	80	67	67
Y36·2	Premature separation of normally implanted placenta	M	653	746	782	766
		F	463	499	545	496
Y36·3	Placenta praevia with cord abnormality	M	4	5	3	6
		F	3	2	3	7
Y36·4	Premature separation of normally implanted placenta with cord abnormality	M	3	5	7	7
		F	2	8	6	2
Y36·5	Placental infarct	M	196	187	180	139
		F	186	162	163	138
Y36·6	Other abnormality of placenta and cord	M	575	674	762	789
		F	504	618	597	697
Y37	**Birth injury**	**M**	**231**	**220**	**201**	**189**
		F	**183**	**181**	**137**	**112**
Y37·0	Birth injury with abnormality of bones of pelvis	M	4	1	5	-
		F	2	1	2	1
Y37·1	Birth injury with abnormality of organs or tissues of pelvis	M	1	4	4	-
		F	-	1	-	-

TABLE 23I - *continued*

ICD No.	Cause		1961	1962	1963	1964
Y37·2	Birth injury with disproportion but no mention of abnormality of pelvis	M	18	19	14	10
		F	11	12	7	5
Y37·3	Birth injury with malposition of foetus	M	77	63	52	50
		F	48	50	36	19
Y37·4	Birth injury with abnormality of forces of labour	M	26	17	18	14
		F	20	21	15	18
Y37·5	Operation causing mutilation of foetus	M	1	-	-	-
		F	-	-	-	-
Y37·6	Other operation for delivery	M	19	14	8	7
		F	10	11	8	1
Y37·7	Birth injury with difficult labour but without mention of underlying condition	M	2	7	5	6
		F	6	3	9	-
Y37·8	Birth injury due to other or unspecified cause	M	83	95	95	102
		F	86	82	60	68
Y38	**Congenital malformations of foetus**	**M**	**1,127**	**1,119**	**1,053**	**1,035**
		F	**1,950**	**1,738**	**1,715**	**1,656**
Y38·0	Anencephalus	M	454	452	419	454
		F	1,218	1,103	1,128	1,088
	0 With mention of spina bifida or synonym	M	47	55	45	63
		F	139	121	151	146
	1 Without mention of spina bifida or synonym	M	407	397	374	391
		F	1,079	982	977	942
Y38·1	Hydrocephalus	M	313	298	279	232
		F	258	229	204	204
Y38·2	Spina bifida	M	151	137	130	119
		F	250	174	190	181
	0 With mention of hydrocephalus	M	104	102	85	90
		F	166	127	122	133
	1 Without mention of hydrocephalus	M	47	35	45	29
		F	84	47	68	48
Y38·3	Other malformation of the central nervous system	M	33	40	37	41
		F	54	72	64	40
	0 Mongolism	M	9	8	14	7
		F	10	17	13	5
	1 Microcephaly	M	5	8	2	10
		F	13	10	12	7
	2 Others	M	19	24	21	24
		F	31	45	39	28
Y38·4	Malformation of the cardiovascular system	M	28	36	33	33
		F	24	26	26	30
	0 Tetralogy of Fallot	M	-	1	-	-
		F	-	1	-	1
	1 Patent ductus arteriosus	M	5	3	2	2
		F	1	3	1	2
	2 Interventricular septal defect	M	2	11	14	6
		F	7	6	5	10
	3 Interauricular septal defect	M	4	2	2	7
		F	2	1	2	3
	4 Fibroelastosis cordis	M	-	1	-	2
		F	-	-	2	-
	5 Other malformations of heart	M	13	16	12	13
		F	10	14	12	10
	6 Coarctation of aorta	M	1	1	2	-
		F	-	-	1	3
	7 Other circulatory malformations	M	3	1	1	3
		F	4	1	3	1

TABLE 23I - *continued*

ICD No.	Cause		1961	1962	1963	1964
Y38·5	Malformation of other specified system	M	101	110	101	87
		F	98	93	58	61
	0 Digestive system	M	11	20	16	7
		F	9	15	8	5
	1 Genito-urinary system	M	19	23	24	28
		F	16	14	5	10
	2 Dwarf	M	2	3	3	-
		F	2	3	-	-
	3 Other skeletal	M	26	10	21	14
		F	26	17	19	11
	4 Respiratory system	M	2	4	2	1
		F	3	13	4	4
	5 Skin	M	-	-	1	1
		F	-	1	-	-
	6 Muscle	M	4	3	4	8
		F	-	-	1	3
	7 Others	M	37	47	30	38
		F	42	30	22	28
Y38·6	Monster	M	7	6	9	6
		F	12	7	13	13
	0 Double monster	M	2	3	7	1
		F	7	2	11	3
	1 Monster N.O.S.	M	-	-	-	2
		F	1	1	1	5
	2 Others	M	5	3	2	3
		F	4	4	1	5
Y38·7	Other and unspecified malformations	M	40	40	45	53
		F	36	34	32	39
Y39	**Diseases of foetus and ill-defined causes**	M	**1,882**	**1,817**	**1,739**	**1,835**
		F	**1,636**	**1,693**	**1,550**	**1,543**
Y39·0	Syphilis	M	-	-	2	-
		F	1	1	-	-
Y39·1	Infection other than syphilis	M	11	7	8	16
		F	3	9	9	8
Y39·2	Erythroblastosis	M	405	359	360	404
		F	343	312	303	329
Y39·3	Other cause originated in the foetus	M	40	24	26	20
		F	39	19	15	13
Y39·4	Maceration, cause not specified	M	541	513	505	531
		F	471	484	430	429
Y39·5	Other ill-defined cause	M	486	504	466	491
		F	414	497	452	437
	0 Asphyxia	M	178	196	208	208
		F	146	192	213	219
	1 Atelectasis	M	53	64	52	47
		F	43	57	44	35
	2 Post-maturity	M	67	63	39	46
		F	42	57	40	36
	3 Prematurity	M	130	116	109	120
		F	105	106	93	81
	4 Others	M	58	65	58	68
		F	78	85	62	66
Y39·6	Cause unspecified	M	399	410	372	373
		F	365	371	341	327
Total live and still births		M	425,844	439,590	446,360	458,638
		F	401,164	414,610	422,684	431,890
		P	827,008	854,200	869,044	890,518

TABLE 23I - *continued*

ICD No.	Cause		1961	1962	1963	1964
			Stillbirths per 1,000 total births			
Y30-Y39	All causes	M	19·0	18·1	17·7	16·5
		F	19·1	18·1	16·8	16·2
		P	19·0	18·1	17·2	16·3
Y30-Y35	Maternal conditions		5·6	5·1	4·8	4·3
Y3[illegible]·2	Diabetes		0·1	0·1	0·1	0·1
Y30·3	Circulatory		0·3	0·3	0·3	0·3
Y32	Diseases of pregnancy		3·4	3·1	2·9	2·6
Y32·2	Haemorrhage N.E.C.		0·6	0·5	0·6	0·6
Y32·4	Other toxaemia		2·6	2·5	2·2	1·9
Y34	Difficulties in labour		1·5	1·4	1·2	1·1
Y34·2	Malposition		0·9	0·7	0·6	0·5
Y34·3	Abnormal forces		0·2	0·2	0·1	0·1
Y36	Placental and cord conditions		4·9	5·1	5·1	4·9
Y36·1	Placenta praevia		0·3	0·2	0·2	0·2
Y36·2	Placenta and placental separation		1·3	1·5	1·5	1·4
Y36·5	Placental infarct		0·5	0·4	0·4	0·3
Y37-Y39	Foetal conditions		8·5	7·9	7·4	7·2
Y37	Birth injury		0·5	0·5	0·4	0·3
Y38	Congenital malformation		3·7	3·3	3·2	3·0
Y38·0	Anencephalus		2·0	1·8	1·8	1·7
Y38·1	Hydrocephalus		0·7	0·6	0·6	0·5
Y38·2	Spina bifida		0·5	0·4	0·4	0·3
Y39	Other and ill-defined causes		4·3	4·1	3·8	3·8
Y39·2	Erythroblastosis		0·9	0·8	0·8	0·8
Y39·6	Unspecified		0·9	0·9	0·8	0·8

TABLE 24. Deaths at various periods in the first year of life by legitimacy. Death rates per 1,000 live births, 1964

Area	All infants									
	Deaths								Deaths per 1,000 live births	
	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year
ENGLAND AND WALES	**6,230**	**4,307**	**1,569**	**2,135**	**1,832**	**839**	**533**	**17,445**	**14**	**20**
Standard regions and conurbations:										
Northern	**482**	**310**	**122**	**174**	**145**	**66**	**42**	**1,341**	**15**	**22**
Tyneside Conurbation	123	84	33	46	41	14	9	350	16	23
Remainder of Northern	359	226	89	128	104	52	33	991	15	22
East and West Ridings	**548**	**459**	**168**	**247**	**211**	**105**	**47**	**1,785**	**15**	**23**
West Yorkshire Conurbation	241	186	63	117	89	50	22	768	15	24
Remainder of East and West Ridings	307	273	105	130	122	55	25	1,017	15	22
North Western	**1,003**	**692**	**253**	**355**	**343**	**151**	**76**	**2,873**	**15**	**23**
South East Lancashire Conurbation	420	276	97	150	135	59	32	1,169	17	25
Merseyside Conurbation	216	125	61	81	83	38	14	618	14	21
Remainder of North Western	367	291	95	124	125	54	30	1,086	15	21
North Midland	**487**	**303**	**136**	**147**	**146**	**81**	**49**	**1,349**	**13**	**19**
Midland	**632**	**506**	**171**	**237**	**203**	**94**	**64**	**1,907**	**14**	**20**
West Midlands Conurbation	300	264	86	124	113	47	37	971	14	21
Remainder of Midland	332	242	85	113	90	47	27	936	14	19
Eastern	**423**	**303**	**118**	**149**	**111**	**43**	**36**	**1,183**	**11**	**16**
London and South Eastern	**1,474**	**913**	**286**	**417**	**378**	**160**	**113**	**3,741**	**13**	**19**
Greater London	1,098	695	212	314	278	124	81	2,802	13	19
Remainder of South Eastern	376	218	74	103	100	36	32	939	13	18
Southern	**408**	**248**	**86**	**116**	**97**	**40**	**30**	**1,025**	**13**	**18**
South Western	**410**	**240**	**110**	**147**	**97**	**44**	**39**	**1,087**	**12**	**18**
Wales	**363**	**333**	**119**	**146**	**101**	**55**	**37**	**1,154**	**17**	**24**
Wales I (South East)	272	252	94	112	84	46	32	892	18	26
Wales II (remainder)	91	81	25	34	17	9	5	262	15	20
Urban/Rural aggregates:										
Conurbations	2,398	1,630	552	832	739	332	195	6,678	14	21
Areas outside conurbations:										
Urban areas with populations of 100,000 and over	819	535	215	295	250	116	71	2,301	14	20
Urban areas with populations of 50,000 and under 100,000	624	406	164	217	180	69	57	1,717	14	21
Urban areas with populations under 50,000	1,255	895	337	420	347	171	111	3,536	14	20
Rural districts	1,134	841	301	371	316	151	99	3,213	13	18
Hospital regions:										
Newcastle	454	291	117	162	138	64	39	1,265	15	22
Leeds	403	326	120	198	158	78	35	1,318	15	23
Sheffield	572	403	174	187	182	97	52	1,667	14	20
East Anglia	173	138	49	63	34	20	13	490	13	17
North West Metropolitan	552	323	114	143	134	46	46	1,358	12	17
North East Metropolitan	400	268	83	140	107	49	30	1,077	12	18
South East Metropolitan	452	288	89	142	142	60	41	1,214	13	19
South West Metropolitan	407	248	86	94	90	38	24	987	14	18
Wessex	224	146	52	75	60	20	22	599	13	18
Oxford	253	144	54	68	68	32	18	637	13	18
South Western	335	195	87	123	70	35	34	879	12	17
Welsh	363	333	119	146	101	55	37	1,154	17	24
Birmingham	632	506	171	237	203	94	64	1,907	14	20
Manchester	659	478	157	237	221	94	56	1,902	16	23
Liverpool	351	220	97	120	124	57	22	991	15	22

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions

Legitimate infants										Illegitiamte infants									
Deaths								Deaths per 1,000 live births		Deaths								Deaths per 1,000 live births	
Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year
5,514	3,932	1,428	1,923	1,693	789	501	15,780	13	19	716	375	141	212	139	50	32	1,665	19	26
434	291	108	162	141	62	39	1,237	15	22	48	19	14	12	4	4	3	104	25	32
104	76	26	41	40	14	9	310	14	22	19	8	7	5	1	-	-	40	35	41
330	215	82	121	101	48	30	927	15	22	29	11	7	7	3	4	3	64	21	28
481	413	151	214	195	100	40	1,594	14	22	67	46	17	33	16	5	7	191	22	33
205	166	55	95	81	45	18	665	15	23	36	20	8	22	8	5	4	103	22	35
276	247	96	119	114	55	22	929	14	21	31	26	9	11	8	-	3	88	23	30
912	634	237	321	322	144	72	2,642	15	22	91	58	16	34	21	7	4	231	18	26
377	251	88	127	124	56	30	1,053	17	24	43	25	9	23	11	3	2	116	19	28
201	119	59	75	78	35	14	581	14	21	15	6	2	6	5	3	-	37	12	20
334	264	90	119	120	53	28	1,008	14	21	33	27	5	5	5	1	2	78	22	26
425	276	122	133	134	78	49	1,217	12	18	62	27	14	14	12	3	-	132	22	28
560	469	154	219	187	87	57	1,733	13	19	72	37	17	18	16	7	7	174	19	27
261	242	78	110	107	46	32	876	13	20	39	22	8	14	6	1	5	95	18	25
299	227	76	109	80	41	25	857	13	19	33	15	9	4	10	6	2	79	21	29
390	284	108	136	101	38	33	1,090	11	16	33	19	10	13	10	5	3	93	15	22
1,259	803	254	364	335	150	110	3,275	13	18	215	110	32	53	43	10	3	466	19	24
924	597	185	272	244	115	79	2,416	13	18	174	98	27	42	34	9	2	386	19	24
335	206	69	92	91	35	31	859	13	18	41	12	5	11	9	1	1	80	17	24
366	232	80	107	91	34	29	939	12	17	42	16	6	9	6	6	1	86	16	21
354	222	105	132	89	42	35	979	12	17	56	18	5	15	8	2	4	108	20	27
333	308	109	135	98	54	37	1,074	17	24	30	25	10	11	3	1	-	80	25	31
248	234	87	107	82	45	32	835	17	26	24	18	7	5	2	1	-	57	26	31
85	74	22	28	16	9	5	239	15	20	6	7	3	6	1	-	-	23	23	33
2,072	1,451	491	720	674	311	182	5,901	14	20	326	179	61	112	65	21	13	777	19	26
710	480	194	265	228	109	66	2,052	13	20	109	55	21	30	22	7	5	249	19	26
559	380	152	196	166	66	53	1,572	14	21	65	26	12	21	14	3	4	145	18	25
1,124	832	311	399	329	162	103	3,260	13	19	131	63	26	21	18	9	8	276	22	27
1,049	789	280	343	296	141	97	2,995	12	18	85	52	21	28	20	10	2	218	19	28
408	273	104	151	135	61	37	1,169	15	22	46	18	13	11	3	3	2	96	25	32
351	295	108	167	146	72	29	1,168	14	22	52	31	12	31	12	6	6	150	21	33
500	363	156	171	169	94	50	1,503	13	19	72	40	18	16	13	3	2	164	23	30
159	128	43	60	30	18	11	449	12	17	14	10	6	3	4	2	2	41	17	23
470	282	104	117	117	42	44	1,176	12	16	82	41	10	26	17	4	2	182	18	25
354	245	76	129	95	44	30	973	12	17	46	23	7	11	12	5	-	104	17	23
398	259	79	125	126	57	40	1,084	13	19	54	29	10	17	16	3	1	130	17	24
348	219	75	83	85	36	23	869	13	18	59	29	11	11	5	2	1	118	21	25
203	135	47	69	57	16	21	548	13	18	21	11	5	6	3	4	1	51	15	20
224	135	52	65	63	31	18	588	12	18	29	9	2	3	5	1	-	49	19	23
288	182	83	109	62	33	30	787	12	16	47	13	4	14	8	2	4	92	19	27
333	308	109	135	98	54	37	1,074	17	24	30	25	10	11	3	1	-	80	25	31
560	469	154	219	187	87	57	1,733	13	19	72	37	17	18	16	7	7	174	19	27
591	429	145	209	207	91	52	1,724	15	23	68	49	12	28	14	3	4	178	20	28
327	210	93	114	116	53	22	935	15	22	24	10	4	6	8	4	-	56	14	21

TABLE 25. Deaths at various periods in the first year of life, 1964, and the four quarters thereof

Area		Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Total under 1 day	Days						1 day and under 1 week
						1	2	3	4	5	6	
England and Wales												
	M	10,011	350	3,179	3,529	1,000	713	401	221	137	105	2,577
All infants	F	7,434	369	2,332	2,701	699	449	254	147	94	87	1,730
	P	17,445	719	5,511	6,230	1,699	1,162	655	368	231	192	4,307
	M	9,125	282	2,882	3,164	929	643	364	201	125	100	2,362
Legitimate	F	6,655	289	2,061	2,350	630	405	237	136	83	79	1,570
	P	15,780	571	4,943	5,514	1,559	1,048	601	337	208	179	3,932
	M	886	68	297	365	71	70	37	20	12	5	215
Illegitimate	F	779	80	271	351	69	44	17	11	11	8	160
	P	1,665	148	568	716	140	114	54	31	23	13	375
Standard regions and conurbations:												
Northern		1,341	62	420	482	126	86	46	24	17	11	310
Tyneside Conurbation		350	17	106	123	28	23	15	10	3	5	84
Remainder of Northern		991	45	314	359	98	63	31	14	14	6	226
East and West Ridings		1,785	47	501	548	182	126	74	43	17	17	459
West Yorkshire Conurbation		768	17	224	241	69	59	27	17	7	7	186
Remainder of East and West Ridings		1,017	30	277	307	113	67	47	26	10	10	273
North Western		2,873	121	882	1,003	267	186	124	56	26	33	692
South East Lancashire Conurbation		1,169	48	372	420	102	81	53	18	9	13	276
Merseyside Conurbation		618	25	191	216	49	27	24	10	7	8	125
Remainder of North Western		1,086	48	319	367	116	78	47	28	10	12	291
North Midland		1,349	54	433	487	137	74	43	13	20	16	303
Midland		1,907	90	542	632	176	151	69	51	26	33	506
West Midlands Conurbation		971	50	250	300	100	80	36	22	14	12	264
Remainder of Midland		936	40	292	332	76	71	33	29	12	21	242
Eastern		1,183	43	380	423	109	85	54	20	19	16	303
London and South Eastern		3,741	185	1,289	1,474	399	223	131	73	53	34	913
Greater London		2,802	147	951	1,098	304	170	102	48	43	28	695
Remainder of South Eastern		939	38	338	376	95	53	29	25	10	6	218
Southern		1,025	45	363	408	84	68	41	31	18	6	248
South Western		1,087	40	370	410	93	72	29	22	16	8	240
Wales		1,154	32	331	363	126	91	44	35	19	18	333
Wales I (South East)		892	23	249	272	89	72	31	30	15	15	252
Wales II (remainder)		262	9	82	91	37	19	13	5	4	3	81
Urban/Rural aggregates:												
Conurbations		6,678	304	2,094	2,398	652	440	257	125	83	73	1,630
Areas outside conurbations:												
Urban areas with populations of 100,000 and over		2,301	93	726	819	200	138	92	52	23	30	535
Urban areas with populations of 50,000 and under 100,000		1,717	76	548	624	138	114	65	39	30	20	406
Urban areas with populations under 50,000		3,536	140	1,115	1,255	351	249	123	80	51	41	895
Rural districts		3,213	106	1,028	1,134	358	221	118	72	44	28	841
Hospital Regions:												
Newcastle		1,265	58	396	454	118	81	42	24	15	11	291
Leeds		1,318	34	369	403	132	84	57	27	13	13	326
Sheffield		1,667	61	511	572	164	107	62	29	23	18	403
East Anglia		490	17	156	173	53	40	22	8	8	7	138
North West Metropolitan		1,358	63	489	552	135	88	47	23	16	14	323
North East Metropolitan		1,077	62	338	400	107	63	46	21	17	14	268
South East Metropolitan		1,214	44	408	452	122	73	33	27	24	9	288
South West Metropolitan		987	50	357	407	108	62	41	20	11	6	248
Wessex		599	24	200	224	51	37	22	16	14	6	146
Oxford		637	30	223	253	62	32	22	16	7	5	144
South Western		879	31	304	335	76	64	23	15	12	5	195
Welsh		1,154	32	331	363	126	91	44	35	19	18	333
Birmingham		1,907	90	542	632	176	151	69	51	26	33	506
Manchester		1,902	82	577	659	186	136	85	36	17	18	478
Liverpool		991	41	310	351	83	53	40	20	9	15	220
England and Wales												
March Quarter		4,802	187	1,384	1,571	433	281	182	93	53	47	1,089
June Quarter		4,482	181	1,459	1,640	437	303	176	96	77	53	1,142
September Quarter		3,870	187	1,326	1,513	420	302	141	96	54	45	1,058
December Quarter		4,291	164	1,342	1,506	409	276	156	83	47	47	1,018

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions

Weeks				Months										
0	1	2	3	Total under 4 weeks	1	2	3	4	5	6	7	8	9	10	11
6,106	413	259	223	7,001	678	559	455	332	245	184	148	125	94	102	88
4,431	335	189	150	5,105	514	384	337	276	187	164	115	103	88	81	80
10,537	748	448	373	12,106	1,192	943	792	608	432	348	263	228	182	183	168
5,526	386	234	198	6,344	602	519	422	307	229	174	137	117	88	99	87
3,920	311	168	131	4,530	464	338	310	251	174	157	106	98	83	74	70
9,446	697	402	329	10,874	1,066	857	732	558	403	331	243	215	171	173	157
580	27	25	25	657	76	40	33	25	16	10	11	8	6	3	1
511	24	21	19	575	50	46	27	25	13	7	9	5	5	7	10
1,091	51	46	44	1,232	126	86	60	50	29	17	20	13	11	10	11
792	57	36	29	914	96	78	57	50	38	30	19	17	13	16	13
207	18	10	5	240	23	23	15	15	11	6	3	5	3	3	3
585	39	26	24	674	73	55	42	35	27	24	16	12	10	13	10
1,007	79	46	43	1,175	137	110	96	65	50	46	21	38	12	23	12
427	30	16	17	490	64	53	40	25	24	27	6	17	6	10	6
580	49	30	26	685	73	57	56	40	26	19	15	21	6	13	6
1,695	119	74	60	1,948	200	155	160	98	85	67	48	36	29	28	19
696	44	25	28	793	82	68	61	43	31	23	20	16	11	14	7
341	30	20	11	402	48	33	44	18	21	14	16	8	7	3	4
658	45	29	21	753	70	54	55	37	33	30	12	12	11	11	8
790	54	43	39	926	82	65	58	61	27	38	22	21	11	19	19
1,138	78	50	43	1,309	127	110	93	57	53	41	31	22	18	23	23
564	37	25	24	650	65	59	50	25	38	21	17	9	10	12	15
574	41	25	19	659	62	51	43	32	15	20	14	13	8	11	8
726	63	35	20	844	87	62	52	38	21	16	15	12	17	11	8
2,387	144	74	68	2,673	238	179	151	144	83	64	52	44	40	33	40
1,793	109	52	51	2,005	179	135	107	113	58	49	41	34	25	26	30
594	35	22	17	668	59	44	44	31	25	15	11	10	15	7	10
656	44	23	19	742	64	52	39	35	23	15	17	8	12	9	9
650	49	31	30	760	78	69	43	26	28	12	18	14	14	12	13
696	61	36	22	815	83	63	43	34	24	19	20	16	16	9	12
524	47	31	16	618	67	45	34	28	22	15	19	12	14	9	9
172	14	5	6	197	16	18	9	6	2	4	1	4	2	-	3
4,028	268	148	136	4,580	461	371	317	239	183	140	103	89	62	68	65
1,354	110	57	48	1,569	159	136	113	83	54	46	40	30	27	22	22
1,030	75	46	43	1,194	121	96	75	57	48	34	19	16	15	21	21
2,150	156	105	76	2,487	237	183	152	122	73	63	59	49	46	38	27
1,975	139	92	70	2,276	214	157	135	107	74	65	42	44	32	34	33
745	56	34	27	862	92	70	54	47	37	30	18	16	11	16	12
729	57	34	29	849	104	94	70	50	38	34	17	27	8	16	11
975	69	54	51	1,149	108	79	79	69	34	43	23	31	11	23	18
311	24	17	8	360	35	28	17	10	7	5	9	6	5	5	3
875	61	27	26	989	85	58	50	59	25	19	14	13	15	16	15
668	41	24	18	751	70	70	44	37	26	22	16	11	11	8	11
740	45	22	22	829	81	61	59	50	33	21	19	20	16	11	14
655	43	24	19	741	59	35	37	37	16	16	13	9	10	7	7
370	27	13	12	422	38	37	23	19	18	6	10	4	10	5	7
397	27	14	13	451	43	25	33	21	14	16	10	6	8	7	3
530	39	25	23	617	65	58	29	20	21	9	15	11	12	9	13
696	61	36	22	815	83	63	43	34	24	19	20	16	16	9	12
1,138	78	50	43	1,309	127	110	93	57	53	41	31	22	18	23	23
1,137	73	42	42	1,294	137	100	97	66	58	41	29	24	23	22	11
571	47	32	18	668	65	55	64	32	28	26	19	12	8	6	8
2,660	211	132	102	3,105	350	280	258	205	137	111	96	77	62	68	53
2,782	196	115	99	3,192	319	239	173	156	89	87	55	46	37	49	40
2,571	161	105	84	2,921	242	178	140	90	88	68	33	35	30	21	24
2,524	180	96	88	2,888	281	246	221	157	118	82	79	70	53	45	51

TABLE 26. Infant mortality from certain causes, 1964. Deaths of infants under 1 year and various sub-divisions of the first year, and deaths of illegitimate infants

England and Wales, standard regions Wales, conurbations, urban and rura aggregates outside conurbations, an hospital regions

Area	All causes							Pneumonia (490-493, 763)						
	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
ENGLAND AND WALES	17,445	12,106	2,135	1,832	839	533	1,665	2,375	583	728	669	261	134	224
Standard regions and conurbations:														
Northern	1,341	914	174	145	66	42	104	192	45	60	48	25	14	11
Tyneside Conurbation	350	240	46	41	14	9	40	36	3	11	13	5	4	2
Remainder of Northern	991	674	128	104	52	33	64	156	42	49	35	20	10	9
East and West Ridings	1,785	1,175	247	211	105	47	191	306	64	104	94	32	12	37
West Yorkshire Conurbation	768	490	117	89	50	22	103	151	24	50	45	23	9	22
Remainder of E. and W. Ridings	1,017	685	130	122	55	25	88	155	40	54	49	9	3	15
North Western	2,873	1,948	355	343	151	76	231	414	100	117	130	47	20	32
S. E. Lancashire Conurbation	1,169	793	150	135	59	32	116	174	33	48	64	21	8	20
Merseyside Conurbation	618	402	81	83	38	14	37	98	28	27	26	12	5	6
Remainder of North Western	1,086	753	124	125	54	30	78	142	39	42	40	14	7	6
North Midland	1,349	926	147	146	81	49	132	182	61	33	45	30	13	13
Midland	1,907	1,309	237	203	94	64	174	241	61	69	70	24	17	18
West Midlands Conurbation	971	650	124	113	47	37	95	110	26	30	33	10	11	9
Remainder of Midland	936	659	113	90	47	27	79	131	35	39	37	14	6	9
Eastern	1,183	844	149	111	43	36	93	124	26	46	32	14	6	14
London and South Eastern	3,741	2,673	417	378	160	113	466	501	120	162	153	45	21	65
Greater London	2,802	2,005	314	278	124	81	386	406	95	126	131	37	17	55
Remainder of South Eastern	939	668	103	100	36	32	80	95	25	36	22	8	4	6
Southern	1,025	742	116	97	40	30	86	93	26	18	27	15	7	6
South Western	1,087	760	147	97	44	39	108	148	37	58	33	10	10	15
Wales	1,154	815	146	101	55	37	80	174	43	61	37	19	14	13
Wales I (South East)	892	618	112	84	46	32	57	144	37	47	34	16	10	8
Wales II (remainder)	262	197	34	17	9	5	23	30	6	14	3	3	4	5
Urban/Rural aggregates:														
Conurbations	6,678	4,580	832	739	332	195	777	975	209	292	312	108	54	118
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	2,301	1,569	295	250	116	71	249	361	89	113	100	39	20	33
Urban areas with populations of 50,000 and under 100,000	1,717	1,194	217	180	69	57	145	213	54	74	56	20	9	18
Urban areas with populations under 50,000	3,536	2,487	420	347	171	111	276	464	124	147	120	50	23	31
Rural districts	3,213	2,276	371	316	151	99	218	362	107	102	81	44	28	24
Hospital regions:														
Newcastle	1,265	862	162	138	64	39	96	184	43	57	47	24	13	10
Leeds	1,318	849	198	158	78	35	150	258	41	93	82	30	12	33
Sheffield	1,667	1,149	187	182	97	52	164	203	78	41	51	25	8	18
East Anglia	490	360	63	34	20	13	41	71	14	28	16	9	4	7
North West Metropolitan	1,358	989	143	134	46	46	182	179	40	56	57	17	9	30
North East Metropolitan	1,077	751	140	107	49	30	104	135	29	44	42	16	4	19
South East Metropolitan	1,214	829	142	142	60	41	130	144	34	45	45	13	7	13
South West Metropolitan	987	741	94	90	38	24	118	117	32	40	30	11	4	14
Wessex	599	422	75	60	20	22	51	49	16	11	17	2	3	
Oxford	637	451	68	68	32	18	49	70	20	12	16	14	8	
South Western	879	617	123	70	35	34	92	133	31	53	29	10	10	1
Welsh	1,154	815	146	101	55	37	80	174	43	61	37	19	14	1
Birmingham	1,907	1,309	237	203	94	64	174	241	61	69	70	24	17	1
Manchester	1,902	1,294	237	221	94	56	178	265	59	77	89	26	14	2
Liverpool	991	668	120	124	57	22	56	152	42	41	41	21	7	

TABLE 26 - *continued*

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Bronchitis (500-502)							Gastro-enteritis (571, 764)						
LAND AND WALES	**365**	**26**	**106**	**147**	**52**	**34**	**36**	**420**	**55**	**116**	**119**	**69**	**61**	**42**
ndard regions and conurbations:														
rthern	**19**	**2**	**7**	**7**	**1**	**2**	**2**	**28**	**5**	**8**	**5**	**6**	**4**	**4**
yneside Conurbation	5	1	2	1	-	1	1	8	3	2	1	1	1	1
emainder of Northern	14	1	5	6	1	1	1	20	2	6	4	5	3	3
st and West Ridings	**42**	**6**	**10**	**18**	**5**	**3**	**5**	**67**	**11**	**17**	**14**	**16**	**9**	**8**
est Yorkshire Conurbation	7	-	3	2	1	1	1	24	4	8	6	5	1	7
emainder of E. and W. Ridings	35	6	7	16	4	2	4	43	7	9	8	11	8	1
rth Western	**79**	**2**	**20**	**40**	**13**	**4**	**4**	**93**	**9**	**26**	**31**	**19**	**8**	**8**
. E. Lancashire Conurbation	26	-	8	14	2	2	2	43	5	14	8	13	3	5
erseyside Conurbation	32	-	7	17	7	1	2	22	1	8	10	3	-	2
emainder of North Western	21	2	5	9	4	1	-	28	3	4	13	3	5	1
rth Midland	**38**	**2**	**9**	**16**	**9**	**2**	**1**	**27**	**3**	**7**	**6**	**6**	**5**	-
dland	**33**	**3**	**12**	**13**	**2**	**3**	**6**	**70**	**7**	**22**	**22**	**9**	**10**	**7**
est Midlands Conurbation	29	3	11	11	2	2	5	41	3	16	13	4	5	5
emainder of Midland	4	-	1	2	-	1	1	29	4	6	9	5	5	2
stern	**20**	**1**	**6**	**9**	**2**	**2**	**2**	**18**	**3**	**6**	**6**	-	**3**	**4**
ndon and South Eastern	**91**	**5**	**31**	**29**	**13**	**13**	**12**	**59**	**7**	**12**	**21**	**7**	**12**	**4**
reater London	71	4	24	22	10	11	7	45	4	10	17	5	9	3
emainder of South Eastern	20	1	7	7	3	2	5	14	3	2	4	2	3	1
uthern	**14**	**3**	**3**	**6**	**1**	**1**	**2**	**23**	**2**	**6**	**10**	**2**	**3**	**4**
uth Western	**10**	**2**	**4**	**1**	**1**	**2**	**1**	**16**	**4**	**6**	**1**	**2**	**3**	**2**
les	**19**	-	**4**	**8**	**5**	**2**	**1**	**19**	**4**	**6**	**3**	**2**	**4**	**1**
les I (South East)	16	-	3	7	4	2	-	12	2	3	1	2	4	-
les II (remainder)	3	-	1	1	1	-	1	7	2	3	2	-	-	1
n/Rural aggregates:														
urbations	170	8	55	67	22	18	18	183	20	58	55	31	18	23
Areas outside conurbations:														
an areas with populations of 0,000 and over	62	5	17	27	9	4	7	54	10	15	16	8	5	4
an areas with populations of ,000 and under 100,000	26	1	8	13	2	2	1	50	6	15	13	4	12	3
an areas with populations der 50,000	55	6	10	21	13	5	6	69	12	13	19	12	13	7
al districts	52	6	16	19	6	5	4	64	7	15	16	14	12	5
ital regions:														
castle	16	2	7	5	1	1	1	26	5	7	5	5	4	3
ds	20	1	5	11	1	2	3	36	9	9	7	9	2	9
ffield	61	7	14	24	13	3	3	57	5	15	13	14	10	-
t Anglia	-	-	-	-	-	-	-	5	-	2	3	-	-	1
th West Metropolitan	24	2	4	9	3	6	2	20	3	5	8	1	3	4
th East Metropolitan	31	1	15	9	3	3	3	16	3	5	2	1	5	2
th East Metropolitan	45	2	16	15	8	4	8	24	1	4	11	3	5	1
th West Metropolitan	12	1	2	6	1	2	1	14	3	2	4	2	3	-
sex	9	2	1	4	1	1	2	19	-	8	8	1	2	3
ord	5	1	2	2	-	-	-	9	2	3	1	1	2	1
th Western	9	2	4	-	1	2	1	12	4	2	1	2	3	2
sh	19	-	4	8	5	2	1	19	4	6	3	2	4	1
mingham	33	3	12	13	2	3	6	70	7	22	22	9	10	7
chester	43	1	11	21	6	4	3	61	8	16	17	14	6	6
erpool	38	1	9	20	7	1	2	32	1	10	14	5	2	2

TABLE 26 - *continued*

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Il ti un 1 (i to
	Other diseases of infective origin (001-138, 340, 470-483, 518, 519, 690-698, 765-768)							Accidental mechanical suffocation (E921-E925)						
ENGLAND AND WALES	**487**	**189**	**104**	**96**	**49**	**49**	**39**	**477**	**32**	**160**	**201**	**51**	**33**	
Standard regions and conurbations:														
Northern	**41**	**17**	**9**	**8**	**3**	**4**	**1**	**60**	**4**	**27**	**22**	**6**	**1**	
Tyneside Conurbation	13	8	1	2	1	1	-	25	-	13	10	2	-	
Remainder of Northern	28	9	8	6	2	3	1	35	4	14	12	4	1	
East and West Ridings	**45**	**11**	**10**	**15**	**4**	**5**	**2**	**38**	**2**	**10**	**16**	**7**	**3**	
West Yorkshire Conurbation	18	5	3	5	2	3	1	18	1	6	8	2	1	
Remainder of E. and W. Ridings	27	6	7	10	2	2	1	20	1	4	8	5	2	
North Western	**73**	**24**	**20**	**15**	**6**	**8**	**7**	**89**	**4**	**34**	**35**	**9**	**7**	
S. E. Lancashire Conurbation	35	10	14	5	3	3	5	27	1	11	10	1	4	
Merseyside Conurbation	17	6	2	6	-	3	-	26	2	13	8	3	-	
Remainder of North Western	21	8	4	4	3	2	2	36	1	10	17	5	3	
North Midland	**43**	**17**	**8**	**10**	**4**	**4**	**4**	**33**	**1**	**9**	**14**	**1**	**8**	
Midland	**71**	**27**	**15**	**12**	**10**	**7**	**5**	**39**	**4**	**11**	**15**	**6**	**3**	
West Midlands Conurbation	45	13	10	10	8	4	2	21	2	2	11	4	2	
Remainder of Midland	26	14	5	2	2	3	3	18	2	9	4	2	1	
Eastern	**34**	**17**	**10**	**5**	**-**	**2**	**2**	**30**	**1**	**10**	**11**	**6**	**2**	
London and South Eastern	**88**	**30**	**14**	**20**	**14**	**10**	**10**	**71**	**8**	**21**	**34**	**4**	**4**	
Greater London	57	23	8	12	11	3	9	34	6	12	13	1	2	
Remainder of South Eastern	31	7	6	8	3	7	1	37	2	9	21	3	2	
Southern	**26**	**14**	**4**	**5**	**1**	**2**	**1**	**37**	**1**	**16**	**18**	**1**	**1**	
South Western	**34**	**17**	**9**	**1**	**2**	**5**	**4**	**45**	**4**	**8**	**23**	**7**	**3**	
Wales	**32**	**15**	**5**	**5**	**5**	**2**	**3**	**35**	**3**	**14**	**13**	**4**	**1**	
Wales I (South East)	23	9	4	4	4	2	2	31	2	13	12	3	1	
Wales II (remainder)	9	6	1	1	1	-	1	4	1	1	1	1	-	
Urban/Rural aggregates:														
Conurbations	185	65	38	40	25	17	17	151	12	57	60	13	9	
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	71	32	14	13	3	9	6	58	4	22	18	7	7	
Urban areas with populations of 50,000 and under 100,000	31	16	8	1	3	3	4	59	3	19	27	8	2	
Urban areas with populations under 50,000	106	39	24	24	9	10	7	112	7	35	47	16	7	
Rural districts	94	37	20	18	9	10	5	97	6	27	49	7	8	
Hospital regions:														
Newcastle	38	17	7	7	3	4	1	59	4	26	22	6	1	
Leeds	32	6	7	11	4	4	1	25	2	7	10	3	3	
Sheffield	51	20	10	12	4	5	5	44	1	12	19	4	8	
East Anglia	9	5	3	-	-	1	-	10	-	3	5	1	1	
North West Metropolitan	29	16	3	3	5	2	7	25	1	10	10	3	1	
North East Metropolitan	29	12	10	5	1	1	-	14	3	4	3	3	1	
South East Metropolitan	37	9	3	11	7	7	4	39	4	11	21	2	1	
South West Metropolitan	18	5	5	6	1	1	1	24	1	7	12	2	2	
Wessex	20	10	3	4	1	2	1	22	1	9	9	2	1	
Oxford	19	10	4	4	-	1	-	25	1	5	17	2	-	
South Western	29	13	9	1	2	4	4	26	3	6	10	4	3	
Welsh	32	15	5	5	5	2	3	35	3	14	13	4	1	
Birmingham	71	27	15	12	10	7	5	39	4	11	15	6	3	
Manchester	46	13	16	8	4	5	6	58	2	21	22	6	7	
Liverpool	27	11	4	7	2	3	1	32	2	14	13	3	-	

TABLE 26 - *continued*

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Congenital malformations (750-759)							Injury at birth (760, 761)						
NGLAND AND WALES	**3,635**	**2,413**	**593**	**332**	**188**	**109**	**251**	**1,940**	**1,937**	**3**	**-**	**-**	**-**	**187**
tandard regions and conurbations:														
Northern	**273**	**182**	**41**	**31**	**10**	**9**	**19**	**153**	**153**	**-**	**-**	**-**	**-**	**14**
Tyneside Conurbation	70	51	10	7	1	1	7	36	36	-	-	-	-	6
Remainder of Northern	203	131	31	24	9	8	12	117	117	-	-	-	-	8
East and West Ridings	**327**	**225**	**61**	**19**	**18**	**4**	**33**	**157**	**157**	**-**	**-**	**-**	**-**	**15**
West Yorkshire Conurbation	138	93	26	9	8	2	21	60	60	-	-	-	-	6
Remainder of E. and W. Ridings	189	132	35	10	10	2	12	97	97	-	-	-	-	9
North Western	**577**	**374**	**95**	**60**	**34**	**14**	**31**	**320**	**320**	**-**	**-**	**-**	**-**	**24**
S. E. Lancashire Conurbation	213	143	30	24	12	4	15	155	155	-	-	-	-	14
Merseyside Conurbation	136	93	20	11	7	5	7	53	53	-	-	-	-	1
Remainder of North Western	228	138	45	25	15	5	9	112	112	-	-	-	-	9
North Midland	**287**	**184**	**45**	**31**	**16**	**11**	**20**	**143**	**142**	**1**	**-**	**-**	**-**	**17**
Midland	**421**	**284**	**63**	**36**	**23**	**15**	**33**	**261**	**261**	**-**	**-**	**-**	**-**	**22**
West Midlands Conurbation	196	135	28	16	10	7	14	144	144	-	-	-	-	14
Remainder of Midland	225	149	35	20	13	8	19	117	117	-	-	-	-	8
Eastern	**283**	**185**	**45**	**33**	**10**	**10**	**16**	**125**	**125**	**-**	**-**	**-**	**-**	**5**
London and South Eastern	**762**	**521**	**118**	**60**	**39**	**24**	**60**	**441**	**441**	**-**	**-**	**-**	**-**	**56**
Greater London	557	383	87	40	30	17	46	352	352	-	-	-	-	51
Remainder of South Eastern	205	138	31	20	9	7	14	89	89	-	-	-	-	5
Southern	**231**	**143**	**47**	**21**	**12**	**8**	**16**	**99**	**98**	**1**	**-**	**-**	**-**	**11**
South Western	**246**	**164**	**38**	**21**	**14**	**9**	**15**	**121**	**121**	**-**	**-**	**-**	**-**	**15**
Wales	**228**	**151**	**40**	**20**	**12**	**5**	**8**	**120**	**119**	**1**	**-**	**-**	**-**	**8**
Wales I (South East)	177	117	29	16	10	5	8	98	97	1	-	-	-	6
Wales II (remainder)	51	34	11	4	2	-	-	22	22	-	-	-	-	2
Urban/Rural aggregates:														
Conurbations	1,310	898	201	107	68	36	110	800	800	-	-	-	-	92
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	462	296	76	46	27	17	31	217	217	-	-	-	-	28
Urban areas with populations of 50,000 and under 100,000	360	242	47	46	13	12	14	164	163	1	-	-	-	16
Urban areas with populations under 50,000	775	505	131	67	46	26	55	413	411	2	-	-	-	27
Rural districts	728	472	138	66	34	18	41	346	346	-	-	-	-	24
Hospital regions:														
Newcastle	256	171	37	30	10	8	16	145	145	-	-	-	-	14
Leeds	257	167	51	19	15	5	29	108	108	-	-	-	-	9
Sheffield	332	225	53	26	19	9	24	178	177	1	-	-	-	22
East Anglia	114	80	17	7	5	5	6	54	54	-	-	-	-	2
North West Metropolitan	275	192	36	25	9	13	16	169	169	-	-	-	-	22
North East Metropolitan	235	144	41	28	15	7	16	128	128	-	-	-	-	16
South East Metropolitan	247	165	47	16	10	9	23	131	131	-	-	-	-	14
South West Metropolitan	206	147	25	20	11	3	16	112	112	-	-	-	-	11
Essex	139	88	25	14	6	6	11	38	37	1	-	-	-	5
Oxford	154	96	31	16	7	4	8	70	70	-	-	-	-	5
South Western	193	128	32	15	12	6	13	102	102	-	-	-	-	13
Welsh	228	151	40	20	12	5	8	120	119	1	-	-	-	8
Birmingham	421	284	63	36	23	15	33	261	261	-	-	-	-	22
Manchester	365	232	63	40	24	6	23	250	250	-	-	-	-	22
Liverpool	213	143	32	20	10	8	9	74	74	-	-	-	-	2

TABLE 26 - *continued*

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Postnatal asphyxia, atelectasis (762)							Haemolytic disease of newborn (770)						
ENGLAND AND WALES	**2,639**	**2,609**	**20**	**6**	**3**	**1**	**263**	**317**	**313**	**2**	**1**	**1**	-	
Standard regions and conurbations:														
Northern	**177**	**176**	**1**	-	-	-	**11**	**25**	**25**	-	-	-	-	
Tyneside Conurbation	39	39	-	-	-	-	3	9	9	-	-	-	-	
Remainder of Northern	138	137	1	-	-	-	8	16	16	-	-	-	-	
East and West Ridings	**310**	**306**	**2**	**1**	**1**	-	**33**	**28**	**26**	**1**	**1**	-	-	
West Yorkshire Conurbation	135	132	1	1	1	-	13	13	13	-	-	-	-	
Remainder of E. and W. Ridings	175	174	1	-	-	-	20	15	13	1	1	-	-	
North Western	**494**	**490**	**2**	**1**	-	**1**	**39**	**46**	**45**	**1**	-	-	-	
S. E. Lancashire Conurbation	221	217	2	1	-	1	19	20	20	-	-	-	-	
Merseyside Conurbation	77	77	-	-	-	-	6	6	6	-	-	-	-	
Remainder of North Western	196	196	-	-	-	-	14	20	19	1	-	-	-	
North Midland	**185**	**182**	**2**	-	**1**	-	**15**	**31**	**31**	-	-	-	-	
Midland	**230**	**227**	**1**	**2**	-	-	**21**	**30**	**30**	-	-	-	-	
West Midlands Conurbation	116	114	1	1	-	-	15	15	15	-	-	-	-	
Remainder of Midland	114	113	-	1	-	-	6	15	15	-	-	-	-	
Eastern	**159**	**155**	**3**	**1**	-	-	**16**	**22**	**22**	-	-	-	-	
London and South Eastern	**603**	**596**	**5**	**1**	**1**	-	**88**	**68**	**67**	-	-	**1**	-	
Greater London	469	464	4	-	1	-	80	48	48	-	-	-	-	
Remainder of South Eastern	134	132	1	1	-	-	8	20	19	-	-	1	-	
Southern	**150**	**148**	**2**	-	-	-	**11**	**25**	**25**	-	-	-	-	
South Western	**167**	**167**	-	-	-	-	**16**	**16**	**16**	-	-	-	-	
Wales	**164**	**162**	**2**	-	-	-	**13**	**26**	**26**	-	-	-	-	
Wales I (South East)	117	115	2	-	-	-	8	16	16	-	-	-	-	
Wales II (remainder)	47	47	-	-	-	-	5	10	10	-	-	-	-	
Urban/Rural aggregates:														
Conurbations	1,057	1,043	8	3	2	1	136	111	111	-	-	-	-	
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	355	353	2	-	-	-	42	37	37	-	-	-	-	
Urban areas with populations of 50,000 and under 100,000	236	232	3	1	-	-	18	31	31	-	-	-	-	
Urban areas with populations under 50,000	484	480	2	2	-	-	36	75	73	2	-	-	-	
Rural districts	507	501	5	-	1	-	31	63	61	-	1	1	-	
Hospital regions:														
Newcastle	164	163	1	-	-	-	10	24	24	-	-	-	-	
Leeds	224	221	1	1	1	-	21	22	22	-	-	-	-	
Sheffield	233	231	2	-	-	-	26	33	31	1	1	-	-	
East Anglia	69	67	2	-	-	-	5	12	12	-	-	-	-	
North West Metropolitan	261	258	3	-	-	-	47	16	16	-	-	-	-	
North East Metropolitan	152	149	2	1	-	-	18	20	20	-	-	-	-	
South East Metropolitan	162	161	1	-	-	-	11	29	28	-	-	1	-	
South West Metropolitan	158	155	1	1	1	-	25	17	17	-	-	-	-	
Wessex	80	78	2	-	-	-	5	14	14	-	-	-	-	
Oxford	106	105	-	-	1	-	8	15	15	-	-	-	-	
South Western	138	138	-	-	-	-	13	13	13	-	-	-	-	
Welsh	164	162	2	-	-	-	13	26	26	-	-	-	-	
Birmingham	230	227	1	2	-	-	21	30	30	-	-	-	-	
Manchester	341	337	2	1	-	1	29	33	32	1	-	-	-	
Liverpool	157	157	-	-	-	-	11	13	13	-	-	-	-	

TABLE 26 - *continued*

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Immaturity associated with diseases of early infancy (760-773)*							Immaturity (774-776)						
LAND AND WALES	**3,618**	**3,606**	**11**	**-**	**1**	**-**	**363**	**2,604**	**2,590**	**14**	**-**	**-**	**-**	**334**
ndard regions and conurbations:														
rthern	**269**	**269**	**-**	**-**	**-**	**-**	**21**	**197**	**197**	**-**	**-**	**-**	**-**	**17**
yneside Conurbation	72	72	-	-	-	-	9	51	51	-	-	-	-	8
emainder of Northern	197	197	-	-	-	-	12	146	146	-	-	-	-	9
st and West Ridings	**356**	**354**	**2**	**-**	**-**	**-**	**44**	**250**	**249**	**1**	**-**	**-**	**-**	**35**
est Yorkshire Conurbation	150	149	1	-	-	-	16	113	112	1	-	-	-	21
emainder of E. and W. Ridings	206	205	1	-	-	-	28	137	137	-	-	-	-	14
rth Western	**624**	**621**	**3**	**-**	**-**	**-**	**49**	**397**	**396**	**1**	**-**	**-**	**-**	**40**
E. Lancashire Conurbation	282	280	2	-	-	-	23	148	148	-	-	-	-	20
erseyside Conurbation	91	91	-	-	-	-	6	97	97	-	-	-	-	5
emainder of North Western	251	250	1	-	-	-	20	152	151	1	-	-	-	15
rth Midland	**263**	**262**	**1**	**-**	**-**	**-**	**25**	**200**	**200**	**-**	**-**	**-**	**-**	**35**
dland	**371**	**370**	**1**	**-**	**-**	**-**	**33**	**261**	**258**	**3**	**-**	**-**	**-**	**32**
est Midlands Conurbation	185	185	-	-	-	-	23	127	125	2	-	-	-	15
emainder of Midland	186	185	1	-	-	-	10	134	133	1	-	-	-	17
stern	**208**	**208**	**-**	**-**	**-**	**-**	**12**	**198**	**197**	**1**	**-**	**-**	**-**	**21**
ndon and South Eastern	**861**	**858**	**2**	**-**	**1**	**-**	**117**	**548**	**543**	**5**	**-**	**-**	**-**	**91**
reater London	670	669	1	-	-	-	106	381	376	5	-	-	-	68
emainder of South Eastern	191	189	1	-	1	-	11	167	167	-	-	-	-	23
uthern	**196**	**195**	**1**	**-**	**-**	**-**	**20**	**194**	**193**	**1**	**-**	**-**	**-**	**23**
uth Western	**252**	**252**	**-**	**-**	**-**	**-**	**27**	**142**	**141**	**1**	**-**	**-**	**-**	**19**
les	**218**	**217**	**1**	**-**	**-**	**-**	**15**	**217**	**216**	**1**	**-**	**-**	**-**	**21**
les I (South East)	175	174	1	-	-	-	12	163	162	1	-	-	-	19
les II (remainder)	43	43	-	-	-	-	3	54	54	-	-	-	-	2
an/Rural aggregates:														
urbations	1,450	1,446	4	-	-	-	183	917	909	8	-	-	-	137
Areas outside conurbations:														
an areas with populations of 00,000 and over	469	468	1	-	-	-	57	348	347	1	-	-	-	57
an areas with populations of ,000 and under 100,000	319	318	1	-	-	-	29	306	303	3	-	-	-	34
an areas with populations der 50,000	708	706	2	-	-	-	50	569	568	1	-	-	-	64
al districts	672	668	3	-	1	-	44	464	463	1	-	-	-	42
ital regions:														
castle	259	259	-	-	-	-	21	186	186	-	-	-	-	17
ds	238	237	1	-	-	-	24	190	189	1	-	-	-	29
ffield	331	329	2	-	-	-	42	239	239	-	-	-	-	36
t Anglia	96	96	-	-	-	-	6	83	83	-	-	-	-	13
rth West Metropolitan	343	343	-	-	-	-	59	189	185	4	-	-	-	27
rth East Metropolitan	211	210	1	-	-	-	20	169	167	2	-	-	-	20
uth East Metropolitan	237	236	-	-	1	-	21	180	180	-	-	-	-	30
uth West Metropolitan	227	226	1	-	-	-	27	174	173	1	-	-	-	26
ssex	103	102	1	-	-	-	10	117	117	-	-	-	-	13
ford	149	149	-	-	-	-	14	83	83	-	-	-	-	14
uth Western	207	207	-	-	-	-	22	118	117	1	-	-	-	16
sh	218	217	1	-	-	-	15	217	216	1	-	-	-	21
rmingham	371	370	1	-	-	-	33	261	259	3	-	-	-	32
nchester	449	446	3	-	-	-	37	242	241	1	-	-	-	32
erpool	179	179	-	-	-	-	12	156	156	-	-	-	-	8

ncluding some deaths shown elsewhere in this table.

TABLE 27. Causes of death at various ages under 5 years, 1964

Note. Separate columns are not shown for those causes to which, as a rule, few deaths are assigned. To make the record complete, the classification numbers of such causes are printed as close as possible to the places where they would occur. Figures of deaths from these causes are shown in footnotes in which heavy-faced figures preceding the cause show the International Classification number, and the figures following each sex indicate the age or age-group of the decedent. A dash (-) indicates that no deaths are assigned. The following abbreviations are used to denote age or age-groups:- 'D' to indicate day(s); 'W' week(s); 'M' month(s); 'Y' year(s).

Causes of death	All Causes		001-008 Tuberculosis of respiratory system		010-019 Tuberculosis, other forms		010 Tuberculosis of meninges and central nervous system		011, 012, 013, 014-018* 019 Disseminated tuberculosis		020-029, 030-039* 040-049 Infectious diseases commonly arising in intestinal tract		045-048* 050-064 Other bacterial diseases		050, 055* 056·0 Whooping cough, without mention of pneumonia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**11,425**	**8,572**	**3**	**5**	**5**	**5**	**5**	**4**	**-**	**1**	**1**	**4**	**91**	**61**	**5**	**7**
Days 0	3,529	2,701	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-6	2,577	1,730	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Weeks 1	413	335	-	-	-	-	-	-	-	1	-	1	-	-	-	
2	259	189	-	-	-	-	-	-	-	-	-	-	-	1	-	-
3	223	150	-													
Months 1-2	1,237	898	-	-	-	-	-	-	-	-	-	-	25	8	3	2
3-5	1,032	800	-	1	1	-	1	-	-	-	-	-	23	17	2	-
6-8	457	382	-	-	-	-	-	-	-	-	-	1	7	6	-	2
9-11	284	249	-	-	-	-	-	-	-	-	-	-	7	4	-	1
Years 0	10,011	7,434	-	1	1	-	1	-	-	-	1	2	63	37	5	5
1	588	476	3	2	1	1	1	-	-	1	-	1	17	10	-	1
2	354	283	-	1	1	3	1	3	-	-	-	-	4	7	-	-
3	254	208	-	1	-	1	-	1	-	-	-	-	5	4	-	-
4	218	171	-	-	2	-	2	-	-	-	-	1	2	3	-	1

Causes of death	056·1 Whooping cough, with pneumonia		057·0 Meningo-coccal meningitis		057·1 Acute and unspecified meningo-coccaemia		057·2, 057·3, 061, 070-074* 080-096 Diseases attributable to viruses		080, 081 Acute polio-myelitis, including late effects		082, 083 Acute infectious encephalitis, including late effects		085·0 Measles, without mention of pneumonia		085·1 Measles, with pneumonia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**17**	**12**	**15**	**7**	**23**	**18**	**61**	**70**	**-**	**1**	**19**	**19**	**8**	**9**	**14**	**20**
Days 0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Weeks 1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Months 1-2	7	2	3	-	3	-	5	7	-	-	4	5	-	-	-	-
3-5	5	6	1	2	7	4	8	9	-	-	2	2	1	2	-	1
6-8	-	1	2	1	3	-	7	8	-	-	1	1	3	-	1	3
9-11	1	-	1	-	2	1	5	4	-	-	4	1	-	-	-	2
Years 0	13	9	7	3	16	7	25	30	-	-	11	9	4	2	1	6
1	4	1	4	3	5	4	16	16	-	-	2	3	3	2	6	10
2	-	2	2	1	2	3	10	7	-	1	1	1	1	2	4	2
3	-	-	1	-	-	3	7	7	-	-	2	2	-	2	3	1
4	-	-	1	-	-	1	3	10	-	-	3	4	-	1	-	1

* **011** Tuberculosis of intestines, peritoneum, and mesenteric glands - : **012,013** Tuberculosis of bones and joints - : **014-018** Tuberculosis, all other organs - : **020-029** Syphilis ans its sequelae: Female 0D: **030-039** Gonococcal infection and oth venereal diseases - : **045-048** Dysentery, all forms: Females 1-6D, 6-8M, 4Y: **050** Scarlet fever: Male 1Y: **055** Diphtheria - : **057·2** Chronic meningococcaemia - : **057·3** Other forms of meningococcal infection: Male 1-2M; Female 9-11M: **061** Tetanus: Male 1-2M: **070-074** Spirochaetal diseases, except syphilis - .

TABLE 27 - *continued*

Causes of death	086*	087	NEOPLASMS													
			089, 100-108, 110-117, 120-138*				140-148*		160-165*							
		Chickenpox	140-239 Neoplasms		140-199 Malignant neoplasms		150-159 of digestive organs and peritoneum		170-181 of breast and genito urinary organs		180 of kidney		190-199 of other and unspecified sites		192 of eye	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**6**	**9**	**217**	**181**	**100**	**79**	**5**	**4**	**27**	**18**	**21**	**16**	**67**	**53**	**4**	**1**
Days 0	-	-	1	7	1	2	-	-	-	-	-	-	1	2	-	-
1-6	-	1	5	2	-	-	-	-	-	-	-	-	-	-	-	-
Weeks 1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Months 1-2	-	-	11	6	3	3	-	-	2	-	1	-	1	3	-	-
3-5	2	1	6	12	1	3	-	-	-	-	-	-	1	3	-	-
6-8	-	3	8	10	5	4	-	1	-	-	-	-	5	3	-	-
9-11	1	1	5	6	2	3	-	-	-	-	-	-	2	3	-	-
Years 0	3	6	38	43	12	15	-	1	2	-	1	-	10	14	-	-
1	2	-	41	30	18	17	2	2	5	3	3	2	11	12	-	-
2	-	1	58	36	35	18	-	1	13	6	11	5	22	10	2	1
3	1	-	43	34	18	16	-	-	6	5	6	5	11	9	-	-
4	-	2	37	38	17	13	3	-	1	4	-	4	13	8	2	-

Causes of death	NEOPLASMS															
	193 of brain and other parts of nervous system		195 of endocrine glands		195·0 of suprarenal		195·1, 195·2, 195·3, 196* 197 of connective tissue		200-205 Leukaemia, aleukaemia and reticuloses		200 Lympho-sarcoma and reticulo-sarcoma		204·0* 204·1 Myeloid leukaemia		204·2 Monocytic leukaemia	
ges at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
otal under 5 years	**47**	**36**	**8**	**8**	**6**	**8**	**-**	**5**	**91**	**81**	**8**	**1**	**3**	**4**	**2**	**5**
ays 0	1	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-
1-6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
eeks 1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
onths 1-2	1	2	-	-	-	-	-	1	4	1	-	-	-	-	1	-
3-5	-	3	-	-	-	-	-	-	2	8	-	-	-	1	-	-
6-8	2	2	2	-	2	-	-	1	3	6	1	-	-	-	-	1
9-11	2	2	-	-	-	-	-	-	2	3	-	1	-	-	-	-
ears 0	6	11	2	-	2	-	-	2	14	19	1	1	-	2	1	1
1	10	8	1	2	1	2	-	1	16	9	2	-	1	1	-	-
2	15	6	3	2	2	2	-	1	22	14	2	-	2	-	-	2
3	10	7	-	1	-	1	-	-	23	16	3	-	-	-	1	1
4	6	4	2	3	1	3	-	1	16	23	-	-	-	1	-	1

086 Rubella (german measles): Males 1Y, 1Y: 089 Mumps: Males 1Y, 2Y; Females 3Y, 4Y: 100-108 Typhus and other ettsial diseases - : 100-117 Malaria - : 120-138 Other infective and parasitic diseases: Males 1-6D, 1W, 1-2M, 1-2M, 1-2M, , 6-8M; Females 2M, 3-5M, 3-5M, 3-5M, 1Y, 2Y, 2Y: 140-148 Malignant neoplasm of buccal cavity and pharynx: Females 3Y, 4Y: 165 Malignant neoplasm of respiratory system: Male 3Y; Females 2Y, 3Y: 195·1 Malignant neoplasm of parathyroid gland - : 2 Malignant neoplasm of thymus: Males 2Y, 4Y: 195·3 Malignant neoplasm of pituitary gland and craniopharyngeal duct - : Malignant neoplasm of bone: Males 3-5M, 3Y, 4Y, 4Y; Female 1Y: 204·0 Lymphatic leukaemia: Females 3Y, 3Y, 4Y.

TABLE 27 - *continued*

Causes of death	NEOPLASMS															
	204·3 Acute leukaemia		204·4 Other and unspecified leukaemia		210-239 Benign and unspecified neoplasms		210-229 Benign neoplasm		230-239 Neoplasm of unspecified nature		223, 237 of brain and central nervous system		240-245 Allergic disorders		250-254 Diseases of thyroid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**65**	**56**	**5**	**2**	**26**	**21**	**16**	**8**	**10**	**13**	**12**	**13**	**20**	**12**	**1**	
Days 0	-	-	-	-	-	4	-	1	-	3	-	-	-	-	-	
1-6	2	-	-	-	3	2	3	1	-	1	-	1	-	-	-	
Weeks 1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	
Months 1-2	2	1	1	-	4	2	3	2	1	-	1	1	3	2	-	
3-5	1	4	-	-	3	1	3	-	-	1	1	1	3	2	1	
6-8	1	3	-	-	-	-	-	-	-	-	-	-	1	1	-	
9-11	2	1	-	-	1	-	1	-	-	-	1	-	-	-	-	
Years 0	8	9	2	-	12	9	10	4	2	5	3	3	8	5	1	
1	8	5	2	-	7	4	3	3	4	1	5	2	2	2	-	
2	16	11	1	-	1	4	1	1	-	3	-	4	2	1	-	
3	18	13	-	-	2	2	1	-	1	2	1	2	6	3	-	
4	15	18	-	2	4	2	1	-	3	2	3	2	2	1	-	

Causes of death	260 Diabetes mellitus		270-277 Diseases of other endocrine glands		280-289 Avitaminoses and other metabolic diseases		283, 286·0* 290-299 Diseases of the blood and blood-forming organs		290-293 Anaemias		294-299 Other diseases of blood and blood-forming organs		300-309, 310-318* 320-326 Mental, psycho-neurotic, and personality disorders		325 Mental deficiency	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**9**	**4**	**28**	**16**	**21**	**12**	**34**	**26**	**11**	**15**	**23**	**11**	**25**	**21**	**25**	
Days 0	1	-	2	2	3	-	1	2	-	-	1	2	3	1	3	
1-6	-	-	10	3	2	1	4	1	-	-	4	1	4	2	4	
Weeks 1	-	-	-	1	1	-	1	1	-	-	1	1	1	1	1	
2	1	-	-	1	-	-	-	-	-	-	-	-	1	1	1	
3	-	1	1	1	1	-	-	-	-	-	-	-	-	2	-	
Months 1-2	-	-	3	-	3	-	3	6	1	3	2	3	1	3	1	
3-5	-	-	6	4	2	1	3	2	-	1	3	1	1	2	1	
6-8	-	-	2	2	-	3	5	1	3	1	2	-	5	-	5	
9-11	-	1	1	1	2	-	3	-	1	-	2	-	1	-	1	
Years 0	2	2	25	15	14	5	20	13	5	5	15	8	17	12	17	
1	3	1	-	1	1	3	9	5	5	3	4	2	5	5	5	
2	2	-	1	-	3	1	1	3	-	2	1	1	-	2	-	
3	-	1	-	-	2	1	1	2	-	2	1	-	1	-	1	
4	2	-	2	-	1	2	3	3	1	3	2	-	2	2	2	

* **283** Active rickets -: **286·0** Steatorrhoea and sprue: Males 1-2M, 9-11M, 2Y, 3Y; Females 3-5M: **300-309** Psychoses - : **310-318** Psychoneurotic disorders - .

TABLE 27 - *continued*

Causes of death	330-334 Vascular lesions affecting central nervous system		340-345 Inflammatory diseases of central nervous system		340 Meningitis, except meningococcal and tuberculous		350-357 Other diseases of central nervous system		351 Cerebral spastic infantile paralysis		353 Epilepsy		360-369, 370-379, 380-389* 390-398 Diseases of ear and mastoid process		400-402* 410-434 Diseases of the heart	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	22	17	179	139	127	95	70	62	22	14	23	22	50	37	24	20
Days 0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-6	-	-	17	17	17	17	-	-	-	-	-	-	2	-	1	1
Weeks 1	2	-	21	12	21	12	-	-	-	-	-	-	1	-	-	-
2	-	-	13	11	12	10	1	-	1	-	-	-	-	-	-	-
3	1	3	9	5	7	4	-	-	-	-	-	-	3	1	1	-
Months 1-2	7	3	23	25	16	15	8	6	5	4	1	1	15	11	5	3
3-5	4	3	20	15	12	10	13	7	4	1	1	1	11	11	8	7
6-8	2	3	10	10	6	8	8	13	2	-	1	3	2	4	1	4
9-11	-	-	14	15	8	10	1	7	1	1	-	2	4	3	1	2
Years 0	16	12	127	110	99	86	31	33	13	6	3	7	38	30	17	17
1	2	4	20	12	13	4	20	14	4	3	10	10	7	4	5	1
2	1	-	18	8	7	5	9	5	2	2	5	-	3	1	1	-
3	1	-	8	7	5	-	3	6	1	2	1	3	-	1	1	1
4	2	1	6	2	3	-	7	4	2	1	4	2	2	1	-	1

Causes of death	410-416* 420-422 Arterio-sclerotic and degenerative heart disease		430-434 Other diseases of heart		440-468 Other diseases of the circulatory system		440-443, 444-447* 450-456 Diseases of arteries		460-468 Diseases of veins and other diseases of circulatory system		470-475 Acute upper respiratory infections		480-483 Influenza		490-493 Pneumonia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	3	6	21	14	6	8	-	2	4	6	24	25	16	8	1,209	901
Days 0	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
1-6	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-
Weeks 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
3	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Months 1-2	1	-	4	3	-	2	-	-	-	2	7	5	7	1	449	279
3-5	2	1	6	6	-	-	-	-	-	-	4	3	2	2	376	293
6-8	-	2	1	2	-	-	-	-	-	-	2	3	-	-	145	116
9-11	-	-	1	2	1	-	-	-	1	-	1	4	3	2	70	64
Years 0	3	3	14	14	2	2	-	-	2	2	14	16	13	6	1,040	752
1	-	1	5	-	3	2	-	1	2	1	3	2	3	1	94	88
2	-	-	1	-	-	2	-	-	-	2	2	5	-	1	38	31
3	-	1	1	-	-	1	-	1	-	-	4	-	-	-	19	20
4	-	1	-	-	1	1	-	-	-	1	1	2	-	-	18	10

360-369 Diseases of nerves and peripheral ganglia: Male 9-11M; Females 3Y, 4Y: **370-379** Inflammatory diseases of eye: le 6-8M: **380-389** Other diseases and conditions of eye: Male 3Y: **400-402** Rheumatic fever: Female 3-5M: **410-416** Chronic eumatic heart disease - : **440-443** Hypertensive heart disease: Male 4Y: **444-447** Other hypertensive disease: Male 1Y.

TABLE 27 - *continued*

Causes of death	490 Lobar pneumonia		491 Broncho-pneumonia		492-493 Primary atypical, other and unspecified pneumonia		500-502 Bronchitis		510-527 Other diseases of respiratory system		518 Empyema		519,530-539* 540-545 Diseases of stomach and duodenum		543 Gastritis and duodenitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**47**	**33**	**1,000**	**755**	**162**	**113**	**266**	**210**	**69**	**60**	**1**	**1**	**9**	**5**	**2**	
Days 0	-	-	-	-	-	-	1	-	1	6	-	-	-	-	-	
1-6	-	-	-	-	-	-	4	1	1	2	1	-	3	1	-	
Weeks 1	-	-	-	-	-	-	1	3	-	2	-	-	-	2	-	
2	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	
3	-	-	-	-	-	-	8	3	-	-	-	-	1	-	-	
Months 1-2	16	7	362	227	71	45	58	48	17	14	-	1	2	-	-	
3-5	13	8	321	246	42	39	86	61	23	15	-	-	-	-	-	
6-8	6	5	126	101	13	10	36	16	5	6	-	-	-	-	-	
9-11	3	3	54	57	13	4	21	13	5	1	-	-	1	-	1	
Years 0	38	23	863	631	139	98	219	146	52	46	1	1	7	3	1	
1	5	7	73	70	16	11	26	30	5	7	-	-	1	1	-	
2	4	1	29	27	5	3	9	24	5	2	-	-	-	-	-	
3	-	2	17	17	2	1	6	5	4	3	-	-	1	-	1	
4	-	-	18	10	-	-	6	5	3	2	-	-	-	1	-	

Causes of death	544* 550-553 Appendicitis		560-561 Hernia of abdominal cavity		570-578 Other diseases of intestines and peritoneum		570 Intestinal obstruction, without mention of hernia		570.0 Intussus-ception		570.3 Volvulus		571 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		580-587 Diseases of liver, gallbladder and pancreas	
Ages at death	M	F	MM	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**10**	**7**	**119**	**66**	**336**	**232**	**45**	**28**	**21**	**13**	**11**	**9**	**277**	**197**	**77**	
Days 0	-	-	58	38	1	-	-	-	-	-	-	-	-	-	1	
1-6	1	-	29	18	3	1	1	1	-	-	-	1	-	-	13	
Weeks 1	2	-	3	1	-	2	-	2	-	-	-	1	-	-	5	
2	-	1	3	-	3	-	2	-	-	-	1	-	-	-	6	
3	-	-	2	2	-	1	-	1	-	-	-	1	-	-	3	
Months 1-2	-	-	15	3	81	56	9	5	2	1	4	1	67	49	8	1
3-5	-	-	2	-	85	57	13	6	8	5	3	-	70	49	10	1
6-8	-	-	-	-	49	30	5	3	3	3	1	-	42	27	6	
9-11	-	-	2	-	31	33	1	2	1	2	-	-	30	31	2	
Years 0	3	1	114	62	253	180	31	20	14	11	9	4	209	156	54	4
1	1	1	4	1	59	33	5	3	3	1	-	1	53	29	11	1
2	3	3	1	3	12	12	4	3	2	-	1	3	8	7	6	
3	1	2	-	-	8	6	2	2	1	1	-	1	6	4	3	
4	2	-	-	-	4	1	3	-	1	-	1	-	1	1	3	

* **519** Pleurisy - ; **530-539** Diseases of buccal cavity and oesophagus: Males 1-2M, 1-2M, 3-5M; Females 2W, 6-8M, 6-8M, 1Y: **544** Disorders of function of stomach: Male 1-2M.

TABLE 27 - *continued*

Causes of death	587 Diseases of pancreas		590-594 Nephritis and nephrosis		600-609 Other diseases of urinary system		610-617, 615 620-626 630-637* / 690-698 Infections of skin and subcutaneous tissue		700-716 Other diseases of skin and subcutaneous tissue		720-749 Diseases of the bones and organs of movement		720-727* / 730-738 Osteomyelitis and other diseases of bone and joint		730* / 740-749 Other diseases of musculoskeletal system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**62**	**64**	**15**	**13**	**45**	**29**	**3**	**3**	**3**	**2**	**16**	**10**	**2**	**4**	**13**	**5**
Days 0	1	2	1	-	1	-	-	-	-	-	1	-	-	-	1	-
1-6	12	3	-	-	1	-	-	-	-	-	1	-	-	-	1	-
Weeks 1	5	5	-	-	1	2	-	-	-	-	2	-	1	-	1	-
2	5	2	-	-	5	1	1	-	-	-	-	-	-	-	-	-
3	3	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-
Months 1-2	7	9	1	2	17	7	1	1	1	-	1	2	-	2	1	-
3-5	8	11	4	2	2	4	-	-	1	1	2	1	-	-	2	1
6-8	6	4	2	1	4	4	-	-	1	-	1	4	-	1	1	2
9-11	1	2	-	-	2	-	1	-	-	-	2	-	1	-	1	-
Years 0	48	38	8	6	35	21	3	1	3	1	10	7	2	3	8	3
1	5	11	2	3	7	2	-	1	-	1	4	1	-	-	4	1
2	5	3	2	2	1	1	-	1	-	-	1	-	-	-	-	-
3	2	7	1	1	1	-	-	-	-	-	1	2	-	1	1	1
4	2	5	2	1	1	5	-	-	-	-	-	-	-	-	-	-

Causes of death	750-759 Congenital malformations		750 Monstrosity		751 Spina bifida and meningocele		752 Congenital hydrocephalus		753·0* / 753·1 Other congenital malformations of nervous system and sense organs		754·0 Tetralogy of Fallot		754·1 Patent ductus arteriosus (Botalli)		754·2 Interventricular septal defect	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**2,112**	**1,886**	**97**	**122**	**246**	**438**	**92**	**84**	**47**	**77**	**34**	**36**	**65**	**52**	**107**	**82**
Days 0	451	405	75	101	36	74	27	24	10	18	1	-	8	5	7	6
1-6	465	393	19	18	43	82	13	15	3	10	4	1	18	15	20	21
Weeks 1	180	163	2	1	29	51	4	1	-	4	1	-	8	5	9	9
2	105	94	-	1	15	28	-	6	1	3	-	-	5	3	5	2
3	95	62	-	-	12	24	1	2	2	2	-	4	3	2	2	-
Months 1-2	314	279	1	-	56	81	9	9	5	8	3	7	11	9	15	13
3-5	173	159	-	-	20	30	8	5	6	4	5	3	5	8	18	13
6-8	94	94	-	-	8	23	6	1	6	6	5	1	1	3	9	4
9-11	54	55	-	-	3	11	4	2	3	4	2	5	2	2	7	2
Years 0	1,931	1,704	97	121	222	404	72	65	36	59	21	21	61	52	92	70
1	84	88	-	1	9	19	7	6	4	6	6	8	2	-	6	4
2	50	44	-	-	10	9	9	9	5	2	2	2	2	-	2	1
3	25	25	-	-	3	2	3	4	2	6	-	2	-	-	4	1
4	22	25	-	-	2	4	1	-	-	4	5	3	-	-	3	6

* **610-617** Diseases of male genital organs: Male 3-5M: **615** Redundant prepuce and phimosis: Male 3-5M: **620-626** Diseases breast, ovary, Fallopian tube, and parametrium - : **630-637** Diseases of uterus and other female genital organs - : **720-727** Arthritis and rheumatism, except rheumatic fever: Male 2Y; Female 6-8M: **730** Osteomyelitis and periostitis: Males 1W, 11M; Females 1-2M, 1-2M: **753·0** Congenital cataract - .

TABLE 27 - *continued*

Causes of death	754·3 Inter-auricular septal defect		754·4 Fibro-elastosis cordis		754·5 Other and unspecified mal-formations of heart		754·6 Coarctation of aorta		754·7 Other circulatory mal-formations		755 Cleft palate and harelip		756·0 Congenital hypertrophic pyloric stenosis		756·1 Imperforate anus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**72**	**49**	**38**	**35**	**497**	**415**	**50**	**22**	**131**	**77**	**11**	**4**	**19**	**3**	**19**	**3**
Days 0	13	5	1	1	39	35	2	1	9	7	5	1	-	-	-	1
1-6	18	10	10	1	159	100	12	4	28	13	-	-	-	-	11	1
Weeks 1	9	6	1	1	42	45	5	3	14	6	-	-	-	-	5	-
2	5	1	-	-	27	23	5	-	11	5	-	2	1	-	-	-
3	1	1	3	1	23	15	5	3	12	2	1	-	2	1	-	-
Months 1-2	7	12	11	7	78	72	10	6	31	19	1	1	14	1	1	-
3-5	4	4	6	14	50	48	4	3	13	7	2	-	2	1	-	-
6-8	4	4	2	2	24	29	2	2	6	2	-	-	-	-	-	-
9-11	3	-	1	4	17	9	2	-	2	2	-	-	-	-	1	1
Years 0	64	43	35	31	459	376	47	22	126	63	9	4	19	3	18	3
1	3	4	-	2	21	21	2	-	3	6	2	-	-	-	-	-
2	3	-	2	2	7	10	-	-	2	4	-	-	-	-	-	-
3	2	-	1	-	4	4	-	-	-	2	-	-	-	-	1	-
4	-	2	-	-	6	4	1	-	-	2	-	-	-	-	-	-

Causes of death	756·2 Other congenital mal-formations of digestive system		757·0* 757·1 Polycystic disease of kidney		757·2* 757·3 Other congenital mal-formations of genito-urinary system		758·0* 758·1 Chrondo-dystrophy		758·2 Congenital mal-formations of skull		758·3 Brittle bones		758·4,758·5* 758·6 Other congenital mal-formations of bone and joint		759·0 Congenital mal-formations of respiratory system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**212**	**139**	**38**	**20**	**98**	**37**	**7**	**8**	**7**	**5**	**6**	**5**	**5**	**11**	**50**	**31**
Days 0	15	10	25	11	47	15	6	5	1	2	-	2	-	5	26	17
1-6	62	54	3	4	10	7	1	1	1	1	-	1	1	1	7	3
Weeks 1	30	20	1	1	7	4	-	-	-	-	3	-	-	1	2	-
2	19	17	1	-	5	-	-	-	-	-	-	1	1	1	-	-
3	18	1	2	-	3	-	-	-	-	-	1	-	-	-	1	2
Months 1-2	23	10	3	2	11	5	-	1	4	1	1	-	2	-	3	1
3-5	13	8	2	1	3	2	-	-	1	-	-	-	1	2	4	1
6-8	10	7	-	-	1	1	-	1	-	1	1	-	-	-	5	2
9-11	2	4	1	1	3	2	-	-	-	-	-	-	-	-	-	3
Years 0	192	131	38	20	90	36	7	8	7	5	6	4	5	10	48	25
1	13	6	-	-	3	1	-	-	-	-	-	-	-	-	1	1
2	3	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
3	2	1	-	-	3	-	-	-	-	-	-	-	-	1	-	1
4	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-

* 757·0 Undescended testicle - : 757·2 Congenital malformations of external genital organs: Female 6-8M: 758·0 Congenital dislocation of hip: Female 1Y, 2Y: 758·4 Cervical rib: Female 3-5M: 758·5 Congenital abnormalities of lumbosacral region - .

TABLE 27 - *continued*

Causes of death	759·1 Congenital malformations of skin		759·2 Congenital malformations of muscle		759·3 Other and unspecified congenital malformations		760-769 Birth injuries, asphyxia, and infections of newborn		760·0 Intracranial and spinal injury at birth, without mention of immaturity		760·5 Intracranial and spinal injury at birth, with immaturity		761·0 Other birth injury, without mention of immaturity		761·5 Other birth injury, with immaturity	
es at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
tal under 5 years	**4**	**2**	**17**	**11**	**143**	**114**	**3,322**	**2,222**	**461**	**312**	**413**	**211**	**140**	**89**	**190**	**125**
ys 0	-	-	14	9	84	50	1,671	1,199	225	177	202	98	95	65	144	101
1-6	-	-	1	1	21	29	1,314	793	204	119	192	103	42	20	44	23
eks 1	1	-	-	-	7	5	145	102	20	11	8	9	1	2	1	1
2	-	-	-	-	4	1	91	59	6	1	6	1	1	-	-	-
3	-	-	1	-	2	2	80	51	6	3	5	-	-	-	1	-
nths 1-2	1	2	1	-	12	12	14	11	-	1	-	-	-	2	-	-
3-5	2	-	-	-	4	4	4	3	-	-	-	-	-	-	-	-
6-8	-	-	-	1	4	3	1	2	-	-	-	-	-	-	-	-
9-11	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-
ars 0	4	2	17	11	139	109	3,320	2,221	461	312	413	211	139	89	190	125
1	-	-	-	-	2	2	1	1	-	-	-	-	1	-	-	-
2	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of death	762·0 Postnatal asphyxia and atelectasis, without mention of immaturity		762·5 Postnatal asphyxia and atelectasis, with immaturity		763·0 Pneumonia of newborn, without mention of immaturity		763·5 Pneumonia of newborn, with immaturity		764·0 Diarrhoea of newborn, without mention of immaturity		764·5 Diarrhoea of newborn, with immaturity		765·0, 765·5, 766·0, 766·5* / 767·0 Umbilical sepsis, without mention of immaturity		767·5* / 768·0 Other sepsis of newborn, without mention of immaturity	
es at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
tal under 5 years	**503**	**377**	**1,058**	**702**	**249**	**158**	**105**	**71**	**24**	**18**	**9**	**4**	**4**	**6**	**23**	**22**
ys 0	275	245	610	412	30	14	10	10	-	-	-	-	-	-	1	2
1-6	202	113	421	271	87	54	55	36	4	-	2	-	1	1	8	6
eks 1	6	5	21	12	45	31	18	16	4	4	2	2	1	1	9	5
2	6	4	-	3	45	30	17	3	4	7	1	2	1	2	2	6
3	-	1	1	1	42	29	5	6	12	7	4	-	1	-	3	3
nths 1-2	8	4	5	3	-	-	-	-	-	-	-	-	-	1	-	-
3-5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6-8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9-11	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ars 0	502	377	1,058	702	249	158	105	71	24	18	9	4	4	5	23	22
1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* 765·0 Ophthalmia neonatorum, without mention of immaturity: Male 1W: 765·5 Ophthalmia neonatorum, with immaturity - :
766·0 Pemphigus neonatorum, without mention of immaturity: Female 3W: 766·5 Pemphigus neonatorum, with immaturity - :
767·5 Umbilical sepsis, with immaturity: Males 1-6D, 1-6D.

TABLE 27 - *continued*

Causes of death	768·5 Other sepsis of newborn, with immaturity		769·0 Neonatal disorders attributed to 'toxaemia of pregnancy' without mention of immaturity		769·1 Neonatal disorders attributed to maternal diabetes, without mention of immaturity		769·2, 769·3, 769·4* 769·5 Neonatal disorders attributed to 'toxaemia of pregnancy' with immaturity		769·6 Neonatal disorders attributed to maternal diabetes, with immaturity		769·7, 769·8, 769·9* 770-776 Other diseases peculiar to early infancy		770·0 Erythroblastosis, without mention of nervous affection or immaturity		770·1 Kernicterus, without mention of immaturity	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**14**	**3**	**17**	**14**	**6**	**3**	**73**	**69**	**10**	**13**	**2,072**	**1,532**	**118**	**102**	**12**	
Days 0	-	-	11	10	4	-	44	40	6	11	1,299	989	77	77	1	
1-6	3	1	6	4	2	3	29	28	4	2	689	485	35	21	8	
Weeks 1	8	2	-	-	-	-	-	1	-	-	39	31	2	1	1	
2	2	-	-	-	-	-	-	-	-	-	17	9	2	-	-	
3	-	-	-	-	-	-	-	-	-	-	6	5	-	2	-	
Months 1-2	1	-	-	-	-	-	-	-	-	-	16	11	1	-	1	
3-5	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	
6-8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
9-11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Years 0	14	3	17	14	6	3	73	69	10	13	2,068	1,532	117	102	11	
1	-	-	-	-	-	-	-	-	-	-	4	-	1	-	1	
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Causes of death	770·2* 770·5 Erythroblastosis, without mention of nervous affection but with immaturity		770·6 Kernicterus with immaturity		770·7* 771·0 Haemorrhagic disease of newborn, without mention of immaturity		771·5 Haemorrhagic disease of newborn, with immaturity		772·0, 772·5* 773·0 Ill-defined diseases peculiar to early infancy, without mention of immaturity		773·5 Ill-defined diseases peculiar to early infancy, with immaturity		774 Immaturity with mention of any other subsidiary condition		776 Immaturity unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**33**	**36**	**10**	**3**	**55**	**54**	**46**	**29**	**94**	**48**	**221**	**134**	**18**	**26**	**1,465**	**1,09**
Days 0	22	25	-	-	20	18	12	12	31	20	113	72	9	19	1,014	74
1-6	11	11	6	1	30	33	32	17	49	18	103	57	7	5	408	31
Weeks 1	-	-	3	2	1	3	2	-	3	1	3	4	1	1	23	1
2	-	-	-	-	1	-	-	-	1	3	1	-	-	-	12	
3	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	
Months 1-2	-	-	-	-	-	-	-	-	4	5	1	1	1	1	8	
3-5	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
6-8	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
9-11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Years 0	33	36	10	3	55	54	46	29	92	48	221	134	18	26	1,465	1,09
1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* **769·2** Attributed to maternal rubella, without mention of immaturity - : **769·3** Attributed to toxoplasmosis, without mention of immaturity: Male OD; Females OD, 3-5M: **769·4** Attributed to other or unspecified diseases of mother during pregnancy, without mention of immaturity: Males OD, 1-6D; Females OD, OD, OD, OD, 1-6D: **769·7** Attributed to maternal rubella with immaturity - : **769·8** Attributed to toxoplasmosis, with immaturity: Female 1-6D: **769·9** Attributed to other or unspecifi diseases of mother during pregnancy, with immaturity: Males OD, OD, OD, OD, OD, OD, OD, OD, OD, OD, OD, 1-6D, 1-6D, 1-6D, 1-6D, 1-6D; Females OD, OD, OD, OD, OD, OD, OD, OD, 1-6D, 1-6D, 1-6D, 1-6D, 1-6D, 1-6D, 1-6D: **770·2** Erythroblastosis wit disorder of liver other than icterus gravis, without mention of immaturity - : **770·7** Erythroblastosis with disorder of liver other than icterus gravis, with immaturity - : **772·0** Nutritional maladjustment, without mention of immaturity - : **772·5** Nutritional maladjustment, with immaturity - .

TABLE 27 - *continued*

Causes of death	780-795 Symptoms and ill-defined conditions		780-789 Symptoms referable to systems or organs		780·2 Convulsions		785·2* 790-795 Senility and ill-defined diseases		E800-E999 Accidents, poisonings, and violence		E800-E866 Transport accidents		E800-E802* E810-E825 Motor vehicle traffic accidents		E812 Motor vehicle traffic accident to pedestrian	
es at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
tal under 5 years	27	18	12	5	6	1	15	13	794	550	162	95	152	95	131	76
ys 0	10	10	-	-	-	-	10	10	21	39	-	-	-	-	-	-
1-6	2	1	1	-	1	-	1	1	4	2	-	-	-	-	-	-
eks 1	-	-	-	-	-	-	-	-	4	6	-	1	-	1	-	1
2	-	-	-	-	-	-	-	-	8	5	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	8	6	-	-	-	-	-	-
nths 1-2	2	2	1	1	-	-	1	1	109	80	1	1	1	1	-	-
3-5	2	1	-	1	-	1	2	-	142	87	3	-	2	-	-	-
6-8	3	1	2	1	1	-	1	-	47	33	3	3	2	3	1	-
9-11	2	-	2	-	2	-	-	-	41	29	3	3	3	3	1	1
ars 0	21	15	6	3	4	1	15	12	384	287	10	8	8	8	2	2
1	1	1	1	-	-	-	-	1	123	86	29	12	26	12	23	7
2	2	2	2	2	1	-	-	-	107	69	33	25	33	25	27	24
3	2	-	2	-	1	-	-	-	99	65	45	29	41	29	38	25
4	1	-	1	-	-	-	-	-	81	43	45	21	44	21	41	18

Causes of death	E830-E835 Motor vehicle non-traffic accidents		E840-E845 E850-E858 E860-E866* E870-E895 Accidental poisoning		E870-E888 Accidental poisoning by solid and liquid substances		E890-E895 Accidental poisoning by gases and vapours		E900-E904 Accidental falls		E910-E936 Other accidents		E916 Accident caused by fire and explosion of combustible material		E917 Accident caused by hot substance, corrosive liquid and steam	
es at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
tal under 5 years	4	-	38	25	24	16	14	9	38	28	531	369	60	66	11	9
ys 0	-	-	-	-	-	-	-	-	-	3	16	28	-	-	-	-
1-6	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-
eks 1	-	-	-	-	-	-	-	-	-	-	4	5	-	-	-	-
2	-	-	-	-	-	-	-	-	-	1	8	4	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	8	5	-	2	-	-
nths 1-2	-	-	1	-	1	-	-	-	1	3	104	74	4	5	-	-
3-5	-	-	1	-	1	-	-	-	3	1	130	83	2	2	-	-
6-8	1	-	2	1	2	-	-	1	3	4	38	23	4	3	1	1
9-11	-	-	2	-	-	-	2	-	-	2	33	20	7	5	1	1
ars 0	1	-	6	1	4	-	2	1	7	14	344	244	17	17	2	2
1	1	-	12	8	8	7	4	1	14	7	63	56	13	15	4	4
2	-	-	12	7	9	5	3	2	6	4	56	30	18	9	2	1
3	1	-	4	3	1	2	3	1	10	-	39	28	8	17	2	2
4	1	-	4	6	2	2	2	4	1	3	29	11	4	8	1	-

* **785·2** Jaundice (not of newborn) - : **E800-E802** Railway accidents: Males 3-5M, 1Y, 3Y, 3Y: **E840-E845** Other road ehicle accidents - : **E850-E858** Water transport accidents: Males 1Y, 3Y: **E860-E866** Aircraft accidents - :

TABLE 27 - *continued*

Causes of death	E921-E925 Accidental mechanical suffocation		E926 Lack of care of infants under 1 year of age		E929 Accidental drowning and submersion		E940-E959 Accidents due to medical and surgical intervention		E940-E946 Complications due to non-therapeutic medical and surgical procedures		E950-E959, E960-E965, E970-E979* E980-E985 Homicide and injury purposely inflicted by other person (not in war)		E990-E999* N800-N829 Fractures		N800-N809 Fracture of skull, spine, and trunk	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**322**	**211**	**16**	**25**	**75**	**34**	**2**	**2**	**-**	**2**	**23**	**31**	**140**	**83**	**139**	**83**
Days 0	-	1	16	23	-	3	-	-	-	-	5	8	1	3	1	3
1-6	3	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Weeks 1	3	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1
2	8	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1
3	4	3	-	-	4	-	-	-	-	-	-	1	-	-	-	-
Months 1-2	94	66	-	1	-	-	-	-	-	-	2	2	3	3	3	3
3-5	124	77	-	-	1	1	1	-	-	-	4	3	7	1	7	1
6-8	33	18	-	-	-	-	-	-	-	-	1	2	5	5	5	5
9-11	23	10	-	-	-	2	1	-	-	-	2	4	2	5	2	5
Years 0	292	185	16	25	5	6	2	-	-	-	15	20	18	19	18	19
1	22	16	-	-	8	16	-	1	-	1	5	2	30	12	30	12
2	6	6	-	-	22	5	-	-	-	-	-	3	23	20	23	20
3	2	3	-	-	21	5	-	1	-	1	1	4	36	18	36	18
4	-	1	-	-	19	2	-	-	-	-	2	2	33	14	32	14

Causes of death	N810-N819 N820-N829 N830-N839 N840-N848* N850-N856 Head injury (excluding skull fracture)		N860-N869 Internal injury of chest, abdomen and pelvis		N870-N879, N880-N888, N890-N898, N900-N908, N910-N918, N920-N929* N930-N936 Effects of foreign body entering through orifice		N940-N949 Burns		N950-N959* N960-N979 Effects of poisons		N980-N989* N990-N999 Other and unspecified injuries and reactions	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	**41**	**28**	**32**	**19**	**207**	**143**	**41**	**50**	**72**	**61**	**252**	**160**
Days 0	2	-	-	1	-	-	-	-	-	-	18	35
1-6	-	-	-	-	2	-	-	-	-	-	2	2
Weeks 1	-	-	-	-	-	5	-	-	-	-	3	-
2	-	-	-	-	5	2	-	-	-	-	3	2
3	-	-	-	-	2	1	-	1	-	1	6	3
Months 1-2	3	1	-	1	61	47	3	3	2	3	34	22
3-5	1	2	-	1	88	49	1	2	2	1	43	31
6-8	1	1	-	2	20	11	4	2	3	3	14	9
9-11	1	2	1	1	16	6	4	3	6	4	11	8
Years 0	8	6	1	6	194	121	12	11	13	12	134	112
1	10	5	7	2	10	15	9	11	21	17	36	23
2	10	6	9	4	1	5	10	8	22	13	30	12
3	9	5	8	5	2	1	7	13	8	10	26	10
4	4	6	7	2	-	1	3	7	8	9	26	3

* **E950-E959** Therapeutic misadventure and late complications of therapeutic procedures: Males 3-5M, 9-11M: **E960-E965** Late effects of injury and poisoning - : **E970-E979** Suicide and self-inflicted injury - : **E990-E999** Injury resulting from operatio of war - : **N810-N819** Fracture of upper limb - : **N820-N829** Fracture of lower limb: Male 4Y: **N830-N839** Dislocation without fracture: Male 4Y: **N840-N848** Sprains and strains of joints and adjacent muscles - : **N870-N879** Laceration and open wound of face, neck, and trunk: Male 2Y; Females 3Y, 3Y, 4Y: **N880-N888** Laceration and open wound of upper limb: Male 3Y: **N890-N898** Laceration and open wound of lower limb - : **N900-N908** Laceration and open wounds of multiple location: Male 3Y; Female 3Y: **N910-N918** Superficial injury - : **N920-N929** Contusion and crushing with intact skin surface: Male 1-2M: **N950-N959** Injury to nerves and spinal cord without bone injury: Male 2Y; Females 1Y, 2Y: **N980-N989** Effects of weather, exposure, and related conditions: Males 1W, 1-2M, 1-2M.

E 28. Weekly notifications of certain infectious seases and deaths from certain causes, 1964

England and Wales

ek ed††	Original notifications (including Port Health Districts)											Deaths*		
	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Dysentery	Measles	Acute poliomyelitis: Paralytic	Acute poliomyelitis: Non-paralytic	Food poisoning	Influenza and influenzal pneumonia	Pneumonia**	Bronchitis
4	4	1	18	361	884	-	377	4,431	-	-	182	63	1,389	1,265
11	-	2	22	240	819	1	339	4,248	-	-	101	41	1,223	1,146
18	2	2	18	317	876	2	353	3,264	-	1	96	44	1,051	1,031
25	-	-	19	461	850	2	505	3,292	1	-	87	42	1,078	1,017
1	2	2	22	518	1,101	-	532	3,833	1	1	106	48	987	922
8	5	1	15	521	990	-	559	5,400	1	-	139	48	948	843
15	2	-	20	561	1,007	-	647	5,411	-	-	100	59	890	826
22	2	1	16	493	935	-	789	5,900	-	1	95	62	916	731
29	2	1	15	426	918	2	694	5,832	1	-	90	68	1,015	876
7	2	-	7	489	969	2	684	5,525	-	1	92	67	907	750
14	3	1	20	575	973	2	716	5,052	-	-	81	42	884	777
21	2	1	10	523	941	-	659	5,589	1	-	110	66	940	776
28	-	-	20	427	705	6	544	4,179	1	-	60	47	1,010	711
4	3	-	10	424	677	-	415	5,085	-	-	48	40	854	695
11	3	3	15	317	753	1	414	5,253	-	-	54	27	871	698
18	2	2	14	295	690	1	409	4,234	2	-	59	19	823	606
25	-	1	20	338	775	-	472	3,572	1	-	61	10	705	523
2	12	3	17	466	836	1	422	3,696	1	-	173	15	655	447
9	2	1	14	467	799	-	491	4,161	1	-	186	8	553	406
16	6	2	10	438	764	-	456	5,246	1	-	99	3	543	402
23	1	1	10	337	578	-	334	4,987	1	-	118	4	551	335
30	2	4	16	320	696	-	381	5,990	1	-	154	5	536	329
6	2	2	12	313	651	1	445	5,215	-	-	178	2	481	341
13	2	8	8	376	684	1	601	5,107	-	-	243	3	483	303
20	2	20	9	433	678	-	758	5,325	1	1	167	4	441	277
27	2	20	7	431	634	-	692	6,037	2	1	234	3	456	322
4	3	8	11	413	639	-	521	6,596	-	-	285	3	496	295
11	1	8	8	372	559	-	508	7,088	1	-	157	1	455	297
18	2	3	9	244	437	1	452	5,609	1	-	145	1	493	283
25	-	2	6	337	585	-	399	6,994	2	1	539	-	488	291
1	-	4	5	352	625	-	395	8,649	-	-	380	2	465	282
8	2	1	9	193	469	-	281	6,551	1	-	272	2	438	228
15	2	20	12	167	576	-	264	6,184	1	-	218	2	374	243
22	2	6	4	134	523	-	298	4,645	-	-	145	2	392	269
29	2	10	4	128	489	-	262	3,575	-	-	166	2	491	276
5	1	9	7	122	595	-	309	2,747	-	-	195	1	397	273
12	6	11	11	115	517	1	256	2,086	-	-	378	3	464	250
19	1	6	7	172	497	-	334	2,161	-	-	183	2	423	220
26	1	5	5	188	418	1	349	2,406	-	1	192	2	447	279
3	5	7	3	241	449	-	339	3,239	-	-	195	4	477	309
10	5	10	9	321	333	1	345	3,860	1	-	356	5	510	314
17	4	3	6	346	268	-	319	4,578	3	-	169	3	524	403
24	1	5	10	377	250	-	406	5,518	-	-	205	8	646	374
31	6	15	8	398	303	-	329	6,541	2	-	118	10	659	464
7	4	3	8	355	289	1	377	7,498	-	-	99	15	701	525
14	6	5	13	495	296	1	438	7,584	1	-	97	16	710	540
21	5	4	9	594	261	-	513	8,935	2	1	119	11	707	550
28	2	8	6	641	289	-	458	9,681	1	1	134	14	679	531
5	-	3	13	558	281	-	418	10,706	3	-	73	13	558	490
12	2	3	9	661	231	1	347	10,850	1	-	80	17	739	599
19	-	1	5	609	233	-	474	12,090	1	-	85	7	768	641
26	-	-	5	503	247	1	238	10,749	-	-	34	15	649	609
ls	**128**	**239**	**586**	**19,903**	**31,842**	**30**	**23,317**	**292,984**	**38**	**10**	**8,132**	**1,001**	**35,340**	**27,190**
	Corrected notifications (excluding Port Health Districts)												Deaths†	
ls‡	**120**	**229**	**505**	**20,127**	**31,594**	**20**	**20,198**	**306,721**	**29**	**8**	**5,402**	**1,043**	**30,092**	**28,740**

* The weekly deaths are compiled from returns furnished by Registrars of Births and Deaths.
† Classified according to the International Classification of Diseases (7th Revision 1955)
‡ These totals are for the period 1st January to 31st December.
** Except secondary to accidents and to other infections (including influenza).
†† From the beginning of 1964, the weeks for Original notifications of infectious diseases end one day earlier.

TABLE 29. Cases of certain infectious diseases notified, 1954 to 1964 — England and Wales

Final numbers after correction (including original cases in Port Health Districts)*

Diseases	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964
Typhoid fever	122	193	136	125	147	123	90	97	130	247	124
Paratyphoid fever	548	876	440	310	200	379	241	254	126	342	229
Plague	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection	1,246	1,126	1,168	1,016	836	746	632	651	576	606	506
Scarlet fever	43,026	32,619	33,103	29,547	38,853	47,919	32,170	19,990	15,306	17,437	20,129
Whooping cough	105,912	79,133	92,410	85,018	33,404	33,253	58,030	24,470	8,348	34,737	31,596
Diphtheria	173	155	53	37	80	102	49	52	16	33	20
Erysipelas	5,375	4,614	4,382	3,589	3,293	3,203	2,956	2,237	1,789	1,740	1,740
Ophthalmia neonatorum	1,684	1,771	1,515	1,483	1,304	1,179	1,063	932	1,017	970	832
Dysentery	31,858	36,718	49,009	28,910	38,107	35,626	43,285	20,418	30,924	31,759	20,204
Malaria (contracted in England and Wales)	-	-	-	1	-	-	-	-	-	1	-
Relapsing fever	-	-	-	1	1	2	1	-	-	-	-
Smallpox	-	-	-	4	(1) 6	1	1	1	66	-	-
Measles	146,995	693,803	160,556	633,678	259,308	539,524	159,364	763,531	184,895	601,255	306,801
Acute Poliomyelitis (paralytic)	1,319	3,712	1,717	3,177	1,419	739	257	707	212	39	29
Acute Poliomyelitis (non-paralytic)	641	2,619	1,483	1,667	575	289	121	169	59	12	8
Acute Encephalitis (infective)	118	150	173	172	171	140	144	118	113	125	114
Acute Encephalitis (post-infectious)	101	118	106	155	119	140	117	158	119	165	143
Typhus fever	**1	†1	1	-	-	-	-	†1	-	‡2	-
Pneumonia (acute primary and acute influenzal)	26,562	27,930	25,460	32,732	22,323	26,816	14,563	18,466	12,542	14,181	9,251
Puerperal fever and pyrexia	12,239	12,109	11,682	11,834	10,814	10,699	8,896	8,337	7,147	6,486	6,027
Food poisoning	9,001	12,719	10,998	9,180	8,801	9,971	7,738	7,842	5,151	5,869	5,40
Anthrax	?	?	?	?	?	?	?	8	8	14	

* Cases notified in Port Health Districts are not corrected for subsequent changes of diagnosis. When these notifications relate to quarantine diseases, they are distinguished in this table in brackets alongside the figures in which they are included

** Type undetermined. † Not louse borne. ‡ One case not louse borne

TABLE 30. Cases of certain infectious diseases notified, by sex and age, 1964

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions

Final numbers after correction.

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Scarlet fever																					
ENGLAND AND WALES (excluding Port Health Districts)	**10,120**	**10,007**	**52**	**38**	**210**	**198**	**605**	**535**	**958**	**941**	**1,276**	**1,195**	**5,610**	**5,602**	**999**	**1,063**	**290**	**280**	**82**	**117**	**38**	**38**
Regions and conurbations:																						
Northern	**858**	**820**	**4**	**3**	**19**	**13**	**53**	**60**	**82**	**77**	**118**	**89**	**492**	**501**	**77**	**57**	**9**	**13**	**4**	**5**	**-**	**2**
Tyneside Conurbation	283	268	2	-	6	8	15	15	25	28	44	36	169	159	20	16	1	5	1	1	-	-
Remainder of Northern	575	552	2	3	13	5	38	45	57	49	74	53	323	342	57	41	8	8	3	4	-	2
East and West Ridings	**1,407**	**1,272**	**9**	**4**	**27**	**24**	**86**	**78**	**145**	**121**	**188**	**143**	**767**	**734**	**140**	**124**	**28**	**24**	**9**	**12**	**8**	**8**
W.Yorkshire Conurbation	432	409	1	1	9	6	23	29	56	45	55	37	236	237	42	39	6	9	2	5	2	1
Rem. of E. and W. Ridings	975	863	8	3	18	18	63	49	89	76	133	106	531	497	98	85	22	15	7	7	6	7
North Western	**1,728**	**1,772**	**9**	**4**	**42**	**43**	**134**	**91**	**190**	**191**	**250**	**259**	**935**	**981**	**135**	**164**	**26**	**29**	**7**	**7**	**-**	**3**
South East Lancashire Conurbation	527	576	3	2	11	15	36	36	61	73	95	97	288	305	28	35	4	11	1	1	-	1
Merseyside Conurbation	479	482	2	1	13	10	48	24	59	54	66	69	249	279	33	37	6	7	3	1	-	-
Rem. of North Western	722	714	4	1	18	18	50	31	70	64	89	93	398	397	74	92	16	11	3	5	-	2
North Midland	**731**	**791**	**2**	**4**	**14**	**19**	**35**	**43**	**61**	**82**	**83**	**89**	**441**	**445**	**60**	**77**	**18**	**18**	**9**	**7**	**8**	**7**
Midland	**987**	**927**	**1**	**5**	**23**	**17**	**62**	**52**	**94**	**78**	**105**	**98**	**517**	**510**	**134**	**125**	**42**	**30**	**8**	**10**	**1**	**2**
W. Midlands Conurbation	565	538	-	5	13	10	43	28	60	44	66	61	294	306	61	67	22	14	6	3	-	-
Remainder of Midland	422	389	1	-	10	7	19	24	34	34	39	37	223	204	73	58	20	16	2	7	1	2
Eastern	**934**	**1,036**	**5**	**6**	**18**	**21**	**28**	**49**	**72**	**83**	**106**	**92**	**504**	**542**	**138**	**160**	**43**	**48**	**14**	**29**	**6**	**6**
London and South Eastern	**2,373**	**2,225**	**12**	**7**	**44**	**37**	**140**	**103**	**213**	**202**	**286**	**290**	**1,351**	**1,254**	**223**	**219**	**78**	**82**	**21**	**28**	**5**	**3**
Greater London	1,956	1,799	10	6	33	30	121	78	178	170	238	235	1,112	1,012	188	191	61	55	13	20	2	2
Rem. of South Eastern	417	426	2	1	11	7	19	25	35	32	48	55	239	242	35	28	17	27	8	8	3	1
Southern	**291**	**294**	**2**	**2**	**5**	**2**	**26**	**17**	**28**	**30**	**40**	**36**	**162**	**168**	**11**	**26**	**13**	**8**	**1**	**3**	**3**	**2**
South Western	**493**	**519**	**6**	**3**	**11**	**12**	**25**	**23**	**41**	**43**	**49**	**52**	**296**	**293**	**38**	**63**	**19**	**17**	**6**	**11**	**2**	**2**
Wales	**318**	**351**	**2**	**-**	**7**	**10**	**16**	**19**	**32**	**34**	**51**	**47**	**145**	**174**	**43**	**48**	**14**	**11**	**3**	**5**	**5**	**3**
Wales I (South East)	221	237	2	-	4	6	13	17	24	18	34	34	103	116	28	35	10	5	1	4	2	2
Wales II (remainder)	97	114	-	-	3	4	3	2	8	16	17	13	42	58	15	13	4	6	2	1	3	1
Urban/Rural aggregates:																						
Conurbations	4,242	4,072	18	15	85	79	286	210	439	414	564	535	2,348	2,298	372	385	100	101	26	31	4	4
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	1,472	1,444	11	5	35	33	81	84	133	112	182	179	780	781	176	187	56	44	14	16	4	3
Urban areas with populations of 50,000 and under 100,000	832	819	5	1	19	16	52	43	94	89	103	105	458	442	59	94	32	25	8	3	2	1
Urban areas with populations under 50,000	1,786	1,866	11	7	37	38	98	100	160	168	213	216	1,009	1,047	185	202	44	51	17	22	12	15
Rural districts	1,788	1,806	7	10	34	32	88	98	132	158	214	160	1,015	1,034	207	195	58	59	17	45	16	15
Hospital regions:																						
Newcastle	823	793	4	3	17	13	50	56	80	72	117	85	473	491	70	53	8	13	4	5	-	2
Leeds	761	711	5	2	15	14	37	46	83	73	96	78	433	407	66	65	16	12	4	9	6	5
Sheffield	1,313	1,297	6	6	24	25	84	74	114	126	163	144	735	737	134	136	30	30	14	10	9	9
East Anglia	384	401	3	2	8	6	7	16	29	22	38	33	206	206	68	73	15	20	6	19	4	4
North West Metropolitan	685	650	3	3	11	12	46	33	72	66	96	84	366	348	64	68	19	25	5	10	3	1
North East Metropolitan	1,077	1,126	5	6	13	25	57	54	87	102	121	125	620	631	124	129	40	36	8	14	2	4
South East Metropolitan	785	756	3	1	21	9	35	36	59	60	100	110	460	423	67	78	27	32	11	7	2	-
South West Metropolitan	445	401	3	1	10	8	29	14	44	43	46	42	247	232	40	34	20	18	5	8	1	1
Wessex	163	182	1	3	3	1	11	13	17	16	19	21	94	103	8	16	7	4	1	3	2	2
Oxford	219	206	3	-	4	3	12	13	22	18	31	30	128	120	9	17	8	3	-	2	2	-
South Western	422	431	4	2	11	12	24	18	35	38	43	39	246	239	35	56	17	17	6	8	1	2
Welsh	318	351	2	-	7	10	16	19	32	34	51	47	145	174	43	48	14	11	3	5	5	3
Birmingham	987	927	1	5	23	17	62	52	94	78	105	98	517	510	134	125	42	30	8	10	1	2
Manchester	951	995	5	3	21	26	66	47	99	113	153	152	506	534	79	95	18	19	4	3	-	3
Liverpool	787	780	4	1	22	17	69	44	91	80	97	107	434	447	58	70	9	10	3	4	-	-

TABLE 30 - *continued*

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Whooping cough																					
ENGLAND AND WALES (excluding Port Health Districts)	**14,962**	**16,632**	**1,772**	**1,852**	**1,705**	**1,835**	**2,092**	**2,309**	**1,768**	**2,017**	**1,770**	**1,897**	**4,793**	**5,338**	**709**	**839**	**127**	**192**	**168**	**299**	**58**	**54**
Regions and conurbations:																						
Northern	**870**	**926**	**112**	**110**	**91**	**99**	**115**	**127**	**122**	**127**	**103**	**90**	**273**	**323**	**37**	**32**	**4**	**7**	**7**	**9**	**6**	**2**
Tyneside Conurbation	107	141	18	17	13	19	14	21	15	17	15	9	26	52	5	4	-	-	1	2	-	-
Remainder of Northern	763	785	94	93	78	80	101	106	107	110	88	81	247	271	32	28	4	7	6	7	6	2
East and West Ridings	**1,918**	**2,194**	**256**	**249**	**219**	**306**	**317**	**325**	**231**	**279**	**234**	**249**	**570**	**649**	**67**	**75**	**3**	**20**	**16**	**38**	**5**	**4**
W. Yorkshire Conurbation	812	984	114	113	108	163	113	149	99	148	102	111	254	266	16	21	-	1	5	12	1	-
Rem. of E. and W. Ridings	1,106	1,210	142	136	111	143	204	176	132	131	132	138	316	383	51	54	3	19	11	26	4	4
North Western	**2,549**	**2,728**	**329**	**325**	**346**	**343**	**375**	**409**	**330**	**359**	**298**	**334**	**758**	**818**	**75**	**92**	**16**	**18**	**18**	**26**	**4**	**4**
South East Lancashire Conurbation	945	1,065	153	145	141	142	147	156	123	142	107	121	240	296	21	43	6	7	4	11	3	2
Merseyside Conurbation	611	630	78	79	101	85	109	115	83	92	77	86	150	164	10	7	1	1	2	1	-	-
Rem. of North Western	993	1,033	98	101	104	116	119	138	124	125	114	127	368	358	44	42	9	10	12	14	1	2
North Midland	**1,099**	**1,197**	**127**	**114**	**120**	**111**	**144**	**169**	**138**	**120**	**110**	**147**	**363**	**391**	**67**	**92**	**15**	**17**	**9**	**27**	**6**	**9**
Midland	**1,510**	**1,697**	**159**	**207**	**176**	**185**	**214**	**251**	**166**	**208**	**201**	**175**	**470**	**526**	**87**	**93**	**15**	**18**	**17**	**26**	**5**	**8**
W. Midlands Conurbation	713	767	93	105	90	106	124	105	76	107	96	88	192	218	26	24	8	7	6	5	2	2
Remainder of Midland	797	930	66	102	86	79	90	146	90	101	105	87	278	308	61	69	7	11	11	21	3	6
Eastern	**1,419**	**1,540**	**148**	**127**	**145**	**152**	**177**	**180**	**136**	**176**	**192**	**171**	**480**	**553**	**92**	**111**	**18**	**21**	**21**	**40**	**10**	**9**
London and South Eastern	**2,898**	**3,301**	**320**	**364**	**332**	**338**	**381**	**428**	**346**	**390**	**327**	**351**	**958**	**1,124**	**150**	**179**	**32**	**56**	**46**	**65**	**6**	**6**
Greater London	2,015	2,334	230	276	235	270	284	306	249	289	231	236	644	744	81	128	25	31	33	50	3	4
Rem. of South Eastern	883	967	90	88	97	68	97	122	97	101	96	115	314	380	69	51	7	25	13	15	3	2
Southern	**886**	**1,034**	**113**	**122**	**92**	**105**	**117**	**150**	**101**	**128**	**114**	**134**	**276**	**284**	**47**	**61**	**8**	**17**	**17**	**31**	**1**	**2**
South Western	**1,003**	**1,115**	**105**	**122**	**95**	**94**	**118**	**141**	**100**	**116**	**114**	**149**	**391**	**387**	**49**	**63**	**9**	**12**	**14**	**25**	**8**	**6**
Wales	**810**	**900**	**103**	**112**	**89**	**102**	**134**	**129**	**98**	**114**	**77**	**97**	**254**	**283**	**38**	**41**	**7**	**6**	**3**	**12**	**7**	**4**
Wales I (South East)	578	661	84	90	67	76	97	96	69	87	52	75	175	199	26	25	4	3	2	6	2	4
Wales II (remainder)	232	239	19	22	22	26	37	33	29	27	25	22	79	84	12	16	3	3	1	6	5	-
Urban/Rural aggregates:																						
Conurbations	5,203	5,921	686	735	688	785	791	852	645	795	628	651	1,506	1,740	159	227	40	47	51	81	9	8
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	1,930	2,422	279	329	219	282	305	361	218	284	246	306	554	685	70	103	20	33	14	31	5	8
Urban areas with populations of 50,000 and under 100,000	1,343	1,384	161	159	150	147	188	182	167	158	158	164	433	464	59	66	9	19	10	20	8	5
Urban areas with populations under 50,000	3,062	3,146	344	324	316	316	427	445	365	357	371	366	1,013	1,082	160	159	24	36	30	50	12	11
Rural districts	3,424	3,759	302	305	332	305	381	469	373	423	367	410	1,287	1,367	261	284	34	57	63	117	24	22
Hospital regions:																						
Newcastle	748	816	103	96	79	92	99	114	109	115	87	83	236	273	27	28	3	5	2	8	3	2
Leeds	1,692	1,895	212	213	190	258	269	286	198	245	203	209	523	565	68	64	2	16	19	36	8	3
Sheffield	1,241	1,369	151	146	140	146	190	189	154	140	131	163	387	448	60	88	13	18	10	22	5	9
East Anglia	617	683	54	49	70	63	74	79	61	68	74	71	219	255	44	61	8	9	7	23	6	5
North West Metropolitan	904	1,056	101	121	99	115	117	129	111	128	125	119	281	328	46	65	9	21	11	27	4	3
North East Metropolitan	1,145	1,241	154	151	126	141	157	167	123	145	143	143	355	404	46	51	17	15	20	19	4	5
South East Metropolitan	1,036	1,198	96	113	118	102	134	165	113	141	110	123	361	439	76	68	9	21	17	24	2	2
South West Metropolitan	778	819	78	71	82	83	95	90	93	99	88	88	275	296	41	53	10	19	14	19	2	1
Wessex	433	512	63	66	46	47	55	73	54	64	55	69	129	140	22	28	3	9	5	15	1	1
Oxford	584	717	76	69	55	67	68	103	74	88	70	95	188	215	34	52	6	7	12	20	1	1
South Western	903	984	92	112	86	90	110	125	84	100	105	127	354	339	44	53	9	10	13	22	6	6
Welsh	810	900	103	112	89	102	134	129	98	114	77	97	254	283	38	41	7	6	3	12	7	4
Birmingham	1,510	1,697	159	207	176	185	214	251	166	208	201	175	470	526	87	93	15	18	17	26	5	8
Manchester	1,720	1,914	224	210	222	233	234	265	214	245	199	226	542	614	54	79	14	15	14	24	3	3
Liverpool	841	831	106	116	127	111	142	144	116	117	102	109	219	213	22	15	2	3	4	2	1	1

TABLE 30 - *continued*

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Diphtheria																					
ENGLAND AND WALES (excluding Port Health Districts)	**12**	**8**	-	-	-	-	-	-	-	-	-	-	**3**	**1**	**3**	**3**	**5**	**3**	**1**	**1**	-	-
Regions and conurbations:																						
Northern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tyneside Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of Northern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East and West Ridings	**9**	**1**	-	-	-	-	-	-	-	-	-	-	**2**	-	**2**	**1**	**5**	-	-	-	-	-
W. Yorkshire Conurbation	3	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-
Rem. of E. and W. Ridings	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-
North Western	-	**1**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	**1**	-	-
South East Lancashire Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Merseyside Conurbation	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Rem. of North Western	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Midland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Midland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W. Midlands Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of Midland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London and South Eastern	**2**	**4**	-	-	-	-	-	-	-	-	-	-	-	**1**	**1**	**2**	-	**1**	**1**	-	-	-
Greater London	1	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-
Rem. of South Eastern	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Southern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Western	**1**	**2**	-	-	-	-	-	-	-	-	-	-	**1**	-	-	-	-	**2**	-	-	-	-
Wales	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wales I (South East)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wales II (remainder)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban/Rural aggregates:																						
Conurbations	4	5	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	1	-	1	-	-
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Urban areas with populations of 50,000 and under 100,000	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Urban areas with populations under 50,000	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-
Rural districts	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Hospital regions:																						
Newcastle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leeds	9	1	-	-	-	-	-	-	-	-	-	-	2	-	2	1	5	-	-	-	-	-
Sheffield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Anglia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
North West Metropolitan	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North East Metropolitan	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-
South East Metropolitan	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
South West Metropolitan	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wessex	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Western	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-
Welsh	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birmingham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manchester	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Liverpool	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 30 - *continued*

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Measles																					
ENGLAND AND WALES (excluding Port Health Districts)	**157,170**	**149,551**	**6,400**	**6,380**	**17,651**	**16,893**	**21,431**	**20,557**	**23,079**	**22,141**	**22,236**	**20,976**	**61,511**	**57,848**	**3,104**	**2,907**	**801**	**893**	**384**	**451**	**573**	**505**
Regions and conurbations:																						
Northern	**11,294**	**10,424**	**505**	**557**	**1,347**	**1,268**	**1,575**	**1,489**	**1,739**	**1,613**	**1,525**	**1,459**	**4,301**	**3,754**	**208**	**186**	**31**	**40**	**25**	**31**	**38**	**27**
Tyneside Conurbation	2,694	2,343	152	134	330	319	423	365	472	402	387	330	894	768	26	16	2	5	1	-	7	4
Remainder of Northern	8,600	8,081	353	423	1,017	949	1,152	1,124	1,267	1,211	1,138	1,129	3,407	2,986	182	170	29	35	24	31	31	23
East and West Ridings	**19,258**	**18,437**	**843**	**910**	**2,270**	**2,221**	**2,752**	**2,623**	**2,817**	**2,790**	**2,798**	**2,636**	**7,429**	**6,884**	**230**	**226**	**50**	**77**	**28**	**35**	**41**	**35**
W. Yorkshire Conurbation	8,650	8,429	428	434	1,097	1,071	1,290	1,253	1,298	1,330	1,243	1,188	3,179	3,035	75	73	21	31	10	6	9	8
Rem. of E. and W. Ridings	10,608	10,008	415	476	1,173	1,150	1,462	1,370	1,519	1,460	1,555	1,448	4,250	3,849	155	153	29	46	18	29	32	27
North Western	**30,761**	**29,662**	**1,403**	**1,447**	**3,898**	**3,787**	**4,810**	**4,626**	**5,009**	**4,885**	**4,731**	**4,560**	**10,387**	**9,862**	**305**	**279**	**88**	**104**	**32**	**39**	**98**	**73**
South East Lancashire Conurbation	10,568	10,206	478	507	1,416	1,355	1,714	1,665	1,809	1,701	1,661	1,652	3,334	3,203	76	56	31	30	11	14	38	23
Merseyside Conurbation	7,105	6,938	406	422	1,027	1,033	1,215	1,152	1,172	1,207	1,049	984	2,173	2,065	45	49	7	16	6	7	5	3
Rem. of North Western	13,088	12,518	519	518	1,455	1,399	1,881	1,809	2,028	1,977	2,021	1,924	4,880	4,594	184	174	50	58	15	18	55	47
North Midland	**16,592**	**15,939**	**613**	**584**	**1,824**	**1,738**	**2,100**	**2,009**	**2,403**	**2,226**	**2,211**	**2,123**	**6,906**	**6,724**	**338**	**338**	**97**	**83**	**28**	**28**	**72**	**86**
Midland	**16,452**	**15,305**	**722**	**734**	**1,912**	**1,786**	**2,355**	**2,248**	**2,371**	**2,245**	**2,295**	**2,087**	**6,347**	**5,759**	**285**	**271**	**70**	**87**	**46**	**37**	**49**	**51**
W. Midlands Conurbation	6,936	6,613	335	368	964	922	1,111	1,045	1,044	1,012	944	877	2,424	2,256	63	68	23	37	14	11	14	17
Remainder of Midland	9,516	8,692	387	366	948	864	1,244	1,203	1,327	1,233	1,351	1,210	3,923	3,503	222	203	47	50	32	26	35	34
Eastern	**12,450**	**11,849**	**390**	**381**	**1,232**	**1,173**	**1,561**	**1,489**	**1,666**	**1,681**	**1,684**	**1,605**	**5,326**	**4,981**	**379**	**336**	**93**	**92**	**51**	**58**	**68**	**53**
London and South Eastern	**24,659**	**23,455**	**967**	**867**	**2,612**	**2,534**	**3,281**	**2,977**	**3,626**	**3,400**	**3,534**	**3,149**	**9,833**	**9,657**	**515**	**475**	**159**	**228**	**82**	**118**	**50**	**50**
Greater London	16,705	15,946	706	674	1,860	1,833	2,342	2,101	2,559	2,333	2,471	2,190	6,320	6,249	274	312	99	157	53	68	21	29
Rem. of South Eastern	7,954	7,509	261	193	752	701	939	876	1,067	1,067	1,063	959	3,513	3,408	241	163	60	71	29	50	29	21
Southern	**7,516**	**7,279**	**223**	**219**	**711**	**668**	**871**	**943**	**1,000**	**1,004**	**1,054**	**1,000**	**3,331**	**3,172**	**195**	**152**	**61**	**54**	**26**	**38**	**44**	**29**
South Western	**8,922**	**8,492**	**307**	**309**	**885**	**810**	**1,040**	**1,014**	**1,176**	**1,111**	**1,109**	**1,068**	**3,929**	**3,684**	**308**	**327**	**73**	**78**	**36**	**36**	**59**	**55**
Wales	**9,266**	**8,709**	**427**	**372**	**960**	**908**	**1,086**	**1,139**	**1,272**	**1,186**	**1,295**	**1,289**	**3,722**	**3,371**	**341**	**317**	**79**	**50**	**30**	**31**	**54**	**46**
Wales I (South East)	6,076	5,787	299	269	663	676	758	804	852	817	857	870	2,384	2,131	171	157	48	26	16	17	28	20
Wales II (remainder)	3,190	2,922	128	103	297	232	328	335	420	369	438	419	1,338	1,240	170	160	31	24	14	14	26	26
Urban/Rural aggregates:																						
Conurbations	52,658	50,475	2,505	2,539	6,694	6,533	8,095	7,581	8,354	7,985	7,755	7,221	18,324	17,576	559	574	183	276	95	106	94	84
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	19,102	19,197	873	945	2,399	2,349	2,733	2,867	2,925	2,968	2,800	2,798	7,031	6,829	201	241	70	92	28	56	42	52
Urban areas with populations of 50,000 and under 100,000	14,007	13,945	513	595	1,588	1,607	1,990	1,900	2,109	2,168	2,131	2,067	5,407	5,299	160	148	46	71	22	36	41	54
Urban areas with populations under 50,000	38,993	35,376	1,446	1,343	4,088	3,722	5,051	4,678	5,626	5,207	5,576	4,990	16,081	14,390	652	607	172	158	92	104	209	177
Rural districts	32,410	30,558	1,063	958	2,882	2,682	3,562	3,531	4,065	3,813	3,974	3,900	14,668	13,754	1,532	1,337	330	296	147	149	187	138
Hospital regions:																						
Newcastle	9,763	9,144	463	516	1,217	1,154	1,406	1,346	1,548	1,448	1,345	1,299	3,582	3,185	134	129	20	27	17	19	31	21
Leeds	15,042	14,231	644	677	1,725	1,652	2,073	1,967	2,131	2,147	2,112	1,994	5,973	5,440	261	237	54	62	34	29	35	26
Sheffield	19,447	18,565	774	759	2,235	2,174	2,602	2,491	2,875	2,631	2,719	2,524	7,757	7,444	309	315	77	98	24	37	75	92
East Anglia	4,883	4,776	141	129	423	394	518	493	577	605	554	616	2,265	2,162	264	251	70	56	27	37	44	33
North West Metropolitan	9,651	8,863	369	344	1,053	1,024	1,344	1,218	1,470	1,330	1,476	1,263	3,679	3,425	137	117	57	82	35	36	31	24
North East Metropolitan	8,983	8,604	361	362	981	919	1,249	1,163	1,263	1,266	1,278	1,158	3,635	3,505	138	140	32	49	22	22	24	20
South East Metropolitan	9,457	9,043	340	284	957	963	1,196	1,146	1,372	1,288	1,249	1,155	3,991	3,894	233	171	64	71	34	51	21	20
South West Metropolitan	5,596	5,345	185	170	538	510	698	594	793	767	817	728	2,331	2,275	160	177	41	73	19	37	14	14
Wessex	5,184	4,928	146	148	494	478	607	620	701	661	701	636	2,274	2,147	167	144	42	42	17	24	35	28
Oxford	4,978	5,018	158	168	517	437	581	619	671	717	688	708	2,165	2,197	117	113	46	29	19	21	16	9
South Western	7,453	7,131	260	264	723	687	875	859	986	932	942	915	3,288	3,094	244	242	61	61	28	29	46	48
Welsh	9,266	8,709	427	372	960	908	1,086	1,139	1,272	1,186	1,295	1,289	3,722	3,371	341	317	79	50	30	31	54	46
Birmingham	16,452	15,305	722	734	1,912	1,786	2,355	2,248	2,371	2,245	2,295	2,087	6,347	5,759	285	271	70	87	46	37	49	51
Manchester	20,041	19,236	837	867	2,438	2,327	3,021	2,937	3,260	3,082	3,113	3,077	6,979	6,588	218	195	69	71	20	29	86	63
Liverpool	10,974	10,653	573	586	1,478	1,480	1,820	1,717	1,789	1,836	1,652	1,527	3,523	3,362	96	88	19	35	12	12	12	10

TABLE 30 - *continued*

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute poliomyelitis (paralytic)																					
ENGLAND AND WALES (excluding Port Health Districts)	**18**	**11**	**1**	**1**	**1**	-	**2**	**3**	**3**	**1**	**1**	-	**3**	**3**	-	-	**3**	-	**4**	**3**	-	-
Regions and conurbations:																						
Northern	-	**1**	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tyneside Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of Northern	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East and West Ridings	**5**	-	-	-	-	-	-	-	-	-	**1**	-	**1**	-	-	-	**2**	-	**1**	-	-	-
W. Yorkshire Conurbation	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Rem. of E. and W. Ridings	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
North Western	**4**	**3**	-	-	**1**	-	**2**	**2**	-	-	-	-	**1**	**1**	-	-	-	-	-	-	-	-
South East Lancashire Conurbation	2	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Merseyside Conurbation	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Rem. of North Western	1	2	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
North Midland	**2**	**2**	-	-	-	-	-	**1**	**1**	**1**	-	-	-	-	-	-	-	-	**1**	-	-	-
Midland	**1**	-	-	-	-	-	-	-	**1**	-	-	-	-	-	-	-	-	-	-	-	-	-
W. Midlands Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of Midland	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastern	-	**2**	-	-	-	-	-	-	-	-	-	-	-	**2**	-	-	-	-	-	-	-	-
London and South Eastern	**4**	**1**	**1**	-	-	-	-	-	-	-	-	-	**1**	-	-	-	**1**	-	**1**	**1**	-	-
Greater London	4	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
Rem. of South Eastern	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Southern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Western	**1**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	**1**	-	-	-
Wales	**1**	**2**	-	-	-	-	-	-	**1**	-	-	-	-	-	-	-	-	-	-	**2**	-	-
Wales I (South East)	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Wales II (remainder)	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Urban/Rural aggregates:																						
Conurbations	9	1	1	-	-	-	2	1	-	-	1	-	3	-	-	-	1	-	1	-	-	-
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	2	3	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Urban areas with populations of 50,000 and under 100,000	3	3	-	-	1	-	-	1	-	-	-	-	-	1	-	-	1	-	1	1	-	-
Urban areas with populations under 50,000	3	3	-	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	1	-	-
Rural districts	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Hospital regions:																						
Newcastle	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leeds	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
Sheffield	4	2	-	-	-	-	-	1	1	1	-	-	-	-	-	-	2	-	1	-	-	-
East Anglia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North West Metropolitan	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
North East Metropolitan	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
South East Metropolitan	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
South West Metropolitan	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Wessex	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Oxford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Western	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Welsh	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-
Birmingham	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Manchester	2	2	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Liverpool	2	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-

TABLE 30 - *continued*

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute poliomyelitis (non-paralytic)																					
ENGLAND AND WALES (excluding Port Health Districts)	7	1	-	-	-	-	-	-	-	-	2	-	2	-	-	1	2	-	-	-	1	-
Regions and conurbations:																						
Northern	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Tyneside Conurbation	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Remainder of Northern	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
East and West Ridings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W.Yorkshire Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rem. of E. and W. Ridings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Western	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South East Lancashire Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Merseyside Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rem. of North Western	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Midland	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Midland	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
W. Midlands Conurbation	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Remainder of Midland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastern	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
London and South Eastern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greater London	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rem. of South Eastern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Southern	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
South Western	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wales	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wales I (South East)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wales II (remainder)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban/Rural aggregates:																						
Conurbations	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Urban areas with populations of 50,000 and under 100,000	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Urban areas with populations under 50,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural districts	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	1	-
Hospital regions:																						
Newcastle	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Leeds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sheffield	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
East Anglia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North West Metropolitan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North East Metropolitan	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
South East Metropolitan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South West Metropolitan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wessex	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
Oxford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Western	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Welsh	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birmingham	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Manchester	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Liverpool	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 30 - *continued*

Area	All ages		0-		5-		15-		45-		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Typhoid fever													
ENGLAND AND WALES (excluding Port Health Districts)	**49**	**71**	**8**	**9**	**12**	**11**	**22**	**36**	**6**	**13**	**-**	**2**	**1**	**-**
Regions and conurbations:														
Northern	**1**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**1**	**-**	**-**
Tyneside Conurbation	1	1	-	-	-	-	-	-	1	-	-	1	-	-
Remainder of Northern	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East and West Ridings	**3**	**-**	**-**	**-**	**-**	**-**	**3**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
W. Yorkshire Conurbation	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Rem. of E. and W. Ridings	2	-	-	-	-	-	2	-	-	-	-	-	-	-
North Western	**5**	**7**	**2**	**1**	**-**	**1**	**2**	**3**	**1**	**2**	**-**	**-**	**-**	**-**
South East Lancashire Conurbation	4	5	2	1	-	-	1	2	1	2	-	-	-	-
Merseyside Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rem. of North Western	1	2	-	-	-	1	1	1	-	-	-	-	-	-
North Midland	**5**	**3**	**-**	**1**	**-**	**-**	**5**	**1**	**-**	**1**	**-**	**-**	**-**	**-**
Midland	**10**	**7**	**1**	**3**	**6**	**1**	**2**	**3**	**1**	**-**	**-**	**-**	**-**	**-**
W. Midlands Conurbation	6	5	1	3	4	1	1	1	-	-	-	-	-	-
Remainder of Midland	4	2	-	-	2	-	1	2	1	-	-	-	-	-
Eastern	**3**	**16**	**-**	**-**	**1**	**2**	**-**	**7**	**1**	**7**	**-**	**-**	**1**	**-**
London and South Eastern	**19**	**28**	**4**	**3**	**3**	**5**	**10**	**16**	**2**	**3**	**-**	**1**	**-**	**-**
Greater London	16	19	3	3	3	1	8	13	2	2	-	-	-	-
Rem. of South Eastern	3	9	1	-	-	4	2	3	-	1	-	1	-	-
Southern	**2**	**2**	**1**	**-**	**1**	**-**	**-**	**2**	**-**	**-**	**-**	**-**	**-**	**-**
South Western	**1**	**5**	**-**	**-**	**1**	**2**	**-**	**3**	**-**	**-**	**-**	**-**	**-**	**-**
Wales	**-**	**2**	**-**	**1**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**
Wales I (South East)	-	2	-	1	-	-	-	1	-	-	-	-	-	-
Wales II (remainder)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban/Rural aggregates:														
Conurbations	28	30	6	7	7	2	11	16	4	4	-	1	-	-
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	8	7	2	1	2	2	4	3	-	1	-	-	-	-
Urban areas with populations of 50,000 and under 100,000	3	9	-	-	1	1	1	6	-	1	-	1	1	-
Urban areas with populations under 50,000	7	7	-	1	-	3	5	3	2	-	-	-	-	-
Rural districts	3	18	-	-	2	3	1	8	-	7	-	-	-	-
Hospital regions:														
Newcastle	1	1	-	-	-	-	-	-	1	-	-	1	-	-
Leeds	3	-	-	-	-	-	3	-	-	-	-	-	-	-
Sheffield	5	3	-	1	-	-	5	1	-	1	-	-	-	-
East Anglia	1	1	-	-	-	-	-	1	-	-	-	-	1	-
North West Metropolitan	8	18	-	1	4	1	4	9	-	7	-	-	-	-
North East Metropolitan	5	7	2	1	-	1	1	3	2	2	-	-	-	-
South East Metropolitan	5	5	2	-	-	1	2	4	1	-	-	-	-	-
South West Metropolitan	3	13	-	1	-	4	3	6	-	1	-	1	-	-
Wessex	1	2	-	-	1	-	-	2	-	-	-	-	-	-
Oxford	1	-	1	-	-	-	-	-	-	-	-	-	-	-
South Western	1	5	-	-	1	2	-	3	-	-	-	-	-	-
Welsh	-	2	-	1	-	-	-	1	-	-	-	-	-	-
Birmingham	10	7	1	3	6	1	2	3	1	-	-	-	-	-
Manchester	5	6	2	1	-	1	2	2	1	2	-	-	-	-
Liverpool	-	1	-	-	-	-	1	-	-	-	-	-	-	-

TABLE 30 - *continued*

Area	All ages		0-		5-		15-		45-		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Paratyphoid fever													
ENGLAND AND WALES (excluding Port Health Districts)	**113**	**116**	**21**	**20**	**32**	**16**	**47**	**48**	**9**	**18**	**2**	**13**	**2**	**1**
Regions and conurbations:														
Northern	**8**	**15**	**1**	**3**	**3**	**1**	**3**	**3**	**1**	**1**	-	**7**	-	-
Tyneside Conurbation	2	4	-	1	1	1	1	2	-	-	-	-	-	-
Remainder of Northern	6	11	1	2	2	-	2	1	1	1	-	7	-	-
East and West Ridings	**8**	**3**	-	-	**2**	**2**	**5**	-	-	-	**1**	-	-	**1**
W. Yorkshire Conurbation	4	2	-	-	1	1	3	-	-	-	-	-	-	1
Rem. of E. and W. Ridings	4	1	-	-	1	1	2	-	-	-	1	-	-	-
North Western	**20**	**16**	**7**	**6**	**7**	**1**	**6**	**6**	-	**2**	-	**1**	-	-
South East Lancashire Conurbation	4	1	2	1	2	-	-	-	-	-	-	-	-	-
Merseyside Conurbation	1	2	-	-	-	-	1	1	-	-	-	1	-	-
Rem. of North Western	15	13	5	5	5	1	5	5	-	2	-	-	-	-
North Midland	**5**	**1**	**3**	-	**1**	-	**1**	**1**	-	-	-	-	-	-
Midland	**5**	**6**	-	**1**	-	-	**4**	**2**	**1**	**2**	-	**1**	-	-
W. Midlands Conurbation	3	-	-	-	-	-	3	-	-	-	-	-	-	-
Remainder of Midland	2	6	-	1	-	-	1	2	1	2	-	1	-	-
Eastern	**9**	**8**	**2**	**2**	-	**1**	**5**	**1**	**1**	**3**	**1**	**1**	-	-
London and South Eastern	**31**	**46**	**5**	**8**	**12**	**9**	**12**	**22**	**2**	**6**	-	**1**	-	-
Greater London	22	26	5	5	6	4	9	13	2	4	-	-	-	-
Rem. of South Eastern	9	20	-	3	6	5	3	9	-	2	-	1	-	-
Southern	**7**	**8**	**2**	-	**2**	**2**	**1**	**4**	**1**	**1**	-	**1**	**1**	-
South Western	**8**	**4**	-	-	**2**	-	**6**	**4**	-	-	-	-	-	-
Wales	**12**	**9**	**1**	-	**3**	-	**4**	**5**	**3**	**3**	-	**1**	**1**	-
Wales I (South East)	4	1	-	-	1	-	3	-	-	1	-	-	-	-
Wales II (remainder)	8	8	1	-	2	-	1	5	3	2	-	1	1	-
Urban/Rural aggregates:														
Conurbations	36	35	7	7	10	6	17	16	2	4	-	1	-	1
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	5	12	2	3	1	1	1	5	1	2	-	1	-	-
Urban areas with populations of 50,000 and under 100,000	9	5	1	-	2	1	5	1	-	3	-	-	1	-
Urban areas with populations under 50,000	38	28	8	7	11	3	14	10	2	3	2	5	1	-
Rural districts	25	36	3	3	8	5	10	16	4	6	-	6	-	-
Hospital regions:														
Newcastle	8	15	1	3	3	1	3	3	1	1	-	7	-	-
Leeds	8	3	-	-	2	2	5	-	-	-	1	-	-	1
Sheffield	3	1	2	-	-	-	1	1	-	-	-	-	-	-
East Anglia	6	6	1	2	-	-	3	1	1	2	1	1	-	-
North West Metropolitan	8	13	1	1	1	2	5	6	1	4	-	-	-	-
North East Metropolitan	3	2	1	1	-	1	2	-	-	-	-	-	-	-
South East Metropolitan	6	14	3	3	2	4	1	4	-	2	-	1	-	-
South West Metropolitan	18	20	1	3	10	3	6	13	1	1	-	-	-	-
Wessex	6	6	2	-	1	1	1	3	1	1	-	1	1	-
Oxford	4	3	1	-	1	1	2	2	-	-	-	-	-	-
South Western	6	2	-	-	2	-	4	2	-	-	-	-	-	-
Welsh	12	9	1	-	3	-	4	5	3	3	-	1	1	-
Birmingham	5	6	-	1	-	-	4	2	1	2	-	1	-	-
Manchester	14	12	6	6	7	1	1	4	-	1	-	-	-	-
Liverpool	6	4	1	-	-	-	5	2	-	1	-	1	-	-

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Meningococcal infection																					
ENGLAND AND WALES (excluding Port Health Districts)	**293**	**212**	**79**	**47**	**48**	**29**	**28**	**10**	**7**	**14**	**14**	**10**	**40**	**36**	**20**	**14**	**29**	**23**	**27**	**29**	**1**	-
Regions and conurbations:																						
Northern	**26**	**25**	**6**	**7**	**6**	**6**	**2**	-	-	-	**2**	**1**	**5**	**1**	-	**1**	-	**3**	**5**	**6**	-	-
Tyneside Conurbation	6	8	3	4	1	2	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-
Remainder of Northern	20	17	3	3	5	4	2	-	-	-	1	1	5	1	-	1	-	2	4	5	-	-
East and West Ridings	**27**	**18**	**6**	**3**	**5**	**3**	**1**	**3**	**1**	**3**	**2**	**1**	**5**	**1**	**5**	**1**	**2**	**1**	-	**2**	-	-
W. Yorkshire Conurbation	8	3	2	1	2	-	-	1	-	-	-	-	2	1	1	-	1	-	-	-	-	-
Rem. of E. and W. Ridings	19	15	4	2	3	3	1	2	1	3	2	1	3	-	4	1	1	1	-	2	-	-
North Western	**46**	**33**	**17**	**14**	**8**	**2**	**5**	**1**	-	**2**	**1**	**2**	**5**	**5**	**2**	**4**	**6**	**1**	**1**	**2**	**1**	-
South East Lancashire Conurbation	12	7	3	4	3	-	1	-	-	-	-	1	2	-	1	1	1	-	1	1	-	-
Merseyside Conurbation	13	12	7	5	2	1	1	-	-	1	1	-	1	2	-	1	-	1	-	1	1	-
Rem. of North Western	21	14	7	5	3	1	3	1	-	1	-	1	2	3	1	2	5	-	-	-	-	-
North Midland	**29**	**24**	**9**	**5**	**3**	**6**	-	**1**	**1**	**2**	**2**	**1**	**5**	**3**	**3**	**1**	**5**	**3**	**1**	**2**	-	-
Midland	**33**	**13**	**12**	**4**	**6**	**1**	**2**	**1**	**1**	**1**	**2**	-	**2**	**4**	**2**	**1**	**3**	**1**	**3**	-	-	-
W. Midlands Conurbation	16	5	6	2	3	-	1	-	1	-	1	-	-	2	-	-	2	1	2	-	-	-
Remainder of Midland	17	8	6	2	3	1	1	1	-	1	1	-	2	2	2	1	1	-	1	-	-	-
Eastern	**23**	**9**	**3**	**2**	**2**	**2**	**4**	-	-	**1**	**3**	**2**	**2**	**2**	-	-	**3**	-	**6**	-	-	-
London and South Eastern	**53**	**46**	**11**	**6**	**7**	**2**	**5**	**3**	**3**	-	**2**	**1**	**10**	**13**	**6**	**2**	**6**	**8**	**3**	**11**	-	-
Greater London	36	30	9	6	5	2	2	3	1	-	1	-	6	6	4	2	5	5	3	6	-	-
Rem. of South Eastern	17	16	2	-	2	-	3	-	2	-	1	1	4	7	2	-	1	3	-	5	-	-
Southern	**15**	**10**	**3**	**3**	**3**	**2**	**3**	-	-	**1**	-	-	-	**1**	**2**	-	**1**	**2**	**3**	**1**	-	-
South Western	**24**	**20**	**8**	**2**	**4**	**2**	**3**	**1**	-	**2**	-	**2**	**5**	**3**	-	**2**	**2**	**4**	**2**	**2**	-	-
Wales	**17**	**14**	**4**	**1**	**4**	**3**	**3**	-	**1**	**2**	-	-	**1**	**3**	-	**2**	**1**	-	**3**	**3**	-	-
Wales I (South East)	14	12	3	1	3	3	3	-	1	2	-	-	-	2	-	2	1	-	3	2	-	-
Wales II (remainder)	3	2	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-
Urban/Rural aggregates:																						
Conurbations	91	65	30	22	16	5	5	4	2	1	4	1	11	11	6	4	9	8	7	9	1	-
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	38	33	13	7	6	9	3	-	-	3	1	2	4	2	1	4	5	2	5	4	-	-
Urban areas with populations of 50,000 and under 100,000	26	24	10	5	4	1	3	3	-	1	1	1	4	6	1	3	2	2	1	2	-	-
Urban areas with populations under 50,000	85	55	15	10	13	6	12	3	3	6	4	4	15	12	7	2	6	4	10	8	-	-
Rural districts	53	35	11	3	9	8	5	-	2	3	4	2	6	5	5	1	7	7	4	6	-	-
Hospital regions:																						
Newcastle	25	24	6	7	6	5	2	-	-	-	1	1	5	1	-	1	-	3	5	6	-	-
Leeds	19	7	5	2	2	1	1	1	1	1	2	1	3	1	3	-	2	-	-	-	-	-
Sheffield	33	34	8	6	4	9	-	3	1	4	3	1	7	3	5	2	5	3	-	3	-	-
East Anglia	12	2	3	1	1	-	1	-	-	-	1	-	2	1	-	-	3	-	1	-	-	-
North West Metropolitan	20	9	3	3	2	1	3	1	-	-	3	1	1	2	1	1	2	-	5	-	-	-
North East Metropolitan	18	15	2	1	2	3	1	1	1	1	-	1	4	3	2	-	1	2	5	3	-	-
South East Metropolitan	19	19	5	1	2	-	2	1	1	-	-	1	4	6	2	1	3	4	-	5	-	-
South West Metropolitan	12	13	3	4	3	-	2	-	1	-	1	-	1	4	1	-	-	2	-	3	-	-
Wessex	6	6	2	-	2	1	1	-	-	1	-	-	-	-	1	1	-	3	-	-	-	-
Oxford	16	8	6	2	3	3	3	-	-	-	-	-	-	-	1	-	1	1	2	2	-	-
South Western	17	15	3	1	3	-	2	1	-	2	-	2	5	3	-	1	2	3	2	2	-	-
Welsh	17	14	4	1	4	3	3	-	1	2	-	-	1	3	-	2	1	-	3	3	-	-
Birmingham	33	13	12	4	6	1	2	1	1	1	2	-	2	4	2	1	3	1	3	-	-	-
Manchester	29	16	9	8	5	1	4	-	-	1	-	1	4	2	2	2	4	-	1	1	-	-
Liverpool	17	17	8	6	3	1	1	1	-	1	1	1	1	3	-	2	2	1	-	1	1	-

TABLE 30 - *continued*

Area	All ages		0-		5-		15-		45-		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Erysipelas													
ENGLAND AND WALES (excluding Port Health Districts)	**770**	**970**	**24**	**7**	**26**	**22**	**175**	**189**	**352**	**454**	**175**	**286**	**18**	**12**
Regions and conurbations:														
Northern	**43**	**47**	**2**	**2**	-	**2**	**12**	**7**	**18**	**21**	**11**	**14**	-	**1**
Tyneside Conurbation	7	13	-	1	-	1	-	-	3	9	4	2	-	-
Remainder of Northern	36	34	2	1	-	1	12	7	15	12	7	12	-	1
East and West Ridings	**81**	**87**	**2**	**2**	**1**	**4**	**20**	**16**	**42**	**46**	**16**	**19**	-	-
W. Yorkshire Conurbation	33	36	-	-	-	3	8	4	20	18	5	11	-	-
Rem. of E. and W. Ridings	48	51	2	2	1	1	12	12	22	28	11	8	-	-
North Western	**86**	**119**	**1**	-	**2**	**2**	**19**	**25**	**39**	**68**	**23**	**24**	**2**	-
South East Lancashire Conurbation	27	47	-	-	-	1	7	9	12	26	8	11	-	-
Merseyside Conurbation	19	23	1	-	-	1	2	2	14	15	2	5	-	-
Rem. of North Western	40	49	-	-	2	-	10	14	13	27	13	8	2	-
North Midland	**74**	**74**	**2**	**2**	**2**	**2**	**19**	**9**	**26**	**34**	**21**	**24**	**4**	**3**
Midland	**89**	**98**	**4**	-	**2**	**1**	**26**	**28**	**44**	**43**	**11**	**26**	**2**	-
W. Midlands Conurbation	48	59	1	-	1	1	11	16	28	26	6	16	1	-
Remainder of Midland	41	39	3	-	1	-	15	12	16	17	5	10	1	-
Eastern	**63**	**74**	**1**	-	**4**	-	**15**	**12**	**26**	**31**	**15**	**27**	**2**	**4**
London and South Eastern	**197**	**264**	**9**	**1**	**12**	**7**	**32**	**46**	**96**	**120**	**45**	**88**	**3**	**2**
Greater London	138	207	5	1	7	2	22	43	74	96	28	65	2	-
Rem. of South Eastern	59	57	4	-	5	5	10	3	22	24	17	23	1	2
Southern	**42**	**44**	-	-	**1**	**1**	**11**	**13**	**17**	**14**	**11**	**15**	**2**	**1**
South Western	**56**	**115**	**1**	-	-	**1**	**15**	**26**	**24**	**55**	**16**	**32**	-	**1**
Wales	**39**	**48**	**2**	-	**2**	**2**	**6**	**7**	**20**	**22**	**6**	**17**	**3**	-
Wales I (South East)	25	37	1	-	-	1	5	5	11	17	5	14	3	-
Wales II (remainder)	14	11	1	-	2	1	1	2	9	5	1	3	-	-
Urban/Rural aggregates:														
Conurbations	272	385	7	2	8	9	50	74	151	190	53	110	3	-
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	118	158	4	1	3	2	30	38	52	70	26	46	3	1
Urban areas with populations of 50,000 and under 100,000	69	69	3	1	6	5	23	5	20	29	17	28	-	1
Urban areas with populations under 50,000	155	162	7	2	3	3	44	31	66	77	30	45	5	4
Rural districts	156	196	3	1	6	3	28	41	63	88	49	57	7	6
Hospital regions:														
Newcastle	40	46	2	2	-	2	11	7	16	20	11	14	-	1
Leeds	57	59	-	-	-	3	15	10	32	30	10	16	-	-
Sheffield	92	91	4	3	3	3	23	13	36	50	22	20	4	2
East Anglia	27	33	-	1	2	-	7	4	11	13	6	12	1	3
North West Metropolitan	54	85	2	-	2	1	14	20	21	42	13	21	2	1
North East Metropolitan	71	106	1	-	4	1	14	21	37	45	15	38	-	1
South East Metropolitan	77	67	4	1	8	4	10	8	35	32	19	21	1	1
South West Metropolitan	39	59	3	-	-	1	7	8	20	24	8	25	1	1
Wessex	21	35	-	-	1	-	4	8	8	7	8	20	-	-
Oxford	28	29	-	-	-	1	7	8	11	6	8	13	2	1
South Western	50	95	1	-	-	1	12	22	22	52	15	19	-	1
Welsh	39	48	2	-	2	2	6	7	20	22	6	17	3	-
Birmingham	89	98	4	-	2	1	26	28	44	43	11	26	2	-
Manchester	59	84	-	-	2	1	14	22	23	44	20	17	-	-
Liverpool	27	35	1	-	-	1	5	3	16	24	3	7	2	-

TABLE 30 - *continued*

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Dysentery																					
ENGLAND AND WALES (excluding Port Health Districts)	**9,870**	**10,328**	**595**	**507**	**899**	**835**	**958**	**853**	**811**	**706**	**718**	**609**	**2,556**	**2,239**	**754**	**672**	**637**	**1,049**	**1,845**	**2,710**	**97**	**148**
Regions and conurbations:																						
Northern	**590**	**585**	**57**	**35**	**64**	**62**	**71**	**62**	**51**	**32**	**36**	**36**	**135**	**120**	**40**	**23**	**36**	**47**	**95**	**159**	**5**	**9**
Tyneside Conurbation	175	178	18	13	24	18	19	25	15	7	12	14	42	38	8	5	11	15	25	43	1	-
Remainder of Northern	415	407	39	22	40	44	52	37	36	25	24	22	93	82	32	18	25	32	70	116	4	9
East and West Ridings	**1,664**	**1,649**	**124**	**93**	**187**	**141**	**166**	**139**	**141**	**124**	**127**	**83**	**414**	**369**	**94**	**97**	**89**	**169**	**311**	**420**	**11**	**14**
W.Yorkshire Conurbation	1,024	1,014	76	68	125	80	115	91	98	79	75	50	202	188	53	60	59	108	215	285	6	5
Rem. of E. and W. Ridings	640	635	48	25	62	61	51	48	43	45	52	33	212	181	41	37	30	61	96	135	5	9
North Western	**2,104**	**2,291**	**122**	**126**	**232**	**205**	**264**	**237**	**198**	**194**	**182**	**147**	**500**	**449**	**143**	**129**	**104**	**218**	**335**	**547**	**24**	**39**
South East Lancashire Conurbation	1,077	1,281	61	78	117	122	157	124	107	131	102	88	250	227	66	75	47	127	164	305	6	4
Merseyside Conurbation	412	409	27	25	60	40	50	58	44	32	33	24	95	80	31	20	18	48	53	77	1	5
Rem. of North Western	615	601	34	23	55	43	57	55	47	31	47	35	155	142	46	34	39	43	118	165	17	30
North Midland	**671**	**782**	**42**	**48**	**52**	**60**	**55**	**49**	**46**	**38**	**36**	**40**	**176**	**171**	**68**	**81**	**73**	**78**	**104**	**180**	**19**	**37**
Midland	**832**	**748**	**59**	**50**	**82**	**73**	**74**	**54**	**68**	**40**	**54**	**47**	**178**	**145**	**65**	**54**	**72**	**77**	**178**	**203**	**2**	**5**
W. Midlands Conurbation	504	419	34	36	59	55	50	31	35	21	30	32	83	65	33	20	56	48	124	111	-	-
Remainder of Midland	328	329	25	14	23	18	24	23	33	19	24	15	95	80	32	34	16	29	54	92	2	5
Eastern	**612**	**673**	**18**	**11**	**30**	**26**	**42**	**31**	**37**	**34**	**49**	**36**	**213**	**217**	**76**	**65**	**20**	**55**	**112**	**183**	**15**	**15**
London and South Eastern	**2,348**	**2,452**	**120**	**104**	**180**	**210**	**216**	**211**	**183**	**170**	**157**	**144**	**638**	**543**	**178**	**157**	**173**	**273**	**491**	**629**	**12**	**11**
Greater London	1,908	2,020	100	93	152	182	179	177	152	144	134	115	471	428	140	111	150	235	425	529	5	6
Rem. of South Eastern	440	432	20	11	28	28	37	34	31	26	23	29	167	115	38	46	23	38	66	100	7	5
Southern	**262**	**271**	**9**	**10**	**17**	**15**	**20**	**17**	**16**	**14**	**15**	**20**	**82**	**81**	**29**	**18**	**23**	**33**	**48**	**60**	**3**	**3**
South Western	**553**	**668**	**27**	**17**	**43**	**32**	**33**	**39**	**48**	**49**	**43**	**39**	**150**	**105**	**49**	**34**	**40**	**87**	**117**	**255**	**3**	**11**
Wales	**234**	**209**	**17**	**13**	**12**	**11**	**17**	**14**	**23**	**11**	**19**	**17**	**70**	**39**	**12**	**14**	**7**	**12**	**54**	**74**	**3**	**4**
Wales I (South East)	199	169	15	12	8	11	16	10	20	10	17	17	66	35	10	11	7	8	38	54	2	1
Wales II (remainder)	35	40	2	1	4	-	1	4	3	1	2	-	4	4	2	3	-	4	16	20	1	3
Urban/Rural aggregates:																						
Conurbations	5,100	5,321	316	313	537	497	570	506	451	414	386	323	1,143	1,026	331	291	341	581	1,006	1,350	19	20
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	1,245	1,384	87	62	119	119	111	109	118	97	92	92	351	329	81	83	74	137	209	344	3	12
Urban areas with populations of 50,000 and under 100,000	761	769	51	42	68	61	84	61	52	58	70	36	214	186	56	63	41	60	115	185	10	17
Urban areas with populations under 50,000	1,386	1,387	79	44	94	91	109	92	111	74	87	89	395	345	124	98	78	129	275	382	34	43
Rural districts	1,378	1,467	62	46	81	67	84	85	79	63	83	69	453	353	162	137	103	142	240	449	31	56
Hospital regions:																						
Newcastle	581	568	56	35	64	61	70	59	49	31	35	34	134	116	38	22	36	46	94	156	5	8
Leeds	1,296	1,305	99	82	151	105	132	109	117	93	91	59	294	292	69	69	73	134	259	348	11	14
Sheffield	1,019	1,117	67	58	87	96	89	81	69	70	72	64	287	244	90	106	86	111	154	249	18	38
East Anglia	307	326	6	4	14	14	16	12	18	13	26	20	122	110	48	34	13	27	39	85	5	7
North West Metropolitan	684	760	34	16	50	44	61	64	56	48	44	39	188	199	42	49	50	88	155	205	4	8
North East Metropolitan	860	920	36	35	60	77	84	66	69	67	75	54	227	220	80	62	49	92	170	241	10	6
South East Metropolitan	644	650	37	38	56	63	60	62	48	45	38	43	171	131	58	46	53	69	119	151	4	2
South West Metropolitan	508	515	28	23	32	39	40	42	35	34	26	28	159	117	29	33	31	54	124	141	4	4
Wessex	101	106	3	5	8	5	9	6	3	3	3	4	32	33	11	9	9	15	19	24	4	2
Oxford	212	224	7	7	16	16	10	11	15	12	11	18	64	58	27	15	16	32	45	54	1	1
South Western	487	589	24	15	35	26	32	36	43	45	42	35	129	86	42	30	38	74	100	232	2	10
Welsh	234	209	17	13	12	11	17	14	23	11	19	17	70	39	12	14	7	12	54	74	3	4
Birmingham	832	748	59	50	82	73	74	54	68	40	54	47	178	145	65	54	72	77	178	203	2	5
Manchester	1,590	1,787	83	94	162	151	196	167	150	161	142	118	386	354	101	101	80	165	267	443	23	33
Liverpool	515	504	39	32	70	54	68	70	48	33	40	29	115	95	42	28	24	53	68	104	1	6

TABLE 30 - *continued*

Area	All ages		0-		5-		15-		45-		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute encephalitis (infective)													
ENGLAND AND WALES (excluding Port Health Districts)	**63**	**51**	**12**	**9**	**25**	**14**	**20**	**20**	**6**	**8**	-	-	-	-
Regions and conurbations:														
Northern	**8**	**6**	**1**	**1**	**3**	**3**	**4**	**2**	-	-	-	-	-	-
Tyneside Conurbation	6	1	1	-	2	1	3	-	-	-	-	-	-	-
Remainder of Northern	2	5	-	1	1	2	1	2	-	-	-	-	-	-
East and West Ridings	**4**	**2**	-	**1**	**1**	**1**	**2**	-	**1**	-	-	-	-	-
W. Yorkshire Conurbation	1	1	-	-	1	1	-	-	-	-	-	-	-	-
Rem. of E. and W. Ridings	3	1	-	1	-	-	2	-	1	-	-	-	-	-
North Western	**5**	**2**	**2**	-	**1**	**2**	**2**	-	-	-	-	-	-	-
South East Lancashire Conurbation	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Merseyside Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rem. of North Western	4	2	2	-	1	2	1	-	-	-	-	-	-	-
North Midland	**3**	**2**	**1**	**1**	**1**	**1**	**1**	-	-	-	-	-	-	-
Midland	**5**	**5**	**2**	**2**	**2**	**1**	**1**	**1**	-	**1**	-	-	-	-
W. Midlands Conurbation	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Remainder of Midland	5	4	2	1	2	1	1	1	-	1	-	-	-	-
Eastern	**6**	**6**	**1**	**1**	**2**	**1**	**2**	**3**	**1**	**1**	-	-	-	-
London and South Eastern	**23**	**22**	**3**	**1**	**10**	**5**	**7**	**12**	**3**	**4**	-	-	-	-
Greater London	21	21	3	1	8	4	7	12	3	4	-	-	-	-
Rem. of South Eastern	2	1	-	-	2	1	-	-	-	-	-	-	-	-
Southern	**5**	**4**	**1**	**1**	**2**	**2**	**1**	**1**	**1**	-	-	-	-	-
South Western	**4**	**2**	**1**	**1**	**3**	-	-	-	-	**1**	-	-	-	-
Wales	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wales I (South East)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wales II (remainder)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban/Rural aggregates:														
Conurbations	29	24	4	2	11	6	11	12	3	4	-	-	-	-
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	10	11	2	2	3	3	4	4	1	2	-	-	-	-
Urban areas with populations of 50,000 and under 100,000	4	4	1	2	2	-	-	2	1	-	-	-	-	-
Urban areas with populations under 50,000	9	7	2	2	5	3	1	1	1	1	-	-	-	-
Rural districts	11	5	3	1	4	2	4	1	-	1	-	-	-	-
Hospital regions:														
Newcastle	8	6	1	1	3	3	4	2	-	-	-	-	-	-
Leeds	2	2	-	1	1	1	-	-	1	-	-	-	-	-
Sheffield	4	2	-	1	1	1	3	-	-	-	-	-	-	-
East Anglia	4	2	1	-	1	-	2	2	-	-	-	-	-	-
North West Metropolitan	18	22	2	2	8	4	4	12	4	4	-	-	-	-
North East Metropolitan	5	3	2	-	1	1	2	1	-	1	-	-	-	-
South East Metropolitan	1	1	-	-	1	1	-	-	-	-	-	-	-	-
South West Metropolitan	2	-	-	-	1	-	1	-	-	-	-	-	-	-
Wessex	6	3	2	1	2	-	1	2	1	-	-	-	-	-
Oxford	-	1	-	-	-	-	-	-	-	1	-	-	-	-
South Western	3	2	-	1	3	-	-	-	-	1	-	-	-	-
Welsh	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birmingham	5	5	2	2	2	1	1	1	-	1	-	-	-	-
Manchester	5	2	2	-	1	2	2	-	-	-	-	-	-	-
Liverpool	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Area	All ages		0-		5-		15-		45-		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute encephalitis (post infectious)													
ENGLAND AND WALES (excluding Port Health Districts)	**96**	**47**	**23**	**15**	**46**	**16**	**25**	**13**	**2**	**3**	-	-	-	-
Regions and conurbations:														
Northern	**1**	**3**	-	-	**1**	**3**	-	-	-	-	-	-	-	-
Tyneside Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of Northern	1	3	-	-	1	3	-	-	-	-	-	-	-	-
East and West Ridings	**6**	**4**	**2**	**1**	**4**	**2**	-	**1**	-	-	-	-	-	-
W. Yorkshire Conurbation	2	3	1	1	1	2	-	-	-	-	-	-	-	-
Rem. of E. and W. Ridings	4	1	1	-	3	-	-	1	-	-	-	-	-	-
North Western	**9**	**1**	**3**	-	**4**	-	**2**	**1**	-	-	-	-	-	-
South East Lancashire Conurbation	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Merseyside Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rem. of North Western	8	1	2	-	4	-	2	1	-	-	-	-	-	-
North Midland	**6**	**2**	**2**	**2**	**4**	-	-	-	-	-	-	-	-	-
Midland	**11**	**7**	**5**	**5**	**6**	**1**	-	**1**	-	-	-	-	-	-
W. Midlands Conurbation	5	3	3	1	2	1	-	1	-	-	-	-	-	-
Remainder of Midland	6	4	2	4	4	-	-	-	-	-	-	-	-	-
Eastern	**12**	**4**	**1**	-	**6**	**2**	**4**	**2**	**1**	-	-	-	-	-
London and South Eastern	**33**	**15**	**8**	**5**	**9**	**2**	**15**	**5**	**1**	**3**	-	-	-	-
Greater London	15	11	5	4	1	-	9	4	-	3	-	-	-	-
Rem. of South Eastern	18	4	3	1	8	2	6	1	1	-	-	-	-	-
Southern	**12**	**9**	-	**2**	**8**	**5**	**4**	**2**	-	-	-	-	-	-
South Western	**6**	-	**2**	-	**4**	-	-	-	-	-	-	-	-	-
Wales	-	**2**	-	-	-	**1**	-	**1**	-	-	-	-	-	-
Wales I (South East)	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Wales II (remainder)	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Urban/Rural aggregates:														
Conurbations	23	17	10	6	4	3	9	5	-	3	-	-	-	-
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	25	9	4	3	14	5	6	1	1	-	-	-	-	-
Urban areas with populations of 50,000 and under 100,000	7	5	1	2	5	2	1	1	-	-	-	-	-	-
Urban areas with populations under 50,000	22	4	6	-	13	3	3	1	-	-	-	-	-	-
Rural districts	19	12	2	4	10	3	6	5	1	-	-	-	-	-
Hospital regions:														
Newcastle	1	3	-	-	1	3	-	-	-	-	-	-	-	-
Leeds	5	3	2	1	3	2	-	-	-	-	-	-	-	-
Sheffield	6	3	2	2	4	-	-	1	-	-	-	-	-	-
East Anglia	6	2	1	-	2	1	2	1	1	-	-	-	-	-
North West Metropolitan	14	8	4	2	3	1	7	4	-	1	-	-	-	-
North East Metropolitan	5	1	-	1	2	-	3	-	-	-	-	-	-	-
South East Metropolitan	16	5	3	1	6	2	6	1	1	1	-	-	-	-
South West Metropolitan	5	3	1	1	3	-	1	1	-	1	-	-	-	-
Wessex	9	4	-	1	5	3	4	-	-	-	-	-	-	-
Oxford	5	5	-	1	5	2	-	2	-	-	-	-	-	-
South Western	4	-	2	-	2	-	-	-	-	-	-	-	-	-
Welsh	-	2	-	-	-	1	-	1	-	-	-	-	-	-
Birmingham	11	7	5	5	6	1	-	1	-	-	-	-	-	-
Manchester	5	1	2	-	2	-	1	1	-	-	-	-	-	-
Liverpool	4	-	1	-	2	-	1	-	-	-	-	-	-	-

TABLE 30 - *continued*

Area	All ages		0-		5-		15-		45-		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Acute pneumonia (primary and influenzal)													
ENGLAND AND WALES (excluding Port Health Districts)	5,044	4,207	770	610	471	369	1,001	815	1,525	1,013	1,220	1,358	57	42
Regions and conurbations:														
Northern	416	288	72	57	32	22	71	55	129	54	108	97	4	3
Tyneside Conurbation	178	155	36	40	10	9	27	25	58	33	47	48	-	-
Remainder of Northern	238	133	36	17	22	13	44	30	71	21	61	49	4	3
East and West Ridings	1,170	999	229	182	85	57	214	177	348	239	293	344	1	-
W. Yorkshire Conurbation	539	511	136	104	34	30	92	93	153	108	124	176	-	-
Rem. of E. and W. Ridings	631	488	93	78	51	27	122	84	195	131	169	168	1	-
North Western	498	410	114	93	54	46	107	63	136	93	79	109	8	6
South East Lancashire Conurbation	167	118	32	16	20	18	39	22	55	26	17	34	4	2
Merseyside Conurbation	200	157	64	51	22	18	35	20	40	29	35	39	4	-
Rem. of North Western	131	135	18	26	12	10	33	21	41	38	27	36	-	4
North Midland	339	307	44	31	42	33	69	63	101	76	77	101	6	3
Midland	616	477	73	58	41	45	136	98	207	117	156	157	3	2
W. Midlands Conurbation	219	156	26	17	7	15	56	44	94	42	36	37	-	1
Remainder of Midland	397	321	47	41	34	30	80	54	113	75	120	120	3	1
Eastern	347	298	45	40	51	41	81	67	81	53	76	87	13	10
London and South Eastern	859	764	76	65	87	69	181	162	285	227	222	236	8	5
Greater London	620	571	58	48	63	52	137	128	216	165	139	173	7	5
Rem. of South Eastern	239	193	18	17	24	17	44	34	69	62	83	63	1	-
Southern	122	127	18	17	14	11	28	24	34	33	23	38	5	4
South Western	332	275	41	25	33	33	65	61	110	61	80	91	3	4
Wales	345	262	58	42	32	12	49	45	94	60	106	98	6	5
Wales I (South East)	271	196	50	33	31	10	35	37	67	42	86	73	2	1
Wales II (remainder)	74	66	8	9	1	2	14	8	27	18	20	25	4	4
Urban/Rural aggregates:														
Conurbations	1,923	1,668	352	276	156	142	386	332	616	403	398	507	15	8
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	769	632	147	106	74	52	136	112	195	142	209	218	8	2
Urban areas with populations of 50,000 and under 100,000	314	313	48	47	29	23	66	68	96	71	74	102	1	2
Urban areas with populations under 50,000	1,146	931	134	118	107	78	222	173	362	216	302	331	19	15
Rural districts	892	663	89	63	105	74	191	130	256	181	237	200	14	15
Hospital regions:														
Newcastle	372	277	69	55	28	22	59	55	118	52	94	90	4	3
Leeds	825	719	190	144	60	45	151	126	234	157	189	247	1	-
Sheffield	651	550	81	68	63	37	127	106	203	148	174	188	3	3
East Anglia	183	150	20	10	28	19	41	31	42	31	37	49	15	10
North West Metropolitan	244	257	26	22	34	23	58	60	76	71	44	77	6	4
North East Metropolitan	327	264	44	35	31	32	68	57	106	63	77	76	1	1
South East Metropolitan	305	265	21	22	24	28	61	54	98	87	100	74	1	-
South West Metropolitan	172	150	11	17	24	11	42	30	51	38	42	54	2	-
Wessex	78	90	15	16	11	9	18	16	19	16	12	30	3	3
Oxford	143	89	12	5	14	11	32	19	47	25	37	28	1	1
South Western	274	246	36	23	26	29	47	55	92	54	70	81	3	4
Welsh	345	262	58	42	32	12	49	45	94	60	106	98	6	5
Birmingham	616	477	73	58	41	45	136	98	207	117	156	157	3	2
Manchester	273	214	44	27	27	24	67	41	88	58	43	60	4	4
Liverpool	236	197	70	66	28	22	45	22	50	36	39	49	4	2

Area	All ages		0-		5-		15-		45-		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Food poisoning													
ENGLAND AND WALES (excluding Port Health Districts)	**2,769**	**2,633**	**452**	**416**	**631**	**468**	**1,078**	**945**	**383**	**406**	**152**	**306**	**73**	**92**
Regions and conurbations:														
Northern	**124**	**142**	**30**	**24**	**17**	**15**	**38**	**57**	**17**	**16**	**4**	**4**	**18**	**26**
Tyneside Conurbation	37	37	15	6	-	4	18	22	1	3	2	1	1	1
Remainder of Northern	87	105	15	18	17	11	20	35	16	13	2	3	17	25
East and West Ridings	**397**	**229**	**81**	**64**	**142**	**30**	**100**	**75**	**48**	**25**	**24**	**31**	**2**	**4**
W. Yorkshire Conurbation	267	110	41	37	126	13	58	34	29	10	13	15	-	1
Rem. of E. and W. Ridings	130	119	40	27	16	17	42	41	19	15	11	16	2	3
North Western	**319**	**398**	**53**	**77**	**61**	**58**	**102**	**141**	**67**	**63**	**23**	**34**	**13**	**25**
South East Lancashire Conurbation	166	214	32	38	21	26	53	76	41	33	6	19	13	22
Merseyside Conurbation	33	49	11	13	5	3	11	24	4	8	2	-	-	1
Rem. of North Western	120	135	10	26	35	29	38	41	22	22	15	15	-	2
North Midland	**199**	**201**	**32**	**41**	**27**	**29**	**78**	**83**	**38**	**28**	**5**	**15**	**19**	**5**
Midland	**240**	**260**	**37**	**19**	**52**	**45**	**75**	**74**	**31**	**31**	**43**	**91**	**2**	**-**
W. Midlands Conurbation	136	183	21	12	14	17	40	49	22	19	38	86	1	-
Remainder of Midland	104	77	16	7	38	28	35	25	9	12	5	5	1	-
Eastern	**566**	**353**	**22**	**26**	**172**	**145**	**315**	**111**	**44**	**43**	**5**	**17**	**8**	**11**
London and South Eastern	**563**	**568**	**128**	**109**	**95**	**93**	**226**	**227**	**91**	**95**	**19**	**38**	**4**	**6**
Greater London	502	472	112	97	85	65	203	199	81	82	17	25	4	4
Rem. of South Eastern	61	96	16	12	10	28	23	28	10	13	2	13	-	2
Southern	**132**	**139**	**25**	**17**	**14**	**14**	**72**	**55**	**10**	**25**	**10**	**25**	**1**	**3**
South Western	**133**	**150**	**23**	**22**	**35**	**22**	**41**	**63**	**26**	**34**	**6**	**8**	**2**	**1**
Wales	**96**	**193**	**21**	**17**	**16**	**17**	**31**	**59**	**11**	**46**	**13**	**43**	**4**	**11**
Wales I (South East)	67	151	13	13	9	11	25	43	6	34	11	42	3	8
Wales II (remainder)	29	42	8	4	7	6	6	16	5	12	2	1	1	3
Urban/Rural aggregates:														
Conurbations	1,141	1,065	232	203	251	128	383	404	178	155	78	146	19	29
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	552	535	77	66	181	161	204	183	57	69	25	43	8	13
Urban areas with populations of 50,000 and under 100,000	225	233	40	41	54	43	69	95	39	43	7	8	16	3
Urban areas with populations under 50,000	351	454	53	56	62	58	136	150	60	81	32	91	8	18
Rural districts	500	346	50	50	83	78	286	113	49	58	10	18	22	29
Hospital regions:														
Newcastle	120	137	29	23	17	14	35	54	17	16	4	4	18	26
Leeds	352	178	66	46	136	19	85	59	41	22	22	28	2	4
Sheffield	208	208	46	52	27	37	84	77	42	24	6	15	3	3
East Anglia	466	269	18	18	162	135	246	76	17	29	3	5	20	6
North West Metropolitan	226	229	32	34	33	35	110	96	40	47	9	12	2	5
North East Metropolitan	201	161	32	25	31	21	91	67	38	30	5	14	4	4
South East Metropolitan	128	113	35	22	18	16	52	41	18	17	5	15	-	2
South West Metropolitan	163	161	37	40	25	32	75	60	23	19	2	9	1	1
Wessex	55	60	17	9	12	11	19	21	3	11	3	5	1	3
Oxford	79	136	7	15	11	8	40	64	12	22	8	26	1	1
South Western	116	130	22	19	30	20	33	56	23	29	6	5	2	1
Welsh	96	193	21	17	16	17	31	59	11	46	13	43	4	11
Birmingham	240	260	37	19	52	45	75	74	31	31	43	91	2	-
Manchester	220	289	35	52	30	32	68	101	54	48	20	34	13	22
Liverpool	99	109	18	25	31	26	34	40	13	15	3	-	-	3

TABLE 30 - *continued*

Area	All ages		0-		1-		2-		5-		10-		15-		20-		25-		35-		45-		55-		65-		75 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Tuberculosis, respiratory																													
ENGLAND AND WALES (excluding Port Health Districts)	10,013	5,006	44	36	75	69	215	182	232	209	209	200	402	447	767	571	1,523	993	1,602	877	1,715	572	1,863	401	986	302	341	134	39	13
Regions and conurbations:																														
Northern	774	431	6	4	10	4	19	11	25	22	17	19	41	47	49	42	113	88	113	91	142	42	148	32	59	24	28	5	4	-
Tyneside Conurbation	327	151	2	1	7	1	10	5	11	8	6	7	9	13	18	13	54	32	53	32	61	14	59	15	23	8	13	2	1	-
Remainder of Northern	447	280	4	3	3	3	9	6	14	14	11	12	32	34	31	29	59	56	60	59	81	28	89	17	36	16	15	3	3	-
East and West Ridings	1,052	431	4	1	3	7	17	9	18	17	31	22	33	55	89	44	197	84	166	79	170	63	191	27	97	18	30	3	6	2
W. Yorkshire Conurbation	579	222	4	1	3	4	12	8	10	8	20	11	21	28	56	27	140	43	87	34	95	30	78	17	37	9	10	-	6	2
Rem. of E. and W. Ridings	473	209	-	-	-	3	5	1	8	9	11	11	12	27	33	17	57	41	79	45	75	33	113	10	60	9	20	3	-	-
North Western	1,393	666	6	4	10	13	29	22	25	26	18	28	68	58	100	66	197	135	250	134	232	80	260	57	154	32	42	11	2	-
South East Lancashire Conurbation	594	270	4	3	3	5	12	11	13	8	10	16	40	27	47	27	83	53	112	54	99	29	101	22	58	9	12	6	-	-
Merseyside Conurbation	325	179	-	1	2	6	8	5	6	8	5	5	15	13	17	18	50	36	47	32	64	25	59	16	36	11	14	3	2	-
Rem. of North Western	474	217	2	-	5	2	9	6	6	10	3	7	13	18	36	21	64	46	91	48	69	26	100	19	60	12	16	2	-	-
North Midland	644	348	2	3	6	8	17	17	11	21	16	6	32	44	55	33	85	69	106	53	122	29	99	31	69	23	23	10	1	1
Midland	1,185	558	9	9	11	8	33	28	35	29	27	36	39	42	115	66	198	100	207	94	189	61	207	47	91	29	22	9	2	-
W. Midlands Conurbation	798	365	7	6	9	6	30	25	29	22	19	24	22	25	85	43	155	65	142	60	117	37	119	30	52	17	11	5	1	-
Remainder of Midland	387	193	2	3	2	2	3	3	6	7	8	12	17	17	30	23	43	35	65	34	72	24	88	17	39	12	11	4	1	-
Eastern	617	301	2	1	3	4	12	9	18	12	12	5	24	27	45	33	85	59	108	49	109	41	117	24	55	23	22	14	5	-
London and South Eastern	2,570	1,330	5	6	13	15	48	44	55	45	44	46	98	95	216	171	417	293	402	226	435	155	470	105	266	82	93	43	8	4
Greater London	2,194	1,092	2	5	12	11	43	39	47	33	39	32	90	81	186	156	379	250	349	190	363	125	395	82	207	61	71	23	7	2
Rem. of South Eastern	376	238	3	1	1	4	5	5	8	10	5	14	8	14	28	15	38	43	53	36	72	30	75	23	59	21	22	20	1	2
Southern	618	330	2	3	4	4	17	15	13	13	16	14	22	27	32	35	105	48	88	56	112	37	120	32	57	33	29	13	1	-
South Western	551	305	6	3	9	3	14	13	15	13	17	10	29	25	28	36	70	67	77	47	82	32	116	24	60	13	26	15	2	4
Wales	609	306	2	2	6	3	9	14	17	11	11	14	16	27	38	45	56	50	85	48	122	32	135	22	78	25	26	11	8	2
Wales I (South East)	448	213	2	2	6	1	9	8	15	9	8	10	13	20	28	34	42	38	67	36	90	26	99	12	53	11	13	6	3	-
Wales II (remainder)	161	93	-	-	-	2	-	6	2	2	3	4	3	7	10	11	14	12	18	12	32	6	36	10	25	14	13	5	5	2
Urban/Rural aggregates:																														
Conurbations	4,817	2,279	19	17	36	33	117	93	116	89	99	95	197	187	411	284	861	479	790	402	799	260	811	182	413	115	131	39	17	4
Areas outside conurbations:																														
Urban areas with populations of 100,000 and over	1,648	749	6	5	14	10	27	29	39	33	33	27	67	79	112	77	233	146	258	127	293	83	323	61	168	50	73	22	2	-
Urban areas with populations of 50,000 and under 100,000	780	444	4	5	6	7	23	16	17	24	16	18	34	34	67	32	111	88	130	73	129	47	153	40	67	39	23	19	-	2
Urban areas with populations under 50,000	1,570	826	12	6	14	9	27	26	31	38	28	32	59	84	100	96	169	147	253	149	294	87	308	69	198	52	70	28	7	3
Rural districts	1,198	708	3	3	5	10	21	18	29	25	33	28	45	63	77	82	149	133	171	126	200	95	268	49	140	46	44	26	13	4
Hospital regions:																														
Newcastle	744	417	5	4	10	4	18	11	24	21	17	19	39	44	47	41	110	87	106	87	137	40	144	31	56	24	27	4	4	-
Leeds	785	322	5	1	3	5	17	8	14	14	24	15	27	42	70	31	160	67	123	56	125	45	131	22	62	13	18	1	6	2
Sheffield	843	422	1	3	5	8	15	15	14	20	19	12	36	55	72	42	106	77	142	74	148	44	149	32	101	27	34	12	1	1
East Anglia	192	79	-	1	-	-	2	-	4	1	3	1	4	8	12	12	22	12	38	12	43	12	37	5	18	8	6	7	3	-
North West Metropolitan	1,024	530	2	4	6	3	20	20	24	13	20	7	42	38	104	77	203	135	175	90	146	65	171	38	78	27	27	12	6	1
North East Metropolitan	717	341	2	-	3	4	23	11	19	14	7	7	30	31	51	37	124	79	113	62	112	34	132	32	70	22	29	8	2	-
South East Metropolitan	758	395	3	2	4	7	7	16	16	19	17	24	32	24	49	39	85	73	105	60	154	43	153	34	101	35	31	17	1	2
South West Metropolitan	593	322	1	1	3	6	12	8	14	10	12	12	19	24	50	41	88	65	96	59	106	44	107	23	61	14	23	14	1	1
Wessex	314	200	3	3	5	2	4	8	5	7	6	9	12	18	15	26	41	25	46	28	50	25	72	18	34	24	21	7	-	-
Oxford	376	193	3	1	4	3	19	14	10	14	12	9	16	16	18	19	68	32	51	28	72	16	67	21	23	13	12	6	1	1
South Western	475	250	2	1	5	3	7	7	11	9	16	7	22	19	26	28	64	55	65	44	75	31	98	19	59	9	23	15	2	3
Welsh	609	306	2	2	6	3	9	14	17	11	11	14	16	27	38	45	56	50	85	48	122	32	135	22	78	25	26	11	8	2
Birmingham	1,185	558	9	9	11	8	33	28	35	29	27	36	39	42	115	66	198	100	207	94	189	61	207	47	91	29	22	9	2	-
Manchester	950	410	5	3	6	7	16	15	18	13	13	19	49	38	75	42	131	87	181	81	160	49	179	35	98	15	19	6	-	-
Liverpool	448	261	1	1	4	6	13	7	7	14	5	9	19	21	25	25	67	49	69	54	76	31	81	22	56	17	23	5	2	-

Area	All ages		0-		1-		2-		5-		10-		15-		20-		25-		35-		45-		55-		65-		75 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Tuberculosis of meninges and central nervous system																													
ENGLAND AND WALES (excluding Port Health Districts)	**79**	**65**	**2**	**1**	**3**	**5**	**9**	**6**	**11**	**5**	**8**	**2**	**8**	**6**	**6**	**9**	**15**	**11**	**6**	**5**	**4**	**6**	**4**	**4**	**3**	**3**	**-**	**2**	**-**	**-**
Regions and conurbations:																														
Northern	**12**	**13**	**-**	**-**	**2**	**1**	**1**	**-**	**-**	**2**	**-**	**-**	**1**	**1**	**1**	**2**	**1**	**2**	**1**	**2**	**2**	**1**	**2**	**1**	**1**	**1**	**-**	**-**	**-**	**-**
Tyneside Conurbation	4	7	-	-	-	-	-	-	-	2	-	-	-	-	1	2	1	-	-	-	1	1	-	1	1	1	-	-	-	-
Remainder of Northern	8	6	-	-	2	1	1	-	-	-	-	-	1	1	-	-	-	2	1	2	1	-	2	-	-	-	-	-	-	-
East and West Ridings	**9**	**6**	**-**	**1**	**-**	**-**	**1**	**2**	**1**	**-**	**2**	**1**	**1**	**1**	**1**	**-**	**2**	**-**	**-**	**-**	**-**	**1**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
W. Yorkshire Conurbation	4	5	-	1	-	-	1	2	-	-	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Rem. of E. and W. Ridings	5	1	-	-	-	-	-	-	1	-	1	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
North Western	**12**	**11**	**-**	**-**	**1**	**1**	**3**	**1**	**1**	**-**	**1**	**-**	**2**	**2**	**-**	**3**	**2**	**3**	**2**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
South East Lancashire Conurbation	7	4	-	-	1	-	3	-	1	-	-	-	-	1	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Merseyside Conurbation	-	4	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rem. of North Western	5	3	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-
North Midland	**8**	**3**	**-**	**-**	**-**	**1**	**1**	**-**	**-**	**-**	**-**	**-**	**2**	**-**	**-**	**-**	**1**	**-**	**3**	**1**	**-**	**-**	**-**	**-**	**1**	**1**	**-**	**-**	**-**	**-**
Midland	**3**	**5**	**-**	**-**	**-**	**-**	**1**	**-**	**2**	**1**	**-**	**1**	**-**	**1**	**-**	**1**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
W. Midlands Conurbation	3	3	-	-	-	-	1	-	2	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Remainder of Midland	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastern	**4**	**9**	**1**	**-**	**-**	**-**	**1**	**1**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**1**	**1**	**3**	**-**	**-**	**-**	**2**	**-**	**1**	**-**	**1**	**-**	**-**	**-**	**-**
London and South Eastern	**19**	**9**	**1**	**-**	**-**	**2**	**1**	**1**	**2**	**1**	**3**	**-**	**1**	**1**	**3**	**-**	**6**	**2**	**-**	**-**	**1**	**-**	**-**	**1**	**1**	**-**	**-**	**1**	**-**	**-**
Greater London	15	7	1	-	-	2	-	1	2	1	2	-	1	1	1	-	6	2	-	-	1	-	-	-	1	-	-	-	-	-
Rem. of South Eastern	4	2	-	-	-	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Southern	**1**	**3**	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
South Western	**7**	**2**	-	-	-	-	-	-	3	-	1	-	-	-	-	-	2	1	-	-	-	1	1	-	-	-	-	-	-	-
Wales	**4**	**4**	**-**	**-**	**-**	**-**	**-**	**1**	**2**	**-**	**1**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**1**	**1**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**
Wales I (South East)	2	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Wales II (remainder)	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Urban/Rural aggregates:																														
Conurbations	33	30	1	1	1	3	5	4	5	3	3	1	2	5	2	5	9	3	-	2	2	1	1	1	2	1	-	-	-	-
Areas outside conurbations:																														
Urban areas with populations of 100,000 and over	16	3	1	-	1	-	1	-	3	-	1	-	1	1	1	1	5	-	2	-	-	1	-	-	-	-	-	-	-	-
Urban areas with populations of 50,000 and under 100,000	3	3	-	-	-	2	1	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Urban areas with populations under 50,000	12	16	-	-	1	-	1	1	1	2	2	1	1	-	3	2	-	3	2	-	1	2	-	2	-	1	-	2	-	-
Rural districts	15	13	-	-	-	-	1	1	2	-	1	-	3	-	-	1	1	5	2	2	1	2	3	1	1	1	-	-	-	-
Hospital regions:																														
Newcastle	11	11	-	-	2	1	1	-	-	2	-	-	1	1	1	2	1	1	-	1	2	1	2	1	1	1	-	-	-	-
Leeds	6	7	-	1	-	-	1	2	-	-	2	1	1	1	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
Sheffield	8	3	-	-	-	1	1	-	1	-	-	-	2	-	-	-	2	-	2	1	-	-	-	-	-	1	-	-	-	-
East Anglia	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
North West Metropolitan	6	7	1	-	-	-	1	2	1	1	1	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-
North East Metropolitan	7	4	1	-	-	1	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	1	-	1	1	-	-	-	-	-
South East Metropolitan	6	3	-	-	-	-	1	-	-	-	1	-	1	-	1	-	1	1	-	-	1	-	-	1	-	-	-	1	-	-
South West Metropolitan	4	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Wessex	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Oxford	5	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-
South Western	5	2	-	-	-	-	-	-	2	-	1	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-
Welsh	4	4	-	-	-	-	-	1	2	-	1	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-
Birmingham	3	5	-	-	-	-	1	-	2	1	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Manchester	11	6	-	-	1	-	3	-	-	-	1	-	1	1	-	2	2	1	3	2	-	-	-	-	-	-	-	-	-	-
Liverpool	2	6	-	-	-	1	-	1	1	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 30 - *continued*

Area	All ages		0-		1-		2-		5-		10-		15-		20-		25-		35-		45-		55-		65-		75 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Tuberculosis, other forms																													
ENGLAND AND WALES (excluding Port Health Districts)	**1,126**	**1,310**	**4**	**1**	**2**	**6**	**26**	**33**	**45**	**47**	**45**	**48**	**74**	**65**	**128**	**131**	**307**	**305**	**209**	**221**	**127**	**140**	**86**	**119**	**42**	**98**	**25**	**89**	**6**	**7**
Regions and conurbations:																														
Northern	**74**	**106**	-	-	-	**1**	**1**	**2**	**5**	**5**	**4**	**7**	**8**	**8**	**10**	**5**	**17**	**25**	**11**	**20**	**14**	**10**	**2**	**10**	**1**	**8**	-	**5**	**1**	-
Tyneside Conurbation	19	35	-	-	-	-	2	1	-	2	2	1	3	3	1	3	5	7	3	10	4	2	1	2	-	2	-	2	-	-
Remainder of Northern	55	71	-	-	-	1	1	1	5	3	2	6	5	5	9	2	12	18	8	10	10	8	1	8	1	6	-	3	1	-
East and West Ridings	**126**	**109**	**1**	-	-	**1**	**1**	**1**	**1**	**2**	**4**	**6**	**6**	**9**	**21**	**13**	**44**	**30**	**27**	**21**	**9**	**12**	**6**	**5**	**3**	**5**	**1**	**4**	**2**	-
W. Yorkshire Conurbation	92	58	1	-	-	-	1	-	1	1	1	5	5	3	16	10	38	19	19	8	4	5	3	3	1	2	-	2	2	-
Rem. of E. and W. Ridings	34	51	-	-	-	1	-	1	-	1	3	1	1	6	5	3	6	11	8	13	5	7	3	2	2	3	1	2	-	-
North Western	**128**	**144**	-	-	-	**1**	**5**	**8**	**10**	**8**	**3**	**5**	**8**	**8**	**15**	**19**	**36**	**35**	**22**	**23**	**15**	**8**	**7**	**10**	**4**	**10**	**3**	**9**	-	-
South East Lancashire Conurbation	52	58	-	-	-	1	1	3	7	2	1	2	3	5	9	10	12	12	8	14	6	-	2	4	2	4	1	1	-	-
Merseyside Conurbation	23	28	-	-	-	-	2	2	-	3	1	1	1	1	3	5	5	7	6	2	2	2	2	3	1	1	-	1	-	-
Rem. of North Western	53	58	-	-	-	-	2	3	3	3	1	2	4	2	3	4	19	16	8	7	7	6	3	3	1	5	2	7	-	-
North Midland	**86**	**111**	**1**	-	-	-	**3**	**2**	**3**	**3**	**6**	**4**	**7**	**3**	**8**	**10**	**22**	**32**	**12**	**14**	**9**	**16**	**7**	**12**	**6**	**8**	**1**	**7**	**1**	-
Midland	**174**	**149**	-	-	**1**	**1**	**1**	**4**	**8**	**7**	**11**	**10**	**9**	**14**	**18**	**14**	**54**	**30**	**28**	**21**	**20**	**13**	**14**	**14**	**5**	**13**	**4**	**8**	**1**	-
W. Midlands Conurbation	110	89	-	-	1	-	1	4	6	7	5	7	4	10	11	9	40	19	21	12	11	4	4	4	2	5	3	8	1	-
Remainder of Midland	64	60	-	-	-	1	-	-	2	-	6	3	5	4	7	5	14	11	7	9	9	9	10	10	3	8	1	-	-	-
Eastern	**85**	**116**	**1**	-	**1**	-	**2**	**1**	**3**	**4**	**3**	**5**	**6**	**4**	**4**	**7**	**18**	**24**	**20**	**20**	**15**	**19**	**8**	**11**	**3**	**9**	**1**	**9**	-	**3**
London and South Eastern	**256**	**318**	**1**	**1**	-	**1**	**7**	**10**	**11**	**11**	**11**	**6**	**17**	**11**	**30**	**39**	**70**	**82**	**45**	**53**	**28**	**30**	**19**	**32**	**7**	**20**	**10**	**22**	-	-
Greater London	202	253	1	1	-	-	5	8	8	10	5	5	16	7	27	34	60	67	38	44	19	22	13	21	5	17	5	17	-	-
Rem. of South Eastern	54	65	-	-	-	1	2	2	3	1	6	1	1	4	3	5	10	15	7	9	9	8	6	11	2	3	5	5	-	-
Southern	**60**	**70**	-	-	-	-	**1**	**2**	**2**	**2**	-	**2**	**5**	**5**	**5**	**5**	**20**	**10**	**12**	**13**	**3**	**7**	**5**	**5**	**4**	**7**	**2**	**11**	**1**	**1**
South Western	**73**	**102**	-	-	-	-	**3**	**2**	-	**3**	**1**	**1**	**7**	**3**	**7**	**13**	**17**	**17**	**17**	**21**	**10**	**12**	**5**	**9**	**4**	**10**	**2**	**10**	-	**1**
Wales	**64**	**85**	-	-	-	**1**	**2**	**1**	**2**	**2**	**2**	**2**	**1**	-	**10**	**6**	**9**	**20**	**15**	**15**	**4**	**13**	**13**	**11**	**5**	**8**	**1**	**4**	-	**2**
Wales I (South East)	42	48	-	-	-	1	2	-	2	1	1	2	-	-	6	5	5	11	11	8	3	7	8	5	3	3	1	4	-	1
Wales II (remainder)	22	37	-	-	-	-	-	1	-	1	1	-	1	-	4	1	4	9	4	7	1	6	5	6	2	5	-	-	-	1
Urban/Rural aggregates:																														
Conurbations	498	521	2	1	1	1	10	18	22	25	15	21	32	29	67	71	160	131	95	90	46	35	25	37	11	31	9	31	3	-
Areas outside conurbations:																														
Urban areas with populations of 100,000 and over	178	177	2	-	-	1	2	3	7	2	8	5	10	10	18	5	48	44	43	36	17	25	12	21	5	11	4	14	2	-
Urban areas with populations of 50,000 and under 100,000	93	111	-	-	-	2	3	3	4	3	6	3	4	6	12	14	29	22	11	12	11	18	6	9	3	12	3	7	1	-
Urban areas with populations under 50,000	201	251	-	-	1	2	4	3	9	7	9	6	17	11	16	21	41	60	28	36	34	26	26	29	12	26	4	20	-	4
Rural districts	156	250	-	-	-	-	7	6	3	10	7	13	11	9	15	20	29	48	32	47	19	36	17	23	11	18	5	17	-	3
Hospital regions:																														
Newcastle	72	103	-	-	-	1	1	2	5	5	3	7	8	8	10	5	17	24	11	20	13	9	2	10	1	8	-	4	1	-
Leeds	105	84	1	-	-	-	1	1	1	2	5	5	5	4	16	12	39	23	21	15	8	10	4	4	2	4	-	4	2	-
Sheffield	99	122	1	-	-	1	2	1	3	3	6	5	7	8	12	10	26	34	17	19	10	19	8	10	4	7	2	5	1	-
East Anglia	42	52	-	-	-	-	2	-	-	2	1	4	3	2	2	3	6	9	12	7	9	11	4	6	3	3	-	4	-	1
North West Metropolitan	119	143	-	-	-	-	3	5	4	3	3	3	7	3	16	17	43	38	16	27	13	13	8	12	3	13	3	7	-	2
North East Metropolitan	74	73	1	-	1	-	3	2	6	4	4	2	4	2	5	5	21	15	15	14	6	7	6	6	1	7	1	9	-	-
South East Metropolitan	68	89	-	1	-	-	2	3	4	1	5	-	3	3	4	8	13	26	13	16	11	11	7	11	1	6	5	3	-	-
South West Metropolitan	53	89	1	-	-	1	-	2	1	5	1	2	7	5	8	16	12	20	12	12	4	8	3	9	2	1	2	8	-	-
Wessex	28	39	-	-	-	-	2	1	1	-	-	-	4	3	2	2	4	3	4	6	4	5	4	5	1	4	2	9	-	1
Oxford	40	55	-	-	-	-	-	1	-	4	-	2	3	2	5	3	12	15	7	9	1	4	2	3	7	6	2	6	1	-
South Western	60	83	-	-	-	-	2	2	-	1	1	1	5	3	5	11	15	13	16	17	9	9	4	8	3	8	-	9	-	1
Welsh	64	85	-	-	-	1	2	1	2	2	2	2	1	-	10	6	9	20	15	15	4	13	13	11	5	8	1	4	-	2
Birmingham	174	149	-	-	1	1	1	4	8	7	11	10	9	14	18	14	54	30	28	21	20	13	14	14	5	13	4	8	1	-
Manchester	92	108	-	-	-	1	2	4	9	4	2	4	4	7	11	14	27	27	14	19	13	6	4	7	3	9	3	6	-	-
Liverpool	36	36	-	-	-	-	3	4	1	4	1	1	4	1	4	5	9	8	8	4	2	2	3	3	1	1	-	3	-	-

TABLE 31. Cases of certain infectious diseases notified, 1964 (including for England and Wales only, case rates per 100,000 population)

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, hospital regions, counties, county and metropolitan boroughs

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21

(a) Numbers originally notified.

*ENGLAND AND WALES (including Port Health Districts):																				
Total	**132**	**239**	**581**	**20,179**	**31,677**	**30**	**1,747**	**850**	**23,471**	**306,704**	**40**	**10**	**119**	**149**	**9,351**	**6,050**	**7,861**	**15,204**	**151**	**2,429**
Total (excluding Port Health Districts)	128	239	580	20,177	31,675	30	1,747	850	23,465	306,624	40	10	119	149	9,344	6,050	7,855	15,176	151	2,429
Port Health Districts	4	-	1	2	2	-	-	-	6	80	-	-	-	-	7	-	6	28	-	-
Regions and conurbations:																				
Northern	**3**	**22**	**55**	**1,676**	**1,797**	**-**	**93**	**7**	**1,515**	**21,700**	**1**	**3**	**18**	**6**	**705**	**201**	**379**	**1,222**	**24**	**183**
Tyneside Conurbation	2	6	15	552	248	-	20	1	618	5,028	-	1	8	-	336	19	105	484	11	55
Remainder of Northern	1	16	40	1,124	1,549	-	73	6	897	16,672	1	2	10	6	369	182	274	738	13	128
***East and West Ridings**	**5**	**14**	**56**	**2,691**	**4,139**	**10**	**170**	**49**	**3,551**	**37,626**	**9**	**-**	**5**	**11**	**2,233**	**354**	**725**	**1,480**	**22**	**233**
*W. Yorkshire Conurbation	2	7	12	847	1,807	4	69	34	2,176	17,033	5	-	2	7	921	186	349	804	8	150
Rem. of E. and W. Ridings	3	7	44	1,844	2,332	6	101	15	1,375	20,593	4	-	3	4	1,312	168	376	676	14	83
***North Western**	**12**	**37**	**99**	**3,506**	**5,335**	**1**	**204**	**155**	**6,140**	**60,389**	**8**	**1**	**9**	**11**	**911**	**765**	**1,597**	**2,089**	**23**	**268**
*S.E. Lancashire Conurbation	9	5	21	1,106	2,012	-	73	39	3,351	20,726	2	1	2	2	284	243	643	873	11	111
*Merseyside Conurbation	-	4	26	972	1,243	1	42	98	1,252	13,344	2	-	-	1	360	353	493	525	4	52
*Rem. of North Western	3	28	52	1,428	2,080	-	89	18	1,537	26,319	4	-	7	8	267	169	461	691	8	105
***North Midland**	**9**	**6**	**57**	**1,523**	**2,301**	**-**	**148**	**36**	**1,653**	**32,537**	**4**	**1**	**4**	**7**	**649**	**163**	**431**	**998**	**13**	**196**
Midland	**17**	**11**	**51**	**1,924**	**3,196**	**-**	**186**	**346**	**1,686**	**31,761**	**1**	**1**	**10**	**18**	**1,091**	**464**	**556**	**1,768**	**8**	**327**
W. Midlands Conurbation	11	3	19	1,112	1,467	-	107	323	996	13,546	-	1	1	7	375	185	302	1,184	6	202
Remainder of Midland	6	8	32	812	1,729	-	79	23	690	18,215	1	-	9	11	716	279	254	584	2	125
Eastern	**19**	**18**	**32**	**1,978**	**2,959**	**-**	**137**	**38**	**1,342**	**24,319**	**2**	**1**	**13**	**17**	**652**	**410**	**1,507**	**927**	**14**	**198**
London and South Eastern	**49**	**84**	**112**	**4,617**	**6,213**	**11**	**465**	**151**	**5,222**	**48,147**	**9**	**-**	**46**	**48**	**1,631**	**2,751**	**1,627**	**3,952**	**28**	**572**
Greater London	36	51	78	3,774	4,364	9	348	136	4,317	32,681	8	-	43	27	1,195	2,308	1,400	3,334	22	456
Rem. of South Eastern	13	33	34	843	1,849	2	117	15	905	15,466	1	-	3	21	436	443	227	618	6	116
Southern	**4**	**15**	**28**	**590**	**1,921**	**1**	**86**	**19**	**602**	**14,731**	**1**	**3**	**9**	**22**	**248**	**420**	**271**	**963**	**3**	**129**
South Western	**6**	**12**	**57**	**1,013**	**2,117**	**7**	**171**	**41**	**1,298**	**17,418**	**1**	**-**	**5**	**7**	**614**	**371**	**392**	**856**	**8**	**173**
***Wales**	**4**	**20**	**33**	**659**	**1,697**	**-**	**87**	**8**	**456**	**17,996**	**4**	**-**	**-**	**2**	**610**	**151**	**370**	**921**	**8**	**150**
Wales I (South East)	3	5	28	449	1,234	-	62	5	403	11,887	3	-	-	1	471	86	299	665	5	91
*Wales II (remainder)	1	15	5	210	463	-	25	3	53	6,109	1	-	-	1	139	65	71	256	3	59

No cases of smallpox were notified during the year. * For anthrax cases notified see summary at end of table.

	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Urban/Rural aggregates:																				
Conurbations	60	76	171	8,363	11,141	14	659	631	12,710	102,358	17	3	56	44	3,471	3,294	3,292	7,204	62	1,026
Areas outside conurbations:																				
Urban areas with populations of 100,000 and over	17	20	107	2,916	4,419	7	284	80	2,768	38,327	5	1	19	35	1,478	930	1,758	2,419	20	352
Urban areas with populations of 50,000 and under 100,000	12	16	62	1,652	2,721	1	135	65	1,743	27,981	7	1	11	10	665	703	688	1,224	11	198
Urban areas with populations under 50,000	14	65	146	3,662	6,217	6	320	38	3,147	75,023	7	1	17	28	2,172	666	1,141	2,415	31	452
Rural districts	25	62	94	3,584	7,177	2	349	36	3,097	62,935	4	4	16	32	1,558	457	976	1,914	27	401
Hospital regions:																				
Newcastle	3	22	53	1,613	1,564	-	89	6	1,489	18,887	1	3	18	6	651	197	370	1,177	21	178
Leeds	5	14	28	1,478	3,612	10	116	38	2,752	29,184	7	-	3	9	1,521	243	576	1,113	16	190
Sheffield	8	4	80	2,618	2,617	-	185	48	2,423	38,037	6	1	5	8	1,291	211	496	1,267	15	217
East Anglia	2	10	14	793	1,300	-	60	14	618	9,662	-	-	6	8	333	136	753	274	3	94
North West Metropolitan	26	23	34	1,343	1,960	1	140	96	1,595	18,556	1	-	42	23	507	1,487	516	1,569	13	263
North East Metropolitan	13	7	35	2,212	2,400	4	180	39	1,886	17,582	3	1	9	7	597	461	1,148	1,094	11	146
South East Metropolitan	11	24	45	1,541	2,237	5	145	33	1,506	18,503	4	-	2	20	570	644	357	1,158	9	156
South West Metropolitan	16	40	26	849	1,594	1	97	15	1,085	10,950	3	-	1	8	325	547	432	917	6	139
Wessex	3	11	13	347	947	1	57	9	224	10,069	1	3	9	14	168	286	109	524	1	68
Oxford	2	7	24	426	1,301	-	56	4	488	9,977	1	-	1	10	231	143	232	572	8	92
South Western	6	9	45	854	1,885	7	145	39	1,116	14,587	-	-	4	5	527	315	343	723	7	141
Welsh	4	20	33	659	1,697	-	87	8	456	17,996	4	-	-	2	610	151	370	921	8	150
Birmingham	17	11	51	1,924	3,196	-	186	346	1,686	31,761	1	1	10	18	1,091	464	556	1,768	8	327
Manchester	11	26	64	1,955	3,686	-	143	54	4,586	39,243	5	1	9	6	486	378	846	1,371	17	195
Liverpool	1	11	35	1,565	1,679	1	61	101	1,555	21,630	3	-	-	5	436	387	751	728	8	73

(b) Final numbers after correction.

***ENGLAND AND WALES** (excluding Port Health Districts):																				
Total	120	229	505	20,127	31,594	20	1,740	832	20,198	306,721	29	8	114	143	9,251	6,027	5,402	15,019	144	2,436
Rates (per 100,000 population)	0	0	1	42	67	0	4	2	43	647	0	0	0	0	20	13	11	32	0	5
Regions and conurbations:																				
Northern	2	23	51	1,678	1,796	-	90	8	1,175	21,718	1	2	14	4	704	203	266	1,205	25	180
Tyneside Conurbation	2	6	14	551	248	-	20	1	353	5,037	-	1	7	-	333	19	74	478	11	54
Remainder of Northern	-	17	37	1,127	1,548	-	70	7	822	16,681	1	1	7	4	371	184	192	727	14	126
***East and West Ridings**	3	11	45	2,679	4,112	10	168	48	3,313	37,695	5	-	6	10	2,169	354	626	1,483	15	235
*W. Yorkshire Conurbation	1	6	11	841	1,796	4	69	33	2,038	17,028	2	-	2	5	1,050	186	377	801	9	150
Rem. of E. and W. Ridings	2	5	34	1,838	2,316	6	99	15	1,275	20,667	3	-	4	5	1,119	168	249	682	6	85
***North Western**	12	36	79	3,500	5,277	1	205	152	4,395	60,423	7	-	7	10	908	761	717	2,059	23	272
*S.E. Lancashire Conurbation	9	5	19	1,103	2,010	-	74	39	2,358	20,774	3	-	1	1	285	241	380	864	11	110
*Merseyside Conurbation	-	3	25	961	1,241	1	42	95	821	14,043	1	-	-	-	357	353	82	504	4	51
*Rem. of North Western	3	28	35	1,436	2,026	-	89	18	1,216	25,606	3	-	6	9	266	167	255	691	8	111
***North Midland**	8	6	53	1,522	2,296	-	148	35	1,453	32,531	4	1	5	8	646	160	400	992	11	197
Midland	17	11	46	1,914	3,207	-	187	340	1,580	31,757	1	1	10	18	1,093	458	500	1,743	8	323
W. Midlands Conurbation	11	3	21	1,103	1,480	-	107	317	923	13,549	-	1	1	8	375	184	319	1,163	6	199
Remainder of Midland	6	8	25	811	1,727	-	80	23	657	18,208	1	-	9	10	718	274	181	580	2	124
Eastern	19	17	32	1,970	2,959	-	137	35	1,285	24,299	2	1	12	16	645	403	919	918	13	201
London and South Eastern	47	77	99	4,598	6,199	6	461	149	4,800	48,114	5	-	45	48	1,623	2,742	1,131	3,900	28	574
Greater London	35	48	66	3,755	4,349	4	345	134	3,928	32,651	4	-	42	26	1,191	2,301	974	3,286	22	455
Rem. of South Eastern	12	29	33	843	1,850	2	116	15	872	15,463	1	-	3	22	432	441	157	614	6	119
Southern	4	15	25	585	1,920	-	86	19	533	14,795	-	3	9	21	249	426	271	948	4	130
South Western	6	12	44	1,012	2,118	3	171	39	1,221	17,414	1	-	6	6	607	371	283	856	9	175
***Wales**	2	21	31	669	1,710	-	87	7	443	17,975	3	-	-	2	607	149	289	915	8	149
Wales I (South East)	2	5	26	458	1,239	-	62	4	368	11,863	2	-	-	1	467	86	218	661	5	90
*Wales II (remainder)	-	16	5	211	471	-	25	3	75	6,112	1	-	-	1	140	63	71	254	3	59

No cases of smallpox were notified during the year. * For anthrax cases notified see summary at end of table.

TABLE 31 - *continued*

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Urban/Rural aggregates:																				
Conurbations	58	71	156	8,314	11,124	9	657	619	10,421	103,082	10	2	53	40	3,519	3,284	2,206	7,096	63	1,019
Areas outside conurbations:																				
Urban areas with populations of 100,000 and over	15	17	71	2,916	4,352	2	276	82	2,629	38,299	5	1	21	34	1,401	924	1,087	2,397	19	355
Urban areas with populations of 50,000 and under 100,000	12	14	50	1,651	2,727	1	138	59	1,530	27,952	6	1	8	12	627	704	458	1,224	6	204
Urban areas with populations under 50,000	14	66	140	3,642	6,208	6	317	38	2,773	74,420	6	-	16	26	2,077	667	805	2,396	28	452
Rural districts	21	61	88	3,604	7,183	2	352	34	2,845	62,968	2	4	16	31	1,555	448	846	1,906	28	406
Hospital regions:																				
Newcastle	2	23	49	1,616	1,564	-	86	7	1,149	18,907	1	2	14	4	649	199	257	1,161	22	175
Leeds	3	11	26	1,472	3,587	10	116	38	2,601	29,273	3	-	4	8	1,544	244	530	1,107	13	189
Sheffield	8	4	67	2,610	2,610	-	183	46	2,136	38,012	6	1	6	9	1,201	209	416	1,265	11	221
East Anglia	2	12	14	785	1,300	-	60	14	633	9,659	-	-	6	8	333	129	735	271	3	94
North West Metropolitan	26	21	29	1,335	1,960	1	139	92	1,444	18,514	1	-	40	22	501	1,483	455	1,554	13	262
North East Metropolitan	12	5	33	2,203	2,386	-	177	38	1,780	17,587	2	1	8	6	591	457	362	1,058	11	147
South East Metropolitan	10	20	38	1,541	2,234	4	144	33	1,294	18,500	2	-	2	21	570	642	241	1,153	9	157
South West Metropolitan	16	38	25	846	1,597	1	98	15	1,023	10,941	2	-	2	8	322	546	324	915	5	142
Wessex	3	12	12	345	945	-	56	9	207	10,112	1	3	9	13	168	286	115	514	3	67
Oxford	1	7	24	425	1,301	-	57	4	436	9,996	-	-	1	10	232	149	215	569	6	95
South Western	6	8	32	853	1,887	3	145	37	1,076	14,584	-	-	5	4	520	315	246	725	7	143
Welsh	2	21	31	669	1,710	-	87	7	443	17,975	3	-	-	2	607	149	289	915	8	149
Birmingham	17	11	46	1,914	3,207	-	187	340	1,580	31,757	1	1	10	18	1,093	458	500	1,743	8	323
Manchester	11	26	45	1,946	3,634	-	143	54	3,377	39,277	4	-	7	6	487	374	509	1,360	17	200
Liverpool	1	10	34	1,567	1,672	1	62	98	1,019	21,627	3	-	-	4	433	387	208	709	8	72
ENGLAND	**118**	**208**	**474**	**19,458**	**29,884**	**20**	**1,653**	**825**	**19,755**	**288,746**	**26**	**8**	**114**	**141**	**8,644**	**5,878**	**5,113**	**14,104**	**136**	**2,287**
Bedfordshire	-	**1**	**5**	**100**	**264**	-	**13**	**6**	**125**	**3,648**	-	-	-	**1**	**36**	**125**	**12**	**145**	**5**	**28**
Luton C.B.	-	-	1	13	45	-	-	2	34	1,483	-	-	-	1	5	4	6	62	2	12
Total M.B.s and U.D.s	-	1	2	58	82	-	6	4	64	1,241	-	-	-	-	19	118	2	58	1	9
Total R.D.s	-	-	2	29	137	-	7	-	27	924	-	-	-	-	12	3	4	25	2	7
Berkshire	-	**4**	**5**	**108**	**483**	-	**17**	**1**	**102**	**2,008**	-	-	-	**3**	**52**	**23**	**14**	**180**	-	**18**
Reading C.B.	-	-	1	20	62	-	1	-	16	319	-	-	-	1	7	5	2	43	-	1
Total M.B.s and U.D.	-	3	1	16	75	-	4	-	11	491	-	-	-	1	13	9	3	45	-	5
Total R.D.s	-	1	3	72	346	-	12	1	75	1,198	-	-	-	1	32	9	9	92	-	12
Buckinghamshire	-	-	**3**	**119**	**345**	-	**14**	**8**	**94**	**3,017**	-	-	-	**3**	**32**	**69**	**14**	**122**	-	**38**
Total M.B.s and U.D.s	-	-	3	54	93	-	7	2	16	1,514	-	-	-	1	6	26	4	82	-	24
Total R.D.s	-	-	-	65	252	-	7	6	78	1,503	-	-	-	2	26	43	10	40	-	14

	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Cambridgeshire	**1**	**2**	**1**	**78**	**111**	-	**7**	-	**18**	**738**	-	-	-	**1**	**12**	**11**	**5**	**39**	-	**9**
Cambridge M.B.	1	1	1	26	42	-	4	-	15	224	-	-	-	-	6	10	-	30	-	6
Total R.D.s	-	1	-	52	69	-	3	-	3	514	-	-	-	1	6	1	5	9	-	3
Cheshire	**2**	**6**	**10**	**578**	**1,232**	-	**53**	**5**	**813**	**12,650**	**1**	-	-	**4**	**204**	**70**	**187**	**326**	**9**	**53**
Total C.B.s	-	3	6	193	398	-	22	3	217	3,200	-	-	-	-	99	49	79	142	3	19
Birkenhead C.B.	-	-	3	57	172	-	14	-	113	1,427	-	-	-	-	63	23	3	68	1	8
Chester C.B.	-	1	-	23	41	-	1	2	24	191	-	-	-	-	3	1	54	23	1	-
Stockport C.B.	-	-	1	28	110	-	7	-	-	967	-	-	-	-	20	11	13	29	1	10
Wallasey C.B.	-	2	2	85	75	-	-	1	80	615	-	-	-	-	13	14	9	22	-	1
Total M.B.s and U.D.s	2	2	2	299	662	-	15	1	365	7,573	1	-	-	1	59	16	94	157	5	27
Total R.D.s	-	1	2	86	172	-	16	1	231	1,877	-	-	-	3	46	5	14	27	1	7
Cornwall	-	**1**	**6**	**27**	**96**	-	**12**	**2**	**60**	**1,488**	-	-	**1**	**1**	**95**	**38**	**9**	**100**	**1**	**20**
Total M.B.s and U.D.s	-	1	4	15	44	-	10	1	48	851	-	-	-	1	69	29	6	68	-	12
Total R.D.s	-	-	2	12	52	-	2	1	12	637	-	-	1	-	26	9	3	32	1	8
Cumberland	-	**2**	-	**158**	**209**	-	**4**	**2**	**13**	**1,519**	-	-	-	-	**22**	**7**	**12**	**91**	**2**	**18**
Carlisle C.B.	-	1	-	36	57	-	-	-	1	456	-	-	-	-	6	5	8	17	-	5
Total M.B.s and U.D.s	-	-	-	81	72	-	2	2	7	630	-	-	-	-	4	2	3	23	-	4
Total R.D.s	-	1	-	41	80	-	2	-	5	433	-	-	-	-	12	-	1	51	2	9
Derbyshire	**1**	**1**	**9**	**490**	**547**	-	**33**	**9**	**119**	**6,361**	**1**	-	-	**1**	**163**	**17**	**45**	**230**	**2**	**34**
Derby C.B.	1	-	3	73	106	-	6	1	23	499	-	-	-	-	27	1	4	56	1	9
Total M.B.s and U.D.s	-	-	2	181	187	-	12	6	39	2,495	1	-	-	-	64	8	19	96	-	7
Total R.D.s	-	1	4	236	254	-	15	2	57	3,367	-	-	-	1	72	8	22	78	1	18
Devon	-	**4**	**15**	**202**	**589**	**3**	**43**	**26**	**132**	**4,144**	-	-	**1**	**2**	**207**	**84**	**123**	**226**	**2**	**43**
Total C.B.s	-	1	7	81	265	2	17	24	62	1,399	-	-	-	2	83	75	36	138	2	14
Exeter C.B.	-	-	1	42	32	-	4	22	13	640	-	-	-	-	11	44	9	29	-	4
Plymouth C.B.	-	1	6	39	233	2	13	2	49	759	-	-	-	2	72	31	27	109	2	10
Total M.B.s and U.D.s	-	-	5	34	92	-	13	1	22	1,276	-	-	1	-	42	5	82	41	-	13
Total R.D.s	-	3	3	87	232	1	13	1	48	1,469	-	-	-	-	82	4	5	47	-	16
Dorset	**1**	**1**	**2**	**58**	**155**	-	**20**	-	**7**	**1,595**	**1**	-	**1**	-	**51**	**48**	**11**	**67**	-	**13**
Total M.B.s and U.D.s	1	1	1	37	88	-	11	-	5	1,112	-	-	-	-	24	45	8	41	-	7
Total R.D.s	-	-	1	21	67	-	9	-	2	483	1	-	1	-	27	3	3	26	-	6
Durham	-	**8**	**31**	**1,103**	**823**	-	**48**	**2**	**557**	**10,308**	-	**1**	**9**	**3**	**467**	**152**	**179**	**613**	**15**	**99**
Total C.B.s	-	1	15	470	253	-	13	2	237	4,516	-	-	7	3	280	66	67	292	5	42
Darlington C.B.	-	-	1	47	60	-	2	-	7	669	-	-	-	1	3	5	7	28	-	3
Gateshead C.B.	-	-	2	107	18	-	4	-	79	905	-	-	6	-	130	12	24	86	2	12
South Shields C.B.	-	-	4	234	54	-	-	1	108	752	-	-	-	-	85	1	20	80	1	4
Sunderland C.B.	-	1	5	70	112	-	6	1	29	1,843	-	-	-	2	60	47	12	80	1	17
West Hartlepool C.B.	-	-	3	12	9	-	1	-	14	347	-	-	1	-	2	1	4	18	1	6
Total M.B.s and U.D.s	-	7	14	471	326	-	23	-	289	3,918	-	-	2	-	155	61	64	245	8	43
Total R.D.s	-	-	2	162	244	-	12	-	31	1,874	-	1	-	-	32	25	48	76	2	14
Ely, Isle of	-	**1**	**1**	**45**	**171**	-	**4**	-	**197**	**940**	-	-	-	**2**	**11**	**6**	**13**	**9**	-	**2**
Total M.B. and U.D.s	-	1	1	38	141	-	3	-	192	822	-	-	-	2	7	5	11	7	-	2
Total R.D.s	-	-	-	7	30	-	1	-	5	118	-	-	-	-	4	1	2	2	-	-
Essex	**6**	**4**	**25**	**1,519**	**1,809**	-	**111**	**19**	**793**	**11,815**	**2**	**1**	**6**	**5**	**372**	**215**	**221**	**651**	**9**	**85**
Total C.B.s	-	1	4	428	349	-	16	3	115	1,458	-	-	1	-	73	12	52	138	2	17
East Ham C.B.	-	-	3	42	60	-	3	-	-	319	-	-	-	-	2	1	2	44	1	4
Southend-on-Sea C.B.	-	-	-	302	190	-	8	2	14	721	-	-	-	-	50	3	37	40	-	10
West Ham C.B.	-	1	1	84	99	-	5	1	101	418	-	-	1	-	21	8	13	54	1	3
Total M.B.s and U.D.s	6	2	21	930	1,214	-	84	15	576	8,901	1	1	5	4	253	126	150	446	5	62
Total R.D.s	-	1	-	161	246	-	11	1	102	1,456	1	-	-	1	46	77	19	67	2	6
Gloucestershire	-	**1**	**7**	**385**	**681**	-	**67**	**7**	**701**	**5,437**	-	-	**2**	**1**	**163**	**138**	**78**	**278**	**2**	**47**
Total C.B.s	-	-	1	138	357	-	37	6	507	1,904	-	-	-	-	120	78	50	173	1	26
Bristol C.B.	-	-	-	112	323	-	33	6	504	1,763	-	-	-	-	97	56	49	149	1	19
Gloucester C.B.	-	-	1	26	34	-	4	-	3	141	-	-	-	-	23	22	1	24	-	7
Total M.B.s and U.D.s	-	-	3	45	67	-	8	1	37	1,018	-	-	1	1	11	43	15	40	-	3
Total R.D.s	-	1	3	202	257	-	22	-	157	2,515	-	-	1	-	32	17	13	65	1	18

TABLE 31 - *continued*

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Hampshire	**2**	**9**	**12**	**254**	**767**	-	**34**	**9**	**197**	**7,244**	-	**3**	**7**	**13**	**122**	**211**	**86**	**423**	**2**	**49**
Total C.B.s	2	3	4	126	352	-	17	4	38	2,697	-	-	4	9	62	172	19	209	-	21
Bournemouth C.B.	2	3	-	21	78	-	6	-	7	557	-	-	-	1	10	1	3	40	-	4
Portsmouth C.B.	-	-	4	53	146	-	10	3	24	684	-	-	1	3	41	43	2	65	-	7
Southampton C.B.	-	-	-	52	128	-	1	1	7	1,456	-	-	3	5	11	128	14	104	-	10
Total M.B.s and U.D.s	-	1	6	76	230	-	14	4	42	2,588	-	1	2	-	25	27	43	125	2	15
Total R.D.s	-	5	2	52	185	-	3	1	117	1,959	-	2	1	4	35	12	24	89	-	13
Herefordshire	-	-	**1**	**42**	**146**	-	**8**	-	**65**	**2,251**	-	-	-	-	**35**	**5**	**22**	**25**	**1**	**8**
Total M.B.s and U.D.s	-	-	1	27	48	-	-	-	56	1,122	-	-	-	-	21	3	3	14	1	2
Total R.D.s	-	-	-	15	98	-	8	-	9	1,129	-	-	-	-	14	2	19	11	-	6
Hertfordshire	**17**	**6**	**6**	**264**	**430**	-	**18**	**3**	**307**	**4,625**	-	-	**4**	**3**	**76**	**83**	**79**	**214**	**2**	**37**
Total M.B.s and U.D.s	4	4	4	198	341	-	11	3	217	3,619	-	-	4	-	57	73	40	154	1	26
Total R.D.s	13	2	2	66	89	-	7	-	90	1,006	-	-	-	3	19	10	39	60	1	11
Huntingdonshire	**1**	-	**1**	**16**	**150**	-	**9**	**3**	**39**	**736**	-	-	-	**1**	**32**	**9**	**178**	**15**	**1**	**5**
Total M.B.s and U.D.s	1	-	-	13	55	-	1	-	8	496	-	-	-	-	18	6	10	9	-	4
Total R.D.s	-	-	1	3	95	-	8	3	31	240	-	-	-	1	14	3	168	6	1	1
Kent	**2**	**4**	**18**	**692**	**1,482**	**1**	**70**	**6**	**444**	**11,234**	**2**	-	**1**	**7**	**278**	**199**	**115**	**481**	**4**	**91**
Canterbury C.B.	-	-	-	9	53	-	2	-	-	143	-	-	-	-	3	-	1	11	-	1
Total M.B.s and U.D.s	2	1	15	538	971	-	50	6	272	8,298	2	-	1	3	189	185	92	380	4	76
Total R.D.s	-	3	3	145	458	1	18	-	172	2,793	-	-	-	4	86	14	22	90	-	14
***Lancashire**	**10**	**30**	**69**	**2,914**	**3.995**	**1**	**151**	**147**	**3,559**	**47,053**	**6**	-	**7**	**6**	**704**	**687**	**529**	**1,722**	**14**	**218**
Total C.B.s	9	7	39	1,664	2,318	1	82	137	1,803	24,281	3	-	4	3	465	641	297	1,126	8	123
Barrow-in-Furness C.B.	-	-	3	16	24	-	-	-	8	963	-	-	-	-	4	-	2	27	-	1
Blackburn C.B.	-	-	1	27	38	-	-	1	201	454	-	-	-	-	3	57	4	38	-	7
Blackpool C.B.	1	3	1	73	109	-	13	9	7	932	-	-	4	-	10	23	32	63	1	-
Bolton C.B.	-	-	-	58	141	-	6	-	94	973	2	-	-	-	39	3	41	48	2	5
Bootle C.B.	-	-	-	32	46	-	-	-	10	647	-	-	-	-	9	-	4	40	1	4
Burnley C.B.	1	-	2	81	134	-	2	1	7	295	-	-	-	-	15	2	8	21	-	3
Bury C.B.	2	-	1	5	31	-	5	-	9	617	-	-	-	-	4	4	4	14	-	4
Liverpool C.B.	-	3	15	638	666	1	17	88	313	7,124	1	-	-	-	208	315	31	273	-	28
*Manchester C.B.	3	-	7	332	683	-	17	26	628	4,333	-	-	-	1	96	153	125	314	1	40
Oldham C.B.	-	-	-	52	122	-	3	7	439	1,485	-	-	-	-	16	4	22	46	1	3
Preston C.B.	-	-	-	56	100	-	4	1	23	1,548	-	-	-	-	17	19	9	46	-	9
Rochdale C.B.	2	-	3	12	30	-	1	-	18	758	-	-	-	-	9	1	1	50	2	4
St. Helens C.B.	-	1	1	179	33	-	-	-	2	1,140	-	-	-	-	-	3	-	42	-	4
Salford C.B.	-	-	1	15	93	-	7	4	37	1,094	-	-	-	-	8	36	9	51	-	2
Southport C.B.	-	-	1	23	35	-	4	-	2	980	-	-	-	2	10	-	2	10	-	2

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Warrington C.B.	-	-	1	31	24	-	1	-	-	286	-	-	-	-	14	21	-	15	-	1
Wigan C.B.	-	-	2	34	9	-	2	-	5	652	-	-	-	-	3	-	3	28	-	6
*Total M.B.s and U.D.s	1	22	24	1,048	1,481	-	61	10	1,603	19,495	3	-	2	1	224	41	226	537	6	81
Total R.D.s	-	1	6	202	196	-	8	-	153	3,277	-	-	1	2	15	5	6	59	-	14
Leicestershire	**7**	**-**	**14**	**224**	**241**	**-**	**24**	**6**	**204**	**7,054**	**1**	**-**	**-**	**-**	**69**	**17**	**40**	**168**	**-**	**59**
Leicester C.B.	5	-	5	84	114	-	7	4	125	2,660	1	-	-	-	28	6	27	96	-	45
Total M.B. and U.D.s	2	-	2	61	47	-	3	1	5	1,759	-	-	-	-	14	5	3	32	-	9
Total R.D.s	-	-	7	79	80	-	14	1	74	2,635	-	-	-	-	27	6	10	40	-	5
Lincolnshire (Parts of Holland)	**-**	**-**	**3**	**44**	**154**	**-**	**5**	**-**	**5**	**579**	**-**	**-**	**1**	**-**	**25**	**-**	**3**	**16**	**-**	**3**
Total M.B. and U.D.	-	-	3	7	27	-	-	-	1	133	-	-	-	-	13	-	1	8	-	1
Total R.D.s	-	-	-	37	127	-	5	-	4	446	-	-	1	-	12	-	2	8	-	2
***Lincolnshire (Parts of Kesteven)**	**-**	**-**	**1**	**57**	**124**	**-**	**4**	**-**	**12**	**1,801**	**-**	**-**	**-**	**-**	**44**	**2**	**-**	**30**	**-**	**9**
*Total M.B.s and U.D.s	-	-	-	44	37	-	3	-	9	754	-	-	-	-	25	2	-	16	-	3
Total R.D.s	-	-	1	13	87	-	1	-	3	1,047	-	-	-	-	19	-	-	14	-	6
Lincolnshire (Parts of Lindsey)	**-**	**-**	**8**	**184**	**491**	**-**	**18**	**-**	**538**	**6,908**	**1**	**1**	**1**	**2**	**72**	**31**	**49**	**136**	**2**	**26**
Total C.B.s	-	-	-	90	163	-	4	-	182	3,011	1	-	-	-	25	8	10	62	-	9
Grimsby C.B.	-	-	-	57	34	-	1	-	180	1,962	1	-	-	-	19	5	2	39	-	8
Lincoln C.B.	-	-	-	33	129	-	3	-	2	1,049	-	-	-	-	6	3	8	23	-	1
Total M.B.s and U.D.s	-	-	7	38	123	-	2	-	279	2,030	-	-	-	1	17	17	21	50	-	9
Total R.D.s	-	-	1	56	205	-	12	-	77	1,867	-	1	1	1	30	6	18	24	2	8
London A.C.	**25**	**17**	**35**	**1,597**	**1,402**	**4**	**144**	**113**	**2,263**	**14,022**	**2**	**-**	**1**	**13**	**529**	**1,148**	**543**	**1,791**	**14**	**224**
City of London	-	1	-	-	-	-	2	-	-	2	-	-	-	-	-	1	-	2	-	-
Metropolitan Boroughs:																				
Battersea	-	-	-	29	35	-	2	1	41	552	-	-	-	-	11	1	3	59	-	8
Bermondsey	-	-	-	37	15	-	2	-	35	179	-	-	-	-	12	-	15	44	-	2
Bethnal Green	-	-	-	46	34	-	2	2	62	351	-	-	-	-	2	-	3	22	-	2
Camberwell	3	1	1	107	44	-	3	3	38	794	-	-	-	-	32	125	28	105	1	2
Chelsea	1	-	-	5	8	-	1	-	9	50	-	-	-	-	-	4	-	11	-	1
Deptford	-	-	-	51	37	-	7	-	115	373	-	-	-	-	20	3	3	62	-	-
Finsbury	-	-	-	20	15	-	11	1	75	245	-	-	-	-	44	-	42	23	-	1
Fulham	-	-	-	17	40	-	5	1	25	194	1	-	-	-	5	-	3	45	1	5
Greenwich	-	3	-	52	33	-	-	-	82	240	-	-	-	-	-	3	15	30	-	11
Hackney	5	-	2	165	93	-	17	14	346	990	-	-	1	-	11	49	24	92	1	17
Hammersmith	-	-	2	20	59	-	4	6	124	209	1	-	-	2	19	82	12	74	-	8
Hampstead	2	1	2	21	34	-	5	1	24	327	-	-	-	1	7	23	16	44	-	7
Holborn	-	-	-	3	1	-	2	-	4	33	-	-	-	-	2	-	-	13	-	1
Islington	2	-	2	151	136	-	15	54	166	1,702	-	-	-	4	20	313	83	179	3	24
Kensington	2	5	1	14	35	-	3	3	31	378	-	-	-	-	19	86	40	96	1	20
Lambeth	2	-	6	92	60	-	7	5	70	939	-	-	-	-	41	18	5	77	-	12
Lewisham	1	1	3	146	153	-	13	1	124	1,180	-	-	-	-	15	66	24	126	1	14
Paddington	-	1	-	25	43	-	3	1	17	617	-	-	-	-	13	135	57	91	1	15
Poplar	-	-	1	111	26	-	1	-	179	416	-	-	-	-	35	2	8	32	-	5
St. Marylebone	1	-	-	9	4	-	3	2	4	140	-	-	-	-	1	4	15	35	1	6
St. Pancras	4	-	1	38	43	1	3	-	72	644	-	-	-	4	10	25	29	103	-	8
Shoreditch	-	-	1	52	36	-	6	-	26	188	-	-	-	-	6	-	13	14	-	5
Southwark	-	1	1	93	32	3	3	2	313	415	-	-	-	1	35	42	20	61	2	1
Stepney	-	-	1	59	51	-	3	2	30	610	-	-	-	1	52	5	10	80	-	10
Stoke Newington	-	1	2	22	22	-	2	-	33	376	-	-	-	-	1	1	9	37	-	8
Wandsworth	2	2	6	135	219	-	11	6	187	1,033	-	-	-	-	80	28	29	143	2	21
Westminster	-	-	-	5	14	-	-	1	13	389	-	-	-	-	1	36	37	44	-	4
Woolwich	-	-	3	72	80	-	8	7	18	456	-	-	-	-	35	96	-	47	-	6
Middlesex	**1**	**11**	**10**	**860**	**1,088**	**-**	**85**	**11**	**806**	**8,041**	**-**	**-**	**37**	**6**	**380**	**810**	**176**	**674**	**2**	**122**
Total M.B.s and U.D.s	1	11	10	860	1,088	-	85	11	806	8,041	-	-	37	6	380	810	176	674	2	122

* Anthrax cases notified: **Lancashire 2**: Manchester C.B.1, Leigh M.B. 1. **Lincolnshire (Parts of Kesteven) 1**: Grantham M.B. 1.

TABLE 31 - *continued*

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Norfolk	-	8	4	260	458	-	25	10	256	3,179	-	-	3	3	127	18	448	94	1	31
Total C.B.s	-	-	1	112	138	-	4	8	232	950	-	-	1	3	26	11	405	34	-	5
Great Yarmouth C.B.	-	-	-	23	14	-	1	1	-	214	-	-	-	-	1	1	1	13	-	2
Norwich C.B.	-	-	1	89	124	-	3	7	232	736	-	-	1	3	25	10	404	21	-	3
Total M.B.s and U.D.s	-	3	1	32	71	-	1	-	-	470	-	-	-	-	12	2	6	14	-	8
Total R.D.s	-	5	2	116	249	-	20	2	24	1,759	-	-	2	-	89	5	37	46	1	18
Northamptonshire	-	2	5	106	322	-	18	-	45	3,980	-	-	-	1	82	23	66	115	3	24
Northampton C.B.	-	-	-	34	72	-	7	-	2	479	-	-	-	-	12	7	1	30	2	6
Total M.B.s and U.D.s	-	2	5	33	141	-	7	-	39	2,407	-	-	-	-	48	13	48	62	-	9
Total R.D.s	-	-	-	39	109	-	4	-	4	1,094	-	-	-	1	22	3	17	23	1	9
Northumberland	2	13	10	258	207	-	23	-	264	3,908	-	1	-	-	116	5	32	319	2	47
Total C.B.s	-	1	8	104	77	-	3	-	109	1,693	-	-	-	-	52	3	19	175	2	30
Newcastle upon Tyne C.B.	-	-	7	88	61	-	2	-	109	1,148	-	-	-	-	45	3	18	147	-	24
Tynemouth C.B.	-	1	1	16	16	-	1	-	-	545	-	-	-	-	7	-	1	28	2	6
Total M.B.s and U.D.s	2	6	1	126	71	-	12	-	81	1,462	-	1	-	-	33	1	9	121	-	14
Total R.D.s	-	6	1	28	59	-	8	-	74	753	-	-	-	-	31	1	4	23	-	3
* **Nottinghamshire**	-	3	10	413	404	-	46	20	552	6,104	1	-	2	4	184	33	175	290	4	39
* Nottingham C.B.	-	-	1	93	135	-	18	14	70	2,711	1	-	1	3	68	24	77	155	-	21
Total M.B.s and U.D.s	-	2	9	252	165	-	22	2	318	2,510	-	-	1	1	95	7	44	97	4	9
Total R.D.s	-	1	-	68	104	-	6	4	164	883	-	-	-	-	21	2	54	38	-	9
Oxfordshire	1	1	3	57	225	-	12	1	136	1,369	-	-	1	2	36	85	114	186	2	20
Oxford C.B.	1	1	1	24	88	-	7	1	82	305	-	-	1	-	17	79	107	97	2	15
Total M.B.s and U.D.s	-	-	2	8	13	-	1	-	20	213	-	-	-	-	1	2	2	22	-	2
Total R.D.s	-	-	-	25	124	-	4	-	34	851	-	-	-	2	18	4	5	67	-	3
Peterborough, Soke of	-	-	2	8	49	-	1	-	-	366	-	-	1	-	2	41	23	16	-	3
Peterborough M.B.	-	-	1	4	46	-	-	-	-	331	-	-	-	-	2	41	23	14	-	3
Total R.D.s	-	-	1	4	3	-	1	-	-	35	-	-	1	-	-	-	-	2	-	-
Rutland	-	-	1	4	14	-	-	-	1	98	-	-	-	-	5	-	-	2	-	1
Oakham U.D.	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	1
Total R.D.s	-	-	1	4	14	-	-	-	1	93	-	-	-	-	5	-	-	2	-	-
Shropshire	-	-	3	115	178	-	12	-	30	2,334	-	-	-	1	96	3	5	47	-	10
Total M.B.s and U.D.s	-	-	1	66	49	-	6	-	19	1,106	-	-	-	1	51	2	2	26	-	5
Total R.D.s	-	-	2	49	129	-	6	-	11	1,228	-	-	-	-	45	1	3	21	-	5
Somerset	6	1	3	196	475	-	27	2	128	2,779	-	-	1	-	53	35	42	110	1	21
Bath C.B.	1	1	1	39	71	-	3	-	41	254	-	-	-	-	6	12	16	25	-	2
Total M.B.s and U.D.s	-	-	2	62	146	-	7	2	45	1,413	-	-	-	-	4	14	8	48	1	14
Total R.D.s	5	-	-	95	258	-	17	-	42	1,112	-	-	1	-	43	9	18	37	-	5

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Staffordshire	**3**	**4**	**15**	**556**	**1,181**	-	**46**	**19**	**344**	**9,293**	**1**	**1**	**3**	**11**	**404**	**222**	**120**	**632**	**3**	**112**
Total C.B.s	3	-	7	248	438	-	28	13	60	4,047	1	1	-	7	234	201	29	369	2	64
Burton upon Trent C.B.	-	-	-	5	89	-	-	1	-	266	-	-	-	-	3	15	-	12	-	-
Smethwick C.B.	-	-	-	28	70	-	1	4	-	172	-	1	-	-	10	1	-	39	-	20
Stoke-on-Trent C.B.	1	-	4	86	113	-	4	4	35	1,085	1	-	-	4	129	166	5	116	-	12
Walsall C.B	1	-	1	62	59	-	16	-	16	1,123	-	-	-	2	60	8	11	73	1	13
West Bromwich C.B.	1	-	2	7	15	-	2	2	1	327	-	-	-	-	-	1	-	44	-	10
Wolverhampton C.B.	-	-	-	60	92	-	5	2	8	1,074	-	-	-	1	32	10	13	85	1	9
Total M.B.s and U.D.s	-	2	6	215	553	-	16	5	163	3,999	-	-	2	3	129	20	70	225	1	40
Total R.D.s	-	2	2	93	190	-	2	1	121	1,247	-	-	1	1	41	1	21	38	-	8
Suffolk, East	-	-	**5**	**278**	**163**	-	**6**	-	**77**	**2,058**	-	-	**2**	-	**72**	**34**	**36**	**64**	**1**	**26**
Ipswich C.B.	-	-	3	141	64	-	1	-	13	362	-	-	-	-	3	19	6	24	-	12
Total M.B.s and U.D.s	-	-	-	31	42	-	2	-	15	524	-	-	1	-	20	9	24	14	1	5
Total R.D.s	-	-	2	106	57	-	3	-	49	1,172	-	-	1	-	49	6	6	26	-	9
Suffolk, West	-	-	-	**35**	**130**	-	**2**	**1**	**2**	**593**	-	-	-	**1**	**40**	**9**	**27**	**22**	-	**17**
Total M.B.s and U.D.s	-	-	-	9	44	-	-	-	2	145	-	-	-	1	12	7	6	10	-	8
Total R.D.s	-	-	-	26	86	-	2	1	-	448	-	-	-	-	28	2	21	12	-	9
Surrey	**8**	**22**	**10**	**550**	**1,006**	**1**	**63**	**2**	**451**	**7,185**	**1**	-	**2**	**8**	**174**	**277**	**174**	**453**	**1**	**71**
Croydon C.B.	-	-	-	142	328	-	14	-	103	1,456	-	-	1	-	13	10	65	90	-	10
Total M.B.s and U.D.s	8	21	7	337	599	1	42	2	242	5,170	1	-	1	8	132	264	87	338	1	53
Total R.D.s	-	1	3	71	79	-	7	-	106	559	-	-	-	-	29	3	22	25	-	8
Sussex, East	**2**	**10**	**6**	**199**	**298**	-	**31**	**9**	**55**	**2,690**	-	-	**1**	**13**	**102**	**90**	**16**	**120**	**1**	**18**
Total C.B.s	1	8	3	101	114	-	10	7	9	1,245	-	-	-	4	54	27	7	60	-	8
Brighton C.B.	1	6	3	87	48	-	4	6	9	671	-	-	-	-	39	20	6	40	-	5
Eastbourne C.B.	-	1	-	11	20	-	-	1	-	21	-	-	-	-	3	7	-	11	-	2
Hastings C.B.	-	1	-	3	46	-	6	-	-	553	-	-	-	-	12	-	1	9	-	1
Total M.B.s and U.D.s	1	2	1	63	88	-	12	-	3	592	-	-	-	9	30	55	5	34	1	5
Total R.D.s	-	-	2	35	96	-	9	2	43	853	-	-	1	-	18	8	4	26	-	5
Sussex, West	**3**	**8**	**4**	**75**	**196**	-	**10**	**1**	**252**	**909**	-	-	-	-	**27**	**111**	**7**	**46**	-	**9**
Total M.B.s and U.D.s	3	1	3	43	69	-	6	1	217	390	-	-	-	-	12	87	5	30	-	7
Total R.D.s	-	7	1	32	127	-	4	-	35	519	-	-	-	-	15	24	2	16	-	2
Warwickshire	**14**	**6**	**22**	**992**	**1,235**	-	**110**	**313**	**1,086**	**13,400**	-	-	**6**	**6**	**430**	**198**	**284**	**889**	**3**	**176**
Total C.B.s	11	3	19	830	1,058	-	99	312	874	10,217	-	-	6	5	288	178	251	768	3	142
Birmingham C.B.	9	1	12	598	760	-	70	304	759	6,723	-	-	1	3	168	138	231	642	3	104
Coventry C.B.	2	2	7	188	226	-	27	7	112	3,066	-	-	5	2	99	38	18	112	-	36
Solihull C.B.	-	-	-	44	72	-	2	1	3	428	-	-	-	-	21	2	2	14	-	2
Total M.B.s and U.D.s	1	2	2	87	103	-	9	-	57	2,007	-	-	-	-	59	6	11	81	-	25
Total R.D.s	2	1	1	75	74	-	2	1	155	1,176	-	-	-	1	83	14	22	40	-	9
Westmorland	-	-	-	**21**	**35**	-	-	-	**1**	**720**	-	-	-	-	**15**	**1**	-	**13**	**2**	-
Total M.B.s and U.D.s	-	-	-	10	20	-	-	-	1	380	-	-	-	-	-	-	-	9	1	-
Total R.D.s	-	-	-	11	15	-	-	-	-	340	-	-	-	-	15	1	-	4	1	-
Wight, Isle of	-	-	**2**	**38**	**47**	-	**2**	-	-	**598**	-	-	**1**	-	**3**	**1**	**43**	**17**	-	**2**
Total M.B.s and U.D.s	-	-	2	35	41	-	1	-	-	571	-	-	1	-	3	1	43	15	-	2
Isle of Wight R.D.	-	-	-	3	6	-	1	-	-	27	-	-	-	-	-	-	-	2	-	-
Wiltshire	-	**5**	**11**	**153**	**175**	-	**9**	**2**	**197**	**2,530**	-	-	-	**2**	**42**	**65**	**20**	**95**	**3**	**34**
Total M.B.s and U.D.s	-	1	-	65	57	-	6	1	49	1,224	-	-	-	2	13	36	5	61	-	20
Total R.D.s	-	4	11	88	118	-	3	1	148	1,306	-	-	-	-	29	29	15	34	3	14
Worcestershire	-	**1**	**5**	**209**	**467**	-	**11**	**8**	**55**	**4,479**	-	-	**1**	-	**128**	**30**	**69**	**150**	**1**	**17**
Total C.B.s	-	-	3	27	70	-	4	6	30	923	-	-	-	-	42	2	9	57	-	7
Dudley C.B.	-	-	1	12	34	-	3	-	4	100	-	-	-	-	8	1	4	37	-	5
Worcester C.B.	-	-	2	15	36	-	1	6	26	823	-	-	-	-	34	1	5	20	-	2
Total M.B.s and U.D.s	-	1	1	149	297	-	3	2	19	2,416	-	-	1	-	56	27	13	69	1	9
Total R.D.s	-	-	1	33	100	-	4	-	6	1,140	-	-	-	-	30	1	47	24	-	1
Yorkshire, East Riding	**1**	**1**	**7**	**187**	**747**	-	**9**	**2**	**393**	**2,681**	-	-	**1**	**2**	**308**	**34**	**40**	**142**	**1**	**10**
Kingston upon Hull C.B.	-	-	3	126	576	-	8	1	266	1,414	-	-	1	2	262	23	10	104	1	7
Total M.B.s and U.D.s	-	-	2	28	74	-	1	-	126	603	-	-	-	-	10	5	27	26	-	1
Total R.D.s	1	1	2	33	97	-	-	1	1	664	-	-	-	-	36	6	3	12	-	2

* Anthrax cases notified: **Nottinghamshire 1:** Nottingham C.B. 1.

TABLE 31 - *continued*

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenzal)	Puerperal pyrexia	Food poisoning	Tuberculosis		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Yorkshire, North Riding	-	-	**10**	**138**	**522**	-	**15**	**4**	**340**	**5,263**	**1**	-	**5**	**1**	**84**	**38**	**43**	**169**	**4**	**16**
Middlesbrough C.B.	-	-	6	40	130	-	5	2	216	1,105	-	-	3	-	17	21	14	85	1	7
Total M.B.s and U.D.s	-	-	2	51	247	-	8	2	99	2,267	1	-	1	-	34	14	10	54	1	6
Total R.D.s	-	-	2	47	145	-	2	-	25	1,891	-	-	1	1	33	3	19	30	2	3
***Yorkshire, West Riding**	**2**	**10**	**38**	**2,492**	**3,365**	**10**	**159**	**46**	**2,920**	**35,014**	**5**	-	**5**	**8**	**1,861**	**320**	**586**	**1,341**	**14**	**225**
Total C.B.s	1	4	21	1,290	1,866	1	87	43	2,488	20,606	2	-	2	6	1,497	275	472	926	11	157
Barnsley C.B.	-	-	3	46	89	-	6	-	195	1,447	1	-	-	-	132	7	64	21	-	3
Bradford C.B.	-	3	3	256	303	1	15	4	546	2,665	1	-	-	4	258	9	136	254	3	665
*Dewsbury C.B.	-	1	-	4	18	-	2	-	13	727	-	-	-	-	1	7	1	20	-	3
Doncaster C.B.	-	-	3	113	78	-	3	8	5	726	-	-	-	-	26	16	5	14	-	2
Halifax C.B.	-	-	1	12	24	-	-	-	8	621	-	-	-	-	6	1	-	51	-	8
*Huddersfield C.B.	-	-	1	73	230	-	5	-	361	1,987	-	-	1	1	39	8	8	79	-	25
Leeds C.B	1	-	2	233	739	-	19	28	886	5,984	-	-	-	-	599	141	195	223	5	16
Rotherham C.B.	-	-	1	95	47	-	2	-	43	720	-	-	-	-	27	33	3	23	-	5
Sheffield C.B.	-	-	5	381	215	-	28	2	391	4,119	-	-	1	1	392	39	23	211	3	25
Wakefield C.B.	-	-	-	15	20	-	-	-	6	335	-	-	-	-	6	10	8	13	-	4
York C.B.	-	-	2	62	103	-	7	1	34	1,275	-	-	-	-	11	4	29	17	-	1
Total M.B.s and U.D.s	1	4	10	730	1,022	9	57	3	295	10,076	3	-	2	2	297	29	92	321	2	54
Total R.D.s	-	2	7	472	477	-	15	-	137	4,332	-	-	1	-	67	16	22	94	1	14
WALES	**2**	**21**	**31**	**669**	**1,710**	-	**87**	**7**	**443**	**17,975**	**3**	-	-	**2**	**607**	**149**	**289**	**915**	**8**	**149**
Anglesey	-	-	-	**30**	**52**	-	-	-	**1**	**1,213**	-	-	-	**1**	**4**	**2**	**1**	**28**	**1**	**7**
Total M.B. and U.D.s	-	-	-	3	38	-	-	-	1	892	-	-	-	-	3	-	-	14	1	3
Total R.D.s	-	-	-	27	14	-	-	-	-	321	-	-	-	1	1	2	1	14	-	4
Brecknockshire	-	-	**1**	**18**	**27**	-	**1**	-	**2**	**540**	-	-	-	-	**1**	**2**	**1**	**11**	-	**6**
Total M.B. and U.D.s	-	-	1	6	2	-	-	-	-	152	-	-	-	-	1	1	-	1	-	4
Total R.D.s	-	-	-	12	25	-	1	-	2	388	-	-	-	-	-	1	1	10	-	2
Caernarvonshire	-	**3**	**2**	**20**	**95**	-	**2**	-	**26**	**1,468**	-	-	-	-	**23**	**7**	**6**	**54**	-	**12**
Total M.B.s and U.D.s	-	-	2	14	71	-	1	-	22	844	-	-	-	-	19	7	5	23	-	6
Total R.D.s	-	3	-	6	24	-	1	-	4	624	-	-	-	-	4	-	1	31	-	6
Cardinganshire	-	**6**	-	**2**	**1**	-	**1**	-	**30**	**334**	-	-	-	-	**2**	-	-	**17**	-	**5**
Total M.B.s and U.D.s	-	4	-	-	-	-	-	-	30	181	-	-	-	-	1	-	-	8	-	2
Total R.D.s	-	2	-	2	1	-	1	-	-	153	-	-	-	-	1	-	-	9	-	3
Carmarthenshire	-	**1**	**1**	**28**	**108**	-	**4**	**1**	**98**	**844**	-	-	-	-	**52**	**2**	-	**58**	-	**11**
Total M.B.s and U.D.s	-	-	1	12	53	-	2	-	53	410	-	-	-	-	39	1	-	21	-	2
Total R.D.s	-	1	-	16	55	-	2	1	45	434	-	-	-	-	13	1	-	37	-	9

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
*** Denbighshire**	-	-	**1**	**79**	**116**	-	**9**	**1**	**5**	**1,160**	**1**	-	-	-	**24**	**30**	**19**	**53**	**2**	**9**
Total M.B.s and U.D.s	-	-	-	44	87	-	6	1	4	710	1	-	-	-	16	23	9	29	1	4
*Total R.D.s	-	-	1	35	29	-	3	-	1	450	-	-	-	-	8	7	10	24	1	5
Flintshire	-	**1**	**2**	**27**	**71**	-	**8**	**1**	**12**	**1,002**	-	-	-	-	**25**	**24**	**34**	**45**	-	**8**
Total M.B.s and U.D.s	-	-	8	17	39	-	6	-	2	574	-	-	-	-	15	1	17	23	-	5
Total R.D.s	-	1	1	10	32	-	2	1	10	428	-	-	-	-	10	23	17	22	-	3
Glamorgan	**1**	**4**	**16**	**332**	**782**	-	**48**	**3**	**166**	**7,246**	**2**	-	-	-	**353**	**78**	**118**	**459**	**2**	**54**
Total C.B.s	-	-	8	116	328	-	32	2	51	3,223	1	-	-	-	126	28	84	178	1	20
Cardiff C.B.	-	-	6	63	200	-	25	2	33	1,682	1	-	-	-	108	8	45	100	1	13
Merthyr Tydfil C.B.	-	-	1	20	7	-	-	-	4	674	-	-	-	-	-	-	1	23	-	4
Swansea C.B.	-	-	1	33	121	-	7	-	14	867	-	-	-	-	18	20	38	55	-	3
Total M.B.s and U.D.s	1	1	7	186	314	-	12	1	72	2,948	1	-	-	-	196	38	22	214	-	22
Total R.D.s	-	3	1	30	140	-	4	-	43	1,075	-	-	-	-	31	12	12	67	1	12
Merionethshire	-	**6**	-	**1**	**18**	-	-	**1**	-	**82**	-	-	-	-	**9**	-	**3**	**24**	-	**5**
Total U.D.s	-	6	-	1	16	-	-	-	-	12	-	-	-	-	-	-	3	16	-	2
Total R.D.s	-	-	-	-	2	-	-	1	-	70	-	-	-	-	9	-	-	8	-	3
Monmouthshire	**1**	-	**8**	**80**	**322**	-	**9**	-	**102**	**3,233**	-	-	-	**1**	**61**	**4**	**99**	**133**	**3**	**19**
Newport C.B.	-	-	1	29	88	-	3	-	84	211	-	-	-	-	8	2	9	41	-	7
Total M.B.s and U.D.s	1	-	7	45	190	-	5	-	3	2,658	-	-	-	1	43	2	88	87	2	11
Total R.D.s	-	-	-	6	44	-	1	-	15	364	-	-	-	-	10	-	2	5	1	1
Montgomeryshire	-	-	-	**4**	**15**	-	**1**	-	**1**	**191**	-	-	-	-	**15**	-	**6**	**7**	-	**5**
Total M.B.s and U.D.s	-	-	-	1	7	-	-	-	1	17	-	-	-	-	14	-	5	6	-	2
Total R.D.s	-	-	-	3	8	-	1	-	-	174	-	-	-	-	1	-	1	1	-	3
Pembrokeshire	-	-	-	**47**	**94**	-	**4**	-	-	**499**	-	-	-	-	**31**	-	**2**	**25**	-	**6**
Total M.B.s and U.D.s	-	-	-	25	42	-	3	-	-	270	-	-	-	-	24	-	2	17	-	4
Total R.D.s	-	-	-	22	52	-	1	-	-	229	-	-	-	-	7	-	-	8	-	2
Radnorshire	-	-	-	**1**	**9**	-	-	-	-	**163**	-	-	-	-	**7**	-	-	**1**	-	**2**
Total U.D.s	-	-	-	-	7	-	-	-	-	51	-	-	-	-	6	-	-	1	-	1
Total R.D.s	-	-	-	1	2	-	-	-	-	112	-	-	-	-	1	-	-	-	-	1

* Anthrax cases notified: **Yorkshire, West Riding 2:** Dewsbury C.B. 1; Huddersfield C.B. 1. **Denbighshire 1:** Wrexham R.D. 1.

SUMMARY

Anthrax cases notified: Original - **England and Wales 7. East and West Ridings 2:** West Yorkshire Conurbation 2. **North Western 2:** South East Lancashire Conurbation 1. **North Midland 2. Wales (remainder) 1.**

Final - **England and Wales 7. East and West Ridings 2:** West Yorkshire Conurbation 2. **North Western 2:** South East Lancashire Conurbation 1. **North Midland 2. Wales (remainder) 1.**

TABLE 32. Quarterly air temperature, rainfall and sunshine, 1964

Note. The averages used for rainfall and rain-days are for the period 1916-50, while those for temperature and sunshine are for 1931-60.

District	Air temperature (°F)			Rainfall		Sunshine	Air temperature (°F)			Rainfall		Sunshine
	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days difference from average	Percentage of average	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days difference from average	Percentage of average
	Quarter ended 31st March						Quarter ended 30th June					
England N.E.	58	10	-0·8	96	-8	81	78	23	+1·4	100	+2	93
England E.	59	10	-1·6	102	-8	73	81	26	+1·3	154	+5	88
Midland Counties	59	8	-0·9	87	-8	79	79	25	+0·7	102	+5	83
England S.E.	59	10	-0·8	100	-8	66	81	25	+0·7	159	+8	86
England N.W. and North Wales	60	7	-0·2	63	-15	90	79	20	+0·7	101	+6	85
England S.W. and South Wales	59	15	-0·9	75	-15	67	80	24	+0·3	100	+4	80
Mean	-	-	-0·9	87	-10	76	-	-	+0·9	119	+5	86
	Quarter ended 30th September						Quarter ended 31st December					
England N.E.	87	27	-0·3	54	-12	113	67	6	-1·3	58	-8	109
England E.	91	29	0·0	44	-12	119	74	7	-1·3	79	-6	105
Midland Counties	87	29	-0·1	50	-14	123	70	4	-1·1	67	-6	117
England S.E.	88	32	+0·7	42	-12	119	72	11	-0·8	77	-6	108
England N.W. and North Wales	83	28	-0·4	76	-9	111	69	5	-1·0	111	-7	129
England S.W. and South Wales	82	29	-0·1	57	-12	115	70	7	-1·3	87	-5	100
Mean	-	-	0·0	54	-12	117	-	-	-1·1	80	-6	111
	Year 1964											
England N.E.	87	6	-0·2	71	-25	98						
England E.	91	7	-0·4	87	-20	97						
Midland Counties	87	4	-0·4	72	-22	98						
England S.E.	88	10	0·0	87	-20	97						
England N.W. and North Wales	83	5	-0·2	86	-25	98						
England S.W. and South Wales	82	7	-0·5	77	-31	91						
Mean	-	-	-0·3	80	-24	97						

BLE 33. Rainfall, mean temperature and sunshine 1914-1964

England and Wales

ear	Fall of rain in inches	Departure from average of 35 years (1916-1950)*	Mean temperature of the air at sea-level	Departure from average of 30 years (1921-1950)‡	Mean daily sunshine	Departure from average of 30 years (1921-1950)‡
	ins.	ins.	°F.	°F.	hours	hours
914	38·1	+ 2·5	50·7	+0·6	4·27	+0·30
915	38·8	+ 3·2	49·0	-1·1	4·10	+0·13
916	40·1	+ 4·5	49·4	-0·7	3·61	-0·36
917	34·5	- 1·1	48·3	-1·8	4·03	+0·06
918	37·7	+ 2·1	50·0	-0·1	4·08	+0·11
919	37·0	+ 1·4	48·2	-1·9	4·01	+0·04
920	38·4	+ 2·8	50·2	+0·1	3·66	-0·31
921	24·7	-10·9	51·8	+1·7	4·60	+0·63
922	37·1	+ 1·5	47·8	-2·3	4·02	+0·05
923	39·8	+ 4·2	49·2	-0·9	3·87	-0·10
924	42·3	+ 6·7	49·5	-0·6	3·75	-0·22
925	37·3	+ 1·7	49·4	-0·7	4·09	+0·12
926	35·9	+ 0·3	50·3	+0·2	3·77	-0·20
927	43·3	+ 7·7	49·4	-0·7	3·61	-0·36
928	40·4	+ 4·8	50·1	0·0	4·12	+0·15
929	35·2	- 0·4	49·1	-1·0	4·52	+0·55
930	41·4	+ 5·8	50·0	-0·1	3·84	-0·13
931	38·4	+ 2·8	49·2	-0·9	3·60	-0·37
932	36·3	+ 0·7	49·9	-0·2	3·53	-0·44
933	28·6	- 7·1	50·6	+0·5	4·42	+0·45
934	33·5	- 2·1	50·9	+0·8	4·08	+0·11
935	39·8	+ 4·2	50·5	+0·4	4·13	+0·16
936	38·4	+ 2·8	49·8	-0·3	3·56	-0·41
937	38·8	+ 3·2	50·1	0·0	3·46	-0·51
938	34·9	- 0·7	51·0	+0·9	3·84	-0·13
939	39·9	+ 4·3	50·3	+0·2	3·97	0·00
940	35·6	0·0	49·3	-0·8	4·18	+0·21
941	33·8	- 1·8	49·2	-0·9	3·67	-0·30
942	33·1	- 2·5	49·2	-0·9	3·90	-0·07
943	32·8	- 2·8	51·0	+0·9	4·25	+0·29
944	35·3	- 0·3	50·1	0·0	3·73	-0·24
945	32·8	- 2·8	51·4	+1·3	3·81	-0·15
946	41·6	+ 6·0	50·0	-0·1	3·83	-0·14
947	32·4	- 3·2	50·1	0·0	3·97	0·00
948	37·5	+ 1·9	50·9	+0·8	4·12	+0·16
949	30·9	- 4·7	51·9	+1·8	4·63	+0·66
950	40·2	+ 4·6	50·1	0·0	3·94	-0·02
951	43·7	+ 8·1	49·7	-0·4	3·98	+0·01
952	35·5	- 0·1	49·5	-0·6	4·10	+0·13
953	29·8	- 5·8	50·7	+0·6	4·04	+0·08
954	42·7	+ 7·1	49·6	-0·5	3·52	-0·44
955	30·9	- 4·7	49·7	-0·4	4·47	+0·51
956	34·0	- 1·6	48·9	-1·2	3·88	-0·08
957	35·7	+ 0·1	51·0	+0·9	4·04	+0·08
958	40·5	+ 4·9	49·8	-0·3	3·52	-0·44
959	28·4	- 7·2	51·8	+1·7	4·63	+0·67
960	46·1	+10·5	50·4	+0·3	3·84	-0·12
961	34·7†	- 0·9	50·9	+0·8	4·12	+0·16
962	31·1†	- 4·5	48·6	-1·5	4·16	+0·20
963	33·5†	- 2·1	48·2	-2·1	3·87	-0·08
964	27·8†	- 7·8	50·2	-0·1	3·83	-1·20

* Based on revised 1916-50 average.
† Provisional.
‡ From 1963 onwards the departures are based on the average of 30 years 1931-60.

TABLE 34. Meteorological observations, 1964 — Kew Observatory, Richmond

Month	Temperature of the air				Rain collected in a gauge having a receiving surface 12 inches above the ground		Sunshine registered in nhours		Atmospheric pollution	
	Highest for month	Lowest for month	Mean daily value	Departure from average of 80 years	Total	Departure from average of 80 years	Total	Departure from average of 70 years	Maximum for month	Mean
	°F.	°F.	°F.	°F.	ins.	ins.	hours	hours	mg/m$_3$	mg/m$_3$
January	53·2	26·6	39·2	-0·5	0·53	-1·44	37·1	- 6·6	1·294	0·170
February	54·1	28·4	41·5	+1·3	0·70	-0·89	64·5	+ 4·6	1·093	0·129
March	57·0	29·5	41·0	-1·9	3·27	+1·74	70·5	-36·6	0·337	0·072
April	67·5	31·5	48·4	+0·9	3·18	+1·54	129·4	-23·4	0·479	0·042
May	76·8	41·7	58·1	+4·4	1·67	-0·07	207·9	+ 7·5	0·150	0·028
June	77·0	43·2	59·7	+0·3	3·89	+1·91	172·0	-31·7	0·129	0·024
July	81·5	49·3	64·6	+1·9	1·95	-0·44	224·5	+26·1	0·087	0·021
August	82·6	43·9	62·2	+0·3	1·83	-0·45	220·0	+34·0	0·286	0·024
September	76·6	41·2	59·4	+2·0	0·41	-1·61	219·4	+76·2	0·291	0·040
October	68·0	31·6	48·9	-1·6	1·21	-1·27	132·1	+36·8	0·599	0·105
November	59·2	26·1	47·7	+3·3	1·34	-1·03	55·0	+ 2·6	0·828	0·098
December	57·4	21·0	40·6	-0·4	1·34	-0·81	50·0	+11·8	0·838	0·106
Means	-	-	50·9	+0·8	sum 21·32	-2·82	sum 1,582·4	+101·3	-	0·072

Additional meteorological information may be obtained from the Monthly Weather Reports and Annual Report of the Meteorological Office, and the annual volume of the British Rainfall Organisation, published by Her Majesty's Stationery Office.

APPENDICES

APPENDIX A. Standardised Mortality Ratios (based on United Kingdom and Irish Republic experience), age specific death rates and infant mortality rates from selected causes and estimated mid-year populations, 1964

ICD No.	Causes of death	Country	S.M.R.		Death rates per million population							
			All ages		All ages		1-4		5-14		15-24	
			M	F	M	F	M	F	M	F	M	F
	All causes	**England and Wales**	**99**	**98**	**11,924**	**10,672**	**870·6**	**738·5**	**432·2**	**285·2**	**1,033**	**426·2**
		Scotland	**112**	**112**	**12,707**	**10,816**	**906·5**	**895·2**	**479·0**	**298·8**	**929·7**	**434·3**
		Northern Ireland	**100**	**112**	**11,304**	**9,795**	**765·6**	**607·1**	**401·5**	**315·9**	**838·3**	**325·6**
		Irish Republic	**97**	**115**	**12,325**	**10,572**	**1,045**	**978·3**	**395·4**	**376·2**	**753·7**	**492·4**
001-008	Tuberculosis of respiratory system	England and Wales	90	82	74·3	20·4	1·85	2·60	0·29	0·30	2·33	0·60
		Scotland	127	144	98·4	33·6	-	-	-	2·41	-	-
		Northern Ireland	94	132	68·9	28·1	-	-	-	-	-	-
		Irish Republic	227	361	181·8	76·1	-	-	-	3·55	8·97	9·47
010-019	Tuberculosis, other forms	England and Wales	90	92	6·16	5·46	2·46	3·24	0·87	0·61	0·87	0·90
		Scotland	98	146	6·40	8·13	-	-	-	-	2·63	2·62
		Northern Ireland	205	104	12·7	5·35	-	-	-	-	16·9	-
		Irish Republic	227	163	14·7	8·46	-	-	10·1	3·55	-	-
020-029	Syphilis and its sequelae	England and Wales	111	111	21·5	12·1	-	-	-	0·30	-	-
		Scotland	57	50	10·4	4·80	-	-	-	-	-	-
		Northern Ireland	56	31	9·85	2·68	-	-	-	-	-	-
		Irish Republic	21	8	4·19	0·70	-	-	-	-	-	-
057	Meningococcal infections	England and Wales	94	94	2·30	1·85	9·24	9·73	0·87	1·82	0·29	0·60
		Scotland	168	176	4·40	3·69	20·3	21·3	2·30	2·41	-	-
		Northern Ireland	99	116	2·81	2·68	-	16·9	-	7·70	-	-
		Irish Republic	74	58	2·10	1·41	-	-	-	-	-	-
080	Acute poliomyelitis	England and Wales	61	81	0·09	0·08	-	0·65	0·29	-	-	-
		Scotland	-	-	-	-	-	-	-	-	-	-
		Northern Ireland	-	-	-	-	-	-	-	-	-	-
		Irish Republic	909	588	1·40	0·70	8·04	-	-	-	4·49	-
Rem. 001-138	Other infective and parasitic diseases	England and Wales	95	94	21·7	21·4	30·2	34·4	7·81	6·07	6·98	7·76
		Scotland	82	97	18·8	21·4	35·4	16·0	4·61	7·23	2·63	5·23
		Northern Ireland	109	135	25·3	29·5	-	50·6	14·6	7·70	8·47	-
		Irish Republic	203	196	48·9	43·7	72·3	92·0	20·3	39·0	22·4	4·73
140-148	Malignant neoplasm of: buccal cavity and pharynx	England and Wales	97	96	44·3	26·9	-	1·30	1·16	0·30	0·87	0·90
		Scotland	99	113	42·0	28·8	-	-	2·30	-	-	-
		Northern Ireland	133	141	56·3	32·1	-	-	-	-	8·47	-
		Irish Republic	136	137	66·4	31·7	-	-	3·38	-	-	-
150	oesophagus	England and Wales	97	96	58·5	48·9	-	-	-	-	-	-
		Scotland	118	116	66·8	52·5	-	-	-	-	2·63	-
		Northern Ireland	82	109	45·0	44·2	-	-	-	-	-	-
		Irish Republic	133	143	83·2	59·9	-	-	-	-	-	-
151	stomach	England and Wales	100	96	325·5	228·6	-	-	-	-	0·58	0·60
		Scotland	107	118	327·2	248·6	-	-	-	-	-	-
		Northern Ireland	89	117	260·2	219·5	-	-	-	-	-	-
		Irish Republic	100	129	332·8	250·9	-	-	-	-	8·97	-
153	large intestine	England and Wales	97	97	156·9	224·7	0·62	-	0·58	0·30	1·16	0·60
		Scotland	134	126	202·0	259·7	-	-	-	-	2·63	-
		Northern Ireland	107	105	157·5	192·8	-	-	-	-	-	8·57
		Irish Republic	90	102	152·4	193·8	-	-	3·38	-	4·49	-
154	rectum	England and Wales	102	102	128·5	106·9	-	-	0·29	-	-	-
		Scotland	106	101	124·4	94·6	-	-	-	-	-	-
		Northern Ireland	87	86	99·9	72·3	-	-	-	-	-	-
		Irish Republic	66	69	86·7	59·9	-	-	-	-	4·49	-
161	larynx	England and Wales	100	87	24·8	5·91	-	-	-	-	0·29	-
		Scotland	93	107	21·6	6·65	-	-	-	-	-	-
		Northern Ireland	88	145	19·7	8·03	-	-	-	-	-	-
		Irish Republic	121	338	30·8	19·0	-	-	-	-	-	-
162, 163	trachea, bronchus, and lung	England and Wales	103	101	932·0	159·9	-	0·65	-	0·30	3·20	1·49
		Scotland	115	116	972·1	170·7	-	-	-	-	2·63	2·62
		Northern Ireland	59	68	464·1	88·4	-	-	-	-	-	-
		Irish Republic	42	66	366·3	86·7	-	-	-	-	-	-
170	breast	England and Wales	102	101	3·65	404·8	-	-	-	-	-	1·79
		Scotland	84	97	2·80	356·5	-	-	-	-	-	-
		Northern Ireland	222	91	7·03	302·5	-	-	-	-	-	-
		Irish Republic	40	87	1·40	286·9	-	-	-	-	-	-
171	cervix uteri	England and Wales	-	104	-	105·8	-	-	-	-	-	0·90
		Scotland	-	100	-	94·9	-	-	-	-	-	-
		Northern Ireland	-	56	-	48·2	-	-	-	-	-	8·57
		Irish Republic	-	44	-	37·4	-	-	-	-	-	-
172	corpus uteri	England and Wales	-	110	-	45·4	-	-	-	-	-	-
		Scotland	-	57	-	21·4	-	-	-	-	-	-
		Northern Ireland	-	28	-	9·37	-	-	-	-	-	-
		Irish Republic	-	17	-	5·64	-	-	-	-	-	-
177	prostate	England and Wales	100	-	161·8	-	-	-	-	-	0·29	-
		Scotland	103	-	154·8	-	-	-	-	-	-	-
		Northern Ireland	98	-	150·5	-	-	-	-	-	-	-
		Irish Republic	97	-	177·6	-	-	-	-	-	-	-

England and Wales
Scotland
Northern Ireland
Irish Republic

Death rates per million population														Deaths under 1 year per thousand live births		ICD No.
25-34		35-44		45-54		55-64		65-74		75-84		85 and over				
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
,093	704·5	2,471	1,778	7,330	4,381	21,336	10,285	52,006	28,196	115,844	78,823	234,000	190,332	22·2	17·5	
,226	825·0	3,249	2,028	9,330	5,473	25,689	12,718	58,186	33,850	121,139	86,043	250,363	204,365	26·8	21·1	
,187	155·9	2,600	1,743	8,050	5,094	20,976	12,045	52,203	32,182	112,290	87,871	233,636	233,922	30·5	21·9	
,568	1,049	2,920	2,059	7,568	5,298	20,285	12,528	46,289	31,491	108,903	89,694	273,067	235,179	29·2	24·1	
3·26	8·63	33·9	24·6	86·6	25·5	182·7	32·7	362·8	48·1	414·2	78·4	389·7	62·2	-	0·00	001-008
5·6	30·8	45·4	60·5	116·4	54·5	274·4	46·8	532·4	67·0	533·7	84·3	207·3	49·4	-	0·02	
-	34·5	58·5	21·9	75·0	23·5	315·3	79·2	242·1	54·5	391·1	152·1	-	196·1	-	-	
2·4	41·4	158·3	104·2	291·7	141·5	490·1	221·7	702·3	193·6	602·2	143·9	400·0	89·3	-	-	
2·31	1·73	6·46	4·05	8·42	5·80	13·4	8·02	19·1	9·63	16·8	35·2	41·0	8·29	0·00	-	010-019
-	6·16	-	8·64	9·98	6·06	25·3	12·5	27·3	26·8	16·7	37·5	-	-	-	-	
-	-	23·4	11·9	12·5	11·8	30·0	26·4	48·4	-	-	-	-	-	-	-	
5·97	6·90	12·7	12·3	23·8	6·15	43·9	14·8	52·4	19·4	-	18·0	-	-	-	0·06	
1·32	1·73	4·62	1·24	14·5	3·87	42·8	15·7	130·9	38·0	186·9	101·3	164·1	111·9	-	0·00	020-029
-	-	3·02	-	9·98	-	18·1	9·36	95·6	17·9	50·0	46·9	-	49·4	-	-	
-	-	-	-	25·0	-	-	-	72·6	18·2	55·9	-	303·0	-	-	0·06	
-	-	6·33	6·13	5·95	-	21·9	-	10·5	-	-	-	-	-	-	-	
0·33	0·35	-	0·31	1·35	0·32	1·49	1·34	-	0·92	1·68	1·76	-	-	0·05	0·03	057
-	3·08	-	-	3·33	-	-	-	6·83	-	-	-	-	-	0·07	0·08	
-	-	-	-	-	-	-	-	-	-	55·9	-	-	-	0·06	-	
6·97	-	-	-	-	-	7·32	-	-	-	-	-	-	-	0·03	0·06	
-	-	0·31	-	-	0·32	-	-	-	-	-	-	-	-	-	-	080
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0·03	
6·61	7·25	10·2	7·78	18·5	18·4	35·0	29·4	40·9	34·4	94·3	55·5	102·6	132·7	0·16	0·15	Rem.
2·8	9·23	6·05	2·88	23·3	21·2	14·4	40·6	34·1	22·3	83·4	75·0	-	197·5	0·19	0·18	001-138
-	-	11·7	21·9	12·5	58·8	30·0	39·6	121·1	72·7	111·7	38·0	303·0	-	0·17	0·18	
6·97	13·8	19·0	49·0	35·7	18·5	73·2	37·0	115·3	48·4	64·5	107·9	133·3	267·9	0·46	0·22	
2·64	2·42	5·85	9·96	29·0	21·0	79·3	47·1	214·1	79·3	471·5	148·0	953·8	265·3	-	-	140-148
3·20	-	9·07	-	20·0	27·3	72·2	68·7	204·8	98·3	517·0	187·4	134·8	246·9	-	-	
-	-	-	11·0	25·0	58·8	60·1	52·8	266·3	72·7	949·7	228·1	1,515	784·3	-	-	
6·97	-	6·33	30·6	29·8	36·9	73·2	88·7	304·0	87·1	752·7	161·9	1,733	357·1	-	-	
0·33	1·04	5·54	9·65	41·1	30·6	137·7	69·5	272·8	162·7	617·9	330·4	728·2	514·1	-	-	150
3·20	-	9·07	2·88	76·5	60·6	151·6	65·5	320·8	169·8	733·8	412·4	622·0	888·8	-	-	
-	-	11·7	-	62·5	47·1	150·2	131·9	169·5	163·6	502·8	304·2	-	392·2	-	-	
6·97	-	19·0	18·4	77·4	61·5	168·3	110·9	408·8	309·8	731·2	341·7	800·0	535·7	-	-	
6·28	7·94	59·1	29·3	249·9	110·3	777·8	304·7	1,733	787·0	2,797	1,704	2,595	2,260	-	-	151
9·61	3·08	99·8	46·1	289·3	121·2	823·1	393·3	1,672	942·6	3,285	2,034	2,592	3,061	-	-	
2·2	11·5	140·5	54·8	337·5	223·5	705·7	356·2	1,404	909·1	1,844	1,825	2,121	2,745	-	-	
6·97	20·7	63·3	24·5	250·0	141·5	1,010	554·3	1,688	1,162	2,301	1,799	2,000	2,768	-	-	
8·26	9·67	33·5	41·7	108·8	132·5	298·1	325·7	759·7	721·9	1,685	1,553	2,421	2,425	-	-	153
6·40	18·5	45·4	37·5	139·7	166·7	346·6	427·6	124·2	1,010	2,251	2,015	3,317	2,518	-	-	
12·2	-	35·1	11·0	137·5	188·2	420·4	422·2	605·3	818·2	1,788	1,521	3,636	1,765	-	-	
13·9	27·6	31·7	55·1	136·9	141·5	219·5	310·4	817·6	861·6	1,355	1,475	2,000	2,321	-	-	
6·61	6·56	24·0	16·5	75·8	62·2	247·8	158·4	696·3	349·3	1,290	752·4	1,887	1,036	-	-	154
-	3·08	24·2	20·2	96·4	63·6	216·6	174·8	607·5	339·5	1,634	684·1	2,799	1,086	-	-	
-	-	11·7	32·9	75·0	94·1	165·2	79·2	774·1	236·4	1,061	722·4	606·1	980·4	-	-	
20·9	6·90	25·3	24·5	59·5	61·5	146·3	66·5	419·3	319·5	881·7	395·7	666·7	535·7	-	-	
-	0·35	2·46	1·56	14·8	6·45	64·4	12·0	133·0	17·9	212·2	28·2	246·2	45·6	-	-	161
-	-	-	-	9·98	12·1	43·3	12·5	116·0	8·93	316·9	65·6	311·0	49·4	-	-	
-	-	11·7	-	12·5	-	75·1	13·2	96·9	18·2	111·7	152·1	303·0	-	-	-	
-	-	25·3	12·3	5·95	18·5	43·9	59·1	188·7	48·4	301·1	143·9	133·3	89·3	-	-	
19·8	7·94	160·4	51·4	909·8	181·2	2,934	392·6	5,041	540·8	4,528	585·0	2,226	493·4	-	-	162, 163
35·2	6·16	220·8	83·5	1,124	218·2	3,401	380·8	5,570	679·1	3,836	627·9	1,970	839·4	-	-	
-	34·5	175·6	65·8	525·0	141·2	1,682	263·9	2,760	254·5	2,402	418·3	1,212	-	-	-	
-	13·8	107·7	30·6	392·9	135·4	1,434	310·4	1,751	338·8	1,570	305·8	666·7	-	-	-	
0·33	39·4	0·31	233·4	3·03	587·8	12·3	851·6	15·7	1,100	20·2	1,455	51·3	2,347	-	-	170
-	30·8	-	213·2	3·33	609·1	-	802·1	41·0	1,060	-	1,312	-	2,222	-	-	
-	23·0	-	164·5	-	517·6	30·0	883·9	72·6	909·1	-	1,483	-	1,765	-	-	
-	62·1	-	239·0	5·95	535·4	-	827·8	-	832·5	21·5	1,043	-	1,429	-	-	
-	11·1	-	104·9	-	202·2	-	187·4	-	262·2	-	326·0	-	310·9	-	-	171
-	9·23	-	95·1	-	236·4	-	215·4	-	236·8	-	159·3	-	197·5	-	-	
-	34·5	-	32·9	-	82·4	-	131·9	-	54·5	-	266·2	-	392·2	-	-	
-	-	-	30·6	-	110·8	-	103·5	-	87·1	-	125·9	-	-	-	-	
-	0·35	-	8·40	-	35·1	-	98·6	-	177·8	-	210·6	-	194·9	-	-	172
-	-	-	-	-	27·3	-	40·6	-	80·4	-	121·8	-	246·9	-	-	
-	-	-	-	-	11·8	-	13·2	-	72·7	-	38·0	-	-	-	-	
-	-	-	-	-	6·15	-	22·2	-	19·4	-	36·0	-	-	-	-	
0·33	-	1·23	-	15·5	-	150·7	-	861·4	-	2,669	-	4,328	-	0·00	-	177
-	-	-	-	16·6	-	155·2	-	914·7	-	2,652	-	4,769	-	-	-	
-	-	-	-	62·5	-	135·1	-	847·5	-	2,737	-	2,727	-	-	-	
-	-	-	-	29·8	-	160·9	-	1,059	-	2,301	-	2,533	-	-	-	

Appendix A - *continued*

ICD No.	Causes of death	Country	S.M.R.		Death rates per million population							
			All ages		All ages		1-4		5-14		15-24	
			M	F	M	F	M	F	M	F	M	F
181	Malignant neoplasm of bladder and other urinary organs	England and Wales	105	99	103·1	40·8	1·85	-	-	-	-	-
		Scotland	90	129	82·0	46·9	-	-	-	-	-	-
		Northern Ireland	79	95	70·3	30·8	-	-	-	-	-	-
		Irish Republic	44	54	44·7	18·3	-	-	-	-	4·49	-
204	Leukaemia and aleukaemia	England and Wales	100	100	67·9	53·5	39·4	37·6	31·5	23·1	21·8	14·9
		Scotland	86	95	56·0	47·7	50·6	32·0	27·6	16·9	26·3	7·85
		Northern Ireland	135	88	87·2	41·5	47·8	-	58·4	7·70	25·4	17·1
		Irish Republic	110	113	76·9	54·3	104·5	25·8	16·9	46·1	35·9	18·9
Rem. 140-205	Other malignant neoplasms	England and Wales	98	98	434·0	536·9	59·7	42·2	41·3	31·0	64·0	42·7
		Scotland	115	117	479·3	587·1	40·5	48·0	48·4	21·7	55·2	41·9
		Northern Ireland	94	95	374·1	431·1	31·9	16·9	36·5	23·1	50·8	8·57
		Irish Republic	105	109	458·6	499·7	56·3	41·8	33·8	14·2	58·3	56·8
140-205	All malignant neoplasms and neoplasms of the lymphatic and haemato-poietic tissues	England and Wales	101	99	2,441	1,989	101·6	81·8	74·9	55·0	92·2	63·9
		Scotland	112	110	2,531	2,016	91·2	79·9	78·3	38·6	89·3	52·3
		Northern Ireland	82	93	1,792	1,521	79·7	16·9	94·9	30·8	84·7	42·8
		Irish Republic	77	97	1,878	1,604	160·8	66·9	57·5	60·3	116·6	75·8
260	Diabetes mellitus	England and Wales	102	99	61·1	103·5	4·31	1·30	2·60	1·52	2·91	2·39
		Scotland	78	90	44·0	83·9	-	5·33	-	2·41	-	2·62
		Northern Ireland	94	126	52·0	104·4	-	-	7·30	-	-	-
		Irish Republic	109	120	69·2	102·9	-	8·36	-	3·55	8·97	4·73
290-293	Anaemias	England and Wales	92	96	24·5	44·3	3·69	6·49	1·45	1·82	1·45	0·90
		Scotland	139	121	34·4	48·4	-	10·7	2·30	2·41	10·5	-
		Northern Ireland	123	107	30·9	38·8	-	-	-	-	8·47	8·57
		Irish Republic	144	132	42·6	50·7	-	-	3·38	7·10	-	9·47
330-334	Vascular lesions affecting central nervous system	England and Wales	97	96	1,294	1,812	3·69	3·24	4·05	4·86	17·5	12·5
		Scotland	136	135	1,677	2,191	5·06	5·33	9·21	14·5	15·8	15·7
		Northern Ireland	102	120	1,271	1,751	31·9	-	-	23·1	25·4	8·57
		Irish Republic	84	99	1,223	1,536	8·04	16·7	6·76	17·7	8·97	18·9
345	Multiple sclerosis	England and Wales	90	96	14·3	21·8	-	1·30	0·29	-	0·58	2·69
		Scotland	155	107	23·2	23·3	-	-	-	-	-	2·62
		Northern Ireland	92	128	12·7	25·4	-	-	-	-	-	8·57
		Irish Republic	189	150	26·6	28·9	-	-	3·38	-	-	-
400-402, 410-416	Rheumatic fever and chronic rheumatic heart disease	England and Wales	98	99	93·6	167·3	-	-	1·45	2·13	8·44	5·67
		Scotland	109	111	97·2	174·4	-	-	-	4·82	15·8	13·1
		Northern Ireland	133	112	111·1	158·0	-	-	7·30	7·70	25·4	25·7
		Irish Republic	101	89	90·2	124·8	-	8·36	-	-	17·9	28·4
420	Arteriosclerotic heart disease, including coronary disease	England and Wales	98	97	2,824	1,692	-	-	-	-	2·62	0·60
		Scotland	127	134	3,406	2,058	-	-	-	-	5·25	-
		Northern Ireland	113	124	2,924	1,696	-	-	-	-	-	-
		Irish Republic	79	90	2,303	1,299	-	-	-	-	4·49	-
421,422, 430-434	Other heart diseases	England and Wales	96	97	896·0	1,322	4·31	1·95	3·76	4·56	15·4	6·27
		Scotland	89	99	771·3	1,125	-	10·7	2·30	-	10·5	10·5
		Northern Ireland	121	127	1,098	130·0	-	16·9	-	-	33·9	-
		Irish Republic	160	152	1,720	1,695	8·04	8·36	3·38	7·10	22·4	23·7
440-447	Hypertensive disease	England and Wales	99	97	242·9	311·9	1·23	-	0·29	-	3·49	1·49
		Scotland	94	109	214·0	305·2	-	-	-	-	-	-
		Northern Ireland	98	120	219·4	298·5	-	16·9	-	-	-	-
		Irish Republic	113	132	305·5	349·6	-	-	-	-	4·49	4·73
450-468	Other circulatory diseases	England and Wales	101	100	367·6	460·9	1·23	3·89	1·73	1·52	5·53	9·85
		Scotland	99	103	334·8	403·1	-	-	-	-	-	18·3
		Northern Ireland	106	112	368·5	394·9	-	-	-	7·70	8·47	8·57
		Irish Republic	87	99	357·2	376·4	-	-	-	-	4·49	-
480-483	Influenza	England and Wales	84	82	21·4	22·5	1·85	1·30	0·87	1·52	2·62	1·49
		Scotland	48	70	11·6	16·6	-	5·33	-	2·41	2·63	-
		Northern Ireland	163	144	39·4	30·8	-	-	-	-	-	-
		Irish Republic	385	501	107·0	114·9	8·04	8·36	3·38	3·55	8·97	-
490-493	Pneumonia	England and Wales	106	105	600·2	643·7	104·1	96·7	19·4	21·3	27·6	17·0
		Scotland	66	59	355·6	313·7	70·9	106·6	18·4	19·3	18·4	13·1
		Northern Ireland	93	105	523·2	511·4	111·6	50·6	14·6	-	-	17·1
		Irish Republic	72	82	464·9	429·9	104·5	192·3	40·6	28·4	13·5	37·9
500-502	Bronchitis	England and Wales	103	99	901·5	327·1	28·9	41·5	4·91	3·34	7·27	5·67
		Scotland	94	96	766·5	277·8	45·6	21·3	6·91	-	2·63	10·5
		Northern Ireland	83	103	663·9	269·1	-	16·9	7·30	-	-	-
		Irish Republic	70	127	647·4	349·6	8·04	16·7	-	3·55	4·49	9·47
470-475, 510-527	Other respiratory diseases	England and Wales	98	96	148·1	68·6	16·6	14·9	3·76	3·34	10·2	4·48
		Scotland	117	84	165·6	53·6	15·2	10·7	2·30	7·23	7·88	2·62
		Northern Ireland	90	178	125·2	104·4	15·9	-	-	-	16·9	-
		Irish Republic	102	174	159·4	106·4	16·1	-	10·1	3·55	-	9·47
540, 541	Ulcer of stomach and duodenum	England and Wales	99	100	111·4	56·5	0·62	0·65	0·87	-	1·75	0·30
		Scotland	120	99	125·6	49·1	-	-	-	-	5·25	-
		Northern Ireland	98	106	101·3	46·9	-	-	-	-	-	-
		Irish Republic	84	97	98·6	45·1	-	-	-	-	-	-

Death rates per million population														Deaths under 1 year per thousand live births		ICD No.
25-34		35-44		45-54		55-64		65-74		75-84		85 and over				
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
0·66	-	8·62	6·22	54·9	18·4	224·0	53·1	540·1	139·8	1,064	286·3	1,579	526·5	-	-	181
3·20	-	9·07	5·76	53·2	21·2	158·8	78·0	546·1	147·4	833·8	496·7	1,140	345·6	-	-	
-	11·5	-	-	37·5	11·8	255·3	39·6	411·6	145·5	502·8	266·2	1,212	588·2	-	-	
-	-	25·3	-	17·9	6·15	124·4	37·0	230·6	58·1	236·6	233·8	800·0	89·3	-	-	
0·1	19·0	38·8	24·6	56·2	40·6	111·6	75·2	244·2	138·9	407·5	232·6	523·1	228·0	0·02	0·03	204
9·61	9·23	21·2	40·3	43·2	51·5	104·7	53·1	191·1	143·0	400·2	206·2	207·3	345·6	0·04	0·02	
9·0	11·5	35·1	21·9	100·0	23·5	120·1	92·3	363·2	181·8	391·1	190·1	303·0	196·1	0·11	-	
0·9	41·4	44·3	30·6	83·3	36·9	153·6	66·5	230·6	164·6	322·6	215·8	-	-	0·06	0·06	
8·9	70·1	214·2	205·7	432·1	533·0	982·4	1,029	1,869	1,668	2,549	2,457	3,026	2,989	0·03	0·05	Rem.
7·7	70·8	232·9	216·1	505·4	566·7	1,285	1,248	2,055	2,162	2,985	2,849	3,836	3,999	0·06	0·02	140-205
1·2	46·0	117·1	208·3	312·5	47·1	1,036	1,161	2,058	1,491	2,402	2,548	3,939	3,333	0·17	-	
5·4	138·0	240·7	159·3	488·1	584·6	972·9	1,175	1,918	1,849	2,839	2,734	5,333	4,018	-	-	
4·3	175·8	554·0	743·2	1,991	1,961	6,020	3,604	12,380	6,146	18,311	10,069	20,564	13,636	0·08	0·08	140-205
8·1	150·8	671·5	760·5	2,337	2,182	6,758	3,961	13,482	7,081	19,445	11,171	22,911	16,047	0·09	0·04	
4·6	172·6	538·6	603·1	1,688	1,871	4,835	3,641	9,830	5,327	14,693	9,962	17,576	12,941	0·28	-	
2·1	310·6	589·0	655·6	1,577	1,877	4,506	3,732	9,015	6,137	13,613	9,011	16,667	12,143	0·06	0·06	
7·93	4·49	20·3	8·71	31·3	26·1	97·1	106·6	286·4	412·9	722·3	847·5	902·6	833·3	0·00	0·00	260
9·61	3·08	9·07	8·64	33·3	27·3	79·4	99·9	211·6	330·6	600·4	918·4	518·3	345·6	-	-	
-	11·5	35·1	11·0	50·0	35·3	75·1	158·3	217·9	563·6	614·5	912·5	1,212	1,176	-	-	
6·97	6·90	19·0	-	23·8	73·8	95·1	147·8	419·3	513·1	666·7	863·3	666·7	803·6	-	-	
0·33	2·07	1·85	4·67	6·74	6·45	29·8	35·7	98·9	113·7	383·9	412·3	656·4	787·7	0·01	0·01	290-293
3·20	3·08	6·05	5·76	3·33	24·2	39·7	43·7	163·8	174·2	517·0	449·8	1,037	790·0	0·02	-	
-	-	-	-	12·5	-	90·1	92·3	96·9	145·5	391·1	342·2	909·1	784·3	-	-	
-	6·90	-	18·4	29·8	43·1	80·5	29·6	251·6	154·9	322·6	431·7	666·7	1,071	-	0·03	
7·3	31·8	115·1	111·1	448·0	447·5	1,755	1,318	6,117	5,009	17,848	16,329	37,128	36,600	0·04	0·03	330-334
8·0	43·1	199·6	187·3	581·9	645·4	2,393	1,885	9,011	7,313	23,681	22,436	53,494	48,783	0·11	0·06	
6·7	11·5	152·2	153·5	475·0	552·9	1,682	1,847	6,562	6,455	19,497	-	33,939	46,078	0·06	0·18	
2·7	89·7	126·7	183·8	500·0	646·2	1,631	1,715	5,367	5,673	14,645	15,737	28,533	29,107	0·03	0·03	
6·61	8·63	18·8	31·7	35·4	54·2	35·0	45·8	28·6	32·1	6·74	15·9	10·3	-	-	-	345
2·8	12·3	33·3	34·6	69·8	48·5	46·9	40·6	34·1	67·0	66·7	18·7	-	-	-	-	
-	11·5	35·1	11·0	25·0	82·4	45·0	79·2	24·2	36·4	-	-	-	196·1	-	-	
0·9	34·5	38·0	55·1	77·4	61·5	36·6	59·1	83·9	58·1	21·5	54·0	133·3	-	-	-	
5·3	38·3	71·7	103·0	150·9	216·0	226·3	353·1	305·5	469·3	390·6	600·8	471·8	721·4	-	0·00	400-402,
5·2	73·9	105·9	132·5	179·6	236·4	234·7	458·8	314·0	406·5	333·5	590·4	622·0	790·0	-	-	410-416
1·2	46·0	140·5	175·4	225·0	270·6	300·3	409·0	363·2	454·5	167·6	418·3	606·1	784·3	-	-	
5·7	55·2	82·3	110·3	154·8	184·6	182·9	280·9	324·9	309·8	408·6	665·5	400·0	625·0	-	-	
2·1	13·1	596·2	83·4	2,350	368·2	6,576	1,738	14,134	6,144	24,115	13,991	33,364	21,853	0·00	-	420
0·0	12·3	886·3	155·6	3,481	790·9	9,068	2,965	17,652	8,698	27,983	17,150	38,358	25,873	-	-	
0·2	23·0	772·8	164·5	3,212	694·1	7,643	2,480	16,562	7,545	25,028	16,730	32,121	29,020	-	-	
4·5	27·6	475·0	116·4	2,185	633·8	5,604	2,166	10,807	5,547	18,172	11,205	25,867	20,268	-	0·03	
7·7	13·1	68·0	39·8	177·2	101·6	684·7	394·6	3,124	2,234	14,351	12,454	49,077	47,517	0·04	0·04	421, 422,
5·6	24·6	72·6	40·3	149·6	139·4	675·1	446·3	2,840	2,359	12,508	11,987	51,006	50,412	0·02	0·02	430-434
3·4	11·5	82·0	21·9	287·5	176·5	1,006	540·9	4,189	3,218	16,872	16,312	60,303	59,608	-	0·06	
8·8	13·8	183·7	55·1	345·2	215·4	1,478	1,064	5,461	4,279	22,925	19,101	76,000	62,589	-	0·06	
2·2	5·53	49·2	19·9	142·1	77·4	437·3	243·9	1,185	957·5	2,694	2,853	4,626	5,033	-	-	440-447
5·0	15·4	36·3	20·2	106·4	90·9	454·9	305·9	1,024	1,095	2,668	2,905	5,183	6,468	-	-	
-	-	35·1	32·9	187·5	82·4	285·3	356·2	1,211	1,218	2,458	3,232	7,576	6,471	-	-	
-	-	82·3	30·6	184·5	129·2	541·3	391·7	1,384	1,171	3,075	4,047	5,733	6,250	-	-	
1·9	16·6	33·9	38·0	113·5	88·3	428·7	259·9	1,515	1,001	5,264	4,070	14,974	13,076	0·00	0·00	450-468
5·40	21·5	33·3	17·3	93·1	54·5	364·6	255·9	1,324	960·5	5,387	4,011	18,453	16,195	-	-	
4·5	11·5	23·4	54·8	200·0	94·1	390·4	224·3	1,622	1,145	4,972	4,030	17,879	18,235	-	-	
5·97	20·7	38·0	24·5	83·3	104·6	270·7	258·7	1,174	8,422	4,903	4,029	14,933	14,643	-	-	
3·63	1·38	5·85	4·05	14·8	5·48	32·0	15·4	67·5	57·8	261·0	185·9	533·3	472·6	0·03	0·01	480-483
-	-	3·02	2·88	3·33	9·09	18·1	9·36	41·0	35·7	200·1	178·1	207·3	395·0	0·02	0·02	
-	-	-	-	-	11·8	15·0	-	72·6	72·7	782·1	418·3	3,030	1,373	-	-	
6·97	6·90	31·7	6·13	41·7	24·6	139·0	59·1	335·4	290·4	1,161	140·3	3,600	3,482	0·12	-	
3·1	13·5	49·9	42·3	158·6	93·2	551·1	308·7	2,121	1,266	8,217	5,428	23,426	17,993	2·31	1·77	490-493
2·4	27·7	51·4	23·0	113·1	84·8	328·5	181·0	1,304	652·3	4,136	2,746	14,617	8,641	2·44	1·95	
4·5	23·0	46·8	21·9	75·0	82·4	405·4	356·2	1,816	1,255	8,212	5,019	18,485	20,980	2·33	1·85	
8·8	20·7	57·0	55·1	142·9	67·7	490·1	288·2	1,488	1,200	4,581	3,741	11,200	9,643	2·78	2·20	
9·25	7·25	51·4	28·6	345·9	100·9	1,794	305·4	5,030	965·7	9,598	2,571	13,805	5,647	0·49	0·34	500-502
9·2	21·5	81·7	51·9	478·8	124·2	1,866	321·5	4,423	938·2	7,354	2,380	10,885	5,036	0·28	0·18	
-	-	105·4	32·9	337·5	70·6	1,682	409·0	4,044	1,109	6,704	2,281	9,697	7,647	0·23	-	
0·9	20·7	133·0	24·5	345·2	184·6	1,609	458·2	3,176	1,055	5,118	3,723	9,333	6,429	0·34	0·13	
8·92	9·32	30·8	21·2	86·6	42·2	319·7	70·5	748·8	154·9	1,212	399·1	2,164	1,381	0·15	0·15	470-475,
5·0	6·16	33·3	34·6	79·8	36·4	386·3	59·3	928·4	196·6	1,734	2,812	1,451	740·6	0·11	0·10	510-527
5·7	23·0	23·4	43·9	62·5	94·1	195·2	39·6	411·6	181·8	893·9	722·4	2,424	2,745	1·25	1·08	
0·9	20·7	19·0	30·6	178·6	80·0	234·1	140·4	566·0	309·8	1,226	791·4	4,133	2,321	0·40	0·19	
5·61	2·42	26·8	8·40	62·6	21·6	218·4	52·1	532·6	182·0	1,167	437·8	2,051	916·3	0·01	0·00	540, 541
3·20	6·16	24·2	5·76	69·8	33·3	256·3	31·2	580·2	183·2	1,768	524·8	2,073	543·1	-	-	
4·5	-	11·7	11·0	62·5	-	225·2	52·8	532·7	181·8	1,397	456·3	606·1	1,569	-	-	
3·9	6·90	31·7	12·3	71·4	12·3	175·6	81·3	555·6	222·7	838·7	395·7	800·0	267·9	-	-	

Appendix A - *continued*

ICD No.	Causes of death	Country	S.M.R.		Death rates per million population							
			All ages		All ages		1-4		5-14		15-24	
			M	F	M	F	M	F	M	F	M	F
550-553	Appendicitis	England and Wales	101	99	11·9	9·20	4·31	3·89	5·49	3·64	2·91	2·0
		Scotland	124	109	14·0	9·24	5·06	5·33	11·5	2·41	5·25	2·6
		Northern Ireland	100	102	11·3	8·03	-	33·7	7·30	7·70	-	-
		Irish Republic	44	95	5·59	7·75	16·1	-	-	-	-	-
560,561, 570	Intestinal obstruction and hernia	England and Wales	99	100	60·8	67·2	11·7	7·79	0·87	0·61	2·91	2·3
		Scotland	132	109	77·2	65·0	10·1	-	2·30	-	2·63	-
		Northern Ireland	78	120	46·4	65·6	15·9	-	-	-	8·47	-
		Irish Republic	81	80	54·5	45·8	8·04	-	-	-	-	-
543,571, 572	Gastritis and duodenitis, enteritis and colitis (except diarrhoea of newborn)	England and Wales	104	99	45·4	66·1	42·5	27·3	2·02	2·13	4·07	2·3
		Scotland	79	117	34·0	70·9	15·2	53·3	-	12·0	2·63	13·1
		Northern Ireland	73	80	32·3	45·5	31·9	16·9	-	-	-	-
		Irish Republic	90	88	42·6	52·9	48·2	66·9	3·38	7·10	-	-
581	Cirrhosis of liver	England and Wales	89	96	28·5	26·8	3·08	0·65	0·58	0·91	1·75	2·6
		Scotland	194	152	58·4	39·2	-	-	-	2·41	2·63	2·6
		Northern Ireland	99	116	28·1	26·8	-	-	-	-	-	-
		Irish Republic	127	67	39·1	15·5	-	-	3·38	-	8·97	4·7
584, 585	Cholelithiasis, cholecystitis	England and Wales	101	100	16·6	31·9	-	0·65	-	-	-	0·6
		Scotland	112	121	17·2	33·6	-	-	-	-	-	-
		Northern Ireland	109	81	16·9	20·1	-	-	-	-	-	-
		Irish Republic	65	70	11·9	18·3	-	-	-	-	-	-
Rem. 530-587	Other digestive diseases	England and Wales	97	96	47·0	50·0	11·7	20·1	6·94	6·68	3·20	4·7
		Scotland	115	126	53·2	59·9	25·3	16·0	4·61	7·23	2·63	-
		Northern Ireland	107	107	49·2	46·9	47·8	-	-	-	-	-
		Irish Republic	124	125	62·9	56·4	8·04	16·7	-	10·6	-	4·7
590-594	Nephritis and nephrosis	England and Wales	92	95	65·9	57·6	4·31	4·54	6·65	5·16	19·5	13·7
		Scotland	106	95	72·0	52·5	5·06	-	-	12·0	39·4	15·7
		Northern Ireland	113	101	74·5	50·9	-	-	-	23·1	8·47	8·5
		Irish Republic	215	211	154·5	108·5	8·04	-	13·5	-	31·4	42·6
610	Hyperplasia of prostate	England and Wales	100	-	101·5	-	-	-	-	-	-	-
		Scotland	104	-	97·6	-	-	-	-	-	-	-
		Northern Ireland	92	-	91·4	-	-	-	-	-	-	-
		Irish Republic	91	-	109·1	-	-	-	-	-	-	-
600-609, 611-637	Other diseases of the genito-urinary system	England and Wales	100	100	77·9	107·2	6·16	5·19	1·73	2·13	5·82	5·6
		Scotland	127	122	92·8	115·6	10·1	5·33	-	2·41	13·1	5·2
		Northern Ireland	81	80	60·5	68·3	-	-	-	-	8·47	-
		Irish Republic	75	61	64·3	54·3	8·04	-	3·38	-	4·49	4·7
640-689	Complications of pregnancy, childbirth, and the puerperium	England and Wales	-	95	-	9·32	-	-	-	-	-	17·6
		Scotland	-	90	-	8·87	-	-	-	-	-	7·4
		Northern Ireland	-	68	-	6·69	-	-	-	-	-	-
		Irish Republic	-	236	-	21·1	-	-	-	-	-	9·4
750-759	Congenital malformations	England and Wales	96	94	118·9	99·2	111·4	118·1	31·8	32·2	24·1	22·2
		Scotland	107	111	144·4	126·0	146·9	170·5	34·5	16·9	21·0	28·0
		Northern Ireland	124	133	184·2	168·7	95·7	67·5	21·9	23·1	8·47	25·4
		Irish Republic	136	151	198·5	200·2	160·8	175·6	40·6	39·0	26·9	14·4
760-776	Certain diseases of early infancy	England and Wales	95	96	234·1	154·2	3·69	0·65	0·29	0·30	-	-
		Scotland	116	119	317·6	197·3	-	-	-	-	-	-
		Northern Ireland	141	120	436·0	242·3	-	-	-	-	-	-
		Irish Republic	117	121	353·0	256·6	-	-	-	-	-	-
Rem. 210-795	All other diseases	England and Wales	91	93	331·6	468·6	109·6	79·2	60·7	42·5	79·4	55·0
		Scotland	87	85	298·8	371·3	60·8	90·6	46·1	41·0	68·3	60·0
		Northern Ireland	91	99	320·7	397·6	127·6	151·8	43·8	46·2	127·0	42·4
		Irish Republic	260	261	1,019	1,104	88·4	125·4	47·3	53·2	98·7	75·4
E963, E970-E979	Suicide	England and Wales	107	108	137·8	98·2	-	-	0·58	0·61	62·5	27·4
		Scotland	79	79	96·4	68·0	-	-	-	4·82	55·2	26·0
		Northern Ireland	61	51	68·9	40·2	-	-	-	7·70	25·4	25·4
		Irish Republic	29	9	33·6	7·05	-	-	-	-	4·49	-
E810-E845	Motor vehicle and other road transport accidents	England and Wales	101	101	230·4	85·1	90·5	56·5	92·5	48·6	463·4	90·0
		Scotland	105	103	235·2	83·5	136·7	101·2	147·4	57·8	325·7	83·0
		Northern Ireland	95	136	213·8	107·1	111·6	84·3	102·2	84·7	287·9	77·4
		Irish Republic	73	66	165·7	52·9	72·3	66·9	37·2	46·1	192·9	61·4
E870-E936 Pt.	Accidents in the home and residential institutions	England and Wales	95	97	118·4	190·5	106·5	88·3	17·1	15·2	25·9	15·1
		Scotland	176	159	213·6	274·1	126·6	111·9	11·5	19·3	21·0	23·1
		Northern Ireland	84	82	105·5	131·2	79·7	33·7	29·2	7·70	16·9	25·4
		Irish Republic	61	62	83·9	107·1	144·7	83·6	6·76	21·3	4·49	4·5
Rem. E800-E999	Other violence	England and Wales	94	95	131·5	49·7	55·4	26·0	75·7	15·5	128·3	19·1
		Scotland	138	63	188·0	29·9	81·0	48·0	94·4	16·9	181·2	15·1
		Northern Ireland	83	113	111·1	50·9	15·9	33·7	51·1	30·8	118·5	-
		Irish Republic	134	253	182·5	119·1	88·4	25·1	81·1	17·7	130·1	33·1
Estimated mid-year population (in thousands)		England and Wales			23,044	24,358	1,624	1,541	3,459	3,293	3,437	3,3
		Scotland			2,500	2,707	197	188	434	415	381	3
		Northern Ireland			711	747	63	59	137	130	118	1
		Irish Republic			1,431	1,418	124	120	296	282	223	2

Death rates per million population														Deaths under 1 year per thousand live births		ICD No.
25-34		35-44		45-54		55-64		65-74		75-84		85 and over				
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1·65	2·42	4·00	2·18	9·43	3·55	14·5	9·35	51·1	23·4	101·0	62·5	153·8	95·4	0·01	0·00	550-553
3·20	3·08	3·02	2·88	13·3	9·09	21·7	9·36	41·0	40·2	100·1	37·5	207·3	49·4	0·02	-	
12·2	-	-	-	12·5	-	-	-	24·2	-	223·5	76·0	-	196·1	-	-	
-	6·90	-	-	5·95	6·15	-	22·2	10·5	19·4	86·0	54·0	-	89·3	-	-	
6·28	3·80	6·46	6·54	23·2	23·9	81·9	55·1	252·3	188·8	668·5	541·8	1,313	978·4	0·32	0·19	560, 561,
3·20	3·08	9·07	14·4	36·6	27·3	108·3	74·9	368·6	169·8	1,051	581·1	1,244	1,234	0·28	0·24	570
-	11·5	-	-	-	23·5	60·1	66·0	290·6	236·4	223·5	532·3	1,818	1,765	0·28	0·30	
13·9	-	12·7	6·13	11·9	30·8	65·8	29·6	251·6	164·6	559·1	395·7	1,200	1,250	0·09	0·06	
6·94	8·91	14·5	12·1	21·2	23·2	58·1	51·4	139·1	174·6	304·8	450·2	759·0	908·0	0·47	0·37	543, 571,
3·20	12·3	12·1	20·2	23·3	15·2	57·8	59·3	75·1	151·9	250·1	506·1	518·3	641·9	0·41	0·71	572
12·2	-	-	-	25·0	11·8	15·0	52·8	24·2	127·3	167·6	380·2	606·1	392·2	0·62	0·54	
6·97	13·8	19·0	24·5	35·7	55·4	87·8	96·1	52·4	58·1	129·0	287·8	400·0	267·9	0·55	0·38	
2·31	2·07	13·2	9·34	36·0	29·3	81·9	54·8	126·2	89·4	122·9	108·4	71·8	107·8	0·00	0·01	581
3·20	3·08	33·3	11·5	73·2	30·3	140·8	118·6	355·0	156·4	283·5	149·9	311·0	-	-	-	
12·2	-	23·4	11·0	62·5	11·8	60·1	66·0	96·9	127·3	111·7	152·1	303·0	392·2	0·06	-	
6·97	6·90	19·0	-	23·8	-	160·9	22·2	188·7	87·1	107·5	125·9	-	89·3	-	-	
0·33	0·69	1·85	3·42	5·73	7·74	19·4	30·4	69·6	101·3	271·1	245·8	451·3	601·2	-	-	584, 585
3·20	-	-	8·64	-	9·09	18·1	31·2	54·6	138·5	416·9	337·4	414·7	395·0	-	-	
12·2	-	-	-	-	-	30·0	13·2	121·1	54·5	223·5	342·2	-	392·2	-	-	
-	-	6·33	-	-	-	21·9	22·2	41·9	96·8	64·5	197·8	800·0	178·6	-	-	
6·61	10·7	17·2	10·3	40·8	27·7	77·4	64·8	204·6	140·3	328·3	276·6	615·4	559·7	0·16	0·12	Rem.
6·40	3·08	9·07	8·64	43·2	39·4	75·8	124·8	252·6	174·2	500·3	328·0	1,037	790·0	0·17	0·18	530-587
36·7	-	11·7	11·0	37·5	70·6	120·1	105·5	242·1	163·6	279·3	304·2	303·0	588·2	0·06	-	
20·9	6·90	25·3	12·3	65·5	37·0	109·7	88·7	283·0	232·3	344·1	377·7	1,200	357·1	0·12	0·13	
28·1	18·0	41·2	20·5	69·7	37·4	121·7	78·8	216·9	160·0	441·2	333·9	820·5	539·0	0·02	0·01	590-594
41·6	18·5	48·4	20·2	76·5	42·4	130·0	81·1	204·8	178·7	517·0	196·8	1,451	790·0	0·02	0·02	
85·7	23·0	-	11·0	62·5	47·1	135·1	66·0	266·3	127·3	670·4	342·2	2,121	1,176	0·06	-	
62·7	20·7	63·3	42·9	172·6	86·2	278·0	199·6	461·2	280·7	1,161	773·4	3,200	1,875	0·03	0·03	
-	-	-	-	3·71	-	40·9	-	367·6	-	1,948	-	5,344	-	-	-	610
-	-	-	-	-	-	18·1	-	320·8	-	2,101	-	6,842	-	-	-	
-	-	-	-	-	-	30·0	-	290·6	-	1,620	-	6,667	-	-	-	
-	-	-	-	-	-	43·9	-	419·3	-	1,570	-	4,933	-	-	-	
7·93	10·4	12·0	32·4	36·0	60·9	95·6	119·6	311·0	296·5	1,010	724·2	2,451	1,679	0·08	0·05	600-609,
6·40	21·5	42·3	31·7	43·2	103·0	158·8	171·7	423·2	388·7	1,151	768·5	1,970	1,580	0·04	0·02	611-637
-	-	11·7	32·9	37·5	47·1	105·1	171·5	363·2	200·0	782·1	456·3	606·1	1,176	-	0·12	
6·97	27·6	19·0	24·5	47·6	61·5	58·5	81·3	188·7	203·3	645·2	269·8	1,733	982·1	0·24	-	
-	38·0	-	17·1	-	0·97	-	-	-	-	-	-	-	-	-	-	640-689
-	49·3	-	14·4	-	-	-	-	-	-	-	-	-	-	-	-	
-	57·5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	41·4	-	116·4	-	18·5	-	-	-	-	-	-	-	-	-	-	
21·8	15·2	20·0	14·6	37·1	26·8	34·6	26·4	40·9	24·8	57·2	35·2	82·1	16·6	4·28	4·01	750-759
22·4	27·7	18·1	14·4	33·3	21·2	28·9	15·6	75·1	22·3	33·4	46·9	103·7	197·5	4·92	4·95	
36·7	-	35·1	32·9	25·0	94·1	15·0	13·2	-	36·4	55·9	38·0	-	-	6·30	6·04	
41·8	27·6	6·33	12·3	41·7	43·1	36·6	14·8	10·5	9·68	21·5	-	-	-	6·87	7·44	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	11·9	8·83	760-776
-	-	-	-	-	-	-	-	-	-	-	-	-	-	14·8	10·5	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	17·6	10·8	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	15·4	11·6	
80·3	87·7	113·9	128·2	215·6	200·9	436·5	419·6	963·0	941·0	2,827	2,816	11,508	12,044	0·76	0·63	Rem.
54·4	73·9	139·1	103·7	246·1	197·0	523·5	440·1	873·7	973·9	2,602	2,465	8,397	8,789	0·78	0·45	210-795
73·4	115·1	70·3	131·6	287·5	282·4	450·5	382·6	1,356	1,236	2,235	2,586	6,364	11,176	0·97	0·54	
25·4	110·4	253·3	165·4	392·9	338·5	1,010	613·5	2,254	1,859	10,366	9,496	56,800	53,482	0·76	0·67	
15·3	68·4	151·4	103·3	212·9	145·7	286·9	206·5	310·3	215·0	389·0	181·5	287·2	95·4	-	-	E963,
89·7	67·7	157·3	95·1	149·6	133·3	2,094	121·7	170·7	138·5	200·1	18·7	-	49·4	-	-	E970-
85·7	23·0	46·8	65·8	137·5	94·1	165·2	66·0	145·3	90·9	391·1	-	-	-	-	-	E979
69·7	13·8	44·3	-	41·7	12·3	80·5	22·2	94·3	9·68	64·5	36·0	-	-	-	-	
03·1	41·1	155·4	39·5	181·2	55·5	224·8	84·5	311·7	180·6	713·9	337·4	994·9	286·1	0·02	0·02	E810-
01·7	24·6	214·8	25·9	202·8	78·8	317·7	106·1	314·0	169·8	600·4	290·5	725·7	246·9	0·02	-	E845
08·1	11·5	163·9	32·9	175·0	105·9	285·3	131·9	484·3	309·1	670·4	494·3	303·0	392·2	-	-	
64·8	13·8	171·0	36·8	178·6	49·2	248·7	66·5	335·4	58·1	215·1	143·9	266·7	89·3	0·03	0·03	
34·7	18·6	44·9	32·4	61·0	50·6	102·7	107·2	236·7	306·6	1,089	1,510	3,867	4,784	0·73	0·54	E870-
54·4	24·6	96·8	83·5	103·1	127·3	281·6	168·5	436·9	478·0	1,918	2,221	5,495	8,098	1·97	1·24	E936 Pt.
12·2	23·0	46·8	21·9	25·0	94·1	150·2	66·0	217·9	327·3	1,006	1,369	4,848	3,725	0·23	0,12	
41·8	34·5	44·3	12·3	47·6	12·3	73·2	51·7	115·3	183·9	537·6	1,061	1,467	2,589	0·64	0·38	
21·9	17·6	126·5	21·2	133·7	23·2	178·6	39·1	178·7	80·2	321·6	271·3	841·0	887·2	0·10	0·11	Rem.
88·9	21·5	163·3	20·2	302·6	30·3	296·0	21·8	191·1	44·7	350·2	103·1	622·0	148·1	0·06	0·08	E800-E999
73·4	11·5	93·7	-	137·5	-	155·1	13·2	242·1	90·9	335·2	418·3	2,727	2,745	-	-	
32·4	20·7	133·0	55·1	202·4	43·1	299·9	51·7	293·5	203·3	688·2	1,007	1,867	3,929	0·24	0·22	
3,027	2,896	3,249	3,213	2,969	3,102	2,687	2,993	1,466	2,182	594	1,135	98	241			
312	325	331	347	301	330	277	320	146	224	60	107	10	20			
82	87	85	91	80	85	67	76	41	55	18	26	3	5			
144	145	158	163	168	163	137	135	95	103	46	56	8	11			

APPENDIX B.

Abridged life table, 1964. England and Wales

Apart from its use as a basis for calculations of probabilities of death or survival, the life table represents one useful way of providing summary indices of mortality free from peculiarities in the sex and age structure of the population. These summary indices, whether it be the number surviving out of the specified number of births or the expectation of life beyond a specified age, are sex and age standardised. They summarise the individual age death rates for each sex. For this particular purpose the following life table has been constructed from the mortality experience of 1964. Though the functions are summary indices of the mortality of a particular year they will by the same token be sensitive to fluctuations in mortality from one year to another as a result of changes in the weather conditions, irregular incidence of epidemics, etc., and they are not reliable as a basis for calculations of the probabilities of survival over a period of years. Life table functions for use in such computations should be representative of the current level of mortality and should therefore be based on more than one year's experience. For this latter purpose another life table has been constructed based on the three years 1962 to 1964, a larger body of data more representative of the general mortality of recent years; this has been published in the *Registrar General's Quarterly Return* for the June Quarter, 1965, No. 466.

Males		Age	Females	
l_x	$\mathring{e}_x$		l_x	$\mathring{e}_x$
10,000	68·6	0	10,000	74·7
9,778	69·1	1	9,825	75·1
9,764	68·2	2	9,813	74·2
9,756	67·3	3	9,806	73·2
9,751	66·3	4	9,801	72·2
9,745	65·4	5	9,797	71·3
9,722	60·5	10	9,781	66·4
9,703	55·6	15	9,769	61·5
9,655	50·9	20	9,750	56·6
9,602	46·1	25	9,727	51·7
9,554	41·4	30	9,698	46·9
9,498	36·6	35	9,658	42·0
9,411	31·9	40	9,597	37·3
9,269	27·4	45	9,491	32·7
9,028	23·0	50	9,329	28·2
8,622	19·0	55	9,089	23·9
7,949	15·4	60	8,737	19·7
6,931	12·3	65	8,189	15·9
5,593	9·6	70	7,360	12·4
4,032	7·4	75	6,123	9·4
2,432	5·6	80	4,487	6·9
1,118	4·2	85	2,580	5·2

This abridged life table is constructed from the estimated *home* population and the total deaths in the year 1964.

The column headed l_x shows, for each sex, the numbers who would survive to exact age x out of 10,000 born who were subje throughout their lives to the recorded age death rates of the period.

Column $\mathring{e}_x$ is the 'expectation of life', that is, the average future lifetime which would be lived by persons aged exactly if likewise subject to those death rates.

REVISED Estimated Home Population by sex and age, as at 30th June 1961.
England and Wales, standard regions and conurbations.*

(Figures in thousands)

		All ages	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over
ENGLAND AND WALES	M	22,353·3	402·4	1,474·7	1,671·4	1,887·5	1,648·1	1,434·8	1,449·0	1,498·4	1,606·1	1,523·2	1,571·0	1,559·4	1,414·6	1,105·8	819·9	600·2	686·8
	F	23,851·9	380·3	1,397·8	1,592·1	1,798·9	1,603·9	1,449·0	1,405·6	1,477·0	1,610·3	1,556·1	1,643·4	1,639·8	1,537·3	1,355·4	1,161·7	943·5	1,299·8
Standard Regions and Conurbations:																			
Northern	M	1,588·1	30·0	115·6	131·0	141·8	115·3	95·5	100·9	107·4	117·1	108·6	105·3	104·3	95·7	76·3	56·4	41·0	45·9
	F	1,660·9	28·2	109·9	125·3	135·6	111·3	100·9	100·2	107·3	114·4	107·9	107·9	107·1	103·6	89·8	76·4	59·9	75·2
Tyneside Conurbation	M	411·1	8·0	29·9	34·2	36·8	29·0	24·1	26·0	27·5	30·7	29·2	27·6	27·2	25·0	19·9	14·6	10·4	11·0
	F	441·9	7·5	28·5	32·7	35·5	29·6	27·2	26·3	28·1	30·5	29·8	29·0	28·6	28·1	24·4	20·5	16·0	19·6
Remainder of Northern	M	1,177·0	22·0	85·7	96·8	105·0	86·3	71·4	74·9	79·9	86·4	79·4	77·7	77·1	70·7	56·4	41·8	30·6	34·9
	F	1,219·0	20·7	81·4	92·6	100·1	81·7	73·7	73·9	79·2	83·9	78·1	78·9	78·5	75·5	65·4	55·9	43·9	55·6
East and West Ridings	M	2,012·1	36·4	136·0	154·3	175·0	145·7	119·7	125·2	131·3	146·3	137·5	143·2	141·6	130·6	103·8	74·9	53·2	57·4
	F	2,154·0	34·4	128·8	146·2	167·1	144·5	128·8	124·5	131·6	143·5	139·3	148·7	149·5	141·5	126·3	106·8	83·8	108·7
West Yorkshire Conurbation	M	808·1	14·8	54·4	61·3	69·3	55·0	46·1	50·1	52·7	60·0	55·3	58·4	58·0	54·3	43·6	30·9	21·7	22·2
	F	891·3	13·9	51·6	57·9	66·9	55·5	51·2	49·9	53·6	58·4	56·0	61·8	63·3	61·8	56·4	47·7	37·3	48·1
Remainder of East and West Ridings	M	1,204·0	21·6	81·6	93·0	105·7	90·7	73·6	75·1	78·6	86·3	82·2	84·8	83·6	76·3	60·2	44·0	31·5	35·2
	F	1,262·7	20·5	77·2	88·3	100·2	89·0	77·6	74·6	78·0	85·1	83·3	86·9	86·2	79·7	69·9	59·1	46·5	60·6
North Western	M	3,123·1	59·5	218·8	245·6	274·5	224·0	181·6	194·3	203·6	222·1	209·1	219·8	223·3	203·1	158·2	116·0	82·8	86·8
	F	3,423·5	56·3	207·3	233·6	262·6	225·3	201·0	192·8	205·5	225·8	219·4	236·6	240·8	226·9	202·7	173·4	138·3	175·2
South East Lancashire Conurbation	M	1,153·8	21·9	79·7	88·7	100·3	81·2	67·0	71·7	75·0	85·2	79·1	83·7	85·2	76·3	58·3	41·1	29·2	30·2
	F	1,265·3	20·7	75·5	84·1	96·2	82·6	74·4	71·1	75·7	84·9	82·0	89·6	91·8	84·9	75·1	63·4	50·2	63·1
Merseyside Conurbation	M	655·8	14·5	52·0	56·9	61·3	50·3	42·4	43·9	43·4	43·7	41·4	43·5	43·0	38·4	29·4	21·3	14·9	15·5
	F	724·4	13·7	49·3	54·5	59·3	51·9	47·7	43·2	44·0	46·2	45·1	48·1	47·1	43·4	38·1	32·2	26·0	34·6
Remainder of North Western	M	1,313·5	23·1	87·1	100·0	112·9	92·5	72·2	78·7	85·2	93·2	88·6	92·6	95·1	88·4	70·5	53·6	38·7	41·1
	F	1,433·8	21·9	82·5	95·0	107·1	90·8	78·9	78·5	85·8	94·7	92·3	98·9	101·9	98·6	89·5	77·8	62·1	77·5
North Midland	M	1,796·4	32·3	120·2	137·4	154·5	134·0	111·0	115·8	122·3	134·3	124·7	124·5	121·8	110·5	87·5	63·9	46·6	55·1
	F	1,848·6	30·5	114·0	130·1	146·2	129·1	110·4	111·0	118·2	128·6	121·2	124·3	122·9	114·7	100·9	85·6	68·1	92·8
Midland	M	2,350·2	43·7	156·8	179·1	200·3	186·2	153·3	156·3	167·2	176·7	168·2	169·1	159·3	141·1	106·6	74·6	52·9	58·8
	F	2,412·7	41·4	148·5	169·7	190·5	177·3	152·9	148·3	157·5	171·2	164·9	165·5	158·9	146·0	126·0	103·8	81·2	109·1
West Midlands Conurbation	M	1,149·4	22·1	75·4	85·9	97·4	90·0	75·3	78·0	82·3	86·6	84·8	85·1	79·4	69·3	52·0	35·4	24·3	26·1
	F	1,191·5	20·9	71·4	81·5	92·9	89·0	77·3	72·8	76·9	84·4	82·9	83·1	79·5	73·0	63·0	51·2	39·5	52·2
Remainder of Midland	M	1,200·8	21·6	81·4	93·2	102·9	96·2	78·0	78·3	84·9	90·1	83·4	84·0	79·9	71·8	54·6	39·2	28·6	32·7
	F	1,221·2	20·5	77·1	88·2	97·6	88·3	75·6	75·5	80·6	86·8	82·0	82·4	79·4	73·0	63·0	52·6	41·7	56·9
Eastern	M	1,853·8	33·5	129·0	145·4	158·4	133·4	123·3	124·3	131·9	137·2	127·3	125·8	120·2	106·9	82·9	63·8	49·7	60·8
	F	1,915·2	31·6	122·5	138·2	149·9	124·9	113·1	121·0	128·2	135·1	124·6	126·4	122·1	111·5	99·4	87·1	73·9	105·7
London and South Eastern	M	5,261·2	91·2	312·6	351·6	418·8	375·1	343·6	351·1	348·0	369·7	361·5	391·8	398·1	358·5	272·2	198·6	146·3	172·5
	F	5,860·4	86·2	296·3	336·4	400·0	385·4	375·5	345·1	353·7	388·0	385·4	428·0	431·1	399·6	344·6	294·3	246·6	364·2
Greater London	M	3,883·3	68·5	224·1	249·3	301·6	275·5	264·1	270·9	262·3	279·3	271·6	297·6	302·7	269·4	199·4	136·7	97·6	112·7
	F	4,290·7	64·8	212·4	233·7	288·6	288·1	293·9	262·1	263·6	290·4	288·3	322·6	323·0	294·0	245·6	202·7	166·9	244·0
Remainder of London and South Eastern	M	1,377·9	22·7	88·5	102·3	117·2	99·6	79·5	80·2	85·7	90·4	89·9	94·2	95·4	89·1	72·8	61·9	48·7	59·8
	F	1,569·7	21·4	83·9	96·7	111·4	97·3	81·6	83·0	90·1	97·6	97·1	105·4	108·1	105·6	99·0	91·6	79·7	120·2
Southern	M	1,416·0	25·5	95·5	106·3	115·6	110·7	112·1	97·6	97·2	97·7	91·6	92·1	91·0	82·0	64·4	50·9	39·0	46·8
	F	1,457·7	24·1	90·5	100·7	109·7	97·2	89·7	89·3	90·8	97·2	92·6	96·2	95·3	88·5	79·1	70·3	59·3	87·2
South Western	M	1,669·2	27·9	105·5	122·2	137·9	128·8	116·9	105·6	107·1	112·2	106·9	111·0	112·2	104·5	86·7	69·5	52·1	62·2
	F	1,766·9	26·4	99·9	117·1	131·0	117·0	99·8	97·7	102·6	114·3	110·6	118·5	120·4	116·2	106·9	95·5	79·2	113·8
Wales	M	1,283·2	22·4	84·7	98·5	110·7	94·9	77·8	77·9	82·4	92·8	87·8	88·4	87·6	81·7	67·2	51·3	36·6	40·5
	F	1,352·0	21·2	80·1	94·8	106·3	91·9	76·9	75·7	81·6	92·2	90·2	91·3	91·7	88·8	79·7	68·5	53·2	67·9
Wales I (South East)	M	926·2	16·3	61·9	71·5	80·2	68·9	54·9	56·7	60·3	69·1	64·6	64·6	63·2	58·7	47·7	35·8	25·0	26·8
	F	966·0	15·4	58·6	69·1	76·8	66·5	55·9	55·7	59·5	68·4	66·1	65·7	64·9	62·3	55·0	46·7	35·7	43·7
Wales II (remainder)	M	357·0	6·1	22·8	27·0	30·5	26·0	22·9	21·2	22·1	23·7	23·2	23·8	24·4	23·0	19·5	15·5	11·6	13·7
	F	386·0	5·8	21·5	25·7	29·5	25·4	21·0	20·0	22·1	23·8	24·1	25·6	26·8	26·5	24·7	21·8	17·5	24·2

* Final revision

APPENDIX D.

REVISED Estimated Home Population by sex and age, as at 30th June 1962.
England and Wales, standard regions and conurbations.*

(Figures in thousands)

		All ages	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over
ENGLAND AND WALES	M	22,659·8	418·4	1,525·4	1,696·0	1,800·0	1,789·2	1,466·1	1,480·2	1,516·2	1,580·7	1,595·1	1,536·7	1,558·0	1,429·7	1,148·9	827·9	604·3	687·0
	F	24,048·9	397·0	1,445·8	1,613·0	1,712·0	1,727·7	1,469·5	1,419·3	1,471·8	1,569·6	1,606·1	1,600·9	1,640·2	1,552·2	1,372·9	1,176·5	952·4	1,322·0
Standard Regions and Conurbations:																			
Northern	M	1,607·7	30·8	117·6	133·0	135·2	125·7	98·1	103·1	108·7	115·1	113·6	102·9	104·1	96·7	79·2	56·8	41·3	45·8
	F	1,671·1	29·3	111·5	127·1	129·1	119·8	102·2	101·1	106·9	111·4	111·2	105·2	107·0	104·5	90·8	77·3	60·4	76·3
Tyneside Conurbation	M	414·2	8·0	30·4	34·4	34·8	31·5	24·7	26·5	27·7	30·0	30·4	26·9	27·1	25·2	20·6	14·6	10·5	10·9
	F	442·8	7·6	28·9	32·9	33·5	31·7	27·5	26·5	27·9	29·5	30·6	28·2	28·5	28·3	24·6	20·7	16·1	19·8
Remainder of Northern	M	1,193·5	22·8	87·2	98·6	100·4	94·2	73·4	76·6	81·0	85·1	83·2	76·0	77·0	71·5	58·6	42·2	30·8	34·9
	F	1,228·3	21·7	82·6	94·2	95·6	88·1	74·7	74·6	79·0	81·9	80·6	77·0	78·5	76·2	66·2	56·6	44·3	56·5
East and West Ridings	M	2,035·3	37·5	139·6	156·0	166·4	158·6	122·9	127·8	132·7	143·7	143·7	139·7	141·2	131·7	107·6	75·5	53·4	57·3
	F	2,165·5	35·7	132·1	147·6	158·4	155·4	130·3	125·5	130·8	139·5	143·5	144·6	149·2	142·6	127·6	107·9	84·5	110·3
West Yorkshire Conurbation	M	817·2	15·2	56·2	62·1	66·2	59·8	47·3	51·1	53·2	58·9	57·7	56·9	57·8	54·7	45·2	31·1	21·7	22·1
	F	895·7	14·5	53·1	58·6	63·6	59·6	51·7	50·3	53·2	56·7	57·6	60·0	63·1	62·2	56·9	48·2	37·6	48·8
Remainder of East and West Ridings	M	1,218·1	22·3	83·4	93·9	100·2	98·8	75·6	76·7	79·5	84·8	86·0	82·8	83·4	77·0	62·4	44·4	31·7	35·2
	F	1,269·8	21·2	79·0	89·0	94·8	95·8	78·6	75·2	77·6	82·8	85·9	84·6	86·1	80·4	70·7	59·7	46·9	61·5
North Western	M	3,159·3	61·6	225·8	249·4	262·1	243·3	186·1	198·2	205·4	217·9	218·3	214·4	222·4	204·5	163·7	116·6	83·1	86·5
	F	3,442·7	58·6	213·9	236·9	250·3	241·9	203·2	194·1	204·1	219·4	225·7	229·6	240·0	228·4	204·7	175·1	139·1	177·7
South East Lancashire Conurbation	M	1,164·6	22·8	82·4	90·0	95·6	88·0	68·5	73·0	75·4	83·4	82·3	81·4	84·6	76·6	60·2	41·2	29·2	30·0
	F	1,269·5	21·7	78·0	85·2	91·7	88·5	75·0	71·4	74·9	82·3	84·1	86·7	91·2	85·2	75·6	63·8	50·4	63·8
Merseyside Conurbation	M	660·9	14·8	53·0	57·6	58·4	54·4	43·3	44·6	43·6	42·7	43·1	42·3	42·7	38·5	30·3	21·3	14·9	15·4
	F	725·6	14·1	50·2	55·1	56·3	55·5	48·1	43·3	43·6	44·7	46·2	46·5	46·8	43·5	38·3	32·4	26·0	35·0
Remainder of North Western	M	1,333·8	24·0	90·4	101·8	108·1	100·9	74·3	80·6	86·4	91·8	92·9	90·7	95·1	89·4	73·2	54·1	39·0	41·1
	F	1,447·6	22·8	85·7	96·6	102·3	97·9	80·1	79·4	85·6	92·4	95·4	96·4	102·0	99·7	90·8	78·9	62·7	78·9
North Midland	M	1,823·8	33·9	124·6	140·3	148·4	145·2	113·1	118·3	123·7	132·3	130·7	121·9	121·8	111·9	91·1	64·6	46·9	55·1
	F	1,867·2	32·0	118·2	132·5	140·2	139·2	112·1	112·1	117·9	125·5	125·2	121·1	123·2	115·9	102·3	86·7	68·7	94·4
Midland	M	2,391·0	45·6	163·3	182·0	191·1	203·4	158·0	160·3	169·7	174·3	176·4	165·7	159·5	142·9	110·9	75·4	53·5	59·0
	F	2,439·1	43·2	154·9	172·2	181·5	191·3	155·5	150·1	157·3	167·2	170·6	161·7	159·3	147·7	127·9	105·3	82·2	111·2
West Midlands Conurbation	M	1,164·8	23·0	78·9	86·7	92·3	97·9	77·3	79·7	83·2	85·0	88·6	83·0	79·2	69·9	53·9	35·6	24·5	26·1
	F	1,200·4	21·8	74·8	82·2	88·0	95·7	78·3	73·4	76·5	82·1	85·5	80·9	79·4	73·6	63·7	51·7	39·8	53·0
Remainder of Midland	M	1,226·2	22·6	84·4	95·3	98·8	105·5	80·7	80·6	86·5	89·3	87·8	82·7	80·3	73·0	57·0	39·8	29·0	32·9
	F	1,238·7	21·4	80·1	90·0	93·5	95·6	77·2	76·7	80·8	85·1	85·1	80·8	79·9	74·1	64·2	53·6	42·4	58·2
Eastern	M	1,898·1	34·9	135·5	149·1	152·7	145·9	127·0	128·4	134·8	136·5	134·7	124·5	121·3	109·1	86·9	65·0	50·5	61·3
	F	1,951·0	33·0	128·5	141·4	144·3	135·8	116·1	123·5	129·3	133·2	129·9	124·5	123·4	113·7	101·6	89·1	75·3	108·4
London and South Eastern	M	5,308·0	95·1	323·8	352·6	394·5	405·0	348·6	356·9	350·4	362·5	377·3	381·9	396·4	361·4	282·1	200·3	147·0	172·2
	F	5,885·6	90·2	306·9	336·6	376·0	413·9	379·3	346·8	350·8	376·9	396·4	415·6	430·0	402·5	348·4	297·3	248·4	369·6
Greater London	M	3,904·9	71·4	231·7	249·1	283·0	297·2	268·3	274·4	263·1	272·5	282·3	288·9	300·2	270·4	205·8	137·2	97·5	111·9
	F	4,290·4	67·7	219·7	238·9	270·2	308·1	295·8	262·2	260·1	280·8	295·3	311·9	320·8	294·8	247·1	203·6	167·2	246·2
Remainder of London and South Eastern	M	1,403·1	23·7	92·1	103·5	111·5	107·8	80·3	82·5	87·3	90·0	95·0	93·0	96·2	91·0	76·3	63·1	49·5	60·3
	F	1,595·2	22·5	87·2	97·7	105·8	105·8	83·5	84·6	90·7	96·1	101·1	103·7	109·2	107·7	101·3	93·7	81·2	123·4
Southern	M	1,453·5	26·8	99·9	109·4	112·0	122·1	116·7	100·8	99·5	97·0	96·8	90·9	91·8	83·6	67·5	51·9	39·6	47·2
	F	1,485·4	25·5	94·7	103·6	106·1	105·6	91·8	91·1	91·4	95·6	96·5	94·6	96·2	90·2	80·8	71·8	60·4	89·5
South Western	M	1,687·7	29·2	108·6	124·3	131·9	137·5	116·6	107·2	108·2	110·5	112·0	108·7	112·3	105·7	90·2	70·2	52·3	62·3
	F	1,783·7	27·7	103·0	119·0	125·1	126·2	101·3	98·8	102·3	111·4	114·4	115·5	120·6	117·4	108·4	96·8	79·9	115·9
Wales	M	1,295·4	23·0	86·7	99·9	105·7	102·5	79·0	79·2	83·1	90·9	91·6	86·1	87·2	82·2	69·7	51·6	36·7	40·3
	F	1,357·6	21·8	82·1	96·1	101·0	98·6	77·7	76·2	81·0	89·5	92·7	88·5	91·3	89·3	80·4	69·2	53·5	68·7
Wales I (South East)	M	936·7	16·9	63·2	72·6	76·6	74·9	56·2	57·8	60·9	67·8	67·4	63·0	63·0	59·1	49·5	36·0	25·1	26·7
	F	970·8	16·0	59·9	70·1	73·0	71·4	56·5	56·1	59·1	66·5	68·0	63·8	64·7	62·7	55·6	47·2	35·9	44·3
Wales II (remainder)	M	358·7	6·1	23·5	27·3	29·1	27·6	22·8	21·4	22·2	23·1	24·2	23·1	24·2	23·1	20·2	15·6	11·6	13·6
	F	386·8	5·8	22·2	26·0	28·0	27·2	21·2	20·1	21·9	23·0	24·7	24·7	26·6	26·6	24·8	22·0	17·6	24·4

REVISED Estimated Home Population by sex and age, as at 30th June 1963.
England and Wales, standard regions and conurbations. *

(Figures in thousands)

		All ages	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over
ENGLAND AND WALES	M	**22,834·0**	**426·9**	**1,575·0**	**1,727·9**	**1,731·7**	**1,861·8**	**1,496·8**	**1,495·7**	**1,517·2**	**1,557·5**	**1,663·5**	**1,467·0**	**1,551·9**	**1,443·0**	**1,192·4**	**835·4**	**607·4**	**682·9**
	F	**24,193·7**	405·3	1,493·1	1,642·5	1,647·0	1,792·0	1,500·6	1,439·5	1,457·4	1,535·6	1,667·2	1,522·7	1,638·6	1,564·6	1,395·7	1,189·4	961·7	1,340·8
Standard Regions and Conurbations:																			
Northern	M	**1,614·6**	**30·6**	**118·9**	**135·5**	**130·2**	**130·3**	**99·6**	**104·0**	**108·6**	**113·3**	**118·3**	**98·1**	**103·6**	**97·3**	**82·1**	**57·3**	**41·4**	**45·5**
	F	**1,676·0**	**29·0**	**112·8**	**129·4**	**124·3**	**124·1**	**104·2**	102·3	**105·7**	**108·8**	**115·3**	**99·7**	**106·9**	**105·2**	**92·1**	**78·0**	**60·8**	**77·4**
Tyneside Conurbation	M	413·8	8·0	30·5	34·8	33·1	32·6	25·1	26·8	27·6	29·4	31·5	25·4	26·8	25·2	21·3	14·7	10·4	10·8
	F	441·2	7·5	29·0	33·2	31·9	32·7	27·9	26·6	27·4	28·7	31·5	26·5	28·3	28·3	24·8	20·8	16·1	20·0
Remainder of Northern	M	1,200·8	22·6	88·4	100·7	97·1	97·7	74·5	77·4	81·0	83·9	86·8	72·7	76·8	72·1	60·8	42·6	31·0	34·7
	F	1,234·8	21·5	83·8	96·2	92·4	91·4	76·3	75·7	78·3	80·1	83·8	73·2	78·6	76·9	67·3	57·2	44·7	57·4
East and West Ridings	M	**2,046·5**	**38·4**	**142·7**	**158·2**	**159·4**	**165·2**	**125·8**	**129·1**	**132·6**	**141·3**	**149·6**	**133·1**	**140·3**	**132·7**	**111·5**	**76·0**	**53·7**	**56·9**
	F	**2,173·0**	**36·6**	**135·2**	**149·6**	**151·8**	**160·8**	**132·9**	**127·1**	**129·4**	**136·3**	**148·6**	**137·2**	**148·8**	**143·4**	**129·6**	**108·9**	**85·1**	**111·7**
West Yorkshire Conurbation	M	820·2	15·7	57·8	63·1	63·5	62·1	48·2	51·5	53·0	57·7	59·9	54·0	57·2	55·0	46·6	31·2	21·8	21·9
	F	897·2	15·0	54·7	59·5	61·1	61·5	52·6	50·7	52·5	55·2	59·5	56·8	62·8	62·4	57·6	48·4	37·7	49·2
Remainder of East and West Ridings	M	1,226·3	22·7	84·9	95·1	95·9	103·1	77·6	77·6	79·6	83·6	89·7	79·1	83·1	77·7	64·9	44·8	31·9	35·0
	F	1,275·8	21·6	80·5	90·1	90·7	99·3	80·3	76·4	76·9	81·1	89·1	80·4	86·0	81·0	72·0	60·5	47·4	62·5
North Western	M	**3,177·9**	**62·5**	**233·0**	**253·9**	**252·0**	**253·2**	**190·4**	**199·9**	**205·1**	**214·0**	**227·1**	**203·9**	**220·9**	**205·9**	**169·7**	**117·4**	**83·3**	**85·7**
	F	**3,454·3**	**59·3**	**220·8**	**241·1**	**240·6**	**250·1**	**206·8**	**196·2**	**201·5**	**213·9**	**233·7**	**217·7**	**239·2**	**229·5**	**207·6**	**176·5**	**140·1**	**179·7**
South East Lancashire Conurbation	M	1,168·9	23·2	85·1	91·5	91·9	91·4	69·9	73·4	75·1	81·6	85·5	77·2	83·8	76·9	62·2	41·4	29·2	29·6
	F	1,270·8	22·0	80·7	86·6	88·0	91·3	76·1	72·0	73·8	80·0	86·9	81·9	90·6	85·4	76·4	64·1	50·6	64·4
Merseyside Conurbation	M	661·5	14·6	54·0	58·4	55·8	56·4	44·1	44·8	43·4	41·8	44·6	40·0	42·2	38·6	31·3	21·4	14·9	15·2
	F	724·5	13·8	51·2	55·9	53·8	57·2	48·7	43·6	42·8	43·4	47·7	43·9	46·4	43·6	38·7	32·5	26·1	35·2
Remainder of North Western	M	1,347·5	24·7	93·9	104·0	104·3	105·4	76·4	81·7	86·6	90·6	97·0	86·7	94·9	90·4	76·2	54·6	39·2	40·9
	F	1,459·0	23·5	88·9	98·6	98·8	101·6	82·0	80·6	84·9	90·5	99·1	91·9	102·2	100·5	92·5	79·9	63·4	80·1
North Midland	M	**1,840·3**	**34·6**	**128·8**	**142·4**	**142·0**	**151·1**	**115·1**	**119·8**	**124·2**	**130·8**	**136·8**	**117·0**	**121·9**	**113·4**	**94·9**	**65·3**	**47·2**	**55·0**
	F	**1,883·5**	**32·8**	**122·1**	**134·6**	**134·3**	**145·0**	**114·9**	**114·2**	**117·1**	**123·2**	**130·5**	**115·8**	**123·5**	**117·3**	**104·5**	**88·0**	**69·7**	**96·0**
Midland	M	**2,414·6**	**46·5**	**170·0**	**185·8**	**184·4**	**211·2**	**160·5**	**162·0**	**170·1**	**172·2**	**184·5**	**158·8**	**159·3**	**144·7**	**115·5**	**76·4**	**53·8**	**58·9**
	F	**2,460·9**	**44·2**	**161·1**	**175·6**	**175·0**	**199·0**	**159·2**	**152·6**	**156·2**	**164·2**	**177·5**	**154·1**	**159·5**	**149·3**	**130·4**	**106·8**	**83·2**	**113·0**
West Midlands Conurbation	M	1,172·7	23·4	82·4	88·1	88·6	101·9	79·0	80·3	83·0	83·6	92·2	79·1	78·6	70·4	55·8	35·9	24·5	25·9
	F	1,204·6	22·3	78·0	83·3	84·3	99·0	79·7	74·2	75·5	80·1	88·4	76·6	79·0	73·9	64·6	52·1	40·1	53·5
Remainder of Midland	M	1,241·9	23·1	87·6	97·7	95·8	109·3	81·5	81·7	87·1	88·6	92·3	79·7	80·7	74·3	59·7	40·5	29·3	33·0
	F	1,256·3	21·9	83·1	92·3	90·7	100·0	79·5	78·4	80·7	84·1	89·1	77·5	80·5	75·4	65·8	54·7	43·1	59·5
Eastern	M	**1,925·2**	**35·5**	**141·0**	**150·8**	**146·0**	**152·1**	**129·4**	**130·9**	**136·4**	**136·3**	**141·9**	**120·4**	**122·4**	**111·6**	**91·2**	**66·3**	**51·3**	**61·7**
	F	**1,981·3**	**33·8**	**133·6**	**143·2**	**137·8**	**142·6**	**119·9**	**127·0**	**129·6**	**132·1**	**136·6**	**120·2**	**124·9**	**116·1**	**104·5**	**91·3**	**76·9**	**111·2**
London and South Eastern	M	**5,330·7**	**97·8**	**335·8**	**357·5**	**377·6**	**421·8**	**357·0**	**359·4**	**349·0**	**355·0**	**391·6**	**362·4**	**392·9**	**362·7**	**291·6**	**201·2**	**147·1**	**170·3**
	F	**5,894·7**	**92·8**	**318·5**	**341·0**	**359·6**	**427·3**	**385·4**	**349·7**	**345·4**	**366·3**	**409·4**	**393·2**	**427·4**	**403·8**	**352·5**	**299·3**	**250·0**	**373·1**
Greater London	M	3,905·0	73·2	240·5	251·3	269·6	307·6	272·9	275·1	260·9	265·8	291·9	272·9	296·5	270·6	212·0	137·1	97·1	110·0
	F	4,280·3	69·5	228·0	241·0	257·2	317·1	299·5	263·4	255·1	271·7	303·9	293·7	317·6	294·6	249·1	204·0	167·5	247·4
Remainder of London and South Eastern	M	1,425·7	24·6	95·3	106·2	108·0	114·2	84·1	84·3	88·1	89·2	99·7	89·5	96·4	92·1	79·6	64·1	50·0	60·3
	F	1,614·4	23·3	90·5	100·0	102·4	110·2	85·9	86·3	90·3	94·6	105·5	99·5	109·8	109·2	103·4	95·3	82·5	125·7
Southern	M	**1,477·1**	**27·9**	**104·5**	**114·0**	**110·7**	**126·6**	**118·6**	**102·2**	**100·1**	**96·3**	**101·5**	**87·5**	**92·0**	**84·9**	**70·4**	**52·7**	**40·1**	**47·1**
	F	**1,509·7**	**26·5**	**99·0**	**107·9**	**104·8**	**110·1**	**94·5**	**93·1**	**91·2**	**94·3**	**100·8**	**90·7**	**96·8**	**91·5**	**82·7**	**73·1**	**61·3**	**91·4**
South Western	M	**1,705·3**	**30·0**	**111·0**	**128·1**	**128·3**	**143·3**	**119·3**	**108·5**	**108·2**	**108·9**	**117·0**	**103·9**	**112·0**	**106·9**	**93·6**	**70·8**	**52·7**	**61·9**
	F	**1,798·9**	**28·5**	**106·1**	**122·4**	**121·7**	**130·9**	**103·7**	**100·3**	**101·3**	**109·2**	**118·8**	**110·1**	**120·6**	**118·7**	**110·3**	**97·9**	**80·8**	**117·6**
Wales	M	**1,301·8**	**23·1**	**88·4**	**101·7**	**101·1**	**107·0**	**81·1**	**79·9**	**82·9**	**89·4**	**95·2**	**81·9**	**86·6**	**82·9**	**71·9**	**52·0**	**36·8**	**39·9**
	F	**1,361·4**	**21·8**	**83·9**	**97·7**	**97·1**	**102·1**	**79·1**	**77·0**	**80·0**	**87·3**	**96·0**	**84·0**	**91·0**	**89·8**	**81·5**	**69·6**	**53·8**	**69·7**
Wales I (South East)	M	940·2	16·8	64·5	73·9	73·4	77·7	57·2	58·3	60·7	66·6	70·1	59·9	62·5	59·6	51·1	36·3	25·2	26·4
	F	973·3	15·9	61·1	71·3	70·2	73·9	57·6	56·7	58·4	64·8	70·4	60·5	64·5	63·1	56·3	47·5	36·2	44·9
Wales II (remainder)	M	361·6	6·3	23·9	27·8	27·7	29·3	23·9	21·6	22·2	22·8	25·1	22·0	24·1	23·3	20·8	15·7	11·6	13·5
	F	388·1	5·9	22·8	26·4	26·9	28·2	21·5	20·3	21·6	22·5	25·6	23·5	26·5	26·7	25·2	22·1	17·6	24·8

* Final revision

Printed in England for Her Majesty's Stationery Office by D.R. Hillman & Sons Ltd., Frome, Somerset. Dd 120887 K 9/65.

Census 1961

Report on Scientific and Technological Qualifications, Great Britain 6*s.* 6*d.* (7*s.* 0*d.*)

Report on Welsh Speaking Population, Wales including Monmouthshire 10*s.* (10*s.* 7*d.*)

ENGLAND AND WALES

Preliminary Report 7*s.* 6*d.* (8*s.* 2*d.*)
Usual Residence Tables 12*s.* (12*s.* 7*d.*)
Age, Marital Condition and General Tables . . . 22*s.* (22*s.* 10*d.*)
Birthplace and Nationality Tables 15*s.* (15*s.* 8*d.*)
Housing Tables:
Part I Buildings, Dwellings and Households . . 30*s.* (31*s.* 1*d.*)
Part II Tenure and Household Arrangements . . 30*s.* (31*s.* 1*d.*)
Part III Local Housing Indices 11*s.* (11*s.* 7*d.*)
Commonwealth Immigrants in the Conurbations . . 25*s.* (25*s.* 11*d.*)

County Reports

This series of reports provides statistics of predominantly local interest. The subjects covered include the population and acreage of local authority areas, including wards and civil parishes, and the distribution of the local population according to sex, age and marital condition, birthplace, citizenship and nationality; households and their size distribution, the buildings, dwellings and rooms in which they lived, the tenure of their accommodation (viz.: whether they were owner occupiers, tenants, etc.) and certain household arrangements possessed by them; and institutions of different types housing various categories of non-private population. (Prices vary from 11*s.* 0*d. to* 54*s.* 0*d. net.)*

Prices in brackets include postage

Published by

HER MAJESTY'S STATIONERY OFFICE

and obtainable from the Government Bookshops in London (post orders to P.O. Box 569, S.E.1), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller

The Registrar General's Annual Estimates of the Population of England and Wales and of Local Administrative Areas

An annual publication issued to meet a general demand for the most recent figures of populations of local administrative areas, county boroughs, administrative and geographical counties, standard regions and conurbations. The latest estimates of the population of England and Wales as a whole, by sex, by single years of age to age 20 and by five-year age-groups thereafter, are also given.

The 1964 edition contains in addition revised analyses by sex and age for 1961, 1962 and 1963. The sex/age estimates have been based on an age graduation of the final results of the 1961 census.

Price 2*s.* 0*d.* (1964 *edition*). *By post* 2*s.* 3*d.*

Published by

HER MAJESTY'S STATIONERY OFFICE

and obtainable from the Government Bookshops in London (post orders to P.O. Box 569, S.E.1), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller

The Registrar General's Statistical Review of England and Wales

Part III: Commentary

This annual volume contains detailed analyses of the statistics of life and death already presented in Parts I and II of the Review which are designed to assist, in their administration or research, demographers, statisticians, medical research organisations, public health authorities, and all other individuals and organisations who have to take account of the vital statistics of England and Wales.

The years since 1955 have seen an unexpected rise in the number of births, and the volume for 1962 contains an analysis of the factors which may have contributed to this increase and a discussion on the possible future course of fertility and family building.

Another subject which has received special study is congenital malformations with particular reference to the geographical variations in infant mortality from this cause. There is further comment on causes of stillbirth which were featured in the corresponding volume for 1961.

Price 27*s.* 0*d. net.* *By post* 28*s.* 1*d.*

Published by

HER MAJESTY'S STATIONERY OFFICE

and obtainable from the Government Bookshops in London (post orders to P.O. Box 569, S.E.1), Edinburgh, Cardiff, Belfast, Manchester, Birmingham and Bristol, or through any bookseller

© *Crown copyright 1966*

Published by
HER MAJESTY'S STATIONERY OFFICE

To be purchased from
49 High Holborn, London W.C.1
423 Oxford Street, London W.1
13A Castle Street, Edinburgh 2
109 St. Mary Street, Cardiff
Brazennose Street, Manchester 2
50 Fairfax Street, Bristol 1
35 Smallbrook, Ringway, Birmingham 5
80 Chichester Street, Belfast 1
or through any bookseller

S.O. Code No. 70-141-1-64*